



1.6dB Bandwidth

Test Mode	Test Channel	EBW[MHz]	Limit	Verdict
BLE	2402	0.6932	0.5	PASS
BLE	2440	0.6996	0.5	PASS
BLE	2480	0.6949	0.5	PASS

6dB Bandwidth_BLE_2402



6dB Bandwidth_BLE_2440




6dB Bandwidth_BLE_2480




2.Occupied Bandwidth

Test Mode	Test Channel	OBW[MHz]	Limit[MHz]	Verdict
BLE	2402	1.0308	---	PASS
BLE	2440	1.0292	---	PASS
BLE	2480	1.0285	---	PASS

Occupied Bandwidth_BLE_2402



Occupied Bandwidth_BLE_2440




Occupied Bandwidth_BLE_2480




3.Maximum peak conducted output power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	-2.085	30	PASS
BLE	2440	-0.957	30	PASS
BLE	2480	0.503	30	PASS


Maximum peak conducted output power_BLE_2402



Maximum peak conducted output power_BLE_2440




Maximum peak conducted output power_BLE_2480




4.Maximum Peak power spectral density

Test Mode	Test Channel	PSD[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE	2402	-18.027	8.00	PASS
BLE	2440	-16.787	8.00	PASS
BLE	2480	-15.143	8.00	PASS

Maximum Peak power spectral density_BLE_2402



Maximum Peak power spectral density_BLE_2440




Maximum Peak power spectral density_BLE_2480




5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	-2.673	-39.998	-22.67	PASS
BLE	2480	0.074	-40.322	-19.93	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Hopping Off



Band-edge for RF Conducted Emissions_BLE_2480_Hopping Off




6.RF Conducted Spurious Emissions


Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	30	3000	100	300	-2.751	-46.493	-22.751	PASS
BLE	2402	3000	5000	100	300	-2.751	-46.248	-22.751	PASS
BLE	2402	5000	10000	100	300	-2.751	-44.357	-22.751	PASS
BLE	2402	10000	15000	100	300	-2.751	-40.738	-22.751	PASS
BLE	2402	15000	25000	100	300	-2.751	-32.750	-22.751	PASS
BLE	2440	30	3000	100	300	-1.544	-47.166	-21.544	PASS
BLE	2440	3000	5000	100	300	-1.544	-46.650	-21.544	PASS
BLE	2440	5000	10000	100	300	-1.544	-44.802	-21.544	PASS
BLE	2440	10000	15000	100	300	-1.544	-40.741	-21.544	PASS
BLE	2440	15000	25000	100	300	-1.544	-32.770	-21.544	PASS
BLE	2480	30	3000	100	300	0.011	-47.020	-19.989	PASS
BLE	2480	3000	5000	100	300	0.011	-46.802	-19.989	PASS
BLE	2480	5000	10000	100	300	0.011	-44.113	-19.989	PASS
BLE	2480	10000	15000	100	300	0.011	-41.143	-19.989	PASS
BLE	2480	15000	25000	100	300	0.011	-33.302	-19.989	PASS

RF Conducted Spurious Emissions_BLE_2402

Pref




CSE_1




RF Conducted Spurious Emissions_BLE_2440

Pref




CSE_1



RF Conducted Spurious Emissions_BLE_2480

Pref



CSE_1

