



Report No.: 0715335

PC's AC Mains "L"

Report No.:0715335

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k | 30M | 5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|--------|
| 2 | 1 9k | 30M | EW0700 |
| 12 | 9k | 30M | EW0090 |



Ctrl No.: N/A



Report No.: 0715335

PC's AC Mains "L"

Report No.:0715335

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.55500 | 37.7 | 56.0 | -18.3 |
| 0.64500 | 35.0 | 56.0 | -21.0 |
| 0.92500 | 39.5 | 56.0 | -16.5 |
| 1.29500 | 38.4 | 56.0 | -17.6 |
| 1.66000 | 38.2 | 56.0 | -17.8 |
| 2.49000 | 35.9 | 56.0 | -20.1 |
| 6.96500 | 37.6 | 60.0 | -22.4 |
| 17.80000 | 40.9 | 60.0 | -19.1 |
| 23.30500 | 47.8 | 60.0 | -12.2 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.16500 | 38.1 | 55.2 | -17.1 |
| 0.23000 | 32.6 | 52.4 | -19.8 |
| 0.55500 | 37.4 | 46.0 | -8.6 |
| 0.64500 | 34.3 | 46.0 | -11.7 |
| 0.92500 | 39.3 | 46.0 | -6.7 |
| 1.29000 | 38.6 | 46.0 | -7.4 |
| 1.66000 | 37.9 | 46.0 | -8.1 |
| 2.40000 | 33.9 | 46.0 | -12.1 |
| 3.23000 | 31.6 | 46.0 | -14.4 |
| 21.48500 | 41.0 | 50.0 | -9.0 |
| 23.31000 | 44.2 | 50.0 | -5.8 |

* limit exceeded



Report No.: 0715335

PC's AC Mains "N"

Report No.:0715335

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k | 30M | 5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|--------|
| 2 | 1 9k | 30M | EW0700 |
| 12 | 9k | 30M | EW0090 |





Report No.: 0715335

PC's AC Mains "N"

Report No.:0715335

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.18500 | 44.8 | 64.3 | -19.5 |
| 0.55500 | 37.9 | 56.0 | -18.1 |
| 0.64500 | 35.4 | 56.0 | -20.6 |
| 0.92000 | 40.3 | 56.0 | -15.7 |
| 1.29000 | 39.6 | 56.0 | -16.4 |
| 1.66000 | 38.1 | 56.0 | -17.9 |
| 2.48500 | 33.6 | 56.0 | -22.4 |
| 3.13000 | 34.6 | 56.0 | -21.4 |
| 15.53500 | 42.1 | 60.0 | -17.9 |
| 23.29500 | 48.3 | 60.0 | -11.7 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.18500 | 43.9 | 54.3 | -10.4 |
| 0.27500 | 36.1 | 51.0 | -14.9 |
| 0.31000 | 31.5 | 50.0 | -18.5 |
| 0.55500 | 37.6 | 46.0 | -8.4 |
| 0.64500 | 34.9 | 46.0 | -11.1 |
| 0.92000 | 39.9 | 46.0 | -6.1 |
| 1.29000 | 39.3 | 46.0 | -6.7 |
| 1.66000 | 37.5 | 46.0 | -8.5 |
| 2.39500 | 34.5 | 46.0 | -11.5 |
| 3.13000 | 32.6 | 46.0 | -13.4 |
| 4.23500 | 27.5 | 46.0 | -18.5 |
| 15.53500 | 39.2 | 50.0 | -10.8 |
| 23.30500 | 44.5 | 50.0 | -5.5 |

* limit exceeded

Ctrl No.: N/A