

Antenna Details

Antenna Type: PCB

Antenna model:210000

Frequency Bands Supported:

ANT1:BT / BLE /Thread 2.4GHZ

ANT2:WIFI2.4GHZ&WIFI5GHz

Antenna Manufacturer:GTK

BT / BLE /Thread Antenna Efficiency and Peak Gain

Peak ANT Gain : 4 dBi

Freq(MHz)	Efficie ncy_dB	Gain
2400	-3.7206	2.68249
2410	-3, 3282	3.07751
2420	-3.0723	3.39773
2430	-2.8626	3.57385
2440	-2.6803	3.78443
2450	-2.5189	4.05851
2460	-2.4476	4.07793
2470	-2.443	3.98667
2480	-2. 4791	3.86004

WIFI Antenna Efficiency and Peak Gain

2.4GHz Peak Gain : 0.7dBi 5GHz Peak Gain : 6.1dBi

Freq(MHz)	Efficien cy_dB	Gain
2400	-3.51264	-0.11
2410	-3, 34084	0.0694
2420	-3.21323	0.27527
2430	-3,06086	0.30864
2440	-2.977	0.38616
2450	-2.83626	0.5435
2460	-2.77203	0.65923
2470	-2.69244	0.72534
2480	-2, 65447	0.7473

Freq(MHz)	Efficien cy_dB	Gain
5180	-1.56872	4, 2145
5200	-1.58097	4.18987
5220	-1.47576	4. 23662
5240	-1.58814	4.05647
5260	-1.64271	3, 91565
5280	-1.61632	3, 8658
5300	-1.76828	3,65973
5320	-1.61136	3,86772
5340	-1.63917	3, 75672
5360	-1.46049	3, 90365
5380	-1.19152	4.13302
5400	-0.96271	4. 27296
5420	-0.8162	4. 38741
5440	-0.97614	4. 49848
5460	-1.02661	4. 72775
5480	-1.30409	4. 76667
5500	-1.32469	5.00847

Freq(MH z)	Efficie ncy_dB	Gain
5520	-1.2464	5. 26665
5540	-1.1923	5.54032
5560	-1.0028	5.88268
5580	-1.0301	5. 94411
5600	-0.9858	5.96824
5620	-0.9746	5. 94843
5640	-0.9815	5.8916
5660	-0.8417	6.00679
5680	-0.7513	6.10046
5700	-1.0275	5. 8945
5720	-0.814	6.05767
5740	-0.7595	6.11863
5760	-1.1323	5.66998
5780	-1.0833	5.56047
5800	-1.4033	5.08691
5820	-1.2583	5.07915
5840	-1.1934	5. 22672
5860	-1.6277	4.86185

Antenna Manufacture


GTK

Address:No.402 guilin Road, XuHui District Shanghai, 200233, P.R.China


Antenna test equipment
Vector network analyzer Keysight E5071C
Microwave chamber ETS 8923
Calibration date:2024/11/10
Due data:2025/11/10

Antenna test software EMQuest™

ANT1:BT / BLE /Thread



ANT2:WIFI5G



Test Dates	May-2025
Test Engineer	More Zhou