









Mode	6																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth LE(CH0-39)_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-01-10 Frequency (MHz)								Level (dBuV/m) Date: 2024-01-10 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>51.90</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.57</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14	2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>51.31</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>49.19</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14	2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14																																																																																									
2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14																																																																																									
2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>51.90</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.57</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14	2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>51.31</td><td>34.88</td><td>11.14</td></tr><tr><td>2</td><td>7440.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>49.19</td><td>36.38</td><td>12.97</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14	2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	46.41	74.00	-27.59	51.90	34.88	11.14																																																																																									
2	7440.00	46.73	74.00	-27.27	48.57	36.38	12.97																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	4960.00	45.82	74.00	-28.18	51.31	34.88	11.14																																																																																									
2	7440.00	47.35	74.00	-26.65	49.19	36.38	12.97																																																																																									



Mode	7											
	LF											
	2400-2483.5_Bluetooth LE(CH0-39)_CH39_2480MHz											
ANT	1											
Pol.	Horizontal					Vertical						
QP/ Peak	Data: 1 Level (dBuV/m) Date: 2024-01-12  FCC CLASS-B Frequency (MHz)					Data: 2 Level (dBuV/m) Date: 2024-01-12  FCC CLASS-B Frequency (MHz)						
	Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark					Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark						
	MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg					MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg						
	1	47.460	17.91	-22.09	40.00	31.64	19.62	1.62	34.97	---	---	Peak
	2	145.430	17.18	-26.32	43.50	31.00	18.59	2.30	34.71	---	---	Peak
	3	440.310	23.16	-22.84	46.00	31.73	22.49	3.44	34.50	---	---	Peak
	4	628.490	25.89	-20.11	46.00	30.61	26.18	3.64	34.54	---	---	Peak
	5	898.150	29.79	-16.21	46.00	31.03	28.64	4.42	34.30	---	---	Peak
	6	953.440	29.94	-16.06	46.00	29.93	29.78	4.52	34.29	---	---	Peak
	1	34.850	20.43	-19.57	40.00	35.26	18.68	1.29	34.80	---	---	Peak
2	161.920	17.70	-25.80	43.50	31.73	18.28	2.39	34.70	---	---	Peak	
3	260.860	17.52	-28.48	46.00	31.25	17.90	3.05	34.68	---	---	Peak	
4	451.950	22.49	-23.51	46.00	30.75	22.77	3.47	34.50	---	---	Peak	
5	709.000	26.96	-19.04	46.00	30.43	27.19	3.74	34.40	---	---	Peak	
6	942.770	29.64	-16.36	46.00	29.84	29.60	4.50	34.30	---	---	Peak	



Mode	8																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2314.31</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>41.13</td><td>32.09</td><td>7.55</td><td>32.06</td><td>362 189 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2314.31	48.71	74.00	-25.29	41.13	32.09	7.55	32.06	362 189 PEAK	 Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>94.59</td><td>-----</td><td>-----</td><td>86.58</td><td>32.29</td><td>7.80</td><td>32.08</td><td>362 189 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2404.00	94.59	-----	-----	86.58	32.29	7.80	32.08	362 189 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2314.31	48.71	74.00	-25.29	41.13	32.09	7.55	32.06	362 189 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2404.00	94.59	-----	-----	86.58	32.29	7.80	32.08	362 189 PEAK																																																																																	
Avg	 Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.95</td><td>38.36</td><td>54.00</td><td>-15.64</td><td>30.49</td><td>32.22</td><td>7.72</td><td>32.07</td><td>362 189 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2373.95	38.36	54.00	-15.64	30.49	32.22	7.72	32.07	362 189 AVERAGE	 Date: 2024-01-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>94.19</td><td>-----</td><td>-----</td><td>86.18</td><td>32.29</td><td>7.80</td><td>32.08</td><td>362 189 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2404.00	94.19	-----	-----	86.18	32.29	7.80	32.08	362 189 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2373.95	38.36	54.00	-15.64	30.49	32.22	7.72	32.07	362 189 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2404.00	94.19	-----	-----	86.18	32.29	7.80	32.08	362 189 AVERAGE																																																																																	



Mode	8																																																									
	Band Edge																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																									
ANT	1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>2380.04</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>41.03</td><td>32.24</td><td>7.73</td><td>32.08</td><td>392</td><td>188 PEAK</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2380.04	48.92	74.00	-25.08	41.03	32.24	7.73	32.08	392	188 PEAK	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>2404.00</td><td>96.48</td><td>-----</td><td>-----</td><td>88.47</td><td>32.29</td><td>7.80</td><td>32.08</td><td>392</td><td>188 PEAK</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2404.00	96.48	-----	-----	88.47	32.29	7.80	32.08	392	188 PEAK
	Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2380.04	48.92	74.00	-25.08	41.03	32.24	7.73	32.08	392	188 PEAK																																																
Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2404.00	96.48	-----	-----	88.47	32.29	7.80	32.08	392	188 PEAK																																																
Avg	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>2370.48</td><td>38.29</td><td>54.00</td><td>-15.71</td><td>30.43</td><td>32.22</td><td>7.71</td><td>32.07</td><td>392</td><td>188 AVERAGE</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2370.48	38.29	54.00	-15.71	30.43	32.22	7.71	32.07	392	188 AVERAGE	Level (dBuV/m) Date: 2024-01-11 Limit Margin Read Ant Cable Preamp APos TPos <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>2404.00</td><td>95.44</td><td>-----</td><td>-----</td><td>87.43</td><td>32.29</td><td>7.80</td><td>32.08</td><td>392</td><td>188 AVERAGE</td></tr></tbody></table>	Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2404.00	95.44	-----	-----	87.43	32.29	7.80	32.08	392	188 AVERAGE
Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2370.48	38.29	54.00	-15.71	30.43	32.22	7.71	32.07	392	188 AVERAGE																																																
Freq	Level	Line	(dB)	Level Factor	Loss Factor	Remark																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	2404.00	95.44	-----	-----	87.43	32.29	7.80	32.08	392	188 AVERAGE																																																



Mode	8																																																																																															
	Harmonic																																																																																															
	2400-2483.5_Bluetooth LE(CH2-76)_CH 02_2404MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-01-11 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>51.94</td><td>34.82</td><td>11.07</td><td>51.58</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58	--	-- Peak	Level (dBuV/m) Date: 2024-01-11 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>55.05</td><td>34.82</td><td>11.07</td><td>51.58</td><td>161</td><td>98 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	49.36	74.00	-24.64	55.05	34.82	11.07	51.58	161	98 Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4808.00	46.25	74.00	-27.75	51.94	34.82	11.07	51.58	--	-- Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4808.00	49.36	74.00	-24.64	55.05	34.82	11.07	51.58	161	98 Peak																																																																																						



Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_Bluetooth LE(CH2-76)_CH 22_2424MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4848.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>53.63</td><td>34.84</td><td>11.09</td><td>51.56</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7272.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>49.37</td><td>36.31</td><td>13.05</td><td>51.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09	51.56	--	--	Peak	2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05	51.15	--	--	Peak	Level (dBuV/m) Date: 2024-01-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4848.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>54.81</td><td>34.84</td><td>11.09</td><td>51.56</td><td>157</td><td>98</td><td>Peak</td></tr><tr><td>2</td><td>7272.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>50.07</td><td>36.31</td><td>13.05</td><td>51.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09	51.56	157	98	Peak	2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05	51.15	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4848.00	48.00	74.00	-26.00	53.63	34.84	11.09	51.56	--	--	Peak																																																																																																									
2	7272.00	47.58	74.00	-26.42	49.37	36.31	13.05	51.15	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4848.00	49.18	74.00	-24.82	54.81	34.84	11.09	51.56	157	98	Peak																																																																																																									
2	7272.00	48.28	74.00	-25.72	50.07	36.31	13.05	51.15	--	--	Peak																																																																																																									



Mode	10																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 26_2428MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-01-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4856.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>53.49</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7284.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>49.44</td><td>36.31</td><td>13.06</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4856.00	47.86	74.00	-26.14	53.49	34.84	11.09	2	7284.00	47.65	74.00	-26.35	49.44	36.31	13.06	Level (dBuV/m) Date: 2024-01-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4856.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>55.33</td><td>34.84</td><td>11.09</td></tr><tr><td>2</td><td>7284.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>49.50</td><td>36.31</td><td>13.06</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4856.00	49.70	74.00	-24.30	55.33	34.84	11.09	2	7284.00	47.71	74.00	-26.29	49.50	36.31	13.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	4856.00	47.86	74.00	-26.14	53.49	34.84	11.09																																																																																			
2	7284.00	47.65	74.00	-26.35	49.44	36.31	13.06																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	4856.00	49.70	74.00	-24.30	55.33	34.84	11.09																																																																																			
2	7284.00	47.71	74.00	-26.29	49.50	36.31	13.06																																																																																			



Mode	11																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.66</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>40.63</td><td>32.49</td><td>7.89</td><td>32.10</td><td>361 181 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2493.66	48.91	74.00	-25.09	40.63	32.49	7.89	32.10	361 181 PEAK	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.71</td><td>-----</td><td>-----</td><td>89.48</td><td>32.45</td><td>7.87</td><td>32.09</td><td>361 181 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.71	-----	-----	89.48	32.45	7.87	32.09	361 181 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2493.66	48.91	74.00	-25.09	40.63	32.49	7.89	32.10	361 181 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	97.71	-----	-----	89.48	32.45	7.87	32.09	361 181 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.25</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>30.52</td><td>32.47</td><td>7.88</td><td>32.10</td><td>361 181 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.25	38.77	54.00	-15.23	30.52	32.47	7.88	32.10	361 181 AVERAGE	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>96.75</td><td>-----</td><td>-----</td><td>88.52</td><td>32.45</td><td>7.87</td><td>32.09</td><td>361 181 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	96.75	-----	-----	88.52	32.45	7.87	32.09	361 181 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2486.25	38.77	54.00	-15.23	30.52	32.47	7.88	32.10	361 181 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2478.00	96.75	-----	-----	88.52	32.45	7.87	32.09	361 181 AVERAGE																																																																									



Mode	11																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2488.12</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>41.43</td><td>32.47</td><td>7.88</td><td>32.10</td><td>393 194 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2488.12	49.68	74.00	-24.32	41.43	32.47	7.88	32.10	393 194 PEAK	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>99.43</td><td>-----</td><td>-----</td><td>91.20</td><td>32.45</td><td>7.87</td><td>32.09</td><td>393 194 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	99.43	-----	-----	91.20	32.45	7.87	32.09	393 194 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2488.12	49.68	74.00	-24.32	41.43	32.47	7.88	32.10	393 194 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2478.00	99.43	-----	-----	91.20	32.45	7.87	32.09	393 194 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2487.72</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>30.61</td><td>32.47</td><td>7.88</td><td>32.10</td><td>393 194 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2487.72	38.86	54.00	-15.14	30.61	32.47	7.88	32.10	393 194 AVERAGE	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>98.38</td><td>-----</td><td>-----</td><td>90.15</td><td>32.45</td><td>7.87</td><td>32.09</td><td>393 194 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	98.38	-----	-----	90.15	32.45	7.87	32.09	393 194 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2487.72	38.86	54.00	-15.14	30.61	32.47	7.88	32.10	393 194 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2478.00	98.38	-----	-----	90.15	32.45	7.87	32.09	393 194 AVERAGE																																																																		




Mode	11																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth LE(CH2-76)_CH 76_2478MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-01-11 Frequency (MHz)						Level (dBuV/m) Date: 2024-01-11 Frequency (MHz)																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>53.15</td><td>34.88</td><td>11.13</td><td>51.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>49.96</td><td>36.37</td><td>12.99</td><td>51.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4956.00	47.64	74.00	-26.36	53.15	34.88	11.13	51.52	--	--	Peak	2	7434.00	48.13	74.00	-25.87	49.96	36.37	12.99	51.19	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>54.63</td><td>34.88</td><td>11.13</td><td>51.52</td><td>157</td><td>99</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>49.54</td><td>36.37</td><td>12.99</td><td>51.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4956.00	49.12	74.00	-24.88	54.63	34.88	11.13	51.52	157	99	Peak	2	7434.00	47.71	74.00	-26.29	49.54	36.37	12.99	51.19	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	4956.00	47.64	74.00	-26.36	53.15	34.88	11.13	51.52	--	--	Peak																																																																																																								
2	7434.00	48.13	74.00	-25.87	49.96	36.37	12.99	51.19	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	4956.00	49.12	74.00	-24.88	54.63	34.88	11.13	51.52	157	99	Peak																																																																																																								
2	7434.00	47.71	74.00	-26.29	49.54	36.37	12.99	51.19	--	--	Peak																																																																																																								

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
BLE(CH0-39) 1Mbps	48.51	2.12	0.47	1KHz
BLE(CH0-39) 2Mbps	32.02	1.06	0.94	1KHz
BLE(CH2-76) 1Mbps	100	-	-	10Hz

BLE(CH0-39) 1Mbps





BLE(CH0-39) 2Mbps



BLE (CH2-76) 1Mbps

