

Appendix C: Test Results of Radiated Spurious Emissions & Mains

Radiated Emission Test for Series Model No. DK-9180C


Band Edges, 2.31GHz ~ 2.5GHz

BLE_1M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2326.44	54.35	16.54	37.81	74.00	-19.65	210	37	Peak		Horizontal	
2 *	2402.00	90.69	52.59	38.10	74.00	16.69	210	37	Peak		Horizontal	
3	2496.11	54.74	16.42	38.32	74.00	-19.26	210	37	Peak		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1		2310.00	54.27	16.55	37.72	74.00	-19.73	100	137	Peak	Vertical
2	*	2402.00	90.74	52.64	38.10	74.00	16.74	100	137	Peak	Vertical
3		2486.32	54.43	16.11	38.32	74.00	-19.57	100	137	Peak	Vertical

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.09	43.42	5.43	37.99	54.00	-10.58	210	37	Average	Horizontal		
2 *	2402.00	89.72	51.62	38.10	54.00	35.72	210	37	Average	Horizontal		
3	2494.44	44.09	5.78	38.31	54.00	-9.91	210	37	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2324.49	43.84	6.04	37.80	54.00	-10.16	100	137	Average	Vertical		
2 *	2402.00	89.72	51.62	38.10	54.00	35.72	100	137	Average	Vertical		
3	2497.82	44.63	6.32	38.31	54.00	-9.37	100	137	Average	Vertical		

BLE_1M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.37	54.44	16.68	37.76	74.00	-19.56	258	38	Peak	Horizontal	
2 *	2440.00	94.11	55.81	38.30	74.00	20.11	258	38	Peak	Horizontal	
3	2490.98	55.24	16.92	38.32	74.00	-18.76	258	38	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2337.65	54.10	16.23	37.87	74.00	-19.90	100	143	Peak	Vertical	
2 *	2440.00	93.52	55.22	38.30	74.00	19.52	100	143	Peak	Vertical	
3	2489.93	54.60	16.28	38.32	74.00	-19.40	100	143	Peak	Vertical	

BLE_1M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2330.76	43.75	5.92	37.83	54.00	-10.25	258	38	Average	Horizontal		
2 *	2440.00	93.13	54.83	38.30	54.00	39.13	258	38	Average	Horizontal		
3	2498.81	44.08	5.77	38.31	54.00	-9.92	258	38	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2321.26	43.51	5.72	37.79	54.00	-10.49	100	143	Average	Vertical		
2 *	2440.00	92.46	54.16	38.30	54.00	38.46	100	143	Average	Vertical		
3	2499.24	44.32	6.01	38.31	54.00	-9.68	100	143	Average	Vertical		

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.00	55.08	17.10	37.98	74.00	-18.92	285	41	Peak	Horizontal	
2 *	2480.00	98.27	59.94	38.33	74.00	24.27	285	41	Peak	Horizontal	
3	2484.52	58.72	20.40	38.32	74.00	-15.28	285	41	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2362.68	55.43	17.45	37.98	74.00	-18.57	100	145	Peak	Vertical	
2 *	2480.00	98.63	58.30	38.33	74.00	22.63	100	145	Peak	Vertical	
3	2484.52	58.67	20.35	38.32	74.00	-15.33	100	145	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.07	40.83	2.00	38.03	54.00	-13.17	285	41	Average	Horizontal		
2 *	2480.00	97.10	58.85	38.33	54.00	43.10	285	41	Average	Horizontal		
3	2483.76	42.10	3.78	38.32	54.00	-11.90	285	41	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2371.42	40.98	2.98	38.00	54.00	-13.02	100	145	Average	Vertical		
2 *	2480.00	95.29	56.96	38.33	54.00	41.29	100	145	Average	Vertical		
3	2484.09	41.97	3.65	38.32	54.00	-12.03	100	145	Average	Vertical		

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.93	55.55	17.68	37.87	74.00	-18.45	237	40	Peak	Horizontal		
2 *	2402.00	91.53	53.43	38.10	74.00	17.53	237	40	Peak	Horizontal		
3	2497.20	55.04	16.72	38.32	74.00	-18.96	237	40	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2340.05	54.59	16.67	37.92	74.00	-19.41	100	145	Peak	Vertical		
2 *	2402.00	91.26	53.16	38.10	74.00	17.26	100	145	Peak	Vertical		
3	2496.68	55.25	16.93	38.32	74.00	-18.75	100	145	Peak	Vertical		

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.10	45.27	7.23	38.04	54.00	-8.73	237	40	Average	Horizontal
2 *	2402.00	89.04	50.94	38.10	54.00	35.04	237	40	Average	Horizontal
3	2489.60	45.52	7.20	38.32	54.00	-8.48	237	40	Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2341.40	44.98	7.09	37.09	54.00	-9.02	100	145	Average	Vertical
2 *	2402.00	88.75	50.65	38.10	54.00	34.75	100	145	Average	Vertical
3	2494.35	45.70	7.39	38.31	54.00	-8.30	100	145	Average	Vertical

BLE_2M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2323.73	54.39	16.60	37.79	74.00	-19.61	210	38	Peak	Horizontal		
2 *	2440.00	94.87	56.57	38.30	74.00	20.87	210	38	Peak	Horizontal		
3	2486.80	54.37	16.05	38.32	74.00	-19.63	210	38	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2300.54	54.21	16.18	38.03	74.00	-19.79	100	144	Peak	Vertical		
2 *	2440.00	93.39	55.09	38.30	74.00	19.39	100	144	Peak	Vertical		
3	2497.77	55.08	16.77	38.31	74.00	-18.92	100	144	Peak	Vertical		

BLE_2M

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.29	44.83	6.79	38.04	54.00	-9.17	210	38	Average	Horizontal		
2 *	2440.00	92.35	54.05	38.30	54.00	38.35	210	38	Average	Horizontal		
3	2487.60	46.05	7.73	38.32	54.00	-7.95	210	38	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.56	45.52	7.46	38.06	54.00	-8.48	100	144	Average	Vertical		
2 *	2440.00	90.93	52.63	38.30	54.00	36.93	100	144	Average	Vertical		
3	2485.85	45.30	6.98	38.32	54.00	-8.70	100	144	Average	Vertical		

BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.48	54.94	16.90	38.04	74.00	-19.06	203	41	Peak	Horizontal		
2 *	2480.00	98.49	60.16	38.33	74.00	24.49	203	41	Peak	Horizontal		
3	2485.61	60.02	21.70	38.32	74.00	-13.98	203	41	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.78	54.51	16.63	37.88	74.00	-19.49	100	142	Peak	Vertical		
2 *	2480.00	95.98	57.65	38.33	74.00	21.98	100	142	Peak	Vertical		
3	2483.99	57.52	19.20	38.32	74.00	-16.48	100	142	Peak	Vertical		

BLE_2M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2383.77	45.22	7.18	38.04	54.00	-8.78	203	41	Average	Horizontal	
2	2480.00	95.93	57.60	38.33	54.00	41.93	203	41	Average	Horizontal	
3	2486.23	46.73	8.41	38.32	54.00	-7.27	203	41	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	Hz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg		
1	2316.41	44.90	7.14	37.76	54.00	-9.10	100	142	Average	Vertical
2	2480.00	93.47	55.14	30.33	54.00	39.47	100	142	Average	Vertical
3	2483.57	45.64	7.32	38.32	54.00	-8.36	100	142	Average	Vertical


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	58.50	40.19	18.31	127.00	-69.10	100	200	Peak	Open	
2	0.03	66.87	47.06	19.81	119.13	-52.26	100	250	Peak	Open	
3	0.05	46.11	26.80	19.31	113.11	-67.00	100	257	Peak	Open	
4	0.08	42.72	24.18	18.54	109.63	-66.91	100	190	Peak	Open	
5	0.11	42.83	24.25	18.58	106.86	-64.03	100	192	Peak	Open	
6	0.14	30.88	12.14	18.74	104.98	-74.10	100	346	Peak	Open	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1.00	51.65	32.57	19.08	66.97	-15.32	100	181	Peak	Open	
2	3.25	35.38	16.11	19.27	69.50	-34.12	100	181	Peak	Open	
3	8.75	33.86	13.03	20.83	69.50	-35.64	100	298	Peak	Open	
4	15.43	35.65	13.88	21.77	69.50	-33.85	100	353	Peak	Open	
5	21.19	36.23	13.84	22.39	69.50	-33.27	100	11	Peak	Open	
6	27.55	36.05	13.02	23.03	69.50	-33.45	100	298	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	64.92	29.91	37.28	-7.37	40.00	-10.09	300	89	Peak	Horizontal		
2	131.85	39.36	46.95	-7.59	43.50	-4.14	200	65	Peak	Horizontal		
3	216.24	34.50	42.87	-8.37	46.00	-11.50	200	263	Peak	Horizontal		
4	323.91	39.54	44.33	-4.79	46.00	-6.46	100	207	Peak	Horizontal		
5	573.20	32.58	32.72	-0.14	46.00	-13.42	200	292	Peak	Horizontal		
6	837.04	37.29	33.13	4.16	46.00	-8.71	190	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	71.71	35.54	44.00	-8.06	40.00	-4.46	167	360	QP	Vertical		
2	131.85	37.12	44.71	-7.59	43.50	-6.38	100	235	Peak	Vertical		
3	323.91	34.42	39.21	-4.79	46.00	-11.58	100	217	Peak	Vertical		
4	560.59	32.99	32.99	0.00	46.00	-13.01	100	148	Peak	Vertical		
5	730.34	33.48	30.95	2.53	46.00	-12.52	200	319	Peak	Vertical		
6	885.54	36.60	31.68	4.92	46.00	-9.40	200	12	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	47.92	55.94	-8.02	74.00	-26.08	200	71	Peak	Horizontal	
2	4804.00	45.24	53.26	-8.02	54.00	-8.76	200	71	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	48.48	56.50	-8.02	74.00	-25.52	300	168	Peak	Vertical	
2	4804.00	43.24	51.26	-8.02	54.00	-10.76	300	168	Average	Vertical	

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	49.76	57.70	-7.94	74.00	-24.24	300	312	Peak	Horizontal		
2	4880.00	47.57	55.51	-7.94	54.00	-6.43	300	312	Average	Horizontal		
3	7320.00	56.70	62.08	-5.38	74.00	-17.30	100	77	Peak	Horizontal		
4	7320.00	52.69	58.07	-5.38	54.00	-1.31	100	77	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	51.21	59.15	-7.94	74.00	-22.79	400	290	Peak	Vertical		
2	4880.00	48.70	56.64	-7.94	54.00	-5.30	400	290	Average	Vertical		
3	7320.00	55.02	60.40	-5.38	74.00	-18.98	400	10	Peak	Vertical		
4	7320.00	49.63	55.01	-5.38	54.00	-4.37	400	10	Average	Vertical		

BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	50.67	58.48	-7.81	74.00	-23.33	300	240	Peak	Horizontal		
2	4960.00	49.14	56.95	-7.81	54.00	-4.86	300	240	Average	Horizontal		
3	7440.00	54.72	60.13	-5.41	74.00	-19.28	100	68	Peak	Horizontal		
4	7440.00	49.35	54.76	-5.41	54.00	-4.65	100	68	Average	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	51.92	59.73	-7.81	74.00	-22.08	329	86	Peak	Vertical		
2	4960.00	49.91	57.72	-7.81	54.00	-4.09	329	86	Average	Vertical		
3	7440.00	50.22	55.63	-5.41	74.00	-23.78	300	360	Peak	Vertical		
4	7440.00	44.29	49.70	-5.41	54.00	-9.71	300	360	Average	Vertical		

BLE_2M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4804.00	48.13	56.15	-8.02	74.00	-25.87	197	69	Peak	Horizontal		
2	4804.00	45.57	53.59	-8.02	54.00	-8.43	197	69	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4804.00	47.48	55.50	-8.02	74.00	-26.52	400	286	Peak	Vertical		
2	4804.00	45.63	53.65	-8.02	54.00	-8.37	400	286	Average	Vertical		

BLE_2M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	49.87	57.81	-7.94	74.00	-24.13	395	360	Peak	Horizontal	
2	4880.00	48.36	56.30	-7.94	54.00	-5.64	395	360	Average	Horizontal	
3	7320.00	54.90	60.28	-5.38	74.00	-19.10	100	288	Peak	Horizontal	
4	7320.00	48.91	54.29	-5.38	54.00	-5.09	100	288	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	47.09	55.03	-7.94	74.00	-26.91	400	301	Peak	Vertical	
2	4880.00	51.36	59.30	-7.94	54.00	-2.64	400	301	Average	Vertical	
3	7320.00	53.63	59.01	-5.38	74.00	-20.37	328	360	Peak	Vertical	
4	7320.00	48.06	53.44	-5.38	54.00	-5.94	328	360	Average	Vertical	


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	53.93	61.74	-7.81	74.00	-20.07	283	360	Peak	Horizontal	
2	4960.00	52.46	60.27	-7.81	54.00	-1.54	283	360	Average	Horizontal	
3	7440.00	54.31	59.72	-5.41	74.00	-19.69	100	56	Peak	Horizontal	
4	7440.00	50.65	56.06	-5.41	54.00	-3.35	100	56	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	50.94	58.75	-7.81	74.00	-23.06	300	127	Peak	Vertical	
2	4960.00	49.24	57.05	-7.81	54.00	-4.76	300	127	Average	Vertical	
3	7440.00	52.78	58.19	-5.41	74.00	-21.22	389	360	Peak	Vertical	
4	7440.00	47.36	52.77	-5.41	54.00	-6.64	389	360	Average	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.16	28.26	18.63	9.63	55.54	-27.28 Average	line1
2	0.16	46.64	37.01	9.63	65.54	-18.90 QP	line1
3	0.39	31.78	22.15	9.63	48.13	-16.35 Average	line1
4	0.39	35.73	26.10	9.63	58.13	-22.40 QP	line1
5	1.29	14.80	5.16	9.64	46.00	-31.20 Average	line1
6	1.29	20.73	11.09	9.64	56.00	-35.27 QP	line1
7	2.61	12.12	2.46	9.66	46.00	-33.88 Average	line1
8	2.61	18.69	9.03	9.66	56.00	-37.31 QP	line1
9	7.07	13.96	4.24	9.72	50.00	-36.04 Average	line1
10	7.07	21.85	12.13	9.72	60.00	-38.15 QP	line1
11	22.92	24.28	14.53	9.75	50.00	-25.72 Average	line1
12	22.92	30.25	20.50	9.75	60.00	-29.75 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.19	22.97	13.34	9.63	54.18	-31.21 Average	neutral
2	0.19	38.84	29.21	9.63	64.18	-25.34 QP	neutral
3	0.39	35.65	26.02	9.63	48.09	-12.44 Average	neutral
4	0.39	40.76	31.13	9.63	58.09	-17.33 QP	neutral
5	0.75	16.42	6.78	9.64	46.00	-29.58 Average	neutral
6	0.75	20.70	11.06	9.64	56.00	-35.30 QP	neutral
7	2.46	10.35	0.68	9.67	46.00	-35.65 Average	neutral
8	2.46	17.63	7.96	9.67	56.00	-38.37 QP	neutral
9	7.66	13.65	3.89	9.76	50.00	-36.35 Average	neutral
10	7.66	24.87	15.11	9.76	60.00	-35.13 QP	neutral
11	23.15	23.23	13.37	9.86	50.00	-26.77 Average	neutral
12	23.15	28.64	18.78	9.86	60.00	-31.36 QP	neutral