

Dexatek ΣCasa/SmartCasa

Quick Installation Guide



1. ΣCentral/Smart Gateway	3
1.1. First time to use ΣCentral/Smart Gateway	3
2. The steps before you add any peripheral	5
3. ΣMotionSense/Smart Motion Sensor	6

1. ΣCentral/Smart Gateway

1.1. First time to use ΣCentral/Smart Gateway

Download ΣCasa or Smart Casa App from Apple store or Google Play
下載ΣCasa應用程式，掃描左方QR Code 或在App Store/Google Play 搜尋“Sigma Casa”



2

Register an account for your ΣCasa or SmartCasa
下載完成後，在App中註冊一個ΣCASA帳號


Welcome to ΣCasa
xxxxx

Login Register




3

Make sure the bluetooth on your smart phone is ON
請確認手機上的Bluetooth為開啟狀態




4

Power ON the ΣCentral and place it at the centre of your house to have good communication with other devices
請確認ΣCentral放置適當位置並與其它裝置能保持良好通訊距離



5

Follow the instruction on App to set up your ΣCentral
根據APP上的指示進行安裝




6

Push the RESET button and **hold for 3 seconds** until the Orange LED flash quickly
請按住ΣCentral中間鈕3秒直到顯示燈快速閃爍。




7

Select the WiFi router to be connected
選擇欲連接的WiFi router



8


Switch to [Device] tab, You will see the information of location and weather forecast. Now you can start to add other devices切換至「Devices」頁面，你將看到位置等資訊



2. The steps before you add any peripheral


1

Login ΣCasa or Smart Casa App



2

If you forget your password, you can click the button [**Forgot your password?**] to reset the password




3

Please make sure the distance between ΣCentral and other devices is less than 10m
請確認ΣCentral與其他裝置保持10公尺以內良好通訊距離



4

Follow the instruction on App to add and pair device
根據APP上的指示進行安裝



3. Σ MotionSense/Smart Motion Sensor

1

Open the battery cover and put one ER14250 1/2AA battery
打開電池蓋並裝入電池




2

Pairing with Σ Central

Use a pin to press the reset button on BACK and **hold for 3 seconds** until the Green LED flashes

使用PIN針按住電池匣內的reset鍵，直到LED燈閃爍為止



3


You will need to enter **PIN code** that combines digits and letters.

1) You can find the PIN code stick on the device

2) OR use default for samples

Default PIN code: 888888

請按照APP指示輸入PIN code



4

After completing the setup, switch back to **[Device]** tab, then you will see the status of Σ MotionSense.

安裝完成，可立即開始使用裝置

5

You can place Σ Motion in detectable place or stick it on the wall by using holder and adhesive tape

你可使用支架配件安裝至牆面上



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- . Reorient or relocate the receiving antenna.
- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.