


## ID Label/Location



Bottom of iClicker

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. MATERIAL: .005 INCH THICK CLEAR POLYESTER WITH 3M 467 TYPE ADHESIVE BACKING AND RELEASE PAPER.
3. GRAPHICS SHALL BE SECOND SURFACE PRINTED PER ARTMASTER 1606M24.

- 
- Size to be 100 x 65 millimeters

### Drawing of label

**iClicker BASE INSTRUCTIONS**

**START UP**

1. Plug the USB cable (provided) into the port labeled "To Computer" on the side of the base.
2. Connect the USB cable to a USB port on your computer.
3. Plug the flash drive (provided) into the port labeled "Flash Memory" on the side of the base or into a USB port on your computer.
4. PC Users: From the Start menu, select Computer (or My Computer) and double click the flash drive icon.  
Mac Users: Double click the flash drive icon on your Desktop.
5. PC Users: Locate the iClicker Win folder and open it.  
Mac Users: Locate the iClicker Mac folder and open it.
6. Double-click the iClicker program icon. Choose your course and click "Start Session."
7. The iClicker Session Toolbar appears in the top left corner of your computer screen.

**USING i>CLICKER IN CLASS**

1. Click the Start button on the Session Toolbar to begin polling. Click the Stop button to stop polling. Note: The options on the Session Toolbar vary depending on the version of iClicker software you use.
2. The base LCD displays the polling timer, the total vote count and the percentage of votes submitted for each answer choice.
3. Click the Results (Display) button on the Session Toolbar to view student results in the Results Chart.

For more information about using iClicker (including registration and iGrader), visit [www.iclicker.com](http://www.iclicker.com)

**CAUTION: Use only the approved power adapter: 5.0 Volts D.C. - 1 Amp**

To order an adapter, contact [sales@iclicker.com](mailto:sales@iclicker.com)

**FCC** iClicker  
Model: TMX14

IC: 6495A-TMX14  
FCC ID: T24-TMX14

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.