



Left Band edge_Vertical_Peak_802.11ax-HE20_5260MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5099.905	-7.48	65.48	58.00	74.00	-16.00	Peak
2 5150.000	-7.46	63.85	56.39	74.00	-17.61	Peak


Left Band edge_Vertical_Average_802.11ax-HE20_5260MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5139.783	-7.47	52.23	44.76	54.00	-9.24 Average
2	5150.000	-7.46	51.90	44.44	54.00	-9.56 Average


Right Band edge_Horizontal_Peak_802.11ax-HE20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	64.70	57.96	74.00	-16.04 Peak
2	5352.572	-6.73	67.23	60.50	74.00	-13.50 Peak


Right Band edge_Horizontal_Average_802.11ax-HE20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	52.83	46.09	54.00	-7.91 Average
2	5351.334	-6.74	53.18	46.44	54.00	-7.56 Average


Right Band edge_Vertical_Peak_802.11ax-HE20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	65.20	58.46	74.00	-15.54 Peak
2	5353.404	-6.73	66.78	60.05	74.00	-13.95 Peak


Right Band edge_Vertical_Average_802.11ax-HE20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.74	52.73	45.99	54.00	-8.01 Average
2	5351.199	-6.74	52.99	46.25	54.00	-7.75 Average


Left Band edge_Horizontal_Peak_802.11ax-HE40_5270MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5036.932	-7.32	65.42	58.10	74.00	-15.90 Peak
2	5150.000	-7.46	62.65	55.19	74.00	-18.81 Peak


Left Band edge_Horizontal_Average_802.11ax-HE40_5270MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5140.685	-7.47	52.74	45.27	54.00	-8.73 Average
2	5150.000	-7.46	52.11	44.65	54.00	-9.35 Average


Left Band edge_Vertical_Peak_802.11ax-HE40_5270MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5118.632	-7.48	65.11	57.63	74.00	-16.37 Peak
2	5150.000	-7.46	63.95	56.49	74.00	-17.51 Peak


Left Band edge_Vertical_Average_802.11ax-HE40_5270MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5121.993	-7.47	52.67	45.20	54.00	-8.80 Average
2	5150.000	-7.46	52.24	44.78	54.00	-9.22 Average


Right Band edge_Horizontal_Peak_802.11ax-HE40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.74	70.56	63.82	74.00	-10.18	Peak
2 5350.025	-6.74	75.31	68.57	74.00	-5.43	Peak


Right Band edge_Horizontal_Average_802.11ax-HE40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.74	57.02	50.28	54.00	-3.72 Average
2	5350.086	-6.74	57.38	50.64	54.00	-3.36 Average


Right Band edge_Vertical_Peak_802.11ax-HE40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	70.10	63.36	74.00	-10.64 Peak
2	5352.862	-6.73	73.49	66.76	74.00	-7.24 Peak


Right Band edge_Vertical_Average_802.11ax-HE40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.74	57.33	50.59	54.00	-3.41 Average
2	5350.486	-6.74	57.56	50.82	54.00	-3.18 Average


Left Band edge_Horizontal_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5129.291	-7.47	65.85	58.38	74.00	-15.62 Peak
2	5150.000	-7.46	63.54	56.08	74.00	-17.92 Peak


Left Band edge_Horizontal_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5147.068	-7.46	54.76	47.30	54.00	-6.70 Average
2	5150.000	-7.46	53.74	46.28	54.00	-7.72 Average


Left Band edge_Vertical_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5127.153	-7.46	66.64	59.18	74.00	-14.82 Peak
2	5150.000	-7.46	63.40	55.94	74.00	-18.06 Peak


Left Band edge_Vertical_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5145.043	-7.46	55.21	47.75	54.00	-6.25	Average
2 5150.000	-7.46	54.34	46.88	54.00	-7.12	Average


Right Band edge_Horizontal_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	67.97	61.23	74.00	-12.77 Peak
2	5351.768	-6.74	72.98	66.24	74.00	-7.76 Peak


Right Band edge_Horizontal_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	56.11	49.37	54.00	-4.63 Average
2	5351.799	-6.74	56.54	49.80	54.00	-4.20 Average


Right Band edge_Vertical_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.74	67.04	60.30	74.00	-13.70 Peak
2	5355.674	-6.73	71.78	65.05	74.00	-8.95 Peak


Right Band edge_Vertical_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.74	56.22	49.48	54.00	-4.52 Average
2	5354.581	-6.73	57.10	50.37	54.00	-3.63 Average


Left Band edge_Horizontal_Peak_802.11a_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	63.77	57.48	74.00	-16.52	Peak
2 5468.352	-6.26	65.93	59.67	68.20	-8.53	Peak
3 5470.000	-6.26	63.29	57.03	68.20	-11.17	Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	52.16	45.87	54.00	-8.13 Average


Left Band edge_Vertical_Peak_802.11a_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	63.07	56.78	74.00	-17.22 Peak
2 5462.529	-6.28	66.02	59.74	68.20	-8.46 Peak
3 5470.000	-6.26	63.67	57.41	68.20	-10.79 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	52.18	45.89	54.00	-8.11 Average


Right Band edge_Horizontal_802.11a_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	64.54	59.06	68.20	-9.14	Peak
2	5727.551	-5.46	69.50	64.04	68.20	-4.16	Peak


Right Band edge_Vertical_802.11a_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.41	57.93	68.20	-10.27 Peak
2	5728.076	-5.46	68.80	63.34	68.20	-4.86 Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT20_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	63.98	57.69	74.00	-16.31	Peak
2 5467.452	-6.27	66.11	59.84	68.20	-8.36	Peak
3 5470.000	-6.26	65.18	58.92	68.20	-9.28	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	52.26	45.97	54.00	-8.03	Average


Left Band edge_Vertical_Peak_802.11ac-VHT20_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	63.62	57.33	74.00	-16.67 Peak
2 5469.486	-6.26	65.97	59.71	68.20	-8.49 Peak
3 5470.000	-6.26	64.47	58.21	68.20	-9.99 Peak


Left Band edge_Vertical_Average_802.11ac-VHT20_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	52.23	45.94	54.00	-8.06	Average


Right Band edge_Horizontal_802.11ac-VHT20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	65.42	59.94	68.20	-8.26 Peak
2	5725.198	-5.48	69.84	64.36	68.20	-3.84 Peak


Right Band edge_Vertical_802.11ac-VHT20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	64.15	58.67	68.20	-9.53	Peak
2	5725.788	-5.48	69.03	63.55	68.20	-4.65	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5510MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	66.34	60.05	74.00	-13.95 Peak
2 5468.147	-6.26	71.02	64.76	68.20	-3.44 Peak
3 5470.000	-6.26	69.61	63.35	68.20	-4.85 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40_5510MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	53.58	47.29	54.00	-6.71 Average


Left Band edge_Vertical_Peak_802.11ac-VHT40_5510MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	65.67	59.38	74.00	-14.62 Peak
2 5469.406	-6.26	70.92	64.66	68.20	-3.54 Peak
3 5470.000	-6.26	68.73	62.47	68.20	-5.73 Peak


Left Band edge_Vertical_Average_802.11ac-VHT40_5510MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	53.64	47.35	54.00	-6.65	Average


Right Band edge_Horizontal_802.11ac-VHT40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5725.000	-5.48	63.70	58.22	68.20	-9.98 Peak
2 5739.968	-5.35	65.14	59.79	68.20	-8.41 Peak


Right Band edge_Vertical_802.11ac-VHT40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	Line	Limit	
1	5725.000	-5.48	63.11	57.63	68.20	-10.57	Peak
2	5737.309	-5.37	65.42	60.05	68.20	-8.15	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	65.05	58.76	74.00	-15.24 Peak
2 5463.658	-6.28	68.89	62.61	68.20	-5.59 Peak
3 5470.000	-6.26	67.12	60.86	68.20	-7.34 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	54.01	47.72	54.00	-6.28 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	64.40	58.11	74.00	-15.89 Peak
2 5461.245	-6.29	67.93	61.64	68.20	-6.56 Peak
3 5470.000	-6.26	65.87	59.61	68.20	-8.59 Peak


Left Band edge_Vertical_Average_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	54.10	47.81	54.00	-6.19 Average


Right Band edge_Horizontal_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	62.53	57.05	68.20	-11.15 Peak
2	5740.496	-5.35	65.00	59.65	68.20	-8.55 Peak


Right Band edge_Vertical_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.45	57.97	68.20	-10.23 Peak
2	5725.748	-5.48	65.11	59.63	68.20	-8.57 Peak


Right Band edge_Horizontal_802.11ac-VHT80_5610MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.62	58.14	68.20	-10.06	Peak
2	5739.721	-5.35	64.99	59.64	68.20	-8.56	Peak


Right Band edge_Vertical_802.11ac-VHT80_5610MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.48	64.16	58.68	68.20	-9.52	Peak
2 5737.722	-5.36	65.03	59.67	68.20	-8.53	Peak


Left Band edge_Horizontal_Peak_802.11ax-HE20_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	63.88	57.59	74.00	-16.41 Peak
2 5469.993	-6.26	68.99	62.73	68.20	-5.47 Peak
3 5470.000	-6.26	64.52	58.26	68.20	-9.94 Peak


Left Band edge_Horizontal_Average_802.11ax-HE20_5500MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	52.33	46.04	54.00	-7.96	Average


Left Band edge_Vertical_Peak_802.11ax-HE20_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	63.65	57.36	74.00	-16.64 Peak
2 5465.051	-6.28	68.88	62.60	68.20	-5.60 Peak
3 5470.000	-6.26	66.61	60.35	68.20	-7.85 Peak


Left Band edge_Vertical_Average_802.11ax-HE20_5500MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	52.27	45.98	54.00	-8.02 Average


Right Band edge_Horizontal_802.11ax-HE20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	67.67	62.19	68.20	-6.01	Peak
2	5727.110	-5.47	70.65	65.18	68.20	-3.02	Peak


Right Band edge_Vertical_802.11ax-HE20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	66.28	60.80	68.20	-7.40 Peak
2	5725.854	-5.48	70.18	64.70	68.20	-3.50 Peak


Left Band edge_Horizontal_Peak_802.11ax-HE40_5510MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	65.21	58.92	74.00	-15.08	Peak
2	5463.955	-6.28	71.19	64.91	68.20	-3.29	Peak
3	5470.000	-6.26	69.61	63.35	68.20	-4.85	Peak


Left Band edge_Horizontal_Average_802.11ax-HE40_5510MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.29	53.75	47.46	54.00	-6.54 Average


Left Band edge_Vertical_Peak_802.11ax-HE40_5510MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	65.35	59.06	74.00	-14.94 Peak
2 5464.822	-6.28	71.26	64.98	68.20	-3.22 Peak
3 5470.000	-6.26	70.06	63.80	68.20	-4.40 Peak


Left Band edge_Vertical_Average_802.11ax-HE40_5510MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	53.85	47.56	54.00	-6.44	Average


Right Band edge_Horizontal_802.11ax-HE40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.18	57.70	68.20	-10.50 Peak
2	5727.719	-5.46	65.44	59.98	68.20	-8.22 Peak


Right Band edge_Vertical_802.11ax-HE40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.65	58.17	68.20	-10.03	Peak
2	5733.297	-5.41	65.86	60.45	68.20	-7.75	Peak


Left Band edge_Horizontal_Peak_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	65.91	59.62	74.00	-14.38 Peak
2 5463.574	-6.28	69.04	62.76	68.20	-5.44 Peak
3 5470.000	-6.26	65.22	58.96	68.20	-9.24 Peak


Left Band edge_Horizontal_Average_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	54.22	47.93	54.00	-6.07 Average


Left Band edge_Vertical_Peak_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.29	65.52	59.23	74.00	-14.77 Peak
2 5466.291	-6.27	68.55	62.28	68.20	-5.92 Peak
3 5470.000	-6.26	65.27	59.01	68.20	-9.19 Peak


Left Band edge_Vertical_Average_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.29	54.13	47.84	54.00	-6.16	Average


Right Band edge_Horizontal_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	62.99	57.51	68.20	-10.69 Peak
2	5744.553	-5.30	65.03	59.73	68.20	-8.47 Peak


Right Band edge_Vertical_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	62.64	57.16	68.20	-11.04 Peak
2	5741.631	-5.34	65.47	60.13	68.20	-8.07 Peak


Right Band edge_Horizontal_802.11ax-HE80_5610MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.32	57.84	68.20	-10.36	Peak
2	5743.180	-5.31	65.48	60.17	68.20	-8.03	Peak


Right Band edge_Vertical_802.11ax-HE80_5610MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.48	63.37	57.89	68.20	-10.31 Peak
2	5729.188	-5.44	64.79	59.35	68.20	-8.85 Peak


Left Band edge_Horizontal_802.11a_5745MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5644.706	-5.90	65.83	59.93	68.20	-8.27 Peak
2 5671.720	-5.79	65.39	59.60	84.31	-24.71 Peak
3 5718.415	-5.54	67.36	61.82	110.36	-48.54 Peak
4 5723.572	-5.49	71.04	65.55	118.94	-53.39 Peak


Left Band edge_Vertical_802.11a_5745MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5625.695	-6.03	65.88	59.85	68.20	-8.35	Peak
2	5682.751	-5.77	65.74	59.97	92.47	-32.50	Peak
3	5719.409	-5.54	67.93	62.39	110.63	-48.24	Peak
4	5724.613	-5.49	69.27	63.78	121.32	-57.54	Peak


Right Band edge_Horizontal_802.11a_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.493	-4.68	67.39	62.71	121.08	-58.37 Peak
2 5869.594	-4.59	65.69	61.10	106.71	-45.61 Peak
3 5920.833	-4.45	66.00	61.55	71.27	-9.72 Peak
4 5936.097	-4.45	66.45	62.00	68.20	-6.20 Peak


Right Band edge_Vertical_802.11a_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.833	-4.66	67.45	62.79	118.02	-55.23	Peak
2	5858.517	-4.65	66.93	62.28	109.81	-47.53	Peak
3	5923.782	-4.46	66.48	62.02	69.10	-7.08	Peak
4	5938.160	-4.46	66.30	61.84	68.20	-6.36	Peak


Left Band edge_Horizontal_802.11ac-VHT20_5745MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5635.455	-5.97	66.19	60.22	68.20	-7.98	Peak
2	5685.620	-5.76	65.70	59.94	94.59	-34.65	Peak
3	5719.964	-5.53	73.62	68.09	110.79	-42.70	Peak
4	5724.127	-5.49	75.50	70.01	120.21	-50.20	Peak


Left Band edge_Vertical_802.11ac-VHT20_5745MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5602.729	-6.20	65.78	59.58	68.20	-8.62	Peak
2	5699.149	-5.72	66.15	60.43	104.57	-44.14	Peak
3	5718.900	-5.54	73.25	67.71	110.49	-42.78	Peak
4	5724.960	-5.49	75.43	69.94	122.11	-52.17	Peak


Right Band edge_Horizontal_802.11ac-VHT20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.245	-4.68	68.44	63.76	121.64	-57.88	Peak
2	5856.372	-4.65	67.03	62.38	110.42	-48.04	Peak
3	5915.263	-4.46	66.49	62.03	75.38	-13.35	Peak
4	5926.794	-4.45	66.44	61.99	68.20	-6.21	Peak


Right Band edge_Vertical_802.11ac-VHT20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.173	-4.68	67.34	62.66	119.52	-56.86	Peak
2	5857.258	-4.65	65.96	61.31	110.17	-48.86	Peak
3	5918.853	-4.45	66.75	62.30	72.73	-10.43	Peak
4	5925.288	-4.45	66.34	61.89	68.20	-6.31	Peak


Left Band edge_Horizontal_802.11ac-VHT40_5755MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5606.279	-6.17	65.95	59.78	68.20	-8.42 Peak
2 5683.907	-5.76	66.15	60.39	93.33	-32.94 Peak
3 5719.735	-5.54	75.98	70.44	110.73	-40.29 Peak
4 5722.247	-5.51	76.19	70.68	115.92	-45.24 Peak


Left Band edge_Vertical_802.11ac-VHT40_5755MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5643.824	-5.91	65.64	59.73	68.20	-8.47	Peak
2	5680.959	-5.77	66.10	60.33	91.15	-30.82	Peak
3	5716.916	-5.56	75.41	69.85	109.94	-40.09	Peak
4	5724.143	-5.49	77.31	71.82	120.25	-48.43	Peak


Right Band edge_Horizontal_802.11ac-VHT40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.664	-4.66	66.49	61.83	113.85	-52.02 Peak
2 5859.686	-4.63	65.95	61.32	109.49	-48.17 Peak
3 5924.859	-4.45	66.07	61.62	68.30	-6.68 Peak
4 5944.080	-4.45	66.46	62.01	68.20	-6.19 Peak


Right Band edge_Vertical_802.11ac-VHT40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.435	-4.68	65.80	61.12	121.21	-60.09	Peak
2	5856.149	-4.66	66.26	61.60	110.48	-48.88	Peak
3	5914.531	-4.46	66.99	62.53	75.92	-13.39	Peak
4	5935.904	-4.45	66.48	62.03	68.20	-6.17	Peak


Left Band edge_Horizontal_802.11ac-VHT80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5607.563	-6.16	66.37	60.21	68.20	-7.99	Peak
2	5693.230	-5.73	72.11	66.38	100.21	-33.83	Peak
3	5718.327	-5.54	73.68	68.14	110.33	-42.19	Peak
4	5720.765	-5.53	75.04	69.51	112.55	-43.04	Peak


Left Band edge_Vertical_802.11ac-VHT80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5601.375	-6.20	66.52	60.32	68.20	-7.88 Peak
2 5691.824	-5.74	71.41	65.67	99.17	-33.50 Peak
3 5719.578	-5.54	72.98	67.44	110.68	-43.24 Peak
4 5721.078	-5.52	74.23	68.71	113.26	-44.55 Peak


Right Band edge_Horizontal_802.11ac-VHT80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5854.407	-4.65	70.54	65.89	112.15	-46.26	Peak
2	5860.839	-4.63	70.90	66.27	109.16	-42.89	Peak
3	5905.619	-4.45	65.86	61.41	82.51	-21.10	Peak
4	5935.635	-4.45	65.87	61.42	68.20	-6.78	Peak


Right Band edge_Vertical_802.11ac-VHT80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.651	-4.66	71.84	67.18	118.43	-51.25	Peak
2	5861.115	-4.63	70.52	65.89	109.09	-43.20	Peak
3	5896.154	-4.48	66.55	62.07	89.51	-27.44	Peak
4	5938.851	-4.45	66.38	61.93	68.20	-6.27	Peak


Left Band edge_Horizontal_802.11ax-HE20_5745MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5609.459	-6.14	66.21	60.07	68.20	-8.13 Peak
2 5699.982	-5.71	66.73	61.02	105.19	-44.17 Peak
3 5718.369	-5.54	73.11	67.57	110.34	-42.77 Peak
4 5723.271	-5.50	75.47	69.97	118.26	-48.29 Peak


Left Band edge_Vertical_802.11ax-HE20_5745MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5625.417	-6.04	65.68	59.64	68.20	-8.56	Peak
2	5697.785	-5.72	65.57	59.85	103.57	-43.72	Peak
3	5717.999	-5.55	73.39	67.84	110.24	-42.40	Peak
4	5724.451	-5.49	74.87	69.38	120.95	-51.57	Peak


Right Band edge_Horizontal_802.11ax-HE20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

			Read		Limit	Over	
	Freq	Factor	Level	Level	Line	Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.018	-4.68	72.32	67.64	122.16	-54.52	Peak
2	5856.578	-4.65	68.54	63.89	110.36	-46.47	Peak
3	5924.504	-4.45	66.46	62.01	68.57	-6.56	Peak
4	5936.633	-4.45	66.27	61.82	68.20	-6.38	Peak


Right Band edge_Vertical_802.11ax-HE20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.060	-4.68	75.14	70.46	122.06	-51.60	Peak
2	5856.557	-4.65	67.85	63.20	110.36	-47.16	Peak
3	5896.760	-4.47	65.92	61.45	89.06	-27.61	Peak
4	5931.745	-4.44	66.52	62.08	68.20	-6.12	Peak


Left Band edge_Horizontal_802.11ax-HE40_5755MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5603.588	-6.19	65.67	59.48	68.20	-8.72 Peak
2 5678.371	-5.78	65.98	60.20	89.23	-29.03 Peak
3 5718.018	-5.55	77.18	71.63	110.25	-38.62 Peak
4 5723.374	-5.49	78.44	72.95	118.49	-45.54 Peak


Left Band edge_Vertical_802.11ax-HE40_5755MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5609.482	-6.14	65.70	59.56	68.20	-8.64 Peak
2 5671.042	-5.80	66.57	60.77	83.81	-23.04 Peak
3 5718.249	-5.54	77.22	71.68	110.31	-38.63 Peak
4 5723.297	-5.49	77.18	71.69	118.32	-46.63 Peak


Right Band edge_Horizontal_802.11ax-HE40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5854.381	-4.65	65.37	60.72	112.21	-51.49 Peak
2 5865.350	-4.62	66.55	61.93	107.90	-45.97 Peak
3 5915.915	-4.46	65.93	61.47	74.90	-13.43 Peak
4 5925.346	-4.45	66.08	61.63	68.20	-6.57 Peak


Right Band edge_Vertical_802.11ax-HE40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.024	-4.68	66.66	61.98	122.14	-60.16	Peak
2	5870.424	-4.59	65.86	61.27	106.48	-45.21	Peak
3	5881.496	-4.53	66.23	61.70	100.38	-38.68	Peak
4	5936.084	-4.45	66.35	61.90	68.20	-6.30	Peak


Left Band edge_Horizontal_802.11ax-HE80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5631.129	-5.99	67.53	61.54	68.20	-6.66 Peak
2 5698.637	-5.73	72.98	67.25	104.20	-36.95 Peak
3 5714.764	-5.57	75.03	69.46	109.34	-39.88 Peak
4 5721.640	-5.51	75.29	69.78	114.54	-44.76 Peak


Left Band edge_Vertical_802.11ax-HE80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5646.725	-5.89	67.23	61.34	68.20	-6.86	Peak
2	5687.042	-5.75	72.19	66.44	95.64	-29.20	Peak
3	5718.296	-5.54	75.06	69.52	110.32	-40.80	Peak
4	5720.046	-5.53	74.97	69.44	110.91	-41.47	Peak


Right Band edge_Horizontal_802.11ax-HE80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.252	-4.67	72.86	68.19	119.34	-51.15 Peak
2 5856.490	-4.65	71.67	67.02	110.38	-43.36 Peak
3 5875.143	-4.57	68.29	63.72	105.09	-41.37 Peak
4 5927.702	-4.46	66.37	61.91	68.20	-6.29 Peak

Right Band edge_Vertical_802.11ax-HE80_5775MHz_ANT2




Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.773	-4.66	73.59	68.93	118.16	-49.23 Peak
2 5855.786	-4.66	72.05	67.39	110.58	-43.19 Peak
3 5881.238	-4.54	69.88	65.34	100.57	-35.23 Peak
4 5927.151	-4.45	66.46	62.01	68.20	-6.19 Peak

ANT1

1-18GHz (Listed with the worst harmonic margin test plot)


1-7GHz_Horizontal_802.11a_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBUV/m	dBUV/m	Limit	
1	6441.930	-2.87	55.20	52.33	68.20	-15.87 Peak


1-7GHz_Vertical_802.11a_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6789.974	-3.33	55.55	52.22	68.20	-15.98 Peak


7-18GHz_Horizontal_Peak_802.11a_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	54.43	56.96	68.20	-11.24 Peak
2 17990.370	13.15	47.48	60.63	74.00	-13.37 Peak


7-18GHz_Horizontal_Average_802.11a_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.55	46.74	54.00	-7.26	Average


7-18GHz_Vertical_Peak_802.11a_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	53.69	56.22	68.20	-11.98 Peak
2 17969.750	13.06	47.08	60.14	74.00	-13.86 Peak


7-18GHz_Vertical_Average_802.11a_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.17	33.50	46.67	54.00	-7.33	Average


1-7GHz_Horizontal_802.11ac-VHT20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6780.223	-3.30	55.81	52.51	68.20	-15.69 Peak


1-7GHz_Vertical_802.11ac-VHT20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6419.427	-2.88	55.06	52.18	68.20	-16.02	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	54.32	56.85	68.20	-11.35 Peak
2 17965.620	13.03	48.22	61.25	74.00	-12.75 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.57	46.76	54.00	-7.24	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	53.57	56.10	68.20	-12.10 Peak
2 17927.120	12.84	47.87	60.71	74.00	-13.29 Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.50	46.68	54.00	-7.32	Average


1-7GHz_Horizontal_802.11ac-VHT40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.682	-2.88	56.04	53.16	68.20	-15.04 Peak


1-7GHz_Vertical_802.11ac-VHT40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6399.175	-2.90	55.01	52.11	68.20	-16.09 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	53.34	55.88	68.20	-12.32 Peak
2 17983.500	13.11	47.56	60.67	74.00	-13.33 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	13.14	34.18	47.32	54.00	-6.68	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	52.57	55.11	68.20	-13.09 Peak
2 17976.620	13.09	47.15	60.24	74.00	-13.76 Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.99	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11ac-VHT80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6387.923	-3.00	55.35	52.35	68.20	-15.85 Peak


1-7GHz_Vertical_802.11ac-VHT80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6812.477	-3.30	55.33	52.03	68.20	-16.17 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	52.39	54.87	68.20	-13.33 Peak
2 17950.490	12.95	47.57	60.52	74.00	-13.48 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	34.66	47.85	54.00	-6.15	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	51.66	54.14	68.20	-14.06 Peak
2 17995.880	13.18	47.86	61.04	74.00	-12.96 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17979.370	13.10	34.67	47.77	54.00	-6.23	Average


1-7GHz_Horizontal_802.11ax-HE20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6770.471	-3.27	55.26	51.99	68.20	-16.21 Peak


1-7GHz_Vertical_802.11ax-HE20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6439.680	-2.87	54.99	52.12	68.20	-16.08 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.53	54.25	56.78	68.20	-11.42	Peak
2	17987.620	13.13	46.61	59.74	74.00	-14.26	Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5180MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.53	46.71	54.00	-7.29	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	53.48	56.01	68.20	-12.19 Peak
2 17982.120	13.10	46.79	59.89	74.00	-14.11 Peak


7-18GHz_Vertical_Average_802.11ax-HE20_5180MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17989.000	13.14	33.48	46.62	54.00	-7.38 Average


1-7GHz_Horizontal_802.11ax-HE40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6477.935	-2.91	54.84	51.93	68.20	-16.27 Peak


1-7GHz_Vertical_802.11ax-HE40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6677.459	-3.17	55.57	52.40	68.20	-15.80	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	53.18	55.72	68.20	-12.48 Peak
2 17979.370	13.10	47.74	60.84	74.00	-13.16 Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5190MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	34.17	47.35	54.00	-6.65	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	52.43	54.97	68.20	-13.23 Peak
2 17967.000	13.03	47.16	60.19	74.00	-13.81 Peak


7-18GHz_Vetical_Average_802.11ax-HE40_5190MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17991.750	13.16	34.05	47.21	54.00	-6.79 Average


1-7GHz_Horizontal_802.11ax-HE80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6465.183	-2.89	55.39	52.50	68.20	-15.70 Peak


1-7GHz_Vertical_802.11ax-HE80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6492.937	-2.94	55.38	52.44	68.20	-15.76 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	52.24	54.72	68.20	-13.48 Peak
2 17998.630	13.20	47.19	60.39	74.00	-13.61 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5210MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17991.750	13.16	34.74	47.90	54.00	-6.10 Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	51.52	54.00	68.20	-14.20 Peak
2 17978.000	13.10	47.03	60.13	74.00	-13.87 Peak


7-18GHz_Vertical_Average_802.11ax-HE80_5210MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.20	34.59	47.79	54.00	-6.21	Average


1-7GHz_Horizontal_802.11a_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6532.691	-3.00	55.27	52.27	68.20	-15.93	Peak


1-7GHz_Vertical_802.11a_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6402.175	-2.89	55.19	52.30	68.20	-15.90	Peak


7-18GHz_Horizontal_Peak_802.11a_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	53.68	56.27	74.00	-17.73 Peak
2 17987.620	13.13	47.41	60.54	74.00	-13.46 Peak


7-18GHz_Horizontal_Average_802.11a_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	40.04	42.63	54.00	-11.37	Average
2 17998.630	13.19	33.70	46.89	54.00	-7.11	Average


7-18GHz_Vertical_Peak_802.11a_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.92	55.51	74.00	-18.49 Peak
2 17881.730	12.37	47.60	59.97	74.00	-14.03 Peak


7-18GHz_Vertical_Average_802.11a_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	39.63	42.22	54.00	-11.78	Average
2 17998.630	13.19	33.55	46.74	54.00	-7.26	Average


1-7GHz_Horizontal_802.11ac-VHT20_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6788.474	-3.32	55.45	52.13	68.20	-16.07 Peak


1-7GHz_Vertical_802.11ac-VHT20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6723.215	-3.29	55.88	52.59	68.20	-15.61	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	53.56	56.15	74.00	-17.85 Peak
2 17972.500	13.07	47.44	60.51	74.00	-13.49 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	39.87	42.46	54.00	-11.54	Average
2 17995.880	13.18	33.67	46.85	54.00	-7.15	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.85	55.44	74.00	-18.56 Peak
2 17931.240	12.86	47.98	60.84	74.00	-13.16 Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	39.43	42.02	54.00	-11.98	Average
2 17995.880	13.18	33.58	46.76	54.00	-7.24	Average


1-7GHz_Horizontal_802.11ac-VHT40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6768.221	-3.27	55.28	52.01	68.20	-16.19 Peak


1-7GHz_Vertical_802.11ac-VHT40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6447.181	-2.87	55.55	52.68	68.20	-15.52 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	53.48	55.85	74.00	-18.15 Peak
2 17902.360	12.72	46.92	59.64	74.00	-14.36 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.92	42.29	54.00	-11.71	Average
2 17993.130	13.17	34.09	47.26	54.00	-6.74	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	52.84	55.21	74.00	-18.79 Peak
2 17987.620	13.13	47.36	60.49	74.00	-13.51 Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.59	41.96	54.00	-12.04	Average
2 17998.630	13.19	33.99	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11ac-VHT80_5290MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6829.729	-3.20	55.82	52.62	68.20	-15.58 Peak


1-7GHz_Vertical_802.11ac-VHT80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6565.696	-3.07	55.41	52.34	68.20	-15.86 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5290MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.86	55.04	68.20	-13.16 Peak
2 17978.000	13.10	47.00	60.10	74.00	-13.90 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5290MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	34.74	47.93	54.00	-6.07	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.30	54.48	68.20	-13.72 Peak
2 17968.370	13.05	48.47	61.52	74.00	-12.48 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17983.500	13.11	34.68	47.79	54.00	-6.21	Average


1-7GHz_Horizontal_802.11ax-HE20_5320MHz_ANT1



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6615.952	-3.07	55.38	52.31	68.20	-15.89 Peak


1-7GHz_Vertical_802.11ax-HE20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6972.997	-2.81	55.68	52.87	68.20	-15.33	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	53.47	56.06	74.00	-17.94 Peak
2 17987.620	13.13	47.29	60.42	74.00	-13.58 Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5320MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	39.80	42.39	54.00	-11.61 Average
2 17998.630	13.19	33.69	46.88	54.00	-7.12 Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.72	55.31	74.00	-18.69 Peak
2 17971.120	13.06	47.59	60.65	74.00	-13.35 Peak


7-18GHz_Vertical_Average_802.11ax-HE20_5320MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	39.36	41.95	54.00	-12.05 Average
2 17998.630	13.19	33.61	46.80	54.00	-7.20 Average


1-7GHz_Horizontal_802.11ax-HE40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6410.426	-2.89	55.46	52.57	68.20	-15.63 Peak


1-7GHz_Vertical_802.11ax-HE40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6420.928	-2.88	54.87	51.99	68.20 -16.21 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	53.31	55.68	74.00	-18.32 Peak
2 17933.990	12.88	47.55	60.43	74.00	-13.57 Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5310MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.85	42.22	54.00	-11.78	Average
2 17993.130	13.17	34.11	47.28	54.00	-6.72	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	52.69	55.06	74.00	-18.94 Peak
2 17997.250	13.19	46.87	60.06	74.00	-13.94 Peak


7-18GHz_Vetical_Average_802.11ax-HE40_5310MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.37	39.46	41.83	54.00	-12.17	Average
2	17995.880	13.18	34.01	47.19	54.00	-6.81	Average


1-7GHz_Horizontal_802.11ax-HE80_5290MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6448.681	-2.88	54.93	52.05	68.20	-16.15	Peak


1-7GHz_Vertical_802.11ax-HE80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6421.678	-2.88	55.37	52.49	68.20	-15.71 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5290MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.73	54.91	68.20	-13.29 Peak
2 17983.500	13.11	47.00	60.11	74.00	-13.89 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5290MHz_ANT1



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	34.72	47.91	54.00	-6.09	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.18	54.36	68.20	-13.84 Peak
2 17969.750	13.06	47.95	61.01	74.00	-12.99 Peak


7-18GHz_Vertical_Average_802.11ax-HE80_5290MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	34.63	47.82	54.00	-6.18	Average


1-7GHz_Horizontal_802.11a_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6789.974	-3.33	55.21	51.88	68.20	-16.32	Peak


1-7GHz_Vertical_802.11a_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5WiFi-Band3-A-5700

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
MHz	dB/m				dB
1 6451.682	-2.88	55.80	52.92	68.20	-15.28 Peak


7-18GHz_Horizontal_Peak_802.11a_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	53.54	56.86	74.00	-17.14 Peak
2 17997.250	13.19	47.42	60.61	74.00	-13.39 Peak


7-18GHz_Horizontal_Average_802.11a_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.95	43.27	54.00	-10.73	Average
2 17998.630	13.19	33.66	46.85	54.00	-7.15	Average


7-18GHz_Vertical_Peak_802.11a_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	52.81	56.13	74.00	-17.87 Peak
2 17997.250	13.19	47.58	60.77	74.00	-13.23 Peak


7-18GHz_Vertical_Average_802.11a_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.48	42.80	54.00	-11.20	Average
2 17995.880	13.18	33.55	46.73	54.00	-7.27	Average


1-7GHz_Horizontal_802.11ac-VHT20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6432.929	-2.88	54.64	51.76	68.20	-16.44	Peak


1-7GHz_Vertical_802.11ac-VHT20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6759.220	-3.24	55.40	52.16	68.20	-16.04	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	53.42	56.74	74.00	-17.26	Peak
2	17997.250	13.19	46.88	60.07	74.00	-13.93	Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.83	43.15	54.00	-10.85	Average
2 17993.130	13.17	33.70	46.87	54.00	-7.13	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	52.68	56.00	74.00	-18.00 Peak
2 17997.250	13.19	48.21	61.40	74.00	-12.60 Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.39	42.71	54.00	-11.29	Average
2 17995.880	13.18	33.61	46.79	54.00	-7.21	Average


1-7GHz_Horizontal_802.11ac-VHT40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6448.681	-2.88	55.25	52.37	68.20	-15.83 Peak


1-7GHz_Vertical_802.11ac-VHT40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6314.414	-3.48	55.47	51.99	68.20	-16.21 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11340.000	3.46	52.82	56.28	74.00	-17.72 Peak
2 17922.990	12.81	47.39	60.20	74.00	-13.80 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.55	43.01	54.00	-10.99	Average
2 17989.000	13.14	34.15	47.29	54.00	-6.71	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	52.27	55.73	74.00	-18.27	Peak
2 17982.120	13.10	47.30	60.40	74.00	-13.60	Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.34	42.80	54.00	-11.20	Average
2 17998.630	13.19	34.01	47.20	54.00	-6.80	Average


1-7GHz_Horizontal_802.11ac-VHT80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6405.926	-2.89	54.62	51.73	68.20	-16.47	Peak


1-7GHz_Vertical_802.11ac-VHT80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6765.221	-3.25	55.68	52.43	68.20	-15.77 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.71	52.32	56.03	74.00	-17.97 Peak
2 17944.990	12.92	47.38	60.30	74.00	-13.70 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	40.01	43.72	54.00	-10.28	Average
2 17998.630	13.19	34.72	47.91	54.00	-6.09	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.71	51.80	55.51	74.00	-18.49 Peak
2 17983.500	13.11	47.76	60.87	74.00	-13.13 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	39.76	43.47	54.00	-10.53	Average
2 17993.130	13.17	34.64	47.81	54.00	-6.19	Average


1-7GHz_Horizontal_802.11ax-HE20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level	Limit Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6769.721	-3.27	55.11	51.84	68.20	-16.36 Peak


1-7GHz_Vertical_802.11ax-HE20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6464.433	-2.89	55.14	52.25	68.20	-15.95 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	53.36	56.68	74.00	-17.32 Peak
2 17972.500	13.07	48.29	61.36	74.00	-12.64 Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5700MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.75	43.07	54.00	-10.93	Average
2 17998.630	13.19	33.68	46.87	54.00	-7.13	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	52.61	55.93	74.00	-18.07 Peak
2 17998.630	13.20	47.41	60.61	74.00	-13.39 Peak


7-18GHz_Vetical_Average_802.11ax-HE20_5700MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.32	42.64	54.00	-11.36	Average
2 17998.630	13.19	33.57	46.76	54.00	-7.24	Average


1-7GHz_Horizontal_802.11ax-HE40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6621.953	-3.05	55.42	52.37	68.20	-15.83	Peak


1-7GHz_Vertical_802.11ax-HE40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6469.684	-2.91	55.30	52.39	68.20	-15.81 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.46	52.71	56.17	74.00	-17.83	Peak
2	17957.370	12.99	47.79	60.78	74.00	-13.22	Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5670MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.46	42.92	54.00	-11.08	Average
2 17989.000	13.14	34.10	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11340.000	3.46	52.17	55.63	74.00	-18.37 Peak
2 17987.620	13.13	46.56	59.69	74.00	-14.31 Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5670MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.24	42.70	54.00	-11.30	Average
2 17998.630	13.19	33.94	47.13	54.00	-6.87	Average


1-7GHz_Horizontal_802.11ax-HE80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6419.427	-2.88	55.22	52.34	68.20	-15.86	Peak


1-7GHz_Vertical_802.11ax-HE80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6452.432	-2.88	55.27	52.39	68.20	-15.81 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	52.20	55.91	74.00	-18.09	Peak
2 17982.120	13.10	47.31	60.41	74.00	-13.59	Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	39.93	43.64	54.00	-10.36	Average
2 17994.500	13.17	34.72	47.89	54.00	-6.11	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.71	51.67	55.38	74.00	-18.62 Peak
2 17960.120	13.00	47.87	60.87	74.00	-13.13 Peak


7-18GHz_Vertical_Average_802.11ax-HE80_5530MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	39.72	43.43	54.00	-10.57	Average
2 17995.880	13.18	34.62	47.80	54.00	-6.20	Average


1-7GHz_Horizontal_802.11a_5825MHz_ANT1



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A-5825

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.683	-2.89	54.95	52.06	68.20	-16.14	Peak


1-7GHz_Vertical_802.11a_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6450.181	-2.87	55.14	52.27	68.20	-15.93 Peak


7-18GHz_Horizontal_Peak_802.11a_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	53.59	57.02	74.00	-16.98 Peak
2 17962.870	13.01	47.44	60.45	74.00	-13.55 Peak


7-18GHz_Horizontal_Average_802.11a_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.72	43.15	54.00	-10.85	Average
2 17998.630	13.19	33.68	46.87	54.00	-7.13	Average


7-18GHz_Vertical_Peak_802.11a_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	52.84	56.27	74.00	-17.73 Peak
2 17982.120	13.10	47.20	60.30	74.00	-13.70 Peak


7-18GHz_Vertical_Average_802.11a_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.31	42.74	54.00	-11.26	Average
2 17995.880	13.18	33.60	46.78	54.00	-7.22	Average


1-7GHz_Horizontal_802.11ac-VHT20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6474.935	-2.91	54.84	51.93	68.20	-16.27	Peak


1-7GHz_Vertical_802.11ac-VHT20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6789.224	-3.33	55.63	52.30	68.20	-15.90 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	53.47	56.90	74.00	-17.10 Peak
2 17984.870	13.12	47.28	60.40	74.00	-13.60 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.66	43.09	54.00	-10.91	Average
2 17998.630	13.19	33.63	46.82	54.00	-7.18	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.43	52.74	56.17	74.00	-17.83	Peak
2	17994.500	13.17	47.26	60.43	74.00	-13.57	Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.25	42.68	54.00	-11.32	Average
2 17998.630	13.19	33.56	46.75	54.00	-7.25	Average


1-7GHz_Horizontal_802.11ac-VHT40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6786.973	-3.32	55.22	51.90	68.20	-16.30 Peak


1-7GHz_Vertical_802.11ac-VHT40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6452.432	-2.88	55.57	52.69	68.20	-15.51	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	52.54	55.75	74.00	-18.25	Peak
2 17984.870	13.12	48.58	61.70	74.00	-12.30	Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.85	42.06	54.00	-11.94	Average
2 17995.880	13.18	34.19	47.37	54.00	-6.63	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	52.01	55.22	74.00	-18.78	Peak
2 17951.870	12.96	47.98	60.94	74.00	-13.06	Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.63	41.84	54.00	-12.16	Average
2 17998.630	13.20	34.05	47.25	54.00	-6.75	Average


1-7GHz_Horizontal_802.11ac-VHT80_5775MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6147.144	-3.98	56.67	52.69	68.20	-15.51	Peak


1-7GHz_Vertical_802.11ac-VHT80_5775MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6474.184	-2.91	55.63	52.72	68.20	-15.48 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5775MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	51.82	55.19	74.00	-18.81 Peak
2 17983.500	13.11	48.07	61.18	74.00	-12.82 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5775MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.63	43.00	54.00	-11.00	Average
2 17990.370	13.15	34.77	47.92	54.00	-6.08	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5775MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	51.37	54.74	74.00	-19.26 Peak
2 17989.000	13.14	47.31	60.45	74.00	-13.55 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5775MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.41	42.78	54.00	-11.22	Average
2 17997.250	13.19	34.63	47.82	54.00	-6.18	Average


1-7GHz_Horizontal_802.11ax-HE20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1	6874.734	-3.11	54.81	51.70	68.20 -16.50 Peak


1-7GHz_Vertical_802.11ax-HE20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6437.430	-2.87	55.11	52.24	68.20	-15.96 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	53.54	56.97	74.00	-17.03 Peak
2 17993.130	13.17	47.54	60.71	74.00	-13.29 Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5825MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.68	43.11	54.00	-10.89	Average
2 17995.880	13.18	33.66	46.84	54.00	-7.16	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	52.80	56.23	74.00	-17.77	Peak
2 17969.750	13.06	47.56	60.62	74.00	-13.38	Peak


7-18GHz_Vertical_Average_802.11ax-HE20_5825MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.27	42.70	54.00	-11.30	Average
2 17995.880	13.18	33.59	46.77	54.00	-7.23	Average


1-7GHz_Horizontal_802.11ax-HE40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6428.429	-2.89	55.23	52.34	68.20	-15.86 Peak


1-7GHz_Vertical_802.11ax-HE40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6477.935	-2.91	55.45	52.54	68.20	-15.66	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.21	52.41	55.62	74.00	-18.38 Peak
2 17935.370	12.88	47.49	60.37	74.00	-13.63 Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5795MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.74	41.95	54.00	-12.05	Average
2 17995.880	13.18	34.15	47.33	54.00	-6.67	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.21	51.88	55.09	74.00	-18.91 Peak
2 17994.500	13.17	47.32	60.49	74.00	-13.51 Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5795MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.53	41.74	54.00	-12.26	Average
2 17998.630	13.19	34.04	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_802.11ax-HE80_5775MHz_ANT1



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6779.473	-3.30	55.36	52.06	68.20	-16.14	Peak


1-7GHz_Vertical_802.11ax-HE80_5775MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6778.722	-3.29	55.11	51.82	68.20	-16.38 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5775MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	51.74	55.11	74.00	-18.89 Peak
2 17967.000	13.03	48.29	61.32	74.00	-12.68 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5775MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.56	42.93	54.00	-11.07	Average
2 17998.630	13.20	34.73	47.93	54.00	-6.07	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5775MHz_ANT1



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	51.20	54.57	74.00	-19.43	Peak
2 17961.500	13.01	47.98	60.99	74.00	-13.01	Peak

7-18GHz_Vetical_Average_802.11ax-HE80_5775MHz_ANT1




Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.33	42.70	54.00	-11.30	Average
2 17989.000	13.14	34.69	47.83	54.00	-6.17	Average

18-40GHz (Only Listed with the worst harmonic margin test plot):


18-40GHz_Horizontal_802.11ac-VHT80_5530MHz_ANT1



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39829.480	22.27	36.74	59.01	80.00	-20.99	peak

18-40GHz_Vertical_802.11ac-VHT80_5530MHz_ANT1




Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	39235.410	22.37	35.97	58.34	80.00	-21.66	Peak

ANT2

1-18GHz (Listed with the worst harmonic margin test plot)


1-7GHz_Horizontal_802.11a_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6463.683	-2.89	55.39	52.50	68.20	-15.70 Peak


1-7GHz_Vertical_802.11a_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5WiFi-Band1-A-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6666.958	-3.09	55.23	52.14	68.20	-16.06	Peak


7-18GHz Horizontal Peak 802.11a 5180MHz ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.53	54.21	56.74	68.20	-11.46	Peak
2	17976.620	13.09	47.55	60.64	74.00	-13.36	Peak


7-18GHz_Horizontal_Average_802.11a_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.630	13.19	33.66	46.85	54.00	-7.15 Average


7-18GHz_Vertical_Peak_802.11a_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	55.06	57.59	68.20	-10.61 Peak
2 17998.630	13.20	47.74	60.94	74.00	-13.06 Peak


7-18GHz_Vertical_Average_802.11a_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.57	46.76	54.00	-7.24	Average


1-7GHz_Horizontal_802.11ac-VHT20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6453.932	-2.88	55.41	52.53	68.20	-15.67 Peak


1-7GHz_Vertical_802.11ac-VHT20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.682	-2.88	55.28	52.40	68.20	-15.80	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	55.02	57.55	68.20	-10.65 Peak
2 17979.370	13.10	47.00	60.10	74.00	-13.90 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5180MHz_ANT2



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.17	33.77	46.94	54.00	-7.06	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	55.85	58.38	68.20	-9.82 Peak
2 17980.750	13.11	46.69	59.80	74.00	-14.20 Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	13.14	33.66	46.80	54.00	-7.20	Average


1-7GHz_Horizontal_802.11ac-VHT40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6444.181	-2.87	55.30	52.43	68.20	-15.77 Peak


1-7GHz_Vertical_802.11ac-VHT40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6565.696	-3.07	55.83	52.76	68.20	-15.44 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	52.67	55.21	68.20	-12.99 Peak
2 17993.130	13.17	47.18	60.35	74.00	-13.65 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.250	13.12	34.17	47.29	54.00	-6.71	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10380.000	2.54	53.32	55.86	68.20	-12.34	Peak
2	17978.000	13.10	47.20	60.30	74.00	-13.70	Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.20	34.16	47.36	54.00	-6.64	Average


1-7GHz_Horizontal_802.11ac-VHT80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6390.924	-2.98	55.90	52.92	68.20	-15.28 Peak


1-7GHz_Vertical_802.11ac-VHT80_5210MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6574.697	-3.08	56.07	52.99	68.20	-15.21 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	51.79	54.27	68.20	-13.93 Peak
2 17998.630	13.19	46.87	60.06	74.00	-13.94 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17982.120	13.10	34.75	47.85	54.00	-6.15	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5210MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	52.54	55.02	68.20	-13.18 Peak
2 17946.370	12.93	48.06	60.99	74.00	-13.01 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5210MHz_ANT2



Condition : Vertical
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
 Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	34.78	47.96	54.00	-6.04	Average


1-7GHz_Horizontal_802.11ax-HE20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6388.674	-3.01	55.60	52.59	68.20	-15.61 Peak


1-7GHz_Vertical_802.11ax-HE20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6422.428	-2.87	55.56	52.69	68.20	-15.51 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	55.63	58.16	68.20	-10.04 Peak
2 17998.750	13.20	46.80	60.00	74.00	-14.00 Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	33.51	46.69	54.00	-7.31	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.53	56.44	58.97	68.20	-9.23 Peak
2 17976.620	13.09	47.46	60.55	74.00	-13.45 Peak


7-18GHz_Vertical_Average_802.11ax-HE20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.19	33.64	46.83	54.00	-7.17	Average


1-7GHz_Horizontal_802.11ax-HE40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6442.680	-2.88	55.86	52.98	68.20	-15.22	Peak


1-7GHz_Vertical_802.11ax-HE40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6455.432	-2.88	55.78	52.90	68.20	-15.30	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10380.000	2.54	52.51	55.05	68.20	-13.15	Peak
2 17940.870	12.91	47.56	60.47	74.00	-13.53	Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5190MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.18	34.05	47.23	54.00	-6.77	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.54	53.14	55.68	68.20	-12.52 Peak
2 17990.370	13.15	47.11	60.26	74.00	-13.74 Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5190MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	13.17	34.14	47.31	54.00	-6.69	Average


1-7GHz_Horizontal_802.11ax-HE80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6430.679	-2.88	55.22	52.34	68.20	-15.86	Peak


1-7GHz_Vertical_802.11ax-HE80_5210MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6406.676	-2.89	55.54	52.65	68.20	-15.55 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	51.66	54.14	68.20	-14.06 Peak
2 17975.250	13.08	47.78	60.86	74.00	-13.14 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5210MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17995.880	13.18	34.69	47.87	54.00	-6.13 Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5210MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.48	52.38	54.86	68.20	-13.34 Peak
2 17933.990	12.88	47.69	60.57	74.00	-13.43 Peak


7-18GHz_Vertical_Average_802.11ax-HE80_5210MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17989.000	13.14	34.84	47.98	54.00	-6.02 Average


1-7GHz_Horizontal_802.11a_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6684.960	-3.23	55.58	52.35	68.20	-15.85 Peak


1-7GHz_Vertical_802.11a_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6419.427	-2.88	55.91	53.03	68.20	-15.17	Peak


7-18GHz_Horizontal_Peak_802.11a_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.45	55.04	74.00	-18.96 Peak
2 17991.750	13.16	47.18	60.34	74.00	-13.66 Peak


7-18GHz_Horizontal_Average_802.11a_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	39.72	42.31	54.00	-11.69	Average
2	17995.880	13.18	33.55	46.73	54.00	-7.27	Average


7-18GHz_Vertical_Peak_802.11a_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	53.31	55.90	74.00	-18.10 Peak
2 17989.000	13.14	47.89	61.03	74.00	-12.97 Peak


7-18GHz_Vertical_Average_802.11a_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	40.24	42.83	54.00	-11.17	Average
2 17998.630	13.19	33.66	46.85	54.00	-7.15	Average


1-7GHz_Horizontal_802.11ac-VHT20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6872.484	-3.11	55.69	52.58	68.20	-15.62	Peak


1-7GHz_Vertical_802.11ac-VHT20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6597.950	-3.12	55.18	52.06	68.20	-16.14 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.25	54.84	74.00	-19.16 Peak
2 17953.240	12.97	47.80	60.77	74.00	-13.23 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	39.44	42.03	54.00	-11.97	Average
2 17998.630	13.19	33.57	46.76	54.00	-7.24	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	53.08	55.67	74.00	-18.33 Peak
2 17964.250	13.02	47.11	60.13	74.00	-13.87 Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	39.96	42.55	54.00	-11.45	Average
2 17998.630	13.19	33.67	46.86	54.00	-7.14	Average


1-7GHz_Horizontal_802.11ac-VHT40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6987.249	-2.88	54.82	51.94	68.20	-16.26 Peak


1-7GHz_Vertical_802.11ac-VHT40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6765.971	-3.25	55.44	52.19	68.20	-16.01 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	52.37	54.74	74.00	-19.26 Peak
2 17975.250	13.08	47.20	60.28	74.00	-13.72 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.71	42.08	54.00	-11.92	Average
2 17995.880	13.18	34.08	47.26	54.00	-6.74	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	52.89	55.26	74.00	-18.74 Peak
2 17991.750	13.16	47.27	60.43	74.00	-13.57 Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.94	42.31	54.00	-11.69	Average
2 17995.880	13.18	34.15	47.33	54.00	-6.67	Average


1-7GHz_Horizontal_802.11ac-VHT80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6801.975	-3.35	55.37	52.02	68.20	-16.18	Peak


1-7GHz_Vertical_802.11ac-VHT80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6473.434	-2.91	55.36	52.45	68.20	-15.75	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.48	54.66	68.20	-13.54 Peak
2 17982.120	13.10	47.25	60.35	74.00	-13.65 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.17	34.67	47.84	54.00	-6.16	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.02	55.20	68.20	-13.00 Peak
2 17943.620	12.92	47.46	60.38	74.00	-13.62 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17993.130	13.17	34.78	47.95	54.00	-6.05 Average


1-7GHz_Horizontal_802.11ax-HE20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6712.714	-3.32	56.07	52.75	68.20	-15.45	Peak


1-7GHz_Vertical_802.11ax-HE20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6390.174	-2.99	55.58	52.59	68.20	-15.61	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.59	52.36	54.95	74.00	-19.05 Peak
2 17972.500	13.07	47.71	60.78	74.00	-13.22 Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5320MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.59	39.59	42.18	54.00	-11.82	Average
2	17989.000	13.14	33.63	46.77	54.00	-7.23	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	53.20	55.79	74.00	-18.21	Peak
2 17998.630	13.19	47.83	61.02	74.00	-12.98	Peak


7-18GHz_Vetical_Average_802.11ax-HE20_5320MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.59	40.15	42.74	54.00	-11.26	Average
2 17998.630	13.19	33.65	46.84	54.00	-7.16	Average


1-7GHz_Horizontal_802.11ax-HE40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6945.993	-2.72	55.13	52.41	68.20	-15.79 Peak


1-7GHz_Vertical_802.11ax-HE40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6432.929	-2.88	55.70	52.82	68.20	-15.38 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	52.20	54.57	74.00	-19.43	Peak
2 17955.990	12.98	47.26	60.24	74.00	-13.76	Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5310MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.64	42.01	54.00	-11.99	Average
2 17995.880	13.18	34.06	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.37	52.72	55.09	74.00	-18.91 Peak
2 17984.870	13.12	47.57	60.69	74.00	-13.31 Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5310MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.37	39.87	42.24	54.00	-11.76	Average
2 17998.630	13.19	34.13	47.32	54.00	-6.68	Average


1-7GHz_Horizontal_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6471.184	-2.90	55.16	52.26	68.20	-15.94 Peak


1-7GHz_Vertical_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6897.237	-3.13	55.69	52.56	68.20	-15.64	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.34	54.52	68.20	-13.68 Peak
2 17976.620	13.09	47.11	60.20	74.00	-13.80 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.20	34.63	47.83	54.00	-6.17	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	52.87	55.05	68.20	-13.15 Peak
2 17929.870	12.86	46.91	59.77	74.00	-14.23 Peak

7-18GHz_Vetical_Average_802.11ax-HE80_5290MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.750	13.20	34.74	47.94	54.00	-6.06	Average