



1-7GHz_Horizontal_802.11a_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.431	-2.88	54.93	52.05	68.20	-16.15	Peak


1-7GHz_Vertical_802.11a_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6471.184	-2.90	55.65	52.75	68.20	-15.45	Peak


7-18GHz_Horizontal_Peak_802.11a_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	51.95	55.27	74.00	-18.73 Peak
2 17964.250	13.02	47.00	60.02	74.00	-13.98 Peak


7-18GHz_Horizontal_Average_802.11a_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	38.81	42.13	54.00	-11.87	Average
2 17995.880	13.18	33.58	46.76	54.00	-7.24	Average


7-18GHz_Vertical_Peak_802.11a_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	52.48	55.80	74.00	-18.20	Peak
2 17950.490	12.95	47.61	60.56	74.00	-13.44	Peak


7-18GHz_Vertical_Average_802.11a_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	39.02	42.34	54.00	-11.66	Average
2 17998.630	13.19	33.70	46.89	54.00	-7.11	Average


1-7GHz_Horizontal_802.11ac-VHT20_5700MHz_ANT2



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6948.244	-2.71	54.74	52.03	68.20	-16.17 Peak


1-7GHz_Vertical_802.11ac-VHT20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6420.178	-2.88	55.12	52.24	68.20	-15.96	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	51.84	55.16	74.00	-18.84 Peak
2 17982.120	13.10	47.57	60.67	74.00	-13.33 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5700MHz_ANT2



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	38.75	42.07	54.00	-11.93	Average
2 17995.880	13.18	33.60	46.78	54.00	-7.22	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	52.39	55.71	74.00	-18.29	Peak
2	17964.250	13.02	47.47	60.49	74.00	-13.51	Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	38.96	42.28	54.00	-11.72	Average
2 17989.000	13.14	33.71	46.85	54.00	-7.15	Average


1-7GHz_Horizontal_802.11ac-VHT40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6441.930	-2.87	55.45	52.58	68.20	-15.62 Peak


1-7GHz_Vertical_802.11ac-VHT40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6477.935	-2.91	56.06	53.15	68.20	-15.05 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11340.000	3.46	52.44	55.90	74.00	-18.10 Peak
2 17971.120	13.06	48.26	61.32	74.00	-12.68 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.46	39.29	42.75	54.00	-11.25	Average
2	17995.880	13.18	34.05	47.23	54.00	-6.77	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11340.000	3.46	52.96	56.42	74.00	-17.58 Peak
2 17998.630	13.20	47.05	60.25	74.00	-13.75 Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.52	42.98	54.00	-11.02	Average
2 17993.130	13.17	34.15	47.32	54.00	-6.68	Average


1-7GHz_Horizontal_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6809.476	-3.31	55.77	52.46	68.20	-15.74	Peak


1-7GHz_Vertical_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6883.735	-3.12	55.20	52.08	68.20	-16.12 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.71	52.09	55.80	74.00	-18.20 Peak
2 17969.750	13.06	47.49	60.55	74.00	-13.45 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	39.92	43.63	54.00	-10.37	Average
2 17989.000	13.14	34.70	47.84	54.00	-6.16	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.71	52.65	56.36	74.00	-17.64 Peak
2 17902.360	12.72	47.60	60.32	74.00	-13.68 Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	40.13	43.84	54.00	-10.16	Average
2 17998.630	13.20	34.76	47.96	54.00	-6.04	Average


1-7GHz_Horizontal_802.11ax-HE20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6872.484	-3.11	55.91	52.80	68.20	-15.40	Peak


1-7GHz_Vertical_802.11ax-HE20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6933.992	-2.84	55.33	52.49	68.20	-15.71	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.32	51.78	55.10	74.00	-18.90	Peak
2 17894.110	12.60	47.87	60.47	74.00	-13.53	Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5700MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.32	38.65	41.97	54.00	-12.03 Average
2 17995.880	13.18	33.56	46.74	54.00	-7.26 Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	52.31	55.63	74.00	-18.37	Peak
2	17994.500	13.17	47.36	60.53	74.00	-13.47	Peak


7-18GHz_Vetical_Average_802.11ax-HE20_5700MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.32	38.87	42.19	54.00	-11.81	Average
2	17998.630	13.19	33.64	46.83	54.00	-7.17	Average


1-7GHz_Horizontal_802.11ax-HE40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6871.734	-3.11	55.22	52.11	68.20	-16.09 Peak


1-7GHz_Vertical_802.11ax-HE40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6442.680	-2.88	55.31	52.43	68.20	-15.77 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11340.000	3.46	52.32	55.78	74.00	-18.22	Peak
2	17949.120	12.95	48.69	61.64	74.00	-12.36	Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5670MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.18	42.64	54.00	-11.36	Average
2 17995.880	13.18	34.03	47.21	54.00	-6.79	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	52.85	56.31	74.00	-17.69	Peak
2 17997.250	13.19	48.39	61.58	74.00	-12.42	Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5670MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11340.000	3.46	39.40	42.86	54.00	-11.14	Average
2 17995.880	13.18	34.16	47.34	54.00	-6.66	Average


1-7GHz_Horizontal_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6447.181	-2.87	55.23	52.36	68.20	-15.84 Peak


1-7GHz_Vertical_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6471.184	-2.90	55.84	52.94	68.20	-15.26 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	51.90	55.61	74.00	-18.39	Peak
2 17998.630	13.19	47.91	61.10	74.00	-12.90	Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5530MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	39.83	43.54	54.00	-10.46	Average
2 17994.500	13.17	34.66	47.83	54.00	-6.17	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	52.44	56.15	74.00	-17.85	Peak
2 17975.250	13.08	48.49	61.57	74.00	-12.43	Peak


7-18GHz_Vertical_Average_802.11ax-HE80_5530MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.71	40.05	43.76	54.00	-10.24	Average
2 17993.130	13.17	34.76	47.93	54.00	-6.07	Average


1-7GHz_Horizontal_802.11a_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6412.677	-2.89	55.35	52.46	68.20	-15.74 Peak


1-7GHz_Vertical_802.11a_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6465.933	-2.89	57.00	54.11	68.20	-14.09 Peak


7-18GHz_Horizontal_Peak_802.11a_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	52.25	55.68	74.00	-18.32	Peak
2 17983.500	13.11	48.16	61.27	74.00	-12.73	Peak


7-18GHz_Horizontal_Average_802.11a_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.50	41.93	54.00	-12.07	Average
2 17998.630	13.19	33.60	46.79	54.00	-7.21	Average


7-18GHz_Vertical_Peak_802.11a_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	52.78	56.21	74.00	-17.79 Peak
2 17942.240	12.91	47.63	60.54	74.00	-13.46 Peak


7-18GHz_Vertical_Average_802.11a_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.69	42.12	54.00	-11.88	Average
2 17995.880	13.18	33.68	46.86	54.00	-7.14	Average


1-7GHz_Horizontal_802.11ac-VHT20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6638.455	-2.99	55.08	52.09	68.20	-16.11	Peak


1-7GHz_Vertical_802.11ac-VHT20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6467.434	-2.90	55.13	52.23	68.20	-15.97	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	52.08	55.51	74.00	-18.49 Peak
2 17987.620	13.13	47.39	60.52	74.00	-13.48 Peak


7-18GHz_Horizontal_Average_802.11ac-VHT20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.39	41.82	54.00	-12.18	Average
2 17998.630	13.19	33.56	46.75	54.00	-7.25	Average


7-18GHz_Vertical_Peak_802.11ac-VHT20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	52.63	56.06	74.00	-17.94	Peak
2 17994.500	13.17	47.57	60.74	74.00	-13.26	Peak


7-18GHz_Vertical_Average_802.11ac-VHT20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.52	41.95	54.00	-12.05	Average
2 17998.630	13.19	33.64	46.83	54.00	-7.17	Average


1-7GHz_Horizontal_802.11ac-VHT40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6921.990	-2.94	55.21	52.27	68.20	-15.93	Peak


1-7GHz_Vertical_802.11ac-VHT40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6426.178	-2.88	55.02	52.14	68.20	-16.06 Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	52.03	55.24	74.00	-18.76	Peak
2 17982.120	13.10	47.63	60.73	74.00	-13.27	Peak


7-18GHz_Horizontal_Average_802.11ac-VHT40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.71	41.92	54.00	-12.08	Average
2 17955.990	12.98	34.21	47.19	54.00	-6.81	Average


7-18GHz_Vertical_Peak_802.11ac-VHT40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.21	52.57	55.78	74.00	-18.22 Peak
2 17951.870	12.96	46.91	59.87	74.00	-14.13 Peak


7-18GHz_Vertical_Average_802.11ac-VHT40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.92	42.13	54.00	-11.87	Average
2 17998.630	13.19	34.12	47.31	54.00	-6.69	Average


1-7GHz_Horizontal_802.11ac-VHT80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6402.925	-2.90	55.07	52.17	68.20	-16.03 Peak


1-7GHz_Vertical_802.11ac-VHT80_5775MHz_ANT2



Condition : Vertical
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6429.929	-2.88	54.87	51.99	68.20	-16.21	Peak


7-18GHz_Horizontal_Peak_802.11ac-VHT80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	51.52	54.89	74.00	-19.11	Peak
2 17949.120	12.95	47.09	60.04	74.00	-13.96	Peak


7-18GHz_Horizontal_Average_802.11ac-VHT80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.46	42.83	54.00	-11.17	Average
2 17993.130	13.17	34.67	47.84	54.00	-6.16	Average


7-18GHz_Vertical_Peak_802.11ac-VHT80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.37	52.09	55.46	74.00	-18.54	Peak
2	17987.620	13.13	46.97	60.10	74.00	-13.90	Peak


7-18GHz_Vertical_Average_802.11ac-VHT80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.68	43.05	54.00	-10.95	Average
2 17995.880	13.18	34.77	47.95	54.00	-6.05	Average


1-7GHz_Horizontal_802.11ax-HE20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6471.184	-2.90	55.59	52.69	68.20	-15.51 Peak


1-7GHz_Vertical_802.11ax-HE20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6902.488	-3.12	55.50	52.38	68.20 -15.82 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	52.19	55.62	74.00	-18.38	Peak
2 17994.500	13.17	47.59	60.76	74.00	-13.24	Peak


7-18GHz_Horizontal_Average_802.11ax-HE20_5825MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.47	41.90	54.00	-12.10	Average
2 17998.630	13.19	33.55	46.74	54.00	-7.26	Average


7-18GHz_Vertical_Peak_802.11ax-HE20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	52.71	56.14	74.00	-17.86 Peak
2 17969.750	13.06	48.18	61.24	74.00	-12.76 Peak


7-18GHz_Vetical_Average_802.11ax-HE20_5825MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	38.68	42.11	54.00	-11.89	Average
2 17998.630	13.19	33.58	46.77	54.00	-7.23	Average


1-7GHz_Horizontal_802.11ax-HE40_5795MHz_ANT2



Condition : Horizontal
 Project No. : 2501T23285E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6797.475	-3.35	56.16	52.81	68.20	-15.39	Peak


1-7GHz_Vertical_802.11ax-HE40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6261.158	-3.79	57.62	53.83	68.20	-14.37	Peak


7-18GHz_Horizontal_Peak_802.11ax-HE40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	51.96	55.17	74.00	-18.83	Peak
2 17984.870	13.12	47.44	60.56	74.00	-13.44	Peak


7-18GHz_Horizontal_Average_802.11ax-HE40_5795MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.67	41.88	54.00	-12.12	Average
2 17997.250	13.19	34.02	47.21	54.00	-6.79	Average


7-18GHz_Vertical_Peak_802.11ax-HE40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.21	52.51	55.72	74.00	-18.28 Peak
2 17969.750	13.06	47.64	60.70	74.00	-13.30 Peak


7-18GHz_Vertical_Average_802.11ax-HE40_5795MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.89	42.10	54.00	-11.90	Average
2 17993.130	13.17	34.16	47.33	54.00	-6.67	Average


1-7GHz_Horizontal_802.11ax-HE80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6966.996	-2.78	56.51	53.73	68.20	-14.47 Peak


1-7GHz_Vertical_802.11ax-HE80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6400.675	-2.89	56.17	53.28	68.20	-14.92 Peak


7-18GHz_Horizontal_Peak_802.11ax-HE80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	51.38	54.75	74.00	-19.25 Peak
2 17969.750	13.06	47.39	60.45	74.00	-13.55 Peak


7-18GHz_Horizontal_Average_802.11ax-HE80_5775MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.43	42.80	54.00	-11.20	Average
2 17994.500	13.17	34.68	47.85	54.00	-6.15	Average


7-18GHz_Vertical_Peak_802.11ax-HE80_5775MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.37	51.95	55.32	74.00	-18.68 Peak
2 17916.120	12.78	47.62	60.40	74.00	-13.60 Peak

7-18GHz_Vertical_Average_802.11ax-HE80_5775MHz_ANT2




Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.37	39.64	43.01	54.00	-10.99	Average
2 17998.630	13.20	34.76	47.96	54.00	-6.04	Average

18-40GHz (Only Listed with the worst harmonic margin test plot):


18-40GHz_Horizontal_802.11ax-HE20_5180MHz_ANT2



Condition : Horizontal
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39950.490	22.24	36.91	59.15	80.00	-20.85	peak

18-40GHz_Vertical_802.11ax-HE20_5180MHz_ANT2



Condition : Vertical
Project No. : 2501T23285E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 39328.920	22.25	36.54	58.79	80.00	-21.21 Peak

RF Conducted data

26dB attenuated below the channel power

Test Information:

Sample No.:	337Q-1	Test Date:	2025/06/08-2025/06/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26-27	Relative Humidity: (%)	52-55	ATM Pressure: (kPa)	101
------------------------------	-------	---------------------------------------	-------	--------------------------------	-----

Test Data:**ANT1****5150-5250MHz**

Mode	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	5240	-32.12	-15.68	Pass
802.11ac20	5240	-30.74	-15.79	Pass
802.11ac40	5230	-37.23	-15.93	Pass
802.11ac80	5210	-34.75	-16.55	Pass
802.11ax20_RU_Full	5240	-31.03	-15.55	Pass
802.11ax40_RU_Full	5230	-37.44	-15.69	Pass
802.11ax80_RU_Full	5210	-28.55	-16.21	Pass


ANT2**5150-5250MHz**

Mode	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	5240	-34.03	-16.90	Pass
802.11ac20	5240	-32.45	-16.98	Pass
802.11ac40	5230	-38.93	-16.86	Pass
802.11ac80	5210	-36.32	-16.91	Pass
802.11ax20_RU_Full	5240	-32.86	-16.61	Pass
802.11ax40_RU_Full	5230	-39.89	-16.60	Pass
802.11ax80_RU_Full	5210	-29.78	-16.58	Pass

ANT1


5150-5250MHz

802.11a_5240MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:26:04

802.11ac20_5240MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:28:11

802.11ac40_5230MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:29:13

802.11ac80_5210MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:29:45

802.11ax20_5240MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:33:08

802.11ax40_5230MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 18:36:39

802.11ax80_5210MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:38:19

ANT2


5150-5250MHz

802.11a_5240MHz




ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:23:36

802.11ac20_5240MHz




ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:25:30

802.11ac40_5230MHz




ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:34:40

802.11ac80_5210MHz




ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:27:21

802.11ax20_5240MHz_RU_Full




ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:27:55

802.11ax40_5230MHz_RU_Full



ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian LI
Date: 17.JUN.2025 00:29:12

802.11ax80_5210MHz_RU_Full



ProjectNo.:2501T23285E-RF-ANT2 Tester:Brian Li
Date: 17.JUN.2025 00:30:11

Emission Bandwidth**Test Information:**

Sample No.:	337Q-1	Test Date:	2025/06/08
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	27	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
------------------------------	----	---------------------------------------	----	--------------------------------	-----

Test Data:**ANT1****26dB Emission Bandwidth****5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	21.209
	5200	21.259
	5240	21.156
802.11ac20	5180	21.674
	5200	21.356
	5240	21.514
802.11ac40	5190	40.541
	5230	40.641
802.11ac80	5210	81.882
802.11ax20_RU_Full	5180	21.346
	5200	21.351
	5240	21.500
802.11ax40_RU_Full	5190	40.641
	5230	40.340
802.11ax80_RU_Full	5210	82.282

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	21.101
	5280	21.207
	5320	21.104
802.11ac20	5260	21.464
	5280	21.514
	5320	21.307
802.11ac40	5270	40.240
	5310	40.541
802.11ac80	5290	82.683
802.11ax20_RU_Full	5260	21.567
	5280	21.179
	5320	21.346
802.11ax40_RU_Full	5270	40.541
	5310	40.641
802.11ax80_RU_Full	5290	82.282

5470-5725MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	21.157
	5580	20.994
	5700	21.311
	5720	21.312
802.11ac20	5500	21.623
	5580	21.565
	5700	21.465
	5720	21.571
802.11ac40	5510	55.339
	5550	63.005
	5670	68.561
	5710	66.931
802.11ac80	5530	88.727
	5610	89.490
	5690	132.688
802.11ax20_RU_Full	5500	21.461
	5580	21.467
	5700	21.547
	5720	23.433
802.11ax40_RU_Full	5510	53.044
	5550	54.864
	5670	69.241
	5710	69.555
802.11ax80_RU_Full	5530	82.082
	5610	82.282
	5690	94.895

6dB Emission Bandwidth**5725-5850MHz**

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	15.265	0.5	Pass
	5785	15.215	0.5	Pass
	5825	15.265	0.5	Pass
802.11ac20	5745	15.265	0.5	Pass
	5785	15.265	0.5	Pass
	5825	15.265	0.5	Pass
802.11ac40	5755	36.537	0.5	Pass
	5795	36.537	0.5	Pass
802.11ac80	5775	76.677	0.5	Pass
802.11ax20_RU_Full	5745	17.768	0.5	Pass
	5785	18.418	0.5	Pass
	5825	18.619	0.5	Pass
802.11ax40_RU_Full	5755	37.838	0.5	Pass
	5795	37.738	0.5	Pass
802.11ax80_RU_Full	5775	76.877	0.5	Pass

ANT2**26dB Emission Bandwidth****5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	21.259
	5200	21.156
	5240	21.256
802.11ac20	5180	21.569
	5200	21.354
	5240	21.465
802.11ac40	5190	40.440
	5230	40.340
802.11ac80	5210	82.683
802.11ax20_RU_Full	5180	21.561
	5200	21.508
	5240	21.452
802.11ax40_RU_Full	5190	40.240
	5230	40.240
802.11ax80_RU_Full	5210	82.082

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	21.157
	5280	21.261
	5320	21.260
802.11ac20	5260	21.463
	5280	21.253
	5320	21.725
802.11ac40	5270	40.440
	5310	40.741
802.11ac80	5290	82.683
802.11ax20_RU_Full	5260	21.559
	5280	21.563
	5320	21.543
802.11ax40_RU_Full	5270	40.440
	5310	40.240
802.11ax80_RU_Full	5290	81.882

5470-5725MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	21.151
	5580	20.998
	5700	21.206
	5720	21.310
802.11ac20	5500	21.463
	5580	21.346
	5700	21.570
	5720	21.409
802.11ac40	5510	40.340
	5550	40.440
	5670	43.443
	5710	40.641
802.11ac80	5530	81.682
	5610	83.083
	5690	83.283
802.11ax20_RU_Full	5500	21.503
	5580	21.493
	5700	21.339
	5720	21.616
802.11ax40_RU_Full	5510	40.340
	5550	40.541
	5670	40.440
	5710	40.140
802.11ax80_RU_Full	5530	82.082
	5610	81.882
	5690	82.282


6dB Emission Bandwidth**5725-5850MHz**

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	14.014	0.5	Pass
	5785	15.265	0.5	Pass
	5825	15.265	0.5	Pass
802.11ac20	5745	15.265	0.5	Pass
	5785	15.265	0.5	Pass
	5825	15.265	0.5	Pass
802.11ac40	5755	36.537	0.5	Pass
	5795	36.537	0.5	Pass
802.11ac80	5775	76.477	0.5	Pass
802.11ax20_RU_Full	5745	18.669	0.5	Pass
	5785	18.469	0.5	Pass
	5825	18.168	0.5	Pass
802.11ax40_RU_Full	5755	37.938	0.5	Pass
	5795	37.738	0.5	Pass
802.11ax80_RU_Full	5775	77.678	0.5	Pass

ANT1


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:49:09

802.11a_5200MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:50:04

802.11a_5240MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:51:06

802.11ac20_5180MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:52:16

802.11ac20_5200MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:53:05

802.11ac20_5240MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 16:54:02

802.11ac40_5190MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 16:56:35

802.11ac40_5230MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 16:57:21

802.11ac80_5210MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 16:57:59

802.11ax20_5180MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 16:59:14

802.11ax20_5200MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 16:59:55

802.11ax20_5240MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:00:39

802.11ax40_5190MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:01:13


802.11ax40_5230MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:01:42


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:02:13

802.11a_5260MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:03:38

802.11a_5280MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:04:24

802.11a_5320MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:05:06


802.11ac20_5260MHz




802.11ac20_5280MHz




802.11ac20_5320MHz




802.11ac40_5270MHz




802.11ac40_5310MHz



802.11ac80_5290MHz




802.11ax20_5260MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:14:30

802.11ax20_5280MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:15:46

802.11ax20_5320MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:16:41

802.11ax40_5270MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:17:28

802.11ax40_5310MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:18:48


802.11ax80_5290MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:19:23


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:22:21

802.11a_5580MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:23:28

802.11a_5700MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:24:46

802.11a_5720MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:25:47

802.11ac20_5500MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:26:59

802.11ac20_5580MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:27:58

802.11ac20_5700MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:28:45

802.11ac20_5720MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:29:35

802.11ac40_5510MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:31:10

802.11ac40_5550MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:31:49

802.11ac40_5670MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:33:37

802.11ac40_5710MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:34:17

802.11ac80_5530MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:35:21

802.11ac80_5610MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:36:16

802.11ac80_5690MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:37:03

802.11ax20_5500MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:39:03

802.11ax20_5580MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:40:43

802.11ax20_5700MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:41:46

802.11ax20_5720MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:42:54

802.11ax40_5510MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:46:45

802.11ax40_5550MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:48:11

802.11ax40_5670MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:48:52

802.11ax40_5710MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:50:41

802.11ax80_5530MHz_RU_Full




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 17:52:07

802.11ax80_5610MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:52:50


802.11ax80_5690MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:53:41


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:55:14

802.11a_5785MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:56:13

802.11a_5825MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:57:07

802.11ac20_5745MHz




ProjectNo.:2501T23285E-RF Tester:Brian LI
Date: 8.JUN.2025 17:58:06

802.11ac20_5785MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:06:40

802.11ac20_5825MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:07:37

802.11ac40_5755MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:08:59

802.11ac40_5795MHz




ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:10:00

802.11ac80_5775MHz



ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:12:36

802.11ax20_5745MHz_RU_Full



ProjectNo.:2501T23285E-RF Tester:Brian Li
Date: 8.JUN.2025 18:14:07