


Yealink



Yealink Documentation
support.yealink.com




Video Conferencing Speakerphone CP50

English | 简体中文
Quick Start Guide V1.0

Package Contents




CP50



(7.5m, 24.60ft)

CAT5e UTP (RJ45 - RJ45) Cable



(1.2m, 3.94ft)


USB 3.1 (C - C) Cable



× 2

(20 * 200 mm)

Cable Ties




(3.5m, 11.48ft)

Power Adapter (48V/0.7A)




Quick Start Guide

Hardware Interface Instructions



| No. | Item | Description |
|-----|------------|---|
| 1 | Codec Port | Connect to UVC85, M500 . |
| 2 | DC48V | Connect to the power adapter. |
| 3 | Type-C | Connect to PC. |
| 4 | Audio Port | Connect to CPE40 The standard power adapter(48V 0.7A) can support up 3 CPE40. The optional power adapter (48V 2A) can support up to 7 CPE40. |


LED Indicator Instructions




| LED Status | Description |
|------------|---|
| Mute | Off - Non-call status; Solid red - Muted; Blinking red - Upgrade abnormality; Solid green - Call status/Call status; Blinking green - Incoming call status; Solid orange - Restart/Abnormality; Blinking orange - Upgrading; |
| Bluetooth | Off - Bluetooth function deactivated; Blinking blue - Entering pairing mode (pairing time limit: 10 minutes); Fast blinking blue light, followed by turning off after 10 seconds - Pairing failed, Bluetooth turned off; Solid blue light - Bluetooth connected. |

CP50 Connection


- USB-BYOD Connection



- Connect to the video conference system:



- Connect to Mobile Device:



CP50

Regulatory Notices

Operating Ambient Temperatures

- Operating temperature: +32 to 113°F (0 to 45°C)
- Relative humidity: 5% to 90%, noncondensing
- Storage temperature: -22 to +158°F (-30 to +70°C)

Warranty

Our product warranty is limited only to the unit itself, when used normally in accordance with the operating instructions and the system environment. We are not liable for damage or loss resulting from the use of this product, or for any claim from a third party. We are not liable for problems with Yealink device arising from the use of this product; we are not liable for financial damages, lost profits, claims from third parties, etc., arising from the use of this product.

Explanation of the symbols

DC symbol

 is the DC voltage symbol.

WEEE Warning symbol



To avoid the potential effects on the environment and human health as a result of the presence of hazardous substances in electrical and electronic equipment, end users of electrical and electronic equipment should understand the meaning of the crossed-out wheeled bin symbol. Do not dispose of WEEE as unsorted municipal waste and have to collect such WEEE separately.

Restriction of Hazardous Substances Directive (RoHS)

This device complies with the requirements of the EU RoHS Directive. Statements of compliance can be obtained by contacting support@yealink.com.

Safety Instructions

Save these instructions. Read these safety instructions before use!

General Requirements

- Before you install and use the device, read the safety instructions carefully and observe the situation during operation.
- During the process of storage, transportation, and operation, please always keep the device dry and clean, avoid collision and crash.
- Please attempt not to dismantle the device by yourself. In case of any discrepancy, please contact the appointed maintenance center for repair.
- Please refer to the relevant laws and statutes while using the device. Legal rights of others should be respected as well.

Environmental Requirements

- Do not cover ventilation openings, this equipment is not intended to be used on soft support.
- The marking information is located at the exterior of the bottom
- Place the device at a well-ventilated place. Do not expose the device under direct sunlight.
- Keep the device dry and free of dusts.
- Do not place the device on or near any inflammable or fire-vulnerable object, such as rubber-made materials.
- Keep the device away from any heat source or bare fire, such as a candle or an electric heater.

Operating Requirements

- Do not let a child operate the device without guidance.
- Do not let a child play with the device or any accessory in case of accidental swallowing.
- Please use the accessories provided or authorized by the manufacturer only.
- Do not spill liquid of any kind on the product or use the equipment near water, for example, near a bathtub, washbowl, kitchen sink, wet basement or near a swimming pool.
- When there is smoke emitted from the device, or some abnormal noise or smell, disconnect the device immediately.
- Contact the specified maintenance center for repair.
- Do not insert any object into equipment slots that is not part of the product or auxiliary product.

Battery Precautions

- Do not immerse the battery into water, which could short-circuit and damage the battery.
- Do not expose the battery to an open flame or leave the battery where it could be subjected to extremely high temperatures, which could cause the battery to explode.
- Do power the handset off before removing the battery.
- Do not try to use the battery for the power supply of any device other than this handset.
- Do not open or mutilate the battery, released electrolyte is corrosive and may cause damage to the your eyes or skin.
- Use only the rechargeable battery pack delivered with the handset or those rechargeable battery packs expressly recommended by Yealink.
- Defective or exhausted battery should never be disposed of as municipal waste. Return old battery to the battery supplier, a licensed battery dealer or a designated collection facility.

Cleaning Requirements

Use a piece of soft, dry and anti-static cloth to clean the device.
Troubleshooting

The usage environment is out of operating temperature range.

1. Use in the operating temperature range.

The cable between the unit and the Yealink device is connected incorrectly.

1. Connect the cable correctly.

Some dust, etc., may be in the port.

1. Clean the port.

Contact your dealer or authorized service facility for any further questions.

FCC CAUTION

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED WARNING:

This device complies with Innovation, Science and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device

must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Les communications effectuées au moyen de cet appareil ne sont pas nécessairement protégées des indiscretions.

The equipment complies with FCC/IC radiation exposure limits set forth for an uncontrolled environment. The equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

Déclaration d'exposition aux radiations: Cet équipement est conforme aux limites d'exposition aux rayonnements ISED Canada établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20cm de distance entre la source de rayonnement et votre corps.

EU Regulatory Information

Support Frequency Bands and Power:

Bluetooth 2.4GHz< 20 dBm

Contact Information

YEALINK NETWORK TECHNOLOGY CO.,LTD.

No.666 Hu'an Rd,Huli District Xiamen City, Fujian, P.R. China

YEALINK (EUROPE) NETWORK TECHNOLOGY B.V.


Keizersgracht 62,1015CS Amsterdam

YEALINK (USA) NETWORK TECHNOLOGY CO., LTD.


999 Peachtree Street Suite 2300, Fulton, Atlanta, GA, 30309, USA

Made in China

包装清单




CP50



(7.5m, 24.60ft)

CAT5e UTP (RJ45 - RJ45) 线



(1.2m, 3.94ft)


USB 3.1 (C - C) 线



× 2

(20 * 200 mm)

束线带




(3.5m, 11.48ft)

电源适配器 (48V/0.7A)




快速入门指南

硬件介绍



| 编号 | 接口 | 功能说明 |
|----|-----------|--|
| 1 | Codec 口 | 连接 UVC85 和 M500。 |
| 2 | 电源接口 | 连接电源适配器。 |
| 3 | Type-C 接口 | 连接电脑。 |
| 4 | 音频接口 | 连接 CPE40 标配电源适配器（48V 0.7A），支持连接 3 个 CPE40，选配电源适配器（48V 2A），支持最多连接 7 个 CPE40。 |


指示灯介绍




| 指示灯状态 | 功能说明 |
|-------|---|
| 静音键 | 熄灭——非通话状态； 红灯常亮——静音中；红灯闪烁——升级异常； 绿灯常亮——通话状态 / 去电状态；绿灯闪烁——来电状态； 橙灯闪烁——升级中；橙灯常亮——重启 / 异常 |
| 蓝牙灯 | 熄灭——蓝牙功能关闭； 蓝灯闪烁——进入配对状态（配对时间限制 10min）； 蓝灯快闪 10s 后熄灭——配对失败，关闭蓝牙； 蓝灯常亮——蓝牙设备已连接 |

CP50 连接


- USB-BYOD 连接



- 连接会议电视终端：



- 连接移动设备：



CP50