


11AC80MIMO_Ant1_5210




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:41:04

11AC80MIMO_Ant2_5210



ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:41:24

11AC80MIMO_Ant1_5290




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:42:59

11AC80MIMO_Ant2_5290




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:43:52

11AC80MIMO_Ant1_5530




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:46:13

11AC80MIMO_Ant2_5530




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:47:06

11AC80MIMO_Ant1_5610




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:48:17

11AC80MIMO_Ant2_5610




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:49:10

11AC80MIMO_Ant1_5775




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:50:36

11AC80MIMO_Ant2_5775




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:51:36

11AC160MIMO_Ant1_5250_UNII-1




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:53:14

11AC160MIMO_Ant2_5250_UNII-1




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:54:26

11AC160MIMO_Ant1_5250_UNII-2A



ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:53:19

11AC160MIMO_Ant2_5250_UNII-2A




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 05:54:33

11AC160MIMO_Ant1_5570




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:42:49

11AC160MIMO_Ant2_5570




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:43:59

11AX20MIMO_Ant1_5180




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 11:56:55

11AX20MIMO_Ant2_5180




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:11:45

11AX20MIMO_Ant1_5200




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 11:57:19

11AX20MIMO_Ant2_5200




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:12:26

11AX20MIMO_Ant1_5240




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 11:57:45

11AX20MIMO_Ant2_5240




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:13:04

11AX20MIMO_Ant1_5260




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:05:22

11AX20MIMO_Ant2_5260




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:10:01

11AX20MIMO_Ant1_5280




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:11:14

11AX20MIMO_Ant2_5280




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:11:47

11AX20MIMO_Ant1_5320



ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:13:17

11AX20MIMO_Ant2_5320




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:14:11

11AX20MIMO_Ant1_5500




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:23:21

11AX20MIMO_Ant2_5500




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:25:03

11AX20MIMO_Ant1_5580




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:26:19

11AX20MIMO_Ant2_5580




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:27:30

11AX20MIMO_Ant1_5700




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:29:08

11AX20MIMO_Ant2_5700




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:30:36

11AX20MIMO_Ant1_5745



ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:24:38

11AX20MIMO_Ant2_5745




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:25:38

11AX20MIMO_Ant1_5785




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:27:07

11AX20MIMO_Ant2_5785




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:28:07

11AX20MIMO_Ant1_5825




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:29:46

11AX20MIMO_Ant2_5825




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:32:00

11AX40MIMO_Ant1_5190




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 11:59:06

11AX40MIMO_Ant2_5190




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:14:06

11AX40MIMO_Ant1_5230




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 11:59:49

11AX40MIMO_Ant2_5230




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:14:50

11AX40MIMO_Ant1_5270




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:41:31

11AX40MIMO_Ant2_5270



ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:42:24

11AX40MIMO_Ant1_5310




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:47:44

11AX40MIMO_Ant2_5310




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:48:05

11AX40MIMO_Ant1_5510




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:50:29

11AX40MIMO_Ant2_5510




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:52:21

11AX40MIMO_Ant1_5550




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:53:33

11AX40MIMO_Ant2_5550




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:54:26

11AX40MIMO_Ant1_5670




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:57:20

11AX40MIMO_Ant2_5670




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 06:58:13

11AX40MIMO_Ant1_5755




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:03:16

11AX40MIMO_Ant2_5755




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:03:50

11AX40MIMO_Ant1_5795




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:06:06

11AX40MIMO_Ant2_5795




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:07:07

11AX80MIMO_Ant1_5210




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:08:59

11AX80MIMO_Ant2_5210




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:09:52

11AX80MIMO_Ant1_5290




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:29:00

11AX80MIMO_Ant2_5290




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:29:32

11AX80MIMO_Ant1_5530




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 07:49:37

11AX80MIMO_Ant2_5530




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:00:45

11AX80MIMO_Ant1_5610




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:02:00

11AX80MIMO_Ant2_5610




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:02:53

11AX80MIMO_Ant1_5775




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:04:16

11AX80MIMO_Ant2_5775




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:06:19

11AX160MIMO_Ant1_5250_UNII-1




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:08:00

11AX160MIMO_Ant2_5250_UNII-1




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:09:13

11AX160MIMO_Ant1_5250_UNII-2A




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:08:06

11AX160MIMO_Ant2_5250_UNII-2A




ProjectNo.:2501R08197E-RFTester:Lee.Li
Date: 24.APR.2025 08:09:19

11AX160MIMO_Ant1_5570



ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:34:29

11AX160MIMO_Ant2_5570




ProjectNo.:2501R08197E-RF Tester:Lee.Li
Date: 6.JUN.2025 04:35:52

26dB attenuated below the channel power**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	ANT1	5240	-20.16	-13.57	Pass
	ANT2	5240	-20.15	-12.25	Pass
802.11ac20	ANT1	5240	-23.15	-15.78	Pass
	ANT2	5240	-22.57	-16.25	Pass
802.11ac40	ANT1	5230	-24.53	-14.74	Pass
	ANT2	5230	-24.12	-15.52	Pass
802.11ac80	ANT1	5210	-18.57	-13.26	Pass
	ANT2	5210	-17.73	-13.34	Pass
802.11ax20_RU_Full	ANT1	5240	-23.58	-15.74	Pass
	ANT2	5240	-20.31	-16.22	Pass
802.11ax40_RU_Full	ANT1	5230	-21.64	-15.05	Pass
	ANT2	5230	-23.46	-15.73	Pass
802.11ax80_RU_Full	ANT1	5210	-19.53	-13.53	Pass
	ANT2	5210	-15.14	-13.59	Pass


5150-5250MHz

802.11a_5240MHz_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 13:06:12

802.11a_5240MHz_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 13:14:35

802.11ac20_5240MHz_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:58:30

802.11ac20_5240MHz_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:55:22

802.11ac40_5230MHz_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:59:16

802.11ac40_5230MHz_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:55:58

802.11ac80_5210MHz_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 13:07:21

802.11ac80_5210MHz_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 13:12:28

802.11ax20_5240MHz_RU_Full_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:59:57

802.11ax20_5240MHz_RU_Full_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:56:34

802.11ax40_5230MHz_RU_Full_ANT1




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 13:00:40

802.11ax40_5230MHz_RU_Full_ANT2




ProjectNo.:2501R08197E-RF Tester:Cheeb Huang
Date: 17.JUN.2025 12:57:25

802.11ax80_5210MHz_RU_Full_ANT1



802.11ax80_5210MHz_RU_Full_ANT2



Frequency Stability

Test Data:

5150-5250MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	138	5171.331	5150.0000	5248.726	5250.0000
	20	138	5171.167	5150.0000	5248.695	5250.0000
	50	138	5171.285	5150.0000	5248.802	5250.0000
	-20	120	5171.492	5150.0000	5248.790	5250.0000
	20	120	5171.340	5150.0000	5248.720	5250.0000
	50	120	5171.133	5150.0000	5248.457	5250.0000
	-20	102	5171.233	5150.0000	5248.953	5250.0000
	20	102	5171.223	5150.0000	5248.486	5250.0000
	50	102	5171.131	5150.0000	5248.740	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	138	5170.826	5150.0000	5249.271	5250.0000
	20	138	5170.909	5150.0000	5249.204	5250.0000
	50	138	5170.775	5150.0000	5249.340	5250.0000
	-20	120	5170.693	5150.0000	5249.040	5250.0000
	20	120	5170.931	5150.0000	5249.221	5250.0000
	50	120	5170.718	5150.0000	5249.352	5250.0000
	-20	102	5170.993	5150.0000	5249.101	5250.0000
	20	102	5170.912	5150.0000	5249.395	5250.0000
	50	102	5170.920	5150.0000	5249.231	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	138	5171.832	5150.0000	5248.292	5250.0000
	20	138	5171.617	5150.0000	5248.214	5250.0000
	50	138	5172.100	5150.0000	5248.268	5250.0000
	-20	120	5171.785	5150.0000	5248.089	5250.0000
	20	120	5171.894	5150.0000	5248.399	5250.0000
	50	120	5172.010	5150.0000	5248.408	5250.0000
	-20	102	5171.713	5150.0000	5248.460	5250.0000
	20	102	5171.795	5150.0000	5248.479	5250.0000
	50	102	5171.969	5150.0000	5248.293	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	138	5172.180	5150.0000	5247.928	5250.0000
	20	138	5172.200	5150.0000	5248.098	5250.0000
	50	138	5172.320	5150.0000	5247.922	5250.0000
	-20	120	5172.513	5150.0000	5248.033	5250.0000
	20	120	5172.081	5150.0000	5247.929	5250.0000
	50	120	5172.018	5150.0000	5248.056	5250.0000
	-20	102	5172.200	5150.0000	5247.758	5250.0000
	20	102	5172.072	5150.0000	5247.912	5250.0000
	50	102	5172.462	5150.0000	5247.891	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	138	5170.510	5150.0000	5249.631	5250.0000
	20	138	5170.583	5150.0000	5249.405	5250.0000
	50	138	5170.661	5150.0000	5249.625	5250.0000
	-20	120	5170.451	5150.0000	5249.603	5250.0000
	20	120	5170.576	5150.0000	5249.832	5250.0000
	50	120	5170.396	5150.0000	5249.695	5250.0000
	-20	102	5170.702	5150.0000	5249.472	5250.0000
	20	102	5170.649	5150.0000	5249.675	5250.0000
	50	102	5170.302	5150.0000	5249.423	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	138	5171.047	5150.0000	5248.952	5250.0000
	20	138	5171.106	5150.0000	5248.901	5250.0000
	50	138	5171.161	5150.0000	5248.798	5250.0000
	-20	120	5171.203	5150.0000	5249.159	5250.0000
	20	120	5171.168	5150.0000	5249.106	5250.0000
	50	120	5170.997	5150.0000	5248.877	5250.0000
	-20	102	5171.158	5150.0000	5248.888	5250.0000
	20	102	5171.214	5150.0000	5249.180	5250.0000
	50	102	5171.046	5150.0000	5249.148	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	138	5171.353	5150.0000	5248.779	5250.0000
	20	138	5171.388	5150.0000	5248.856	5250.0000
	50	138	5171.366	5150.0000	5248.562	5250.0000
	-20	120	5171.384	5150.0000	5248.568	5250.0000
	20	120	5171.243	5150.0000	5248.775	5250.0000
	50	120	5171.648	5150.0000	5248.571	5250.0000
	-20	102	5171.161	5150.0000	5248.642	5250.0000
	20	102	5171.627	5150.0000	5248.644	5250.0000
	50	102	5171.286	5150.0000	5248.668	5250.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac160	-20	138	5172.345	5150.0000	5328.349	5350.0000
	20	138	5172.257	5150.0000	5328.309	5350.0000
	50	138	5172.247	5150.0000	5328.421	5350.0000
	-20	120	5172.371	5150.0000	5328.561	5350.0000
	20	120	5172.421	5150.0000	5328.293	5350.0000
	50	120	5172.171	5150.0000	5328.364	5350.0000
	-20	102	5172.219	5150.0000	5328.663	5350.0000
	20	102	5172.239	5150.0000	5328.369	5350.0000
	50	102	5172.480	5150.0000	5328.358	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax160	-20	138	5171.716	5150.0000	5328.961	5350.0000
	20	138	5171.625	5150.0000	5328.912	5350.0000
	50	138	5171.524	5150.0000	5329.029	5350.0000
	-20	120	5171.741	5150.0000	5329.251	5350.0000
	20	120	5171.719	5150.0000	5329.106	5350.0000
	50	120	5171.634	5150.0000	5328.842	5350.0000
	-20	102	5171.586	5150.0000	5329.179	5350.0000
	20	102	5171.696	5150.0000	5329.012	5350.0000
	50	102	5171.690	5150.0000	5328.998	5350.0000

5250-5350MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	138	5251.372	5250.0000	5328.680	5350.0000
	20	138	5251.483	5250.0000	5328.835	5350.0000
	50	138	5251.238	5250.0000	5328.425	5350.0000
	-20	120	5251.555	5250.0000	5328.752	5350.0000
	20	120	5251.480	5250.0000	5328.798	5350.0000
	50	120	5251.457	5250.0000	5328.761	5350.0000
	-20	102	5251.402	5250.0000	5328.644	5350.0000
	20	102	5251.348	5250.0000	5328.744	5350.0000
	50	102	5251.429	5250.0000	5328.525	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	138	5250.836	5250.0000	5329.223	5350.0000
	20	138	5251.056	5250.0000	5329.233	5350.0000
	50	138	5250.734	5250.0000	5329.113	5350.0000
	-20	120	5250.604	5250.0000	5329.279	5350.0000
	20	120	5250.843	5250.0000	5329.206	5350.0000
	50	120	5250.884	5250.0000	5329.501	5350.0000
	-20	102	5250.809	5250.0000	5328.912	5350.0000
	20	102	5250.624	5250.0000	5328.991	5350.0000
	50	102	5250.878	5250.0000	5329.121	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	138	5251.888	5250.0000	5328.146	5350.0000
	20	138	5252.137	5250.0000	5328.245	5350.0000
	50	138	5252.048	5250.0000	5328.166	5350.0000
	-20	120	5251.897	5250.0000	5328.312	5350.0000
	20	120	5252.135	5250.0000	5328.115	5350.0000
	50	120	5251.840	5250.0000	5328.415	5350.0000
	-20	102	5251.674	5250.0000	5328.259	5350.0000
	20	102	5252.048	5250.0000	5328.047	5350.0000
	50	102	5252.087	5250.0000	5328.078	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	138	5252.236	5250.0000	5327.824	5350.0000
	20	138	5252.253	5250.0000	5327.794	5350.0000
	50	138	5252.441	5250.0000	5327.830	5350.0000
	-20	120	5252.300	5250.0000	5327.808	5350.0000
	20	120	5252.424	5250.0000	5327.502	5350.0000
	50	120	5252.205	5250.0000	5327.761	5350.0000
	-20	102	5252.126	5250.0000	5327.955	5350.0000
	20	102	5251.974	5250.0000	5327.569	5350.0000
	50	102	5252.249	5250.0000	5327.870	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	138	5250.447	5250.0000	5329.662	5350.0000
	20	138	5250.397	5250.0000	5329.473	5350.0000
	50	138	5250.260	5250.0000	5329.637	5350.0000
	-20	120	5250.464	5250.0000	5329.778	5350.0000
	20	120	5250.523	5250.0000	5329.556	5350.0000
	50	120	5250.719	5250.0000	5329.617	5350.0000
	-20	102	5250.575	5250.0000	5329.743	5350.0000
	20	102	5250.340	5250.0000	5329.518	5350.0000
	50	102	5250.281	5250.0000	5329.686	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	138	5251.134	5250.0000	5328.956	5350.0000
	20	138	5251.161	5250.0000	5328.940	5350.0000
	50	138	5251.054	5250.0000	5328.967	5350.0000
	-20	120	5251.224	5250.0000	5329.059	5350.0000
	20	120	5251.354	5250.0000	5328.951	5350.0000
	50	120	5250.997	5250.0000	5328.876	5350.0000
	-20	102	5251.436	5250.0000	5329.174	5350.0000
	20	102	5251.071	5250.0000	5329.095	5350.0000
	50	102	5251.219	5250.0000	5328.725	5350.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	138	5251.409	5250.0000	5328.613	5350.0000
	20	138	5251.565	5250.0000	5328.720	5350.0000
	50	138	5251.384	5250.0000	5328.323	5350.0000
	-20	120	5251.444	5250.0000	5328.906	5350.0000
	20	120	5251.404	5250.0000	5328.771	5350.0000
	50	120	5251.192	5250.0000	5328.579	5350.0000
	-20	102	5251.185	5250.0000	5328.546	5350.0000
	20	102	5251.346	5250.0000	5328.596	5350.0000
	50	102	5251.635	5250.0000	5328.480	5350.0000

5470-5725MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	138	5491.387	5470.0000	5708.847	5725.0000
	20	138	5491.534	5470.0000	5708.693	5725.0000
	50	138	5491.483	5470.0000	5708.847	5725.0000
	-20	120	5491.523	5470.0000	5708.627	5725.0000
	20	120	5491.523	5470.0000	5708.622	5725.0000
	50	120	5491.386	5470.0000	5709.087	5725.0000
	-20	102	5491.412	5470.0000	5708.901	5725.0000
	20	102	5491.516	5470.0000	5708.878	5725.0000
	50	102	5491.311	5470.0000	5708.822	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	138	5490.854	5470.0000	5709.313	5725.0000
	20	138	5490.764	5470.0000	5709.076	5725.0000
	50	138	5490.873	5470.0000	5709.200	5725.0000
	-20	120	5491.159	5470.0000	5709.303	5725.0000
	20	120	5490.920	5470.0000	5709.345	5725.0000
	50	120	5490.697	5470.0000	5709.557	5725.0000
	-20	102	5491.023	5470.0000	5709.202	5725.0000
	20	102	5490.631	5470.0000	5709.413	5725.0000
	50	102	5491.046	5470.0000	5709.337	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	138	5491.824	5470.0000	5688.214	5725.0000
	20	138	5491.678	5470.0000	5688.196	5725.0000
	50	138	5491.897	5470.0000	5688.159	5725.0000
	-20	120	5491.750	5470.0000	5688.146	5725.0000
	20	120	5491.853	5470.0000	5688.318	5725.0000
	50	120	5491.761	5470.0000	5688.179	5725.0000
	-20	102	5491.901	5470.0000	5688.420	5725.0000
	20	102	5491.958	5470.0000	5688.212	5725.0000
	50	102	5491.693	5470.0000	5688.343	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	138	5492.175	5470.0000	5568.116	5725.0000
	20	138	5492.351	5470.0000	5568.123	5725.0000
	50	138	5492.241	5470.0000	5568.953	5725.0000
	-20	120	5492.111	5470.0000	5568.252	5725.0000
	20	120	5492.078	5470.0000	5568.333	5725.0000
	50	120	5492.238	5470.0000	5568.251	5725.0000
	-20	102	5492.315	5470.0000	5568.109	5725.0000
	20	102	5492.499	5470.0000	5568.140	5725.0000
	50	102	5492.058	5470.0000	5568.254	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	138	5490.583	5470.0000	5709.542	5725.0000
	20	138	5490.449	5470.0000	5709.579	5725.0000
	50	138	5490.333	5470.0000	5709.354	5725.0000
	-20	120	5490.452	5470.0000	5709.303	5725.0000
	20	120	5490.679	5470.0000	5709.789	5725.0000
	50	120	5490.522	5470.0000	5709.450	5725.0000
	-20	102	5490.578	5470.0000	5709.593	5725.0000
	20	102	5490.376	5470.0000	5709.728	5725.0000
	50	102	5490.709	5470.0000	5709.496	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	138	5491.197	5470.0000	5689.099	5725.0000
	20	138	5491.212	5470.0000	5688.996	5725.0000
	50	138	5491.270	5470.0000	5689.061	5725.0000
	-20	120	5491.403	5470.0000	5689.289	5725.0000
	20	120	5490.871	5470.0000	5689.321	5725.0000
	50	120	5490.924	5470.0000	5688.989	5725.0000
	-20	102	5491.384	5470.0000	5689.145	5725.0000
	20	102	5491.292	5470.0000	5689.007	5725.0000
	50	102	5490.957	5470.0000	5689.044	5725.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	138	5491.319	5470.0000	5688.787	5725.0000
	20	138	5491.524	5470.0000	5688.689	5725.0000
	50	138	5491.600	5470.0000	5688.620	5725.0000
	-20	120	5491.488	5470.0000	5688.704	5725.0000
	20	120	5491.422	5470.0000	5688.687	5725.0000
	50	120	5491.085	5470.0000	5688.834	5725.0000
	-20	102	5491.296	5470.0000	5688.776	5725.0000
	20	102	5491.095	5470.0000	5688.764	5725.0000
	50	102	5491.564	5470.0000	5688.509	5725.0000

5725-5850MHz

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11a	-20	138	5736.135	5725.0000	5833.895	5850.0000
	20	138	5736.294	5725.0000	5833.723	5850.0000
	50	138	5736.009	5725.0000	5833.914	5850.0000
	-20	120	5736.084	5725.0000	5834.020	5850.0000
	20	120	5736.327	5725.0000	5833.897	5850.0000
	50	120	5736.100	5725.0000	5833.810	5850.0000
	-20	102	5736.039	5725.0000	5834.094	5850.0000
	20	102	5736.101	5725.0000	5833.903	5850.0000
	50	102	5736.033	5725.0000	5833.862	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac20	-20	138	5735.603	5725.0000	5834.362	5850.0000
	20	138	5735.519	5725.0000	5834.521	5850.0000
	50	138	5735.415	5725.0000	5834.613	5850.0000
	-20	120	5735.786	5725.0000	5834.616	5850.0000
	20	120	5735.728	5725.0000	5834.363	5850.0000
	50	120	5735.560	5725.0000	5834.486	5850.0000
	-20	102	5735.648	5725.0000	5834.234	5850.0000
	20	102	5735.819	5725.0000	5834.307	5850.0000
	50	102	5735.615	5725.0000	5834.627	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac40	-20	138	5736.444	5725.0000	5813.646	5850.0000
	20	138	5736.241	5725.0000	5813.581	5850.0000
	50	138	5736.323	5725.0000	5813.817	5850.0000
	-20	120	5736.222	5725.0000	5813.750	5850.0000
	20	120	5736.287	5725.0000	5813.900	5850.0000
	50	120	5736.633	5725.0000	5813.724	5850.0000
	-20	102	5736.520	5725.0000	5813.808	5850.0000
	20	102	5736.436	5725.0000	5813.568	5850.0000
	50	102	5736.683	5725.0000	5813.502	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ac80	-20	138	5737.209	5725.0000	5813.146	5850.0000
	20	138	5737.173	5725.0000	5813.053	5850.0000
	50	138	5737.100	5725.0000	5813.311	5850.0000
	-20	120	5737.254	5725.0000	5813.135	5850.0000
	20	120	5737.263	5725.0000	5813.164	5850.0000
	50	120	5737.108	5725.0000	5812.964	5850.0000
	-20	102	5737.006	5725.0000	5813.190	5850.0000
	20	102	5737.496	5725.0000	5813.094	5850.0000
	50	102	5737.305	5725.0000	5813.131	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax20	-20	138	5735.212	5725.0000	5834.706	5850.0000
	20	138	5734.992	5725.0000	5834.794	5850.0000
	50	138	5735.312	5725.0000	5834.471	5850.0000
	-20	120	5734.972	5725.0000	5834.974	5850.0000
	20	120	5735.060	5725.0000	5834.759	5850.0000
	50	120	5735.083	5725.0000	5834.568	5850.0000
	-20	102	5735.388	5725.0000	5834.957	5850.0000
	20	102	5735.120	5725.0000	5834.638	5850.0000
	50	102	5735.016	5725.0000	5834.742	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax40	-20	138	5735.838	5725.0000	5814.311	5850.0000
	20	138	5735.673	5725.0000	5814.265	5850.0000
	50	138	5735.985	5725.0000	5814.076	5850.0000
	-20	120	5735.867	5725.0000	5814.243	5850.0000
	20	120	5736.075	5725.0000	5814.225	5850.0000
	50	120	5736.050	5725.0000	5814.179	5850.0000
	-20	102	5735.837	5725.0000	5814.284	5850.0000
	20	102	5735.755	5725.0000	5814.351	5850.0000
	50	102	5735.934	5725.0000	5814.327	5850.0000

Test Channel: Lowest for Lower Edge, Highest for Upper Edge						
Test mode	Temperature (°C)	Voltage (V _{AC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
802.11ax80	-20	138	5736.417	5725.0000	5813.903	5850.0000
	20	138	5736.436	5725.0000	5813.815	5850.0000
	50	138	5736.503	5725.0000	5813.833	5850.0000
	-20	120	5736.682	5725.0000	5813.822	5850.0000
	20	120	5736.392	5725.0000	5813.777	5850.0000
	50	120	5736.255	5725.0000	5814.162	5850.0000
	-20	102	5736.206	5725.0000	5813.807	5850.0000
	20	102	5736.357	5725.0000	5813.945	5850.0000
	50	102	5736.412	5725.0000	5813.615	5850.0000