



802.11n40_5755MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:12:12

802.11n40_5795MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:14:00

802.11ac80_5775MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:15:10

802.11ac80_5775MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:28:24

802.11ax20_5745MHz_RU_Full_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:54:43

802.11ax20_5785MHz_RU_Full_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:06:39

802.11ax20_5825MHz_RU_Full_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:08:38

802.11ax20_5745MHz_RU_Full_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:09:56

802.11ax20_5785MHz_RU_Full_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:11:36

802.11ax20_5825MHz_RU_Full_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:13:26

802.11ax40_5755MHz_RU_Full_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:43:22

802.11ax40_5795MHz_RU_Full_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:44:38

802.11ax40_5755MHz_RU_Full_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:29:19

802.11ax40_5795MHz_RU_Full_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:30:30

802.11ax80_5775MHz_RU_Full_Chain 0



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 14:11:23

802.11ax80_5775MHz_RU_Full_Chain 1



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:39:35

5.5 99% Occupied Bandwidth

Test Information:

Serial No.:	2XBJ-1	Test Date:	2025/02/13~2025/02/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	/

Environmental Conditions:

Temperature: (°C)	21.6~25.2	Relative Humidity: (%)	52~61	ATM Pressure: (kPa)	100.4~101.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:
5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5180	16.350
		5200	16.400
		5240	16.400
	Chain 1	5180	16.400
		5200	16.400
		5240	16.400
802.11n20	Chain 0	5180	17.600
		5200	17.600
		5240	17.600
	Chain 1	5180	17.500
		5200	17.550
		5240	17.500
802.11n40	Chain 0	5190	36.700
		5230	36.600
	Chain 1	5190	36.600
		5230	36.700
802.11ac80	Chain 0	5210	76
	Chain 1	5210	76
802.11ax20	Chain 0	5180	19
		5200	18.950
		5240	18.950
	Chain 1	5180	18.950
		5200	19
		5240	19
802.11ax40	Chain 0	5190	37.700
		5230	37.700
	Chain 1	5190	37.700
		5230	37.800
802.11ax80	Chain 0	5210	77.400
	Chain 1	5210	77.200

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5260	16.400
		5280	16.350
		5320	16.350
	Chain 1	5260	16.400
		5280	16.400
		5320	16.400
802.11n20	Chain 0	5260	17.600
		5280	17.600
		5320	17.500
	Chain 1	5260	17.500
		5280	17.550
		5320	17.550
802.11n40	Chain 0	5270	36.500
		5310	36.600
	Chain 1	5270	36.800
		5310	36.700
802.11ac80	Chain 0	5290	76
	Chain 1	5290	76.600
802.11ax20	Chain 0	5260	19
		5280	18.950
		5320	18.950
	Chain 1	5260	19.050
		5280	19.050
		5320	19.100
802.11ax40	Chain 0	5270	37.600
		5310	37.700
	Chain 1	5270	37.800
		5310	37.800
802.11ax80	Chain 0	5290	77.200
	Chain 1	5290	77.600

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5500	16.400
		5580	16.400
		5700	16.350
		5720	16.400
	Chain 1	5500	16.350
		5580	16.400
		5700	16.400
		5720	16.350
802.11n20	Chain 0	5500	17.550
		5580	17.600
		5700	17.550
		5720	17.550
	Chain 1	5500	17.550
		5580	17.550
		5700	17.550
		5720	17.550
802.11n40	Chain 0	5510	36.900
		5550	37
		5670	36.900
		5710	36.800
	Chain 1	5510	36.600
		5550	36.700
		5670	36.700
		5710	36.700
802.11ac80	Chain 0	5530	76.200
		5610	76
		5690	76
	Chain 1	5530	76
		5610	76
		5690	76.200
802.11ax20	Chain 0	5500	19.050
		5580	19.100
		5700	19
		5720	19
	Chain 1	5500	18.950
		5580	19
		5700	19
		5720	19
802.11ax40	Chain 0	5510	37.800
		5550	37.700
		5670	37.800
		5710	37.800
	Chain 1	5510	37.700
		5550	37.800
		5670	37.700
		5710	37.700

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11ax80	Chain 0	5530	77.400
		5610	77.600
		5690	77.600
	Chain 1	5530	77.400
		5610	77.400
		5690	77.400

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5745	16.450
		5785	16.450
		5825	16.550
	Chain 1	5745	16.450
		5785	16.450
		5825	16.400
802.11n20	Chain 0	5745	17.600
		5785	17.650
		5825	17.600
	Chain 1	5745	17.600
		5785	17.650
		5825	17.550
802.11n40	Chain 0	5755	36.900
		5795	37
	Chain 1	5755	37.200
		5795	37.100
802.11ac80	Chain 0	5775	76.400
	Chain 1	5775	76.400
802.11ax20	Chain 0	5745	19.050
		5785	19.050
		5825	19.050
	Chain 1	5745	19.150
		5785	19.100
		5825	19.050
802.11ax40	Chain 0	5755	37.700
		5795	37.800
	Chain 1	5755	37.900
		5795	37.900
802.11ax80	Chain 0	5775	77.600
	Chain 1	5775	77.600

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 08:11:59

802.11a_5200MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 08:13:33

802.11a_5240MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 08:15:09

802.11a_5180MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:59:30

802.11a_5200MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 16:03:23

802.11a_5240MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 16:13:41


802.11n20_5180MHz_Chain 0




802.11n20_5200MHz_Chain 0




802.11n20_5240MHz_Chain 0




802.11n20_5180MHz_Chain 1




802.11n20_5200MHz_Chain 1



802.11n20_5240MHz_Chain 1




802.11n40_5190MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:26:26

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:27:51

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:28:43

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:30:23

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:52:20

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:17:57

802.11ax20_5180MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:24:06

802.11ax20_5200MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:25:54

802.11ax20_5240MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:27:48

802.11ax20_5180MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:31:51

802.11ax20_5200MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:35:29

802.11ax20_5240MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:37:29

802.11ax40_5190MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:32:47

802.11ax40_5230MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:33:57

802.11ax40_5190MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:18:06

802.11ax40_5230MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:19:14

802.11ax80_5210MHz_Chain 0



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:53:07


802.11ax80_5210MHz_Chain 1



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:32:46


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:16:58

802.11a_5280MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:18:51

802.11a_5320MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:20:26

802.11a_5260MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:14:50

802.11a_5280MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:56:40

802.11a_5320MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:30:42


802.11n20_5260MHz_Chain 0




802.11n20_5280MHz_Chain 0




802.11n20_5320MHz_Chain 0




802.11n20_5260MHz_Chain 1




802.11n20_5280MHz_Chain 1



802.11n20_5320MHz_Chain 1




802.11n40_5270MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:29:16

802.11n40_5310MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:30:33

802.11n40_5270MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:34:09

802.11n40_5310MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:36:04

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:02:18

802.11ac80_5290MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:22:57


802.11ax20_5260MHz_Chain 0




802.11ax20_5280MHz_Chain 0




802.11ax20_5320MHz_Chain 0




802.11ax20_5260MHz_Chain 1




802.11ax20_5280MHz_Chain 1




802.11ax20_5320MHz_Chain 1




802.11ax40_5270MHz_Chain 0




802.11ax40_5310MHz_Chain 0




802.11ax40_5270MHz_Chain 1




802.11ax40_5310MHz_Chain 1



802.11ax80_5290MHz_Chain 0




802.11ax80_5290MHz_Chain 1




5470-5725MHz

802.11a_5500MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:25:20

802.11a_5580MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:27:28

802.11a_5700MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:29:35

802.11a_5720MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:31:17

802.11a_5500MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:39:05

802.11a_5580MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:43:22

802.11a_5700MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:49:12

802.11a_5720MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:46:56

802.11n20_5500MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:05:05

802.11n20_5580MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:06:44

802.11n20_5700MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:08:32

802.11n20_5720MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:13:16


802.11n20_5500MHz_Chain 1




802.11n20_5580MHz_Chain 1




802.11n20_5700MHz_Chain 1




802.11n20_5720MHz_Chain 1




802.11n40_5510MHz_Chain 0



802.11n40_5550MHz_Chain 0




802.11n40_5670MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:40:13

802.11n40_5710MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:42:10

802.11n40_5510MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:37:41

802.11n40_5550MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:39:13

802.11n40_5670MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:42:11

802.11n40_5710MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:10:35

802.11ac80_5530MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:09:42

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:11:13

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:18:04

802.11ac80_5530MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:24:19

802.11ac80_5610MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:25:37

802.11ac80_5690MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:27:01


802.11ax20_5500MHz_Chain 0




802.11ax20_5580MHz_Chain 0




802.11ax20_5700MHz_Chain 0




802.11ax20_5720MHz_Chain 0




802.11ax20_5500MHz_Chain 1



802.11ax20_5580MHz_Chain 1




802.11ax20_5700MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:49:33

802.11ax20_5720MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:51:13

802.11ax40_5510MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:37:47

802.11ax40_5550MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:39:07

802.11ax40_5670MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:40:20

802.11ax40_5710MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:42:08

802.11ax40_5510MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:23:45

802.11ax40_5550MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:25:09

802.11ax40_5670MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:26:40

802.11ax40_5710MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:28:07

802.11ax80_5530MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:55:34

802.11ax80_5610MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:57:27


802.11ax80_5690MHz_Chain 0




802.11ax80_5530MHz_Chain 1



802.11ax80_5610MHz_Chain 1




802.11ax80_5690MHz_Chain 1




5725-5850MHz


802.11a_5745MHz_Chain 0




802.11a_5785MHz_Chain 0




802.11a_5825MHz_Chain 0




802.11a_5745MHz_Chain 1




802.11a_5785MHz_Chain 1




802.11a_5825MHz_Chain 1




802.11n20_5745MHz_Chain 0




802.11n20_5785MHz_Chain 0




802.11n20_5825MHz_Chain 0




802.11n20_5745MHz_Chain 1




802.11n20_5785MHz_Chain 1




802.11n20_5825MHz_Chain 1




802.11n40_5755MHz_Chain 0



802.11n40_5795MHz_Chain 0




802.11n40_5755MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:12:23

802.11n40_5795MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:14:13

802.11ac80_5775MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:15:30

802.11ac80_5775MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 11:28:42

802.11ax20_5745MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 11:55:10

802.11ax20_5785MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:07:11


802.11ax20_5825MHz_Chain 0




802.11ax20_5745MHz_Chain 1




802.11ax20_5785MHz_Chain 1




802.11ax20_5825MHz_Chain 1




802.11ax40_5755MHz_Chain 0




802.11ax40_5795MHz_Chain 0




802.11ax40_5755MHz_Chain 1




802.11ax40_5795MHz_Chain 1



802.11ax80_5775MHz_Chain 0



802.11ax80_5775MHz_Chain 1



5.6 Maximum Conducted Output Power

Test Information:

Serial No.:	2XBJ-1	Test Date:	2025/02/13~2025/04/18
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	21.6~25.2	Relative Humidity: (%)	52~61	ATM Pressure: (kPa)	100.4~101.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2024/08/27	2025/08/26

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:
5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Conducted Average Output Power(dBm)		EIRP (dBm)		Verdict
			Result	FCC Limit	Result	IC Limit	
802.11a	Chain 0	5180	11.99	24	16.32	22.14	Pass
		5200	13.59	24	17.92	22.15	Pass
		5240	13.17	24	17.5	22.15	Pass
	Chain 1	5180	11.59	24	15.92	22.15	Pass
		5200	11.64	24	15.97	22.15	Pass
		5240	11.75	24	16.08	22.15	Pass
802.11n20	Chain 0	5180	9.59	24	13.92	22.46	Pass
		5200	9.56	24	13.89	22.46	Pass
		5240	10.13	24	14.46	22.46	Pass
	Chain 1	5180	9.23	24	13.56	22.43	Pass
		5200	9.08	24	13.41	22.44	Pass
		5240	9.37	24	13.7	22.43	Pass
	Total	5180	12.42	24	16.75	22.43	Pass
		5200	12.34	24	16.67	22.44	Pass
		5240	12.78	24	17.11	22.43	Pass
802.11n40	Chain 0	5190	10.22	24	14.55	23.01	Pass
		5230	13.72	24	18.05	23.01	Pass
	Chain 1	5190	9.71	24	14.04	23.01	Pass
		5230	12.49	24	16.82	23.01	Pass
	Total	5190	12.98	24	17.31	23.01	Pass
		5230	16.16	24	20.49	23.01	Pass
802.11ac80	Chain 0	5210	10.3	24	14.63	23.01	Pass
	Chain 1	5210	9.86	24	14.19	23.01	Pass
	Total	5210	13.10	24	17.43	23.01	Pass
802.11ax20	Chain 0	5180	10.25	24	14.58	22.79	Pass
		5200	10.02	24	14.35	22.78	Pass
		5240	10.44	24	14.77	22.78	Pass
	Chain 1	5180	9.68	24	14.01	22.78	Pass
		5200	9.57	24	13.9	22.79	Pass
		5240	9.96	24	14.29	22.79	Pass
	Total	5180	12.98	24	17.31	22.78	Pass
		5200	12.81	24	17.14	22.78	Pass
		5240	13.22	24	17.55	22.78	Pass
802.11ax40	Chain 0	5190	9.46	24	13.79	23.01	Pass
		5230	12.43	24	16.76	23.01	Pass
	Chain 1	5190	9.06	24	13.39	23.01	Pass
		5230	12.35	24	16.68	23.01	Pass
	Total	5190	12.27	24	16.6	23.01	Pass
		5230	15.40	24	19.73	23.01	Pass
802.11ax80	Chain 0	5210	10.8	24	15.13	23.01	Pass
	Chain 1	5210	10.06	24	14.39	23.01	Pass
	Total	5210	13.46	24	17.79	23.01	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Conducted Average Output Power(dBm)		EIRP (dBm)		Verdict
			Result	Limit	Result	IC Limit	
802.11a	Chain 0	5260	12.77	23.15	18.68	29.15	Pass
		5280	12.44	23.14	18.35	29.14	Pass
		5320	12.41	23.14	18.32	29.14	Pass
	Chain 1	5260	12.09	23.15	18	29.15	Pass
		5280	12.07	23.15	17.98	29.15	Pass
		5320	11.85	23.15	17.76	29.15	Pass
802.11n20	Chain 0	5260	9.94	23.46	15.85	29.46	Pass
		5280	9.94	23.46	15.85	29.46	Pass
		5320	9.95	23.43	15.86	29.43	Pass
	Chain 1	5260	9.17	23.43	15.08	29.43	Pass
		5280	9.36	23.44	15.27	29.44	Pass
		5320	9.26	23.44	15.17	29.44	Pass
	Total	5260	12.58	23.43	18.49	29.43	Pass
		5280	12.67	23.44	18.58	29.44	Pass
		5320	12.63	23.43	18.54	29.43	Pass
802.11n40	Chain 0	5270	10.68	24	16.59	30	Pass
		5310	10.49	24	16.4	30	Pass
	Chain 1	5270	9.89	24	15.8	30	Pass
		5310	9.73	24	15.64	30	Pass
	Total	5270	13.31	24	19.22	30	Pass
		5310	13.14	24	19.05	30	Pass
802.11ac80	Chain 0	5290	11.25	24	17.16	30	Pass
	Chain 1	5290	10.87	24	16.78	30	Pass
	Total	5290	14.07	24	19.98	30	Pass
802.11ax20	Chain 0	5260	10.47	23.79	16.38	29.79	Pass
		5280	10.56	23.78	16.47	29.78	Pass
		5320	10.36	23.78	16.27	29.78	Pass
	Chain 1	5260	10.12	23.80	16.03	29.8	Pass
		5280	9.84	23.80	15.75	29.8	Pass
		5320	9.86	23.81	15.77	29.81	Pass
	Total	5260	13.31	23.79	19.22	29.79	Pass
		5280	13.23	23.78	19.14	29.78	Pass
		5320	13.13	23.78	19.04	29.78	Pass
802.11ax40	Chain 0	5270	11.02	24	16.93	30	Pass
		5310	10.81	24	16.72	30	Pass
	Chain 1	5270	10.27	24	16.18	30	Pass
		5310	10.1	24	16.01	30	Pass
	Total	5270	13.67	24	19.58	30	Pass
		5310	13.48	24	19.39	30	Pass
802.11ax80	Chain 0	5290	11.49	24	17.4	30	Pass
	Chain 1	5290	11.21	24	17.12	30	Pass
	Total	5290	14.36	24	20.27	30	Pass

Note: the Conducted Average Output Power limit used the worst limit of FCC and IC.

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Conducted Average Output Power(dBm)		EIRP (dBm)		Verdict
			Result	Limit	Result	IC Limit	
802.11a	Chain 0	5500	10.88	23.15	16.11	29.15	Pass
		5580	10.8	23.15	16.03	29.15	Pass
		5700	10.53	23.14	15.76	29.14	Pass
		5720	11.81	23.15	17.04	29.15	Pass
	Chain 1	5500	10.36	23.14	15.59	29.14	Pass
		5580	10.44	23.15	15.67	29.15	Pass
		5700	11.06	23.15	16.29	29.15	Pass
		5720	10.51	23.14	15.74	29.14	Pass
802.11n20	Chain 0	5500	10.56	23.44	15.79	29.44	Pass
		5580	10.23	23.46	15.46	29.46	Pass
		5700	10.0	23.44	15.23	29.44	Pass
		5720	11.73	23.44	16.96	29.44	Pass
	Chain 1	5500	9.67	23.44	14.9	29.44	Pass
		5580	9.19	23.44	14.42	29.44	Pass
		5700	8.77	23.44	14	29.44	Pass
		5720	10.36	23.44	15.59	29.44	Pass
	Total	5500	13.15	23.44	18.38	29.44	Pass
		5580	12.75	23.44	17.98	29.44	Pass
		5700	12.44	23.44	17.67	29.44	Pass
		5720	14.11	23.44	19.34	29.44	Pass
802.11n40	Chain 0	5510	9.57	24	14.8	30	Pass
		5550	12.17	24	17.4	30	Pass
		5670	12.74	24	17.97	30	Pass
		5710	14.1	24	19.33	30	Pass
	Chain 1	5510	8.95	24	14.18	30	Pass
		5550	11.92	24	17.15	30	Pass
		5670	12.43	24	17.66	30	Pass
		5710	11.9	24	17.13	30	Pass
	Total	5510	12.28	24	17.51	30	Pass
		5550	15.06	24	20.29	30	Pass
		5670	15.60	24	20.83	30	Pass
		5710	16.15	24	21.38	30	Pass
802.11ac80	Chain 0	5530	9.82	24	15.05	30	Pass
		5610	12.57	24	17.8	30	Pass
		5690	12.38	24	17.61	30	Pass
	Chain 1	5530	8.94	24	14.17	30	Pass
		5610	10.84	24	16.07	30	Pass
		5690	10.9	24	16.13	30	Pass
	Total	5530	12.41	24	17.64	30	Pass
		5610	14.80	24	20.03	30	Pass
		5690	14.71	24	19.94	30	Pass

Mode	Antenna	Test Frequency (MHz)	Conducted Average Output Power(dBm)		EIRP (dBm)		Verdict
			Result	Limit	Result	IC Limit	
802.11ax20	Chain 0	5500	11.74	23.80	16.97	29.8	Pass
		5580	11.78	23.81	17.01	29.81	Pass
		5700	11.3	23.79	16.53	29.79	Pass
		5720	13.27	23.79	18.5	29.79	Pass
	Chain 1	5500	11.02	23.78	16.25	29.78	Pass
		5580	10.78	23.79	16.01	29.79	Pass
		5700	10.23	23.79	15.46	29.79	Pass
		5720	12.06	23.79	17.29	29.79	Pass
	Total	5500	14.41	23.78	19.64	29.78	Pass
		5580	14.32	23.79	19.55	29.79	Pass
		5700	13.81	23.79	19.04	29.79	Pass
		5720	15.72	23.79	20.95	29.79	Pass
802.11ax40	Chain 0	5510	9.84	24	15.07	30	Pass
		5550	11.04	24	16.27	30	Pass
		5670	11.73	24	16.96	30	Pass
		5710	11.13	24	16.36	30	Pass
	Chain 1	5510	9.5	24	14.73	30	Pass
		5550	11.2	24	16.43	30	Pass
		5670	11.65	24	16.88	30	Pass
		5710	11.0	24	16.23	30	Pass
	Total	5510	12.68	24	17.91	30	Pass
		5550	14.13	24	19.36	30	Pass
		5670	14.70	24	19.93	30	Pass
		5710	14.08	24	19.31	30	Pass
802.11ax80	Chain 0	5530	10.09	24	15.32	30	Pass
		5610	12.5	24	17.73	30	Pass
		5690	12.42	24	17.65	30	Pass
	Chain 1	5530	9.46	24	14.69	30	Pass
		5610	12.16	24	17.39	30	Pass
		5690	12.06	24	17.29	30	Pass
	Total	5530	12.80	24	18.03	30	Pass
		5610	15.34	24	20.57	30	Pass
		5690	15.25	24	20.48	30	Pass

Note: the Conducted Average Output Power limit used the worst limit of FCC and IC.

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Conducted Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	13.73	30	Pass
		5785	13.41	30	Pass
		5825	13.2	30	Pass
	Chain 1	5745	12.98	30	Pass
		5785	12.43	30	Pass
		5825	11.48	30	Pass
802.11n20	Chain 0	5745	13.81	30	Pass
		5785	13.22	30	Pass
		5825	12.85	30	Pass
	Chain 1	5745	12.93	30	Pass
		5785	12.35	30	Pass
		5825	11.73	30	Pass
	Total	5745	16.40	30	Pass
		5785	15.82	30	Pass
		5825	15.34	30	Pass
802.11n40	Chain 0	5755	14.17	30	Pass
		5795	13.88	30	Pass
	Chain 1	5755	14.51	30	Pass
		5795	14.14	30	Pass
	Total	5755	17.35	30	Pass
		5795	17.02	30	Pass
802.11ac80	Chain 0	5775	13.57	30	Pass
	Chain 1	5775	13.67	30	Pass
	Total	5775	16.63	30	Pass
802.11ax20	Chain 0	5745	14.64	30	Pass
		5785	13.36	30	Pass
		5825	12.59	30	Pass
	Chain 1	5745	14.95	30	Pass
		5785	14.43	30	Pass
		5825	13.63	30	Pass
	Total	5745	17.81	30	Pass
		5785	16.94	30	Pass
		5825	16.15	30	Pass
802.11ax40	Chain 0	5755	12.04	30	Pass
		5795	11.58	30	Pass
	Chain 1	5755	13.45	30	Pass
		5795	13.0	30	Pass
	Total	5755	15.81	30	Pass
		5795	15.36	30	Pass
802.11ax80	Chain 0	5775	13.43	30	Pass
	Chain 1	5775	13.3	30	Pass
	Total	5775	16.38	30	Pass

5.7 Power Spectral Density

Test Information:

Serial No.:	2XBJ-1	Test Date:	2025/02/13~2025/05/26
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	22.8~25	Relative Humidity: (%)	52~62	ATM Pressure: (kPa)	100.9~101.4
----------------------	---------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:
5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Conducted PSD (dBm/MHz)		EIRP PSD (dBm/MHz)		Verdict
					Result	FCC Limit	Result	IC Limit	
802.11a	Chain 0	5180	2.99	0.30	3.29	11.0	7.62	10	Pass
		5200	4.85	0.30	5.15	11.0	9.48	10	Pass
		5240	4.24	0.30	4.54	11.0	8.87	10	Pass
	Chain 1	5180	2.81	0.30	3.11	11.0	7.44	10	Pass
		5200	2.98	0.30	3.28	11.0	7.61	10	Pass
		5240	2.97	0.30	3.27	11.0	7.6	10	Pass
802.11n20	Chain 0	5180	-1.44	0.32	-1.12	11.0	2.89	10	Pass
		5200	-1.21	0.32	-0.89	11.0	3.12	10	Pass
		5240	-0.90	0.32	-0.58	11.0	3.43	10	Pass
	Chain 1	5180	-1.53	0.32	-1.21	11.0	2.8	10	Pass
		5200	-1.16	0.32	-0.84	11.0	3.17	10	Pass
		5240	-1.39	0.32	-1.07	11.0	2.94	10	Pass
	Total	5180	1.53	0.32	1.85	9.67	8.86	10	Pass
		5200	1.83	0.32	2.15	9.67	9.16	10	Pass
		5240	1.87	0.32	2.19	9.67	9.2	10	Pass
802.11n40	Chain 0	5190	-4.66	1.10	-3.56	11.0	0.77	10	Pass
		5230	-1.35	1.10	-0.25	11.0	4.08	10	Pass
	Chain 1	5190	-5.54	1.10	-4.44	11.0	-0.11	10	Pass
		5230	-2.90	1.10	-1.8	11.0	2.53	10	Pass
	Total	5190	-2.07	1.10	-0.97	9.67	6.36	10	Pass
		5230	0.95	1.10	2.05	9.67	9.38	10	Pass
802.11ac80	Chain 0	5210	-8.19	1.17	-7.02	11.0	-2.69	10	Pass
	Chain 1	5210	-8.82	1.17	-7.65	11.0	-3.32	10	Pass
	Total	5210	-5.48	1.17	-4.31	9.67	3.02	10	Pass
802.11ax20	Chain 0	5180	-1.87	0.41	-1.46	11.0	2.46	10	Pass
		5200	-2.64	0.41	-2.23	11.0	1.69	10	Pass
		5240	-2.10	0.41	-1.69	11.0	2.23	10	Pass
	Chain 1	5180	-2.62	0.41	-2.21	11.0	1.71	10	Pass
		5200	-2.46	0.41	-2.05	11.0	1.87	10	Pass
		5240	-1.57	0.41	-1.16	11.0	2.76	10	Pass
	Total	5180	0.78	0.41	1.19	9.67	8.11	10	Pass
		5200	0.46	0.41	0.87	9.67	7.79	10	Pass
		5240	1.18	0.41	1.59	9.67	8.51	10	Pass
802.11ax40	Chain 0	5190	-5.42	0.75	-4.67	11.0	-0.34	10	Pass
		5230	-2.59	0.75	-1.84	11.0	2.49	10	Pass
	Chain 1	5190	-5.89	0.75	-5.14	11.0	-0.81	10	Pass
		5230	-2.50	0.75	-1.75	11.0	2.58	10	Pass
	Total	5190	-2.64	0.75	-1.89	9.67	5.44	10	Pass
		5230	0.47	0.75	1.22	9.67	8.55	10	Pass
802.11ax80	Chain 0	5210	-7.88	1.29	-6.59	11.0	-2.26	10	Pass
	Chain 1	5210	-8.32	1.29	-7.03	11.0	-2.7	10	Pass
	Total	5210	-5.08	1.29	-3.79	9.67	3.54	10	Pass

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Conducted PSD (dBm/MHz)		Verdict
					Result	Limit	
802.11a	Chain 0	5260	3.75	0.30	4.05	11.0	Pass
		5280	3.93	0.30	4.23	11.0	Pass
		5320	3.80	0.30	4.1	11.0	Pass
	Chain 1	5260	3.27	0.30	3.57	11.0	Pass
		5280	3.08	0.30	3.38	11.0	Pass
		5320	3.26	0.30	3.56	11.0	Pass
802.11n20	Chain 0	5260	1.10	0.32	1.42	11.0	Pass
		5280	0.94	0.32	1.26	11.0	Pass
		5320	1.01	0.32	1.33	11.0	Pass
	Chain 1	5260	-0.19	0.32	0.13	11.0	Pass
		5280	0.23	0.32	0.55	11.0	Pass
		5320	0.40	0.32	0.72	11.0	Pass
	Total	5260	3.51	0.32	3.83	8.09	Pass
		5280	3.61	0.32	3.93	8.09	Pass
		5320	3.73	0.32	4.05	8.09	Pass
802.11n40	Chain 0	5270	-4.29	1.10	-3.19	11.0	Pass
		5310	-4.86	1.10	-3.76	11.0	Pass
	Chain 1	5270	-5.08	1.10	-3.98	11.0	Pass
		5310	-4.94	1.10	-3.84	11.0	Pass
	Total	5270	-1.66	1.10	-0.56	8.09	Pass
		5310	-1.89	1.10	-0.79	8.09	Pass
802.11ac80	Chain 0	5290	-7.12	1.17	-5.95	11.0	Pass
	Chain 1	5290	-7.65	1.17	-6.48	11.0	Pass
	Total	5290	-4.37	1.17	-3.2	8.09	Pass
802.11ax20	Chain 0	5260	0.05	0.41	0.46	11.0	Pass
		5280	0.14	0.41	0.55	11.0	Pass
		5320	0.29	0.41	0.7	11.0	Pass
	Chain 1	5260	-0.45	0.41	-0.04	11.0	Pass
		5280	-0.48	0.41	-0.07	11.0	Pass
		5320	-0.42	0.41	-0.01	11.0	Pass
	Total	5260	2.82	0.41	3.23	8.09	Pass
		5280	2.85	0.41	3.26	8.09	Pass
		5320	2.96	0.41	3.37	8.09	Pass
802.11ax40	Chain 0	5270	-3.87	0.75	-3.12	11.0	Pass
		5310	-4.14	0.75	-3.39	11.0	Pass
	Chain 1	5270	-4.85	0.75	-4.1	11.0	Pass
		5310	-4.93	0.75	-4.18	11.0	Pass
	Total	5270	-1.32	0.75	-0.57	8.09	Pass
		5310	-1.51	0.75	-0.76	8.09	Pass
802.11ax80	Chain 0	5290	-6.83	1.29	-5.54	11.0	Pass
	Chain 1	5290	-7.24	1.29	-5.95	11.0	Pass
	Total	5290	-4.02	1.29	-2.73	8.09	Pass

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Conducted PSD (dBm/MHz)		Verdict
					Result	Limit	
802.11a	Chain 0	5500	2.10	0.30	2.4	11.0	Pass
		5580	1.82	0.30	2.12	11.0	Pass
		5700	1.31	0.30	1.61	11.0	Pass
		5720	3.53	0.30	3.83	11.0	Pass
	Chain 1	5500	1.69	0.30	1.99	11.0	Pass
		5580	1.68	0.30	1.98	11.0	Pass
		5700	1.99	0.30	2.29	11.0	Pass
		5720	2.19	0.30	2.49	11.0	Pass
802.11n20	Chain 0	5500	1.55	0.32	1.87	11.0	Pass
		5580	1.60	0.32	1.92	11.0	Pass
		5700	1.38	0.32	1.7	11.0	Pass
		5720	3.12	0.32	3.44	11.0	Pass
	Chain 1	5500	0.68	0.32	1	11.0	Pass
		5580	0.34	0.32	0.66	11.0	Pass
		5700	-0.50	0.32	-0.18	11.0	Pass
		5720	1.97	0.32	2.29	11.0	Pass
	Total	5500	4.15	0.32	4.47	8.77	Pass
		5580	4.03	0.32	4.35	8.77	Pass
		5700	3.55	0.32	3.87	8.77	Pass
		5720	3.59	0.32	3.91	8.77	Pass
802.11n40	Chain 0	5510	-5.80	1.10	-4.7	11.0	Pass
		5550	-2.76	1.10	-1.66	11.0	Pass
		5670	-2.63	1.10	-1.53	11.0	Pass
		5710	-0.99	1.10	0.11	11.0	Pass
	Chain 1	5510	-6.10	1.10	-5	11.0	Pass
		5550	-2.95	1.10	-1.85	11.0	Pass
		5670	-2.77	1.10	-1.67	11.0	Pass
		5710	-2.73	1.10	-1.63	11.0	Pass
	Total	5510	-2.94	1.10	-1.84	8.77	Pass
		5550	0.16	1.10	1.26	8.77	Pass
		5670	0.31	1.10	1.41	8.77	Pass
		5710	1.24	1.10	2.34	8.77	Pass
802.11ac80	Chain 0	5530	-8.19	1.17	-7.02	11.0	Pass
		5610	-5.76	1.17	-4.59	11.0	Pass
		5690	-5.82	1.17	-4.65	11.0	Pass
	Chain 1	5530	-9.36	1.17	-8.19	11.0	Pass
		5610	-6.95	1.17	-5.78	11.0	Pass
		5690	-7.26	1.17	-6.09	11.0	Pass
	Total	5530	-5.73	1.17	-4.56	8.77	Pass
		5610	-3.30	1.17	-2.13	8.77	Pass
		5690	-3.47	1.17	-2.30	8.77	Pass

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Conducted PSD (dBm/MHz)		Verdict
					Result	Limit	
802.11ax20	Chain 0	5500	1.07	0.41	1.48	11.0	Pass
		5580	1.44	0.41	1.85	11.0	Pass
		5700	1.22	0.41	1.63	11.0	Pass
		5720	3.42	0.41	3.83	11.0	Pass
	Chain 1	5500	0.66	0.41	1.07	11.0	Pass
		5580	0.20	0.41	0.61	11.0	Pass
		5700	-0.30	0.41	0.11	11.0	Pass
		5720	2.68	0.41	3.09	11.0	Pass
	Total	5500	3.88	0.41	4.29	8.77	Pass
		5580	3.87	0.41	4.28	8.77	Pass
		5700	3.54	0.41	3.95	8.77	Pass
		5720	6.08	0.41	6.49	8.77	Pass
802.11ax40	Chain 0	5510	-5.12	0.75	-4.37	11.0	Pass
		5550	-3.80	0.75	-3.05	11.0	Pass
		5670	-3.15	0.75	-2.4	11.0	Pass
		5710	-3.35	0.75	-2.6	11.0	Pass
	Chain 1	5510	-5.28	0.75	-4.53	11.0	Pass
		5550	-3.58	0.75	-2.83	11.0	Pass
		5670	-3.43	0.75	-2.68	11.0	Pass
		5710	-3.32	0.75	-2.57	11.0	Pass
	Total	5510	-2.19	0.75	-1.44	8.77	Pass
		5550	-0.68	0.75	0.07	8.77	Pass
		5670	-0.28	0.75	0.47	8.77	Pass
		5710	-0.32	0.75	0.43	8.77	Pass
802.11ax80	Chain 0	5530	-8.23	1.29	-6.94	11.0	Pass
		5610	-6.14	1.29	-4.85	11.0	Pass
		5690	-5.68	1.29	-4.39	11.0	Pass
	Chain 1	5530	-9.00	1.29	-7.71	11.0	Pass
		5610	-6.11	1.29	-4.82	11.0	Pass
		5690	-5.97	1.29	-4.68	11.0	Pass
	Total	5530	-5.59	1.29	-4.3	8.77	Pass
		5610	-3.11	1.29	-1.82	8.77	Pass
		5690	-2.81	1.29	-1.52	8.77	Pass


5725-5850MHz:

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Conducted PSD (dBm/500kHz)		Verdict
					Result	Limit	
802.11a	Chain 0	5745	2.63	0.30	2.93	30.00	Pass
		5785	2.33	0.30	2.63	30.00	Pass
		5825	2.44	0.30	2.74	30.00	Pass
	Chain 1	5745	1.39	0.30	1.69	30.00	Pass
		5785	1.15	0.30	1.45	30.00	Pass
		5825	0.13	0.30	0.43	30.00	Pass
802.11n20	Chain 0	5745	2.55	0.32	2.87	30.00	Pass
		5785	1.66	0.32	1.98	30.00	Pass
		5825	1.52	0.32	1.84	30.00	Pass
	Chain 1	5745	1.33	0.32	1.65	30.00	Pass
		5785	1.36	0.32	1.68	30.00	Pass
		5825	0.34	0.32	0.66	30.00	Pass
	Total	5745	4.99	0.32	5.31	29.66	Pass
		5785	4.52	0.32	4.84	29.66	Pass
		5825	3.98	0.32	4.3	29.66	Pass
802.11n40	Chain 0	5755	-3.89	1.10	-2.79	30.00	Pass
		5795	-4.40	1.10	-3.3	30.00	Pass
	Chain 1	5755	-3.68	1.10	-2.58	30.00	Pass
		5795	-4.40	1.10	-3.3	30.00	Pass
	Total	5755	-0.77	1.10	0.33	29.66	Pass
		5795	-1.39	1.10	-0.29	29.66	Pass
802.11ac80	Chain 0	5775	-7.85	1.17	-6.68	30.00	Pass
	Chain 1	5775	-7.50	1.17	-6.33	30.00	Pass
	Total	5775	-4.66	1.17	-3.49	29.66	Pass
802.11ax20	Chain 0	5745	1.77	0.41	2.18	30.00	Pass
		5785	0.47	0.41	0.88	30.00	Pass
		5825	-0.48	0.41	-0.07	30.00	Pass
	Chain 1	5745	1.78	0.41	2.19	30.00	Pass
		5785	1.37	0.41	1.78	30.00	Pass
		5825	0.32	0.41	0.73	30.00	Pass
	Total	5745	4.79	0.41	5.2	29.66	Pass
		5785	3.95	0.41	4.36	29.66	Pass
		5825	2.95	0.41	3.36	29.66	Pass
802.11ax40	Chain 0	5755	-5.74	0.75	-4.99	30.00	Pass
		5795	-6.20	0.75	-5.45	30.00	Pass
	Chain 1	5755	-4.46	0.75	-3.71	30.00	Pass
		5795	-5.01	0.75	-4.26	30.00	Pass
	Total	5755	-2.04	0.75	-1.29	29.66	Pass
		5795	-2.55	0.75	-1.8	29.66	Pass
802.11ax80	Chain 0	5775	-7.83	1.29	-6.54	30.00	Pass
	Chain 1	5775	-7.72	1.29	-6.43	30.00	Pass
	Total	5775	-4.76	1.29	-3.47	29.66	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:25:23

802.11a_5200MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 08:13:51

802.11a_5240MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:15:28

802.11a_5180MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:30:27

802.11a_5200MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:30:58

802.11a_5240MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:31:34

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:06:52

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:07:37

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:08:11

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:07:07

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:07:51

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:08:39

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:00:10

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 10:28:12

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:54:27

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 09:30:42

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:07:31

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:32:21

802.11ax20_5180MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:04:00

802.11ax20_5200MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:04:42

802.11ax20_5240MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:05:12

802.11ax20_5180MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:04:11

802.11ax20_5200MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:04:55

802.11ax20_5240MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 26.MAY.2025 18:05:23

802.11ax40_5190MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 13:17:47

802.11ax40_5230MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 13:34:15

802.11ax40_5190MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 13:23:46

802.11ax40_5230MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 17.FEB.2025 13:19:31

802.11ax80_5210MHz_Chain 0



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 13:33:15


802.11ax80_5210MHz_Chain 1



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 13:28:29


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:17:19

802.11a_5280MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 09:19:12

802.11a_5320MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:26:01

802.11a_5260MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:55:11

802.11a_5280MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 13.FEB.2025 15:57:03

802.11a_5320MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:32:12

802.11n20_5260MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:13:04

802.11n20_5280MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:15:07

802.11n20_5320MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:15:46

802.11n20_5260MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:13:41

802.11n20_5280MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:17:25

802.11n20_5320MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:18:01

802.11n40_5270MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:00:59

802.11n40_5310MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:01:54

802.11n40_5270MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:55:12

802.11n40_5310MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 09:55:56

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:08:44

802.11ac80_5290MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 14.APR.2025 10:33:11

802.11ax20_5260MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:26:31

802.11ax20_5280MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:27:13

802.11ax20_5320MHz_Chain 0




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:27:54

802.11ax20_5260MHz_Chain 1




ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:30:40

802.11ax20_5280MHz_Chain 1



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:31:19

802.11ax20_5320MHz_Chain 1



ProjectNo.:2502P10214E-RF Tester:Jeff Wei
Date: 18.APR.2025 10:31:52