



Test Graphs




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500





DH5_Ant1_2480_1000~26500



2DH5_Ant1_2402_0~Reference







2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference







3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000





3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference









Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.89	3.75	77.07	---	PASS
		2441	2.89	3.75	77.07	---	PASS
		2480	2.89	3.75	77.07	---	PASS
2DH5	Ant1	2402	2.89	3.75	77.14	---	PASS
		2441	2.89	3.75	77.14	---	PASS
		2480	2.89	3.75	77.13	---	PASS
3DH5	Ant1	2402	2.89	3.75	77.20	---	PASS
		2441	2.89	3.75	77.20	---	PASS
		2480	2.89	3.75	77.20	---	PASS


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441



2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix J: Transmitter frequency stability


Test Result

TestMode	Antenna	Channel	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	2401.509	2402.399	$\pm 80\%$ of Permitted operating frequency	PASS
		2441	2440.512	2441.399		PASS
		2480	2479.510	2480.399		PASS
2DH5	Ant1	2402	2401.360	2402.544		PASS
		2441	2440.362	2441.541		PASS
		2480	2479.360	2480.543		PASS
3DH5	Ant1	2402	2401.359	2402.542		PASS
		2441	2440.363	2441.540		PASS
		2480	2479.356	2480.540		PASS


Test Graphs




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441






Appendix K: Conducted emission AC power port

Test Result

Mode:	BT TX	Voltage:	120V~
-------	-------	----------	-------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.1550	10.25	39.36	65.73	26.37	24.59	55.73	31.14	L	PASS
2	0.4209	10.27	44.26	57.43	13.17	38.80	47.43	8.63	L	PASS
3	0.7726	10.28	35.12	56.00	20.88	29.69	46.00	16.31	L	PASS
4	1.3031	10.31	31.92	56.00	24.08	26.46	46.00	19.54	L	PASS
5	2.5826	10.37	32.10	56.00	23.90	27.69	46.00	18.31	L	PASS
6	4.7709	10.41	32.41	56.00	23.59	27.39	46.00	18.61	L	PASS

Mode:	BT TX	Voltage:	120V~
-------	-------	----------	-------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.1686	10.24	38.80	65.03	26.23	21.26	55.03	33.77	N	PASS
2	0.4153	10.27	38.22	57.54	19.32	31.42	47.54	16.12	N	PASS
3	0.7577	10.27	25.91	56.00	30.09	18.67	46.00	27.33	N	PASS
4	1.4186	10.28	24.51	56.00	31.49	19.71	46.00	26.29	N	PASS
5	3.8959	10.33	26.78	56.00	29.22	21.04	46.00	24.96	N	PASS
6	5.8571	10.38	29.92	60.00	30.08	23.55	50.00	26.45	N	PASS

Appendix L: Radiated emissions for transmitter


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	BT DH5 2402	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.50	40.00	7.50	100	73	Vertical
2	51.3614	-15.58	20.62	40.00	19.38	100	243	Vertical
3	123.213	-18.29	25.81	43.50	17.69	100	257	Vertical
4	249.439	-17.33	28.41	46.00	17.59	100	60	Vertical
5	374.694	-14.09	25.87	46.00	20.13	100	69	Vertical
6	799.980	-6.46	38.30	46.00	7.70	100	294	Vertical

Mode:	BT DH5 2402	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	14.62	40.00	25.38	100	266	Horizontal
2	123.213	-18.29	17.75	43.50	25.75	100	233	Horizontal
3	148.458	-15.91	17.93	43.50	25.57	100	224	Horizontal
4	249.439	-17.33	22.27	46.00	23.73	100	303	Horizontal
5	449.459	-12.52	28.26	46.00	17.74	100	341	Horizontal
6	750.460	-7.42	33.95	46.00	12.05	100	28	Horizontal

Mode:	BT DH5 2441	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.64	40.00	6.36	100	73	Vertical
2	123.213	-18.29	24.03	43.50	19.47	100	215	Vertical
3	189.239	-18.10	25.74	43.50	17.76	100	168	Vertical
4	249.439	-17.33	28.51	46.00	17.49	100	101	Vertical
5	374.694	-14.09	25.88	46.00	20.12	100	78	Vertical
6	799.980	-6.46	36.41	46.00	9.59	100	234	Vertical

Mode:	BT DH5 2441	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	15.55	40.00	24.45	100	240	Horizontal
2	123.213	-18.29	15.04	43.50	28.46	100	216	Horizontal
3	249.439	-17.33	22.47	46.00	23.53	100	306	Horizontal
4	374.694	-14.09	28.90	46.00	17.10	100	339	Horizontal
5	750.460	-7.42	33.61	46.00	12.39	100	28	Horizontal
6	799.980	-6.46	36.01	46.00	9.99	100	240	Horizontal

Mode:	BT DH5 2480	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.74	40.00	6.26	100	64	Vertical
2	123.213	-18.29	25.06	43.50	18.44	100	295	Vertical
3	190.210	-18.18	25.87	43.50	17.63	100	179	Vertical
4	249.439	-17.33	28.46	46.00	17.54	100	96	Vertical
5	374.694	-14.09	26.85	46.00	19.15	100	332	Vertical
6	799.980	-6.46	38.09	46.00	7.91	100	10	Vertical

Mode:	BT DH5 2480	Voltage:	120V/60Hz
-------	-------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	121.271	-18.54	14.72	43.50	28.78	100	270	Horizontal
2	191.181	-18.26	19.41	43.50	24.09	100	289	Horizontal
3	249.439	-17.33	22.80	46.00	23.20	100	280	Horizontal
4	374.694	-14.09	29.32	46.00	16.68	100	353	Horizontal
5	750.460	-7.42	33.45	46.00	12.55	100	28	Horizontal
6	799.980	-6.46	39.30	46.00	6.70	100	251	Horizontal

Mode:	BT 2DH5 2402	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.61	40.00	5.39	100	71	Vertical
2	123.213	-18.29	23.86	43.50	19.64	100	101	Vertical
3	187.297	-17.94	25.69	43.50	17.81	100	147	Vertical
4	249.439	-17.33	28.73	46.00	17.27	100	96	Vertical
5	374.694	-14.09	25.64	46.00	20.36	100	65	Vertical
6	799.980	-6.46	38.12	46.00	7.88	100	332	Vertical

Mode:	BT 2DH5 2402	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	22.49	40.00	17.51	100	29	Horizontal
2	148.458	-15.91	17.84	43.50	25.66	100	323	Horizontal
3	249.439	-17.33	22.95	46.00	23.05	100	298	Horizontal
4	374.694	-14.09	28.99	46.00	17.01	100	344	Horizontal
5	399.939	-13.56	34.25	46.00	11.75	100	44	Horizontal
6	750.460	-7.42	33.71	46.00	12.29	100	29	Horizontal

Mode:	BT 2DH5 2441	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.95	40.00	6.05	100	96	Vertical
2	122.242	-18.41	25.38	43.50	18.12	100	101	Vertical
3	249.439	-17.33	29.45	46.00	16.55	100	96	Vertical
4	374.694	-14.09	25.73	46.00	20.27	100	77	Vertical
5	499.950	-11.45	26.04	46.00	19.96	100	332	Vertical
6	799.980	-6.46	37.07	46.00	8.93	100	180	Vertical

Mode:	BT 2DH5 2441	Voltage:	120V/60Hz
-------	--------------	----------	-----------

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	13.91	40.00	26.09	100	247	Horizontal
2	123.213	-18.29	15.73	43.50	27.77	100	238	Horizontal
3	249.439	-17.33	23.45	46.00	22.55	100	312	Horizontal
4	374.694	-14.09	29.20	46.00	16.80	100	345	Horizontal
5	625.205	-9.13	25.77	46.00	20.23	100	331	Horizontal
6	750.460	-7.42	33.54	46.00	12.46	100	28	Horizontal