


Mode:	BT 2DH5 2480	Voltage:	120V/60Hz
-------	--------------	----------	-----------

2021-05-04 11:05:48


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.95	40.00	6.05	100	73	Vertical
2	122.242	-18.41	23.70	43.50	19.80	100	229	Vertical
3	249.439	-17.33	29.20	46.00	16.80	100	96	Vertical
4	374.694	-14.09	26.25	46.00	19.75	100	73	Vertical
5	499.950	-11.45	26.65	46.00	19.35	100	36	Vertical
6	799.980	-6.46	41.47	46.00	4.53	100	332	Vertical

Mode:	BT 2DH5 2480	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.65	40.00	18.35	100	28	Horizontal
2	123.213	-18.29	17.06	43.50	26.44	100	28	Horizontal
3	249.439	-17.33	23.35	46.00	22.65	100	311	Horizontal
4	374.694	-14.09	28.75	46.00	17.25	100	353	Horizontal
5	750.460	-7.42	33.16	46.00	12.84	100	33	Horizontal
6	799.980	-6.46	35.62	46.00	10.38	100	28	Horizontal

Mode:	BT 3DH5 2402	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.90	40.00	5.10	100	62	Vertical
2	122.242	-18.41	24.25	43.50	19.25	100	193	Vertical
3	249.439	-17.33	28.34	46.00	17.66	100	98	Vertical
4	374.694	-14.09	26.35	46.00	19.65	100	62	Vertical
5	499.950	-11.45	26.44	46.00	19.56	100	28	Vertical
6	799.980	-6.46	38.40	46.00	7.60	100	0	Vertical

Mode:	BT 3DH5 2402	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	190.210	-18.18	16.70	43.50	26.80	100	307	Horizontal
2	327.117	-15.09	22.90	46.00	23.10	100	359	Horizontal
3	374.694	-14.09	29.10	46.00	16.90	100	355	Horizontal
4	625.205	-9.13	26.76	46.00	19.24	100	355	Horizontal
5	750.460	-7.42	34.72	46.00	11.28	100	43	Horizontal
6	1000.00	-4.55	31.16	54.00	22.84	100	270	Horizontal

Mode:	BT 3DH5 2441	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	35.28	40.00	4.72	100	76	Vertical
2	249.439	-17.33	28.46	46.00	17.54	100	94	Vertical
3	499.950	-11.45	26.74	46.00	19.26	100	35	Vertical
4	625.205	-9.13	25.19	46.00	20.81	100	327	Vertical
5	799.980	-6.46	36.68	46.00	9.32	100	168	Vertical
6	1000.00	-4.55	28.82	54.00	25.18	100	22	Vertical

Mode:	BT 3DH5 2441	Voltage:	120V/60Hz
-------	--------------	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	17.51	43.50	25.99	100	281	Horizontal
2	330.030	-15.03	22.98	46.00	23.02	100	28	Horizontal
3	374.694	-14.09	28.67	46.00	17.33	100	358	Horizontal
4	625.205	-9.13	25.48	46.00	20.52	100	328	Horizontal
5	799.980	-6.46	34.10	46.00	11.90	100	347	Horizontal
6	1000.00	-4.55	31.02	54.00	22.98	100	262	Horizontal

Mode:	BT 3DH5 2480	Voltage:	120V/60Hz
-------	--------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.89	40.00	6.11	100	52	Vertical
2	249.439	-17.33	28.07	46.00	17.93	100	113	Vertical
3	499.950	-11.45	26.73	46.00	19.27	100	332	Vertical
4	625.205	-9.13	25.75	46.00	20.25	100	326	Vertical
5	799.980	-6.46	36.33	46.00	9.67	100	0	Vertical
6	1000.00	-4.55	29.35	54.00	24.65	100	22	Vertical

Mode:	BT 3DH5 2480	Voltage:	120V/60Hz
-------	--------------	----------	-----------

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.91	40.00	18.09	100	29	Horizontal
2	249.439	-17.33	23.24	46.00	22.76	100	288	Horizontal
3	374.694	-14.09	29.05	46.00	16.95	100	333	Horizontal
4	625.205	-9.13	25.56	46.00	20.44	100	328	Horizontal
5	750.460	-7.42	33.11	46.00	12.89	100	39	Horizontal
6	1000.00	-4.55	31.54	54.00	22.46	100	263	Horizontal

Above 1GHz

Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.20	-14.77	54.57	74.00	19.43	150	350	Horizontal
2	7212.33	-11.96	51.76	74.00	22.24	110	170	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.20	-14.77	46.55	54.00	7.45	150	350	Horizontal
2	7212.33	-11.96	37.47	54.00	16.53	110	170	Horizontal

Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.90	-14.77	56.93	74.00	17.07	240	160	Vertical
2	7206.00	-12.01	52.04	74.00	21.96	110	350	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.90	-14.77	50.87	54.00	3.13	240	160	Vertical
2	7206.00	-12.01	37.50	54.00	16.50	110	350	Vertical

Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4881.85	-14.86	55.13	74.00	18.87	110	250	Horizontal
2	7323.00	-11.65	52.75	74.00	21.25	240	350	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4881.85	-14.86	48.98	54.00	5.02	110	250	Horizontal
2	7323.00	-11.65	37.89	54.00	16.11	240	350	Horizontal

Mode:	DH5-2441	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.21	-14.86	56.94	74.00	17.06	290	350	Vertical
2	7323.00	-11.65	52.37	74.00	21.63	290	40	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.21	-14.86	50.68	54.00	3.32	290	350	Vertical
2	7323.00	-11.65	37.81	54.00	16.19	290	40	Vertical

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.20	-14.57	55.48	74.00	18.52	270	310	Horizontal
2	7440.00	-11.27	52.92	74.00	21.08	140	270	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.20	-14.57	47.92	54.00	6.08	270	310	Horizontal
2	7440.00	-11.27	38.64	54.00	15.36	140	270	Horizontal

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.21	-14.57	56.27	74.00	17.73	100	100	Vertical
2	7440.00	-11.27	53.29	74.00	20.71	100	20	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.21	-14.57	48.75	54.00	5.25	100	100	Vertical
2	7440.00	-11.27	38.34	54.00	15.66	100	20	Vertical

Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.00	-14.77	54.71	74.00	19.29	290	0	Horizontal
2	7206.00	-12.01	51.41	74.00	22.59	240	340	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.00	-14.77	48.10	54.00	5.90	290	0	Horizontal
2	7206.00	-12.01	37.50	54.00	16.50	240	340	Horizontal

Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.00	-14.77	56.27	74.00	17.73	210	60	Vertical
2	7206.00	-12.01	52.46	74.00	21.54	230	250	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.00	-14.77	50.87	54.00	3.13	210	60	Vertical
2	7206.00	-12.01	37.48	54.00	16.52	230	250	Vertical

Mode:	2DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.00	-14.86	55.14	74.00	18.86	110	100	Horizontal
2	7323.00	-11.65	52.46	74.00	21.54	150	80	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.00	-14.86	49.02	54.00	4.98	110	100	Horizontal
2	7323.00	-11.65	37.89	54.00	16.11	150	80	Horizontal

Mode:	2DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.00	-14.86	56.88	74.00	17.12	290	210	Vertical
2	7323.00	-11.65	52.28	74.00	21.72	100	190	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.00	-14.86	51.81	54.00	2.19	290	210	Vertical
2	7323.00	-11.65	37.81	54.00	16.19	100	190	Vertical

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.00	-14.57	55.53	74.00	18.47	110	220	Horizontal
2	7440.00	-11.27	53.08	74.00	20.92	110	200	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.00	-14.57	48.97	54.00	5.03	110	220	Horizontal
2	7440.00	-11.27	38.75	54.00	15.25	110	200	Horizontal

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4957.33	-14.58	50.09	74.00	23.91	290	80	Vertical
2	7441.06	-11.27	52.42	74.00	21.58	170	310	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4957.33	-14.58	35.49	54.00	18.51	290	80	Vertical
2	7441.06	-11.27	38.14	54.00	15.86	170	310	Vertical

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.94	-14.77	59.62	74.00	14.38	220	110	Horizontal
2	7211.82	-11.96	52.37	74.00	21.63	210	50	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.94	-14.77	49.33	54.00	4.67	220	110	Horizontal
2	7211.82	-11.96	37.46	54.00	16.54	210	50	Horizontal

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.95	-14.77	57.11	74.00	16.89	140	110	Vertical
2	7200.57	-12.05	52.19	74.00	21.81	290	320	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.95	-14.77	45.88	54.00	8.12	140	110	Vertical
2	7200.57	-12.05	37.46	54.00	16.54	290	320	Vertical

Mode:	3DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.23	-14.86	60.94	74.00	13.06	110	320	Horizontal
2	7322.67	-11.65	52.00	74.00	22.00	290	60	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.23	-14.86	50.84	54.00	3.16	110	320	Horizontal
2	7322.67	-11.65	37.71	54.00	16.29	290	60	Horizontal

Mode:	3DH5-2441	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.22	-14.86	57.24	74.00	16.76	290	350	Vertical
2	7323.51	-11.65	52.51	74.00	21.49	290	250	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4882.22	-14.86	46.14	54.00	7.86	290	350	Vertical
2	7323.51	-11.65	37.73	54.00	16.27	290	250	Vertical

Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.92	-14.57	62.07	74.00	11.93	110	10	Horizontal
2	7443.99	-11.26	52.88	74.00	21.12	230	330	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.92	-14.57	52.32	54.00	1.68	110	10	Horizontal
2	7443.99	-11.26	38.26	54.00	15.74	230	330	Horizontal


Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.24	-14.57	57.48	74.00	16.52	290	110	Vertical
2	7442.70	-11.26	53.17	74.00	20.83	190	10	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.24	-14.57	46.66	54.00	7.34	290	110	Vertical
2	7442.70	-11.26	38.24	54.00	15.76	190	10	Vertical

Band Edge


Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------



PK Final Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2339.15	43.73	-22.96	74.00	30.27	153.6	90	Horizontal
2	2390.00	41.62	-22.81	74.00	32.38	153.6	90	Horizontal

Mode:	DH5-2402	Voltage:	120V/60Hz
-------	----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2351.09	45.88	-22.93	74.00	28.12	224.2	40	Vertical
2	2390.00	42.05	-22.81	74.00	31.95	224.2	80	Vertical

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	41.04	-22.52	74.00	32.96	153.6	70	Horizontal
2	2491.97	44.35	-22.49	74.00	29.65	153.6	240	Horizontal

Mode:	DH5-2480	Voltage:	120V/60Hz
-------	----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	40.77	-22.52	74.00	33.23	224.2	50	Vertical
2	2489.77	44.23	-22.50	74.00	29.77	224.2	10	Vertical

Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2324.29	43.56	-23.01	74.00	30.44	153.6	120	Horizontal
2	2390.00	40.91	-22.81	74.00	33.09	153.6	40	Horizontal

Mode:	2DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2376.04	47.94	-22.85	74.00	26.06	224.2	190	Vertical
2	2390.00	42.85	-22.81	74.00	31.15	224.2	210	Vertical

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	43.12	-20.80	74.00	30.88	150	87	Horizontal
2	2484.56	46.10	-20.80	74.00	27.90	150	277	Horizontal

Mode:	2DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	42.97	-20.80	74.00	31.03	150	130	Vertical
2	2485.41	46.12	-20.80	74.00	27.88	150	329	Vertical

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2375.17	44.68	-22.85	74.00	29.32	158.9	60	Horizontal
2	2390.00	41.81	-22.81	74.00	32.19	158.9	60	Horizontal

Mode:	3DH5-2402	Voltage:	120V/60Hz
-------	-----------	----------	-----------




PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2370.10	47.45	-22.87	74.00	26.55	235.7	10	Vertical
2	2390.00	44.71	-22.81	74.00	29.29	235.7	30	Vertical

Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------



PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	41.65	-22.52	74.00	32.35	158.9	340	Horizontal
2	2487.61	44.74	-22.51	74.00	29.26	158.9	320	Horizontal

Mode:	3DH5-2480	Voltage:	120V/60Hz
-------	-----------	----------	-----------



PK Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	40.60	-22.52	74.00	33.40	235.7	100	Vertical
2	2489.23	44.39	-22.50	74.00	29.61	235.7	240	Vertical

--End--