Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.26	40.00	6.74	100	69	Vertical
2	249.439	-17.33	29.48	46.00	16.52	100	115	Vertical
3	399.939	-13.56	28.42	46.00	17.58	100	332	Vertical
4	625.205	-9.13	25.68	46.00	20.32	100	327	Vertical
5	799.980	-6.46	42.32	46.00	3.68	100	215	Vertical
6	1000.00	-4.55	29.47	54.00	24.53	100	23	Vertical

Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.48	40.00	19.52	100	29	Horizontal
2	249.439	-17.33	25.91	46.00	20.09	100	39	Horizontal
3	399.939	-13.56	36.27	46.00	9.73	100	29	Horizontal
4	625.205	-9.13	24.88	46.00	21.12	100	144	Horizontal
5	750.460	-7.42	33.99	46.00	12.01	100	34	Horizontal
6	1000.00	-4.55	31.85	54.00	22.15	100	270	Horizontal

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.22	40.00	6.78	100	65	Vertical
2	249.439	-17.33	29.74	46.00	16.26	100	281	Vertical
3	399.939	-13.56	34.49	46.00	11.51	100	138	Vertical
4	625.205	-9.13	25.55	46.00	20.45	100	332	Vertical
5	799.980	-6.46	41.53	46.00	4.47	100	212	Vertical
6	1000.00	-4.55	29.69	54.00	24.31	100	332	Vertical

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.27	40.00	19.73	100	88	Horizontal
2	249.439	-17.33	24.08	46.00	21.92	100	51	Horizontal
3	399.939	-13.56	30.98	46.00	15.02	100	188	Horizontal
4	599.960	-9.38	24.60	46.00	21.40	100	157	Horizontal
5	750.460	-7.42	32.70	46.00	13.30	100	46	Horizontal
6	1000.00	-4.55	31.67	54.00	22.33	100	268	Horizontal

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.88	40.00	6.12	100	71	Vertical
2	249.439	-17.33	29.45	46.00	16.55	100	295	Vertical
3	399.939	-13.56	31.14	46.00	14.86	100	332	Vertical
4	625.205	-9.13	25.21	46.00	20.79	100	318	Vertical
5	799.980	-6.46	42.39	46.00	3.61	100	23	Vertical
6	1000.00	-4.55	29.87	54.00	24.13	100	332	Vertical

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.44	40.00	19.56	100	28	Horizontal
2	249.439	-17.33	24.31	46.00	21.69	100	52	Horizontal
3	399.939	-13.56	32.54	46.00	13.46	100	269	Horizontal
4	625.205	-9.13	24.58	46.00	21.42	100	145	Horizontal
5	799.980	-6.46	37.86	46.00	8.14	100	256	Horizontal
6	1000.00	-4.55	31.64	54.00	22.36	100	265	Horizontal

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	31.91	40.00	8.09	100	70	Vertical
2	249.439	-17.33	28.86	46.00	17.14	100	289	Vertical
3	450.430	-12.50	31.93	46.00	14.07	100	332	Vertical
4	625.205	-9.13	25.00	46.00	21.00	100	327	Vertical
5	799.980	-6.46	33.00	46.00	13.00	100	10	Vertical
6	1000.00	-4.55	29.76	54.00	24.24	100	332	Vertical

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.74	40.00	19.26	100	336	Horizontal
2	249.439	-17.33	24.44	46.00	21.56	100	33	Horizontal
3	399.939	-13.56	29.89	46.00	16.11	100	149	Horizontal
4	599.960	-9.38	25.78	46.00	20.22	100	121	Horizontal
5	799.980	-6.46	38.50	46.00	7.50	100	61	Horizontal
6	1000.00	-4.55	31.81	54.00	22.19	100	263	Horizontal

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.15	40.00	6.85	100	59	Vertical
2	249.439	-17.33	29.49	46.00	16.51	100	106	Vertical
3	399.939	-13.56	30.97	46.00	15.03	100	332	Vertical
4	625.205	-9.13	25.50	46.00	20.50	100	327	Vertical
5	806.776	-6.41	33.97	46.00	12.03	100	26	Vertical
6	1000.00	-4.55	29.86	54.00	24.14	100	26	Vertical

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.71	40.00	18.29	100	28	Horizontal
2	249.439	-17.33	24.42	46.00	21.58	100	42	Horizontal
3	399.939	-13.56	31.32	46.00	14.68	100	138	Horizontal
4	625.205	-9.13	24.07	46.00	21.93	100	143	Horizontal
5	799.980	-6.46	36.63	46.00	9.37	100	28	Horizontal
6	1000.00	-4.55	32.10	54.00	21.90	100	267	Horizontal

Mode:	ant2 11ac80 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.74	40.00	7.26	100	98	Vertical
2	249.439	-17.33	29.73	46.00	16.27	100	108	Vertical
3	399.939	-13.56	32.88	46.00	13.12	100	6	Vertical
4	625.205	-9.13	25.55	46.00	20.45	100	323	Vertical
5	799.980	-6.46	34.34	46.00	11.66	100	6	Vertical
6	1000.00	-4.55	29.26	54.00	24.74	100	29	Vertical

Mode:	ant2 11ac80 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.29	40.00	18.71	100	28	Horizontal
2	249.439	-17.33	24.15	46.00	21.85	100	48	Horizontal
3	399.939	-13.56	31.20	46.00	14.80	100	28	Horizontal
4	625.205	-9.13	24.12	46.00	21.88	100	134	Horizontal
5	799.980	-6.46	33.26	46.00	12.74	100	33	Horizontal
6	1000.00	-4.55	31.34	54.00	22.66	100	268	Horizontal

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.60	40.00	7.40	100	60	Vertical
2	249.439	-17.33	28.73	46.00	17.27	100	295	Vertical
3	399.939	-13.56	33.66	46.00	12.34	100	263	Vertical
4	625.205	-9.13	25.01	46.00	20.99	100	318	Vertical
5	799.980	-6.46	42.57	46.00	3.43	100	42	Vertical
6	1000.00	-4.55	30.12	54.00	23.88	100	332	Vertical

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	22.02	40.00	17.98	100	28	Horizontal
2	249.439	-17.33	25.19	46.00	20.81	100	37	Horizontal
3	399.939	-13.56	31.03	46.00	14.97	100	198	Horizontal
4	625.205	-9.13	24.36	46.00	21.64	100	138	Horizontal
5	799.980	-6.46	34.59	46.00	11.41	100	208	Horizontal
6	1000.00	-4.55	31.52	54.00	22.48	100	269	Horizontal

Mode:	MIMO 11n20 5200	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.99	40.00	7.01	100	43	Vertical
2	249.439	-17.33	29.10	46.00	16.90	100	299	Vertical
3	399.939	-13.56	29.70	46.00	16.30	100	2	Vertical
4	625.205	-9.13	25.08	46.00	20.92	100	327	Vertical
5	799.980	-6.46	38.33	46.00	7.67	100	332	Vertical
6	1000.00	-4.55	29.58	54.00	24.42	100	24	Vertical

Mode:	MIMO 11n20 5200	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.85	40.00	18.15	100	28	Horizontal
2	249.439	-17.33	23.98	46.00	22.02	100	55	Horizontal
3	399.939	-13.56	31.23	46.00	14.77	100	151	Horizontal
4	625.205	-9.13	24.72	46.00	21.28	100	142	Horizontal
5	799.980	-6.46	33.93	46.00	12.07	100	229	Horizontal
6	1000.00	-4.55	31.42	54.00	22.58	100	261	Horizontal

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.71	40.00	7.29	100	43	Vertical
2	249.439	-17.33	29.61	46.00	16.39	100	275	Vertical
3	399.939	-13.56	29.95	46.00	16.05	100	0	Vertical
4	625.205	-9.13	26.34	46.00	19.66	100	317	Vertical
5	799.980	-6.46	40.50	46.00	5.50	100	285	Vertical
6	1000.00	-4.55	29.44	54.00	24.56	100	34	Vertical

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	22.53	40.00	17.47	100	78	Horizontal
2	249.439	-17.33	24.65	46.00	21.35	100	53	Horizontal
3	399.939	-13.56	31.31	46.00	14.69	100	198	Horizontal
4	599.960	-9.38	24.67	46.00	21.33	100	153	Horizontal
5	750.460	-7.42	33.35	46.00	12.65	100	28	Horizontal
6	1000.00	-4.55	32.13	54.00	21.87	100	262	Horizontal

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.80	40.00	6.20	100	104	Vertical
2	249.439	-17.33	29.53	46.00	16.47	100	295	Vertical
3	399.939	-13.56	29.62	46.00	16.38	100	1	Vertical
4	625.205	-9.13	25.95	46.00	20.05	100	327	Vertical
5	799.980	-6.46	38.78	46.00	7.22	100	239	Vertical
6	1000.00	-4.55	29.89	54.00	24.11	100	30	Vertical

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.64	40.00	19.36	100	28	Horizontal
2	249.439	-17.33	24.67	46.00	21.33	100	47	Horizontal
3	399.939	-13.56	31.63	46.00	14.37	100	167	Horizontal
4	625.205	-9.13	24.40	46.00	21.60	100	134	Horizontal
5	799.980	-6.46	33.76	46.00	12.24	100	88	Horizontal
6	1000.00	-4.55	31.84	54.00	22.16	100	268	Horizontal

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.74	40.00	6.26	100	38	Vertical
2	249.439	-17.33	30.18	46.00	15.82	100	290	Vertical
3	399.939	-13.56	39.80	46.00	6.20	100	332	Vertical
4	625.205	-9.13	26.04	46.00	19.96	100	322	Vertical
5	799.980	-6.46	38.90	46.00	7.10	100	281	Vertical
6	1000.00	-4.55	29.80	54.00	24.20	100	29	Vertical

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.42	40.00	18.58	100	28	Horizontal
2	249.439	-17.33	24.28	46.00	21.72	100	52	Horizontal
3	399.939	-13.56	31.05	46.00	14.95	100	194	Horizontal
4	625.205	-9.13	24.44	46.00	21.56	100	130	Horizontal
5	799.980	-6.46	35.70	46.00	10.30	100	33	Horizontal
6	1000.00	-4.55	32.05	54.00	21.95	100	271	Horizontal

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.31	40.00	7.69	100	63	Vertical
2	249.439	-17.33	29.65	46.00	16.35	100	100	Vertical
3	399.939	-13.56	30.93	46.00	15.07	100	332	Vertical
4	625.205	-9.13	24.53	46.00	21.47	100	332	Vertical
5	799.980	-6.46	41.05	46.00	4.95	100	295	Vertical
6	1000.00	-4.55	29.87	54.00	24.13	100	332	Vertical

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.49	40.00	19.51	100	28	Horizontal
2	249.439	-17.33	24.03	46.00	21.97	100	56	Horizontal
3	399.939	-13.56	30.25	46.00	15.75	100	157	Horizontal
4	625.205	-9.13	24.34	46.00	21.66	100	134	Horizontal
5	799.980	-6.46	38.69	46.00	7.31	100	355	Horizontal
6	1000.00	-4.55	31.95	54.00	22.05	100	271	Horizontal

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.30	40.00	7.70	100	34	Vertical
2	249.439	-17.33	29.03	46.00	16.97	100	290	Vertical
3	399.939	-13.56	35.16	46.00	10.84	100	286	Vertical
4	625.205	-9.13	25.08	46.00	20.92	100	318	Vertical
5	799.980	-6.46	37.19	46.00	8.81	100	38	Vertical
6	1000.00	-4.55	29.38	54.00	24.62	100	332	Vertical

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	21.72	43.50	21.78	100	281	Horizontal
2	249.439	-17.33	25.23	46.00	20.77	100	79	Horizontal
3	399.939	-13.56	36.09	46.00	9.91	100	221	Horizontal
4	599.960	-9.38	26.36	46.00	19.64	100	111	Horizontal
5	799.980	-6.46	40.95	46.00	5.05	100	61	Horizontal
6	1000.00	-4.55	32.23	54.00	21.77	100	262	Horizontal

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.79	40.00	7.21	100	63	Vertical
2	249.439	-17.33	29.58	46.00	16.42	100	287	Vertical
3	399.939	-13.56	33.30	46.00	12.70	100	332	Vertical
4	625.205	-9.13	25.40	46.00	20.60	100	313	Vertical
5	799.980	-6.46	39.81	46.00	6.19	100	282	Vertical
6	1000.00	-4.55	29.12	54.00	24.88	100	332	Vertical

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.01	40.00	18.99	100	34	Horizontal
2	327.117	-15.09	25.01	46.00	20.99	100	175	Horizontal
3	399.939	-13.56	40.02	46.00	5.98	100	175	Horizontal
4	599.960	-9.38	27.75	46.00	18.25	100	175	Horizontal
5	799.980	-6.46	39.13	46.00	6.87	100	29	Horizontal
6	1000.00	-4.55	31.38	54.00	22.62	100	265	Horizontal

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.97	40.00	7.03	100	99	Vertical
2	249.439	-17.33	29.06	46.00	16.94	100	285	Vertical
3	399.939	-13.56	36.91	46.00	9.09	100	304	Vertical
4	625.205	-9.13	25.10	46.00	20.90	100	322	Vertical
5	799.980	-6.46	39.70	46.00	6.30	100	11	Vertical
6	1000.00	-4.55	29.43	54.00	24.57	100	34	Vertical

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.55	40.00	18.45	100	28	Horizontal
2	249.439	-17.33	24.67	46.00	21.33	100	51	Horizontal
3	399.939	-13.56	42.23	46.00	3.77	100	208	Horizontal
4	625.205	-9.13	24.31	46.00	21.69	100	135	Horizontal
5	799.980	-6.46	38.75	46.00	7.25	100	282	Horizontal
6	1000.00	-4.55	31.57	54.00	22.43	100	263	Horizontal

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.08	40.00	7.92	100	53	Vertical
2	249.439	-17.33	29.85	46.00	16.15	100	117	Vertical
3	399.939	-13.56	32.05	46.00	13.95	100	332	Vertical
4	625.205	-9.13	25.60	46.00	20.40	100	318	Vertical
5	799.980	-6.46	39.47	46.00	6.53	100	259	Vertical
6	1000.00	-4.55	30.07	54.00	23.93	100	332	Vertical

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.48	40.00	19.52	100	33	Horizontal
2	249.439	-17.33	24.41	46.00	21.59	100	52	Horizontal
3	399.939	-13.56	32.09	46.00	13.91	100	196	Horizontal
4	625.205	-9.13	24.15	46.00	21.85	100	145	Horizontal
5	750.460	-7.42	35.20	46.00	10.80	100	47	Horizontal
6	1000.00	-4.55	31.37	54.00	22.63	100	266	Horizontal

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.73	40.00	7.27	100	227	Vertical
2	249.439	-17.33	29.54	46.00	16.46	100	290	Vertical
3	499.950	-11.45	30.22	46.00	15.78	100	4	Vertical
4	527.137	-10.89	24.63	46.00	21.37	100	0	Vertical
5	799.980	-6.46	38.78	46.00	7.22	100	277	Vertical
6	1000.00	-4.55	30.56	54.00	23.44	100	332	Vertical

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.78	40.00	18.22	100	349	Horizontal
2	249.439	-17.33	26.56	46.00	19.44	100	38	Horizontal
3	449.459	-12.52	29.40	46.00	16.60	100	349	Horizontal
4	599.960	-9.38	21.73	46.00	24.27	100	147	Horizontal
5	799.980	-6.46	38.83	46.00	7.17	100	335	Horizontal
6	1000.00	-4.55	32.08	54.00	21.92	100	265	Horizontal

Mode:	MIMO 11ac20 5200	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.54	40.00	5.46	100	60	Vertical
2	249.439	-17.33	29.93	46.00	16.07	100	106	Vertical
3	499.950	-11.45	29.38	46.00	16.62	100	46	Vertical
4	525.195	-10.93	23.94	46.00	22.06	100	332	Vertical
5	799.980	-6.46	37.86	46.00	8.14	100	228	Vertical
6	1000.00	-4.55	28.59	54.00	25.41	100	33	Vertical

Mode:	MIMO 11ac20 5200	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	185.355	-17.78	17.61	43.50	25.89	100	310	Horizontal
2	249.439	-17.33	27.05	46.00	18.95	100	287	Horizontal
3	450.430	-12.50	31.71	46.00	14.29	100	342	Horizontal
4	525.195	-10.93	23.33	46.00	22.67	100	28	Horizontal
5	799.980	-6.46	35.99	46.00	10.01	100	51	Horizontal
6	1000.00	-4.55	31.74	54.00	22.26	100	259	Horizontal

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.31	40.00	5.69	100	72	Vertical
2	249.439	-17.33	29.50	46.00	16.50	100	99	Vertical
3	399.939	-13.56	28.73	46.00	17.27	100	90	Vertical
4	535.875	-10.71	22.95	46.00	23.05	100	1	Vertical
5	799.980	-6.46	37.84	46.00	8.16	100	332	Vertical
6	1000.00	-4.55	29.14	54.00	24.86	100	332	Vertical

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	18.26	43.50	25.24	100	301	Horizontal
2	249.439	-17.33	26.65	46.00	19.35	100	310	Horizontal
3	450.430	-12.50	31.43	46.00	14.57	100	28	Horizontal
4	527.137	-10.89	22.21	46.00	23.79	100	350	Horizontal
5	799.980	-6.46	39.02	46.00	6.98	100	38	Horizontal
6	1000.00	-4.55	30.98	54.00	23.02	100	264	Horizontal

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.59	40.00	6.41	100	72	Vertical
2	249.439	-17.33	29.58	46.00	16.42	100	122	Vertical
3	499.950	-11.45	28.94	46.00	17.06	100	27	Vertical
4	525.195	-10.93	22.93	46.00	23.07	100	332	Vertical
5	799.980	-6.46	32.42	46.00	13.58	100	195	Vertical
6	1000.00	-4.55	29.39	54.00	24.61	100	23	Vertical

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	182.442	-17.54	17.36	43.50	26.14	100	281	Horizontal
2	249.439	-17.33	26.27	46.00	19.73	100	304	Horizontal
3	449.459	-12.52	35.36	46.00	10.64	100	203	Horizontal
4	625.205	-9.13	22.56	46.00	23.44	100	139	Horizontal
5	799.980	-6.46	40.32	46.00	5.68	100	33	Horizontal
6	1000.00	-4.55	31.44	54.00	22.56	100	263	Horizontal

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.90	40.00	6.10	100	98	Vertical
2	249.439	-17.33	29.53	46.00	16.47	100	102	Vertical
3	499.950	-11.45	29.08	46.00	16.92	100	272	Vertical
4	527.137	-10.89	23.11	46.00	22.89	100	332	Vertical
5	799.980	-6.46	39.30	46.00	6.70	100	230	Vertical
6	1000.00	-4.55	29.59	54.00	24.41	100	332	Vertical

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	19.89	40.00	20.11	100	28	Horizontal
2	249.439	-17.33	26.39	46.00	19.61	100	293	Horizontal
3	449.459	-12.52	32.23	46.00	13.77	100	174	Horizontal
4	625.205	-9.13	22.54	46.00	23.46	100	28	Horizontal
5	750.460	-7.42	32.87	46.00	13.13	100	28	Horizontal
6	1000.00	-4.55	31.67	54.00	22.33	100	265	Horizontal

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.31	40.00	6.69	100	73	Vertical
2	249.439	-17.33	29.43	46.00	16.57	100	114	Vertical
3	399.939	-13.56	29.94	46.00	16.06	100	332	Vertical
4	524.224	-10.95	23.90	46.00	22.10	100	332	Vertical
5	799.980	-6.46	38.78	46.00	7.22	100	299	Vertical
6	1000.00	-4.55	29.91	54.00	24.09	100	332	Vertical

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.30	40.00	19.70	100	28	Horizontal
2	249.439	-17.33	25.90	46.00	20.10	100	282	Horizontal
3	399.939	-13.56	39.79	46.00	6.21	100	116	Horizontal
4	527.137	-10.89	22.83	46.00	23.17	100	28	Horizontal
5	799.980	-6.46	38.56	46.00	7.44	100	47	Horizontal
6	1000.00	-4.55	31.07	54.00	22.93	100	263	Horizontal

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	35.31	40.00	4.69	100	64	Vertical
2	249.439	-17.33	29.80	46.00	16.20	100	110	Vertical
3	399.939	-13.56	29.29	46.00	16.71	100	332	Vertical
4	526.166	-10.91	23.83	46.00	22.17	100	318	Vertical
5	799.980	-6.46	33.41	46.00	12.59	100	182	Vertical
6	1000.00	-4.55	28.83	54.00	25.17	100	28	Vertical

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	185.355	-17.78	18.14	43.50	25.36	100	282	Horizontal
2	249.439	-17.33	26.44	46.00	19.56	100	292	Horizontal
3	399.939	-13.56	33.65	46.00	12.35	100	79	Horizontal
4	625.205	-9.13	22.75	46.00	23.25	100	139	Horizontal
5	750.460	-7.42	33.35	46.00	12.65	100	38	Horizontal
6	1000.00	-4.55	31.93	54.00	22.07	100	268	Horizontal

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.64	40.00	6.36	100	89	Vertical
2	249.439	-17.33	30.09	46.00	15.91	100	107	Vertical
3	499.950	-11.45	29.60	46.00	16.40	100	277	Vertical
4	525.195	-10.93	23.43	46.00	22.57	100	332	Vertical
5	799.980	-6.46	36.01	46.00	9.99	100	0	Vertical
6	1000.00	-4.55	30.69	54.00	23.31	100	332	Vertical

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	21.36	40.00	18.64	100	28	Horizontal
2	249.439	-17.33	27.20	46.00	18.80	100	305	Horizontal
3	446.546	-12.58	31.38	46.00	14.62	100	350	Horizontal
4	526.166	-10.91	24.28	46.00	21.72	100	28	Horizontal
5	750.460	-7.42	34.87	46.00	11.13	100	28	Horizontal
6	1000.00	-4.55	32.67	54.00	21.33	100	264	Horizontal

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.23	40.00	6.77	100	79	Vertical
2	249.439	-17.33	30.65	46.00	15.35	100	102	Vertical
3	399.939	-13.56	37.27	46.00	8.73	100	249	Vertical
4	524.224	-10.95	23.71	46.00	22.29	100	0	Vertical
5	799.980	-6.46	38.58	46.00	7.42	100	10	Vertical
6	1000.00	-4.55	30.18	54.00	23.82	100	332	Vertical

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	35.8258	-16.51	21.00	40.00	19.00	100	29	Horizontal
2	249.439	-17.33	25.81	46.00	20.19	100	308	Horizontal
3	399.939	-13.56	32.00	46.00	14.00	100	48	Horizontal
4	524.224	-10.95	21.94	46.00	24.06	100	343	Horizontal
5	799.980	-6.46	35.30	46.00	10.70	100	304	Horizontal
6	1000.00	-4.55	31.51	54.00	22.49	100	264	Horizontal

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.56	40.00	6.44	100	66	Vertical
2	249.439	-17.33	30.34	46.00	15.66	100	126	Vertical
3	499.950	-11.45	28.85	46.00	17.15	100	29	Vertical
4	532.963	-10.77	23.53	46.00	22.47	100	48	Vertical
5	799.980	-6.46	36.85	46.00	9.15	100	332	Vertical
6	1000.00	-4.55	29.52	54.00	24.48	100	34	Vertical

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	19.21	43.50	24.29	100	290	Horizontal
2	249.439	-17.33	26.45	46.00	19.55	100	290	Horizontal
3	450.430	-12.50	33.19	46.00	12.81	100	328	Horizontal
4	625.205	-9.13	22.20	46.00	23.80	100	337	Horizontal
5	750.460	-7.42	33.31	46.00	12.69	100	33	Horizontal
6	1000.00	-4.55	32.42	54.00	21.58	100	268	Horizontal

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.03	40.00	5.97	100	66	Vertical
2	249.439	-17.33	29.54	46.00	16.46	100	104	Vertical
3	399.939	-13.56	30.00	46.00	16.00	100	57	Vertical
4	526.166	-10.91	22.81	46.00	23.19	100	332	Vertical
5	799.980	-6.46	38.40	46.00	7.60	100	30	Vertical
6	1000.00	-4.55	29.21	54.00	24.79	100	30	Vertical

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	18.49	43.50	25.01	100	309	Horizontal
2	249.439	-17.33	26.34	46.00	19.66	100	300	Horizontal
3	443.633	-12.64	30.97	46.00	15.03	100	322	Horizontal
4	625.205	-9.13	22.56	46.00	23.44	100	331	Horizontal
5	799.980	-6.46	40.59	46.00	5.41	100	268	Horizontal
6	1000.00	-4.55	30.68	54.00	23.32	100	259	Horizontal

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.44	40.00	6.56	100	80	Vertical
2	249.439	-17.33	29.50	46.00	16.50	100	98	Vertical
3	399.939	-13.56	38.21	46.00	7.79	100	281	Vertical
4	525.195	-10.93	23.03	46.00	22.97	100	332	Vertical
5	799.980	-6.46	33.11	46.00	12.89	100	234	Vertical
6	1000.00	-4.55	29.08	54.00	24.92	100	332	Vertical

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	18.56	43.50	24.94	100	285	Horizontal
2	249.439	-17.33	26.42	46.00	19.58	100	298	Horizontal
3	399.939	-13.56	30.59	46.00	15.41	100	156	Horizontal
4	599.960	-9.38	21.70	46.00	24.30	100	142	Horizontal
5	750.460	-7.42	34.27	46.00	11.73	100	28	Horizontal
6	1000.00	-4.55	31.40	54.00	22.60	100	266	Horizontal

Above 1GHz

Mode:	ant1 11a 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	67.48	-8.16	59.32	68.23	8.91	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.93	-8.16	46.77	54.00	7.23	Horizontal	PASS

Mode:	ant1 11a 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	67.01	-8.16	58.85	68.23	9.38	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.77	-8.16	46.61	54.00	7.39	Vertical	PASS

Mode:	ant2 11a 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.28	-8.16	58.12	68.23	10.11	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.98	-8.16	46.82	54.00	7.18	Horizontal	PASS

Mode:	ant2 11a 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	67.34	-8.16	59.18	68.23	9.05	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	55.08	-8.16	46.92	54.00	7.08	Vertical	PASS

Mode:	ant1 11a 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	67.15	-7.57	59.58	68.23	8.65	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.79	-7.57	47.22	54.00	6.78	Horizontal	PASS

Mode:	ant1 11a 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.70	-7.57	59.13	68.23	9.10	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	55.17	-7.57	47.60	54.00	6.40	Vertical	PASS

Mode:	ant2 11a 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.72	-7.57	59.15	68.23	9.08	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.82	-7.57	47.25	54.00	6.75	Horizontal	PASS

Mode:	ant2 11a 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.93	-7.57	59.36	68.23	8.87	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.88	-7.57	47.31	54.00	6.69	Vertical	PASS

Mode:	ant1 11a 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	67.10	-7.69	59.41	68.23	8.82	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	55.15	-7.69	47.46	54.00	6.54	Horizontal	PASS

Mode:	ant1 11a 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.41	-7.69	58.72	68.23	9.51	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.90	-7.69	47.21	54.00	6.79	Vertical	PASS

Mode:	ant2 11a 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	65.89	-7.69	58.20	68.23	10.03	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.90	-7.69	47.21	54.00	6.79	Horizontal	PASS

Mode:	ant2 11a 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.37	-7.69	58.68	68.23	9.55	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.91	-7.69	47.22	54.00	6.78	Vertical	PASS

Mode:	ant1 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	67.94	-8.16	59.78	68.23	8.45	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.54	-8.16	46.38	54.00	7.62	Horizontal	PASS

Mode:	ant1 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.01	-8.16	57.85	68.23	10.38	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.71	-8.16	46.55	54.00	7.45	Vertical	PASS

Mode:	ant2 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10360.1811	66.45	-8.19	58.26	68.23	9.97	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10360.1811	54.55	-8.19	46.36	54.00	7.64	Horizontal	PASS

Mode:	ant2 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10360.1811	67.83	-8.19	59.64	68.23	8.59	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10360.1811	54.57	-8.19	46.38	54.00	7.62	Vertical	PASS

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10360.1811	67.90	-8.19	59.71	68.23	8.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10360.1811	54.44	-8.19	46.25	54.00	7.75	Horizontal	PASS

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10360.1811	66.57	-8.19	58.38	68.23	9.85	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10360.1811	54.69	-8.19	46.50	54.00	7.50	Vertical	PASS

Mode:	ant1 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	68.25	-7.57	60.68	68.23	7.55	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.38	-7.57	46.81	54.00	7.19	Horizontal	PASS

Mode:	ant1 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.64	-7.57	59.07	68.23	9.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.42	-7.57	46.85	54.00	7.15	Vertical	PASS

Mode:	ant2 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.15	-7.57	58.58	68.23	9.65	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.45	-7.57	46.88	54.00	7.12	Horizontal	PASS

Mode:	ant2 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	67.67	-7.57	60.10	68.23	8.13	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.49	-7.57	46.92	54.00	7.08	Vertical	PASS

Mode:	MIMO 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.76	-7.57	59.19	68.23	9.04	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.71	-7.57	47.14	54.00	6.86	Horizontal	PASS

Mode:	MIMO 11n20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.79	-7.57	59.22	68.23	9.01	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.37	-7.57	46.80	54.00	7.20	Vertical	PASS

Mode:	ant1 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	67.07	-7.68	59.39	68.23	8.84	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.34	-7.68	46.66	54.00	7.34	Horizontal	PASS

Mode:	ant1 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	66.51	-7.68	58.83	68.23	9.40	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.62	-7.68	46.94	54.00	7.06	Vertical	PASS

Mode:	ant2 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	67.06	-7.68	59.38	68.23	8.85	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.19	-7.68	46.51	54.00	7.49	Horizontal	PASS

Mode:	ant2 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	66.87	-7.68	59.19	68.23	9.04	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.26	-7.68	46.58	54.00	7.42	Vertical	PASS

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	66.27	-7.68	58.59	68.23	9.64	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.20	-7.68	46.52	54.00	7.48	Horizontal	PASS

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10483.2416	66.96	-7.68	59.28	68.23	8.95	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10483.2416	54.39	-7.68	46.71	54.00	7.29	Vertical	PASS

Mode:	ant1 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	65.88	-7.90	57.98	68.23	10.25	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.46	-7.90	46.56	54.00	7.44	Horizontal	PASS

Mode:	ant1 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	68.72	-7.90	60.82	68.23	7.41	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.62	-7.90	46.72	54.00	7.28	Vertical	PASS

Mode:	ant2 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	67.52	-7.90	59.62	68.23	8.61	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.50	-7.90	46.60	54.00	7.40	Horizontal	PASS

Mode:	ant2 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.94	-7.90	59.04	68.23	9.19	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.41	-7.90	46.51	54.00	7.49	Vertical	PASS

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.84	-7.90	58.94	68.23	9.29	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.55	-7.90	46.65	54.00	7.35	Horizontal	PASS

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	67.94	-7.90	60.04	68.23	8.19	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.34	-7.90	46.44	54.00	7.56	Vertical	PASS

Mode:	ant1 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.75	-7.72	59.03	68.23	9.20	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.70	-7.72	46.98	54.00	7.02	Horizontal	PASS

Mode:	ant1 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	67.60	-7.72	59.88	68.23	8.35	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.60	-7.72	46.88	54.00	7.12	Vertical	PASS

Mode:	ant2 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.29	-7.72	58.57	68.23	9.66	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.38	-7.72	46.66	54.00	7.34	Horizontal	PASS

Mode:	ant2 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	67.34	-7.72	59.62	68.23	8.61	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.25	-7.72	46.53	54.00	7.47	Vertical	PASS

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.51	-7.72	58.79	68.23	9.44	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.31	-7.72	46.59	54.00	7.41	Horizontal	PASS

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.36	-7.72	58.64	68.23	9.59	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.34	-7.72	46.62	54.00	7.38	Vertical	PASS

Mode:	ant1 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	67.86	-8.16	59.70	68.23	8.53	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.44	-8.16	46.28	54.00	7.72	Horizontal	PASS

Mode:	ant1 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.92	-8.16	58.76	68.23	9.47	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.44	-8.16	46.28	54.00	7.72	Vertical	PASS

Mode:	ant2 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	65.93	-8.16	57.77	68.23	10.46	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.64	-8.16	46.48	54.00	7.52	Horizontal	PASS

Mode:	ant2 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.81	-8.16	58.65	68.23	9.58	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.38	-8.16	46.22	54.00	7.78	Vertical	PASS

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.31	-8.16	58.15	68.23	10.08	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.55	-8.16	46.39	54.00	7.61	Horizontal	PASS

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10362.1811	66.21	-8.16	58.05	68.23	10.18	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10362.1811	54.42	-8.16	46.26	54.00	7.74	Vertical	PASS

Mode:	ant1 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.36	-7.57	58.79	68.23	9.44	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.39	-7.57	46.82	54.00	7.18	Horizontal	PASS

Mode:	ant1 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	65.93	-7.57	58.36	68.23	9.87	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.21	-7.57	46.64	54.00	7.36	Vertical	PASS

Mode:	ant2 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	67.98	-7.57	60.41	68.23	7.82	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.31	-7.57	46.74	54.00	7.26	Horizontal	PASS

Mode:	ant2 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	66.35	-7.57	58.78	68.23	9.45	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.30	-7.57	46.73	54.00	7.27	Vertical	PASS

Mode:	MIMO 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	67.02	-7.57	59.45	68.23	8.78	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.46	-7.57	46.89	54.00	7.11	Horizontal	PASS

Mode:	MIMO 11ac20 5200	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10400.7004	67.05	-7.57	59.48	68.23	8.75	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10400.7004	54.54	-7.57	46.97	54.00	7.03	Vertical	PASS

Mode:	ant1 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	68.40	-7.69	60.71	68.23	7.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.58	-7.69	46.89	54.00	7.11	Horizontal	PASS

Mode:	ant1 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.99	-7.69	59.30	68.23	8.93	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.59	-7.69	46.90	54.00	7.10	Vertical	PASS

Mode:	ant2 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.01	-7.69	58.32	68.23	9.91	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.54	-7.69	46.85	54.00	7.15	Horizontal	PASS

Mode:	ant2 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.93	-7.69	59.24	68.23	8.99	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.61	-7.69	46.92	54.00	7.08	Vertical	PASS

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	68.59	-7.69	60.90	68.23	7.33	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.72	-7.69	47.03	54.00	6.97	Horizontal	PASS

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10477.7389	66.42	-7.69	58.73	68.23	9.50	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10477.7389	54.48	-7.69	46.79	54.00	7.21	Vertical	PASS

Mode:	ant1 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.63	-7.90	58.73	68.23	9.50	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.65	-7.90	46.75	54.00	7.25	Horizontal	PASS

Mode:	ant1 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.92	-7.90	59.02	68.23	9.21	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.68	-7.90	46.78	54.00	7.22	Vertical	PASS

Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	67.44	-7.90	59.54	68.23	8.69	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.68	-7.90	46.78	54.00	7.22	Horizontal	PASS

Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.73	-7.90	58.83	68.23	9.40	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.82	-7.90	46.92	54.00	7.08	Vertical	PASS

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.18	-7.90	58.28	68.23	9.95	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.67	-7.90	46.77	54.00	7.23	Horizontal	PASS

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10378.6893	66.59	-7.90	58.69	68.23	9.54	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10378.6893	54.96	-7.90	47.06	54.00	6.94	Vertical	PASS

Mode:	ant1 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.97	-7.72	59.25	68.23	8.98	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.83	-7.72	47.11	54.00	6.89	Horizontal	PASS

Mode:	ant1 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.68	-7.72	58.96	68.23	9.27	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.71	-7.72	46.99	54.00	7.01	Vertical	PASS

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	66.62	-7.72	58.90	68.23	9.33	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.64	-7.72	46.92	54.00	7.08	Horizontal	PASS

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	67.15	-7.72	59.43	68.23	8.80	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.76	-7.72	47.04	54.00	6.96	Vertical	PASS

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	67.01	-7.72	59.29	68.23	8.94	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.59	-7.72	46.87	54.00	7.13	Horizontal	PASS

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10461.2306	68.25	-7.72	60.53	68.23	7.70	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10461.2306	54.78	-7.72	47.06	54.00	6.94	Vertical	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	67.94	-7.65	60.29	68.23	7.94	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.71	-7.65	47.06	54.00	6.94	Horizontal	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	66.69	-7.65	59.04	68.23	9.19	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.81	-7.65	47.16	54.00	6.84	Vertical	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	67.05	-7.65	59.40	68.23	8.83	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.70	-7.65	47.05	54.00	6.95	Horizontal	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	67.07	-7.65	59.42	68.23	8.81	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.69	-7.65	47.04	54.00	6.96	Vertical	PASS

Mode:	MIMO11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	67.84	-7.65	60.19	68.23	8.04	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.87	-7.65	47.22	54.00	6.78	Horizontal	PASS

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	10422.7114	67.00	-7.65	59.35	68.23	8.88	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	10422.7114	54.65	-7.65	47.00	54.00	7.00	Vertical	PASS

Mode:	ant1 11a 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.46	-6.19	60.27	74.00	13.73	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.85	-6.19	48.66	54.00	5.34	Horizontal	PASS

Mode:	ant1 11a 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.59	-6.19	60.40	74.00	13.60	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	55.17	-6.19	48.98	54.00	5.02	Vertical	PASS

Mode:	ant2 11a 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	67.03	-6.19	60.84	74.00	13.16	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.63	-6.19	48.44	54.00	5.56	Horizontal	PASS

Mode:	ant2 11a 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.91	-6.19	60.72	74.00	13.28	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.95	-6.19	48.76	54.00	5.24	Vertical	PASS

Mode:	ant1 11a 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.24	-6.02	60.22	74.00	13.78	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.45	-6.02	48.43	54.00	5.57	Horizontal	PASS

Mode:	ant1 11a 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.30	-6.02	60.28	74.00	13.72	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.39	-6.02	48.37	54.00	5.63	Vertical	PASS

Mode:	ant2 11a 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.50	-6.02	60.48	74.00	13.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.50	-6.02	48.48	54.00	5.52	Horizontal	PASS

Mode:	ant2 11a 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	68.00	-6.02	61.98	74.00	12.02	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.66	-6.02	48.64	54.00	5.36	Vertical	PASS

Mode:	ant1 11a 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.39	-5.80	60.59	74.00	13.41	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.37	-5.80	48.57	54.00	5.43	Horizontal	PASS

Mode:	ant1 11a 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.04	-5.80	60.24	74.00	13.76	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.37	-5.80	48.57	54.00	5.43	Vertical	PASS

Mode:	ant2 11a 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.23	-5.80	60.43	74.00	13.57	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.28	-5.80	48.48	54.00	5.52	Horizontal	PASS

Mode:	ant2 11a 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	67.36	-5.80	61.56	74.00	12.44	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.81	-5.80	49.01	54.00	4.99	Vertical	PASS

Mode:	ant1 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.60	-6.19	60.41	74.00	13.59	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.71	-6.19	48.52	54.00	5.48	Horizontal	PASS

Mode:	ant1 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.64	-6.19	60.45	74.00	13.55	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.85	-6.19	48.66	54.00	5.34	Vertical	PASS

Mode:	ant2 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.37	-6.19	60.18	74.00	13.82	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.74	-6.19	48.55	54.00	5.45	Horizontal	PASS

Mode:	ant2 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.89	-6.19	60.70	74.00	13.30	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.99	-6.19	48.80	54.00	5.20	Vertical	PASS

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.65	-6.19	60.46	74.00	13.54	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.99	-6.19	48.80	54.00	5.20	Horizontal	PASS

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	67.12	-6.19	60.93	74.00	13.07	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.75	-6.19	48.56	54.00	5.44	Vertical	PASS

Mode:	ant1 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	65.68	-6.05	59.63	74.00	14.37	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.55	-6.05	48.50	54.00	5.50	Horizontal	PASS

Mode:	ant1 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	66.56	-6.05	60.51	74.00	13.49	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.71	-6.05	48.66	54.00	5.34	Vertical	PASS

Mode:	ant2 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	66.67	-6.05	60.62	74.00	13.38	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.87	-6.05	48.82	54.00	5.18	Horizontal	PASS

Mode:	ant2 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	66.67	-6.05	60.62	74.00	13.38	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.58	-6.05	48.53	54.00	5.47	Vertical	PASS

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	66.55	-6.05	60.50	74.00	13.50	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.94	-6.05	48.89	54.00	5.11	Horizontal	PASS

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11567.2836	67.90	-6.05	61.85	74.00	12.15	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11567.2836	54.75	-6.05	48.70	54.00	5.30	Vertical	PASS

Mode:	ant1 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.95	-5.80	61.15	74.00	12.85	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.45	-5.80	48.65	54.00	5.35	Horizontal	PASS

Mode:	ant1 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.08	-5.80	60.28	74.00	13.72	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.61	-5.80	48.81	54.00	5.19	Vertical	PASS

Mode:	ant2 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	67.01	-5.80	61.21	74.00	12.79	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.58	-5.80	48.78	54.00	5.22	Horizontal	PASS

Mode:	ant2 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.84	-5.80	61.04	74.00	12.96	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.43	-5.80	48.63	54.00	5.37	Vertical	PASS

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	67.44	-5.80	61.64	74.00	12.36	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.50	-5.80	48.70	54.00	5.30	Horizontal	PASS

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.09	-5.80	60.29	74.00	13.71	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.51	-5.80	48.71	54.00	5.29	Vertical	PASS

Mode:	ant1 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.46	-6.16	61.30	74.00	12.70	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.54	-6.16	48.38	54.00	5.62	Horizontal	PASS

Mode:	ant1 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.44	-6.16	61.28	74.00	12.72	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.73	-6.16	48.57	54.00	5.43	Vertical	PASS

Mode:	ant2 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.34	-6.16	61.18	74.00	12.82	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.64	-6.16	48.48	54.00	5.52	Horizontal	PASS

Mode:	ant2 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	66.65	-6.16	60.49	74.00	13.51	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.80	-6.16	48.64	54.00	5.36	Vertical	PASS

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.36	-6.16	61.20	74.00	12.80	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.75	-6.16	48.59	54.00	5.41	Horizontal	PASS

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.37	-6.16	61.21	74.00	12.79	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.56	-6.16	48.40	54.00	5.60	Vertical	PASS

Mode:	ant1 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.40	-5.97	60.43	74.00	13.57	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.82	-5.97	48.85	54.00	5.15	Horizontal	PASS

Mode:	ant1 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.74	-5.97	60.77	74.00	13.23	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.55	-5.97	48.58	54.00	5.42	Vertical	PASS

Mode:	ant2 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	68.00	-5.97	62.03	74.00	11.97	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.55	-5.97	48.58	54.00	5.42	Horizontal	PASS

Mode:	ant2 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.30	-5.97	60.33	74.00	13.67	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.47	-5.97	48.50	54.00	5.50	Vertical	PASS

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	65.91	-5.97	59.94	74.00	14.06	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.74	-5.97	48.77	54.00	5.23	Horizontal	PASS

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.28	-5.97	60.31	74.00	13.69	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.89	-5.97	48.92	54.00	5.08	Vertical	PASS

Mode:	ant1 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	67.14	-6.19	60.95	74.00	13.05	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.95	-6.19	48.76	54.00	5.24	Horizontal	PASS

Mode:	ant1 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.49	-6.19	60.30	74.00	13.70	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.69	-6.19	48.50	54.00	5.50	Vertical	PASS

Mode:	ant2 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.94	-6.19	60.75	74.00	13.25	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.94	-6.19	48.75	54.00	5.25	Horizontal	PASS

Mode:	ant2 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	66.58	-6.19	60.39	74.00	13.61	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.87	-6.19	48.68	54.00	5.32	Vertical	PASS

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	65.98	-6.19	59.79	74.00	14.21	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.84	-6.19	48.65	54.00	5.35	Horizontal	PASS

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11490.2451	67.39	-6.19	61.20	74.00	12.80	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11490.2451	54.90	-6.19	48.71	54.00	5.29	Vertical	PASS

Mode:	ant1 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.38	-6.02	60.36	74.00	13.64	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.21	-6.02	48.19	54.00	5.81	Horizontal	PASS

Mode:	ant1 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.26	-6.02	60.24	74.00	13.76	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.30	-6.02	48.28	54.00	5.72	Vertical	PASS

Mode:	ant2 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	65.50	-6.02	59.48	74.00	14.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.45	-6.02	48.43	54.00	5.57	Horizontal	PASS

Mode:	ant2 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.32	-6.02	60.30	74.00	13.70	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.30	-6.02	48.28	54.00	5.72	Vertical	PASS

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.73	-6.02	60.71	74.00	13.29	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.32	-6.02	48.30	54.00	5.70	Horizontal	PASS

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11572.7864	66.35	-6.02	60.33	74.00	13.67	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11572.7864	54.34	-6.02	48.32	54.00	5.68	Vertical	PASS

Mode:	ant1 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.02	-5.80	60.22	74.00	13.78	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.06	-5.80	48.26	54.00	5.74	Horizontal	PASS

Mode:	ant1 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	67.09	-5.80	61.29	74.00	12.71	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.08	-5.80	48.28	54.00	5.72	Vertical	PASS

Mode:	ant2 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.51	-5.80	60.71	74.00	13.29	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.11	-5.80	48.31	54.00	5.69	Horizontal	PASS

Mode:	ant2 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.06	-5.80	60.26	74.00	13.74	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.39	-5.80	48.59	54.00	5.41	Vertical	PASS

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	67.28	-5.80	61.48	74.00	12.52	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	53.99	-5.80	48.19	54.00	5.81	Horizontal	PASS

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11649.8249	66.29	-5.80	60.49	74.00	13.51	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11649.8249	54.19	-5.80	48.39	54.00	5.61	Vertical	PASS

Mode:	ant1 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.13	-5.97	60.16	74.00	13.84	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.51	-5.97	48.54	54.00	5.46	Horizontal	PASS

Mode:	ant1 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	67.48	-5.97	61.51	74.00	12.49	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.37	-5.97	48.40	54.00	5.60	Vertical	PASS

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.22	-5.97	60.25	74.00	13.75	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.38	-5.97	48.41	54.00	5.59	Horizontal	PASS

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	65.69	-5.97	59.72	74.00	14.28	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.20	-5.97	48.23	54.00	5.77	Vertical	PASS

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	67.54	-5.97	61.57	74.00	12.43	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.43	-5.97	48.46	54.00	5.54	Horizontal	PASS

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11589.2946	66.18	-5.97	60.21	74.00	13.79	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11589.2946	54.51	-5.97	48.54	54.00	5.46	Vertical	PASS

Mode:	ant1 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	66.46	-6.11	60.35	74.00	13.65	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.42	-6.11	48.31	54.00	5.69	Horizontal	PASS

Mode:	ant1 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	66.79	-6.11	60.68	74.00	13.32	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.40	-6.11	48.29	54.00	5.71	Vertical	PASS

Mode:	ant2 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	66.92	-6.11	60.81	74.00	13.19	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.46	-6.11	48.35	54.00	5.65	Horizontal	PASS

Mode:	ant2 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	67.49	-6.11	61.38	74.00	12.62	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.46	-6.11	48.35	54.00	5.65	Vertical	PASS

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	67.63	-6.11	61.52	74.00	12.48	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.45	-6.11	48.34	54.00	5.66	Horizontal	PASS

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11550.7754	66.67	-6.11	60.56	74.00	13.44	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11550.7754	54.41	-6.11	48.30	54.00	5.70	Vertical	PASS

Mode:	ant1 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	67.00	-6.16	60.84	74.00	13.16	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.51	-6.16	48.35	54.00	5.65	Horizontal	PASS

Mode:	ant1 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	66.57	-6.16	60.41	74.00	13.59	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	54.75	-6.16	48.59	54.00	5.41	Vertical	PASS

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	60.72	-6.16	54.56	74.00	19.44	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	50.44	-6.16	44.28	54.00	9.72	Horizontal	PASS

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	61.05	-6.16	54.89	74.00	19.11	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	49.88	-6.16	43.72	54.00	10.28	Vertical	PASS

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	60.82	-6.16	54.66	74.00	19.34	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	50.03	-6.16	43.87	54.00	10.13	Horizontal	PASS

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	11512.2561	61.30	-6.16	55.14	74.00	18.86	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	11512.2561	49.82	-6.16	43.66	54.00	10.34	Vertical	PASS

Out of band

Mode:	ant1 11a 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.48	76.35	-10.73	65.62	74.00	8.38	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.48	57.79	-10.73	47.06	54.00	6.94	Horizontal	PASS

Mode:	ant1 11a 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.28	75.95	-10.76	65.19	74.00	8.81	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.28	59.54	-10.76	48.78	54.00	5.22	Vertical	PASS

Mode:	ant2 11a 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5148.40	76.45	-10.90	65.55	74.00	8.45	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.40	56.42	-10.90	45.52	54.00	8.48	Horizontal	PASS

Mode:	ant2 11a 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.31	76.58	-10.76	65.82	74.00	8.18	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.31	56.74	-10.76	45.98	54.00	8.02	Vertical	PASS

Mode:	ant1 11a 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5352.04	62.94	52.06	-10.88	74.00	21.94	Horizonta	PASS

Mode:	ant1 11a 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5353.64	62.69	51.69	-11.00	74.00	22.31	Vertical	PASS

Mode:	ant2 11a 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5353.15	62.96	52.00	-10.96	74.00	22.00	Horizonta	PASS

Mode:	ant2 11a 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5355.11	63.36	52.25	-11.11	74.00	21.75	Vertical	PASS

Mode:	ant1 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5148.82	76.03	-10.83	65.20	74.00	8.80	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.82	58.85	-10.83	48.02	54.00	5.98	Horizontal	PASS

Mode:	ant1 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5144.73	73.99	-11.48	62.51	74.00	11.49	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5144.73	54.41	-11.48	42.93	54.00	11.07	Vertical	PASS

Mode:	ant2 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.05	76.88	-10.80	66.08	74.00	7.92	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.05	57.24	-10.80	46.44	54.00	7.56	Horizontal	PASS

Mode:	ant2 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5146.58	76.39	-11.19	65.20	74.00	8.80	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5146.58	56.72	-11.19	45.53	54.00	8.47	Vertical	PASS

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5147.43	76.84	-11.05	65.79	74.00	8.21	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5147.43	58.40	-11.05	47.35	54.00	6.65	Horizontal	PASS

Mode:	MIMO 11n20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5148.50	76.02	-10.88	65.14	74.00	8.86	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.50	59.12	-10.88	48.24	54.00	5.76	Vertical	PASS

Mode:	ant1 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5352.10	63.72	52.84	-10.88	74.00	21.16	Horizonta	PASS

Mode:	ant1 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	63.35	52.61	-10.74	74.00	21.39	Vertical	PASS

Mode:	ant2 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	63.02	52.28	-10.74	74.00	21.72	Horizonta	PASS

Mode:	ant2 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.17	62.82	52.09	-10.73	74.00	21.91	Vertical	PASS

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.82	62.55	51.77	-10.78	74.00	22.23	Horizonta	PASS

Mode:	MIMO 11n20 5240	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5363.90	62.66	51.12	-11.54	74.00	22.88	Vertical	PASS

Mode:	ant1 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.80	76.14	-10.68	65.46	74.00	8.54	Horizontal	PASS
2	5100.89	69.44	-12.75	56.69	74.00	17.31	Horizontal	PASS
3	5133.29	71.92	-12.37	59.55	74.00	14.45	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.80	59.92	-10.68	49.24	54.00	4.76	Horizontal	PASS
2	5100.89	50.03	-12.75	37.28	54.00	16.72	Horizontal	PASS
3	5133.29	53.08	-12.37	40.71	54.00	13.29	Horizontal	PASS

Mode:	ant1 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5079.14	70.55	-12.94	57.61	74.00	16.39	Vertical	PASS
2	5130.36	73.59	-12.43	61.16	74.00	12.84	Vertical	PASS
3	5149.02	76.36	-10.80	65.56	74.00	8.44	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5079.14	50.23	-12.94	37.29	54.00	16.71	Vertical	PASS
2	5130.36	53.43	-12.43	41.00	54.00	13.00	Vertical	PASS
3	5149.02	59.54	-10.80	48.74	54.00	5.26	Vertical	PASS

Mode:	ant2 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5094.55	69.43	-12.78	56.65	74.00	17.35	Horizontal	PASS
2	5128.71	73.06	-12.52	60.54	74.00	13.46	Horizontal	PASS
3	5149.90	77.27	-10.67	66.60	74.00	7.40	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5094.55	50.13	-12.78	37.35	54.00	16.65	Horizontal	PASS
2	5128.71	52.49	-12.52	39.97	54.00	14.03	Horizontal	PASS
3	5149.90	56.47	-10.67	45.80	54.00	8.20	Horizontal	PASS

Mode:	ant2 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5109.69	71.08	-12.90	58.18	74.00	15.82	Vertical	PASS
2	5136.44	74.50	-12.30	62.20	74.00	11.80	Vertical	PASS
3	5144.99	76.20	-11.44	64.76	74.00	9.24	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5109.69	50.69	-12.90	37.79	54.00	16.21	Vertical	PASS
2	5136.44	54.44	-12.30	42.14	54.00	11.86	Vertical	PASS
3	5144.99	57.14	-11.44	45.70	54.00	8.30	Vertical	PASS

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5118.57	75.96	-13.04	62.92	74.00	11.08	Horizontal	PASS
2	5139.24	75.41	-12.24	63.17	74.00	10.83	Horizontal	PASS
3	5149.96	76.00	-10.66	65.34	74.00	8.66	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5118.57	52.05	-13.04	39.01	54.00	14.99	Horizontal	PASS
2	5139.24	56.31	-12.24	44.07	54.00	9.93	Horizontal	PASS
3	5149.96	60.82	-10.66	50.16	54.00	3.84	Horizontal	PASS

Mode:	MIMO 11n40 5190	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5122.95	73.05	-12.88	60.17	74.00	13.83	Vertical	PASS
2	5132.51	73.23	-12.39	60.84	74.00	13.16	Vertical	PASS
3	5145.93	76.90	-11.29	65.61	74.00	8.39	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5122.95	50.94	-12.88	38.06	54.00	15.94	Vertical	PASS
2	5132.51	51.38	-12.39	38.99	54.00	15.01	Vertical	PASS
3	5145.93	55.38	-11.29	44.09	54.00	9.91	Vertical	PASS

Mode:	ant1 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5351.08	62.43	51.63	-10.80	74.00	22.37	Horizonta	PASS

Mode:	ant1 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5355.20	62.37	51.25	-11.12	74.00	22.75	Vertical	PASS

Mode:	ant2 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5351.69	63.23	52.38	-10.85	74.00	21.62	Horizonta	PASS

Mode:	ant2 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5354.99	63.99	52.89	-11.10	74.00	21.11	Vertical	PASS

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5386.61	63.21	51.37	-11.84	74.00	22.63	Horizonta	PASS

Mode:	MIMO 11n40 5230	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5377.79	63.26	51.56	-11.70	74.00	22.44	Vertical	PASS

Mode:	ant1 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	4893.10	64.98	-13.66	51.32	74.00	22.68	Horizontal	PASS
2	5130.92	67.67	-12.42	55.25	74.00	18.75	Horizontal	PASS
3	5148.11	73.00	-10.95	62.05	74.00	11.95	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	4893.10	50.28	-13.66	36.62	54.00	17.38	Horizontal	PASS
2	5130.92	50.60	-12.42	38.18	54.00	15.82	Horizontal	PASS
3	5148.11	52.39	-10.95	41.44	54.00	12.56	Horizontal	PASS

Mode:	ant1 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5148.86	74.80	-10.83	63.97	74.00	10.03	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.86	53.45	-10.83	42.62	54.00	11.38	Vertical	PASS

Mode:	ant2 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5149.87	73.69	-10.67	63.02	74.00	10.98	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5149.87	54.39	-10.67	43.72	54.00	10.28	Horizontal	PASS

Mode:	ant2 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5145.64	72.35	-11.33	61.02	74.00	12.98	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5145.64	53.19	-11.33	41.86	54.00	12.14	Vertical	PASS

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5150.00	76.65	-10.65	66.00	74.00	8.00	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5150.00	55.76	-10.65	45.11	54.00	8.89	Horizontal	PASS

Mode:	MIMO 11ac20 5180	Voltage:	120V/60Hz

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	5145.96	73.43	-11.28	62.15	74.00	11.85	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	5145.96	52.16	-11.28	40.88	54.00	13.12	Vertical	PASS