

Antenna Specification

Specifications

Summary

Antenna 1

ITEM	SPEC.	
Frequency	1.9GHz	
Center Frequency	1880 MHz	0.28 dBi
	1900 MHz	0.53 dBi
	1920 MHz	0.50 dBi
	1930 MHz	0.55 dBi
MAX. GAIN	0.55 dBi	

Antenna 2

ITEM	SPEC.	
Frequency	1.9GHz	
Center Frequency	1880 MHz	-0.04 dBi
	1900 MHz	0.37 dBi
	1920 MHz	0.00 dBi
	1930 MHz	-0.06 dBi
MAX. GAIN	0.37 dBi	

天线类型/ANT Type: FPC


天线型号/ANT Model: WH68_ANT_V11D

制造商/Manufactory:


YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.

No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China


Antenna Photo




Antenna 1
1880MHz




1900MHz



1920MHz




1930MHz




Frequency (MHz)	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
1880	-12.19	0.28	-3.07
1900	-11.60	0.53	-2.63
1920	-12.71	0.50	-2.74
1930	-12.97	0.55	-2.70


Antenna 2
1880MHz




1900MHz



1920MHz



1930MHz



Frequency (MHz)	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
1880	-12.98	-0.04	-3.26
1900	-12.31	0.37	-2.96
1920	-11.71	0.00	-3.05
1930	-11.71	-0.06	-3.09

