

Report No.: 0606074

Receive mode

Left Speaker CH01

AC Mains

Tested By:Hong, Report No.:0606074

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1 15 9k 30M	EW0090		
21 9k 30M	EW0698		



Report No.: 0606074
Receive mode
Left Speaker CH01
AC Mains

Tested By:Hong, Report No.:0606074

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.15500	55.4	65.7
0.21000	49.1	63.2
0.29500	42.1	60.3

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit

Report No.: 0606074
 Receive mode
 Left Speaker CH03
 AC Mains

Tested By: Hong, Report No.: 0606074

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15	9k	30M
21	9k	30M	EW0090
			EW0698



Report No.: 0606074
Receive mode
Left Speaker CH03
AC Mains

Tested By:Hong, Report No.:0606074

Scan Settings (1 Range)

----- Frequencies -----				----- Receiver Settings -----			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.16000	55.4	65.5
0.21500	47.1	63.0
0.30000	41.5	60.2

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit

Report No.: 0606074
 Receive mode
 Right Speaker CH01
 AC Mains

Tested By: Hong, Report No.: 0606074

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15	9k	30M
21	9k	30M	EW0698



Report No.: 0606074
Receive mode
Right Speaker CH01
AC Mains

Tested By:Hong, Report No.:0606074

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.16500	55.3	65.2
0.21000	47.1	63.2
0.29500	42.0	60.3

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit

Report No.: 0606074
 Receive mode
 Right Speaker CH03
 AC Mains

Tested By: Hong, Report No.: 0606074

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15	9k	30M EW0090
21	9k	30M	EW0698



Report No.: 0606074
Receive mode
Right Speaker CH03
AC Mains

Tested By: Hong, Report No.: 0606074

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.15500	55.8	65.7
0.21000	47.9	63.2
0.30000	41.6	60.2

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit