



Brand / Model : 2


Remark :

Tested by : HARDWAY

EUT description : VER

Location: **RF Chamber**Date: **2004/3/24**Time: **下午 02:39:09**Temperatuer (°C): **25**Humidity (%): **75**

Approved by:

Frequency (MHz): **2450.00**Antenna Polarity : **Horizontal**Average Gain (dB): **-5.12**Maximum Gain (dB): **0.87**Maximum Gain (degree): **290**Minimum Gain (dB): **-32.01**Minimum Gain (degree): **332**



Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : VER

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:42:03**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00**

Antenna Polarity: **Vertical**

Average Gain (dB): **-5.06**

Maximum Gain (dB): **-1.01**

Maximum Gain (degree): **299**

Minimum Gain (dB): **-21.42**

Minimum Gain (degree): **230**



Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : HOR

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:46:58**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00**

Antenna Polarity : **Vertical**

Average Gain (dB): **-12.83**

Maximum Gain (dB): **-7.08**

Maximum Gain (degree): **217**

Minimum Gain (dB): **-22.29**

Minimum Gain (degree): **113**



Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : HOR

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:49:45**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00**

Antenna Polarity : **Horizontal**

Average Gain (dB): **-3.75**

Maximum Gain (dB): **-0.17**

Maximum Gain (degree): **99**

Minimum Gain (dB): **-25.94**

Minimum Gain (degree): **340**



Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : HOR

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:53:48**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00**

Antenna Polarity : **Horizontal**

Average Gain (dB): **-9.17**

Maximum Gain (dB): **-3.45**

Maximum Gain (degree): **60**

Minimum Gain (dB): **-19.80**

Minimum Gain (degree): **119**



Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : HOR

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:56:48**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00**

Antenna Polarity : **Vertical**

Average Gain (dB): **-3.46**

Maximum Gain (dB): **0.46**

Maximum Gain (degree): **349**

Minimum Gain (dB): **-13.35**

Minimum Gain (degree): **116**