


Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08060834-1
Talk Mode (Through PSTN)
AC Mains "N"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.27500	39.4	61.0	-21.6
0.40500	45.4	57.8	-12.4
0.41500	47.3	57.6	-10.3
0.69000	44.0	56.0	-12.0
1.06500	42.3	56.0	-13.7
1.10000	41.8	56.0	-14.2
1.85000	48.6	56.0	-7.4
2.31500	39.8	56.0	-16.2
3.46000	30.7	56.0	-25.3
5.46000	40.0	60.0	-20.0
6.24500	37.8	60.0	-22.2
10.07500	41.2	60.0	-18.8
13.53500	46.9	60.0	-13.1
15.85000	44.0	60.0	-16.0

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.40500	34.9	47.8	-12.9
0.41000	36.7	47.7	-11.0
0.69000	31.1	46.0	-14.9
1.09000	35.8	46.0	-10.2
1.10000	35.0	46.0	-11.0
1.84500	43.2	46.0	-2.8
2.25500	32.4	46.0	-13.6
3.90000	26.4	46.0	-19.6
5.46000	33.1	50.0	-16.9
6.50000	34.9	50.0	-15.1
10.65000	39.4	50.0	-10.6
13.46500	43.4	50.0	-6.6
15.95500	39.0	50.0	-11.0


* limit exceeded

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08060834-1
Talk Mode (Through PSTN)
AC Mains "L"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.27500	41.3	61.0	-19.7
0.40500	46.9	57.8	-10.9
0.53500	45.1	56.0	-10.9
0.68500	43.5	56.0	-12.5
1.07000	41.2	56.0	-14.8
1.10000	40.6	56.0	-15.4
1.85000	47.8	56.0	-8.2
2.36500	41.3	56.0	-14.7
3.95500	30.7	56.0	-25.3
5.72000	40.2	60.0	-19.8
6.24500	41.3	60.0	-18.7
10.86500	42.9	60.0	-17.1
13.50000	48.5	60.0	-11.5
15.88500	47.8	60.0	-12.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.40500	34.8	47.8	-13.0
0.41000	36.3	47.7	-11.4
0.69000	32.1	46.0	-13.9
1.09000	35.1	46.0	-10.9
1.10500	35.0	46.0	-11.0
1.85000	42.9	46.0	-3.1
2.40000	33.6	46.0	-12.4
5.46000	33.3	50.0	-16.7
6.50000	35.2	50.0	-14.8
10.54000	39.6	50.0	-10.4
13.50000	44.8	50.0	-5.2
15.99000	41.6	50.0	-8.4


* limit exceeded

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
 Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08060834-1
VOIP Online Mode (Through LAN)

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.26500	39.6	61.3	-21.7
0.40500	46.7	57.8	-11.1
0.41500	48.8	57.6	-8.8
0.69500	43.7	56.0	-12.3
1.05000	38.7	56.0	-17.3
1.10000	40.6	56.0	-15.4
1.84500	47.4	56.0	-8.6
2.14500	40.2	56.0	-15.8
3.37500	29.7	56.0	-26.3
5.46000	40.7	60.0	-19.3
6.24000	42.0	60.0	-18.0
10.94000	42.5	60.0	-17.5
13.49500	47.1	60.0	-12.9
15.96000	47.2	60.0	-12.8

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.40500	35.0	47.8	-12.8
0.41000	36.8	47.7	-10.9
0.68000	31.7	46.0	-14.3
1.07000	35.7	46.0	-10.3
1.10500	35.0	46.0	-11.0
1.85000	42.6	46.0	-3.4
2.41500	33.7	46.0	-12.3
3.90000	26.1	46.0	-19.9
5.46000	33.0	50.0	-17.0
6.50000	35.1	50.0	-14.9
10.83000	39.2	50.0	-10.8
13.50000	44.6	50.0	-5.4
15.92000	41.9	50.0	-8.1

* limit exceeded