Alcatel·Lucent

FCC ID: T7HCT8101   Made in China
IC: 4979B-CT8101   HAC

Model: 8212 DECT Handset   1.2V ⎓ 950mAh
Manufactured by: RTX Hong Kong LTD under RTX8101 HS

2D Barcode

Use only battery, charger and power supply as described in the safety instruction sheet.
3BN67355AAAA00YYWW
SN: RTCYYWWXXXXX
IPEI: 0XXXXXXXXX
REN: NAN   Complies with IC CS 03

2:1

Barcode information: 3BN67355AA (10 digits only)
RTCYYWWXXXXX
0XXXXXXXXX
Information must be shown horizontally after scanned:
3BN67355AA;RTCYYWWXXXXX;0XXXXXXXXX

Size: 30mm (W) x 15mm (H)
Material : PET (comply with UL and PGAA requirements)
Positioning: Inside the handset battery compartment
Color: Black text on white background
Barcode format: 2D Datamatrix barcode

Remarks:
3BN67355AAAA00YYWW
3BN67355AAAA00: fixed information
YY: Manufacturing year (e.g. 2016=16, 2017=17)
WW: Manufacturing week of the year
(The YYWW in SN and ANV number must be matched)
(The ANV number on handset label and giftbox label must be matched)

RTCYYWWXXXXX
RTC (Supplier ID): fixed information
YY: Manufacturing year (e.g. 2016=16, 2017=17)
WW: Manufacturing week of the year
XXXXX: Progressive and unique serial number range in decimal.
(Note that the serial number must be unique even between different Alcatel items produces in the same week)
(The serial no. on handset label and giftbox label must be matched)

0XXXXXXXXX
IPEI in hex format, 10 digits totally
1st digit: 0 (fixed information)

IMPORTANT! Above information shows relative size and boldness only.
Adjustment may be required at time of production by factories due to incline surface.

RTX

HAC

Model: RTX8101 DECT Handset   Made in China

1.2V ⎓ 950mAh   FCC ID: T7HCT8101 IC: 4979B-CT8101

2D Barcode

Use only battery, charger and power supply as described in the safety instruction sheet.
Complies with IC CS 03
SN: RTCYYWWXXXXX
IPEI: 0XXXXXXXXX
REN: NAN

2:1

Barcode information: RTCYYWWXXXXX
                     0XXXXXXXXX
Information must be shown horizontally after scanned:
RTCYYWWXXXXX;0XXXXXXXXX

Size: 30mm (W) x 15mm (H)
Material : PET (comply with UL and PGAA requirements)
Positioning: Inside the handset battery compartment
Color: Black text on white background
Barcode format: 2D Datamatrix barcode

Remarks:
RTCYYWWXXXXX
RTC (Supplier ID): fixed information
YY: Manufacturing year (e.g. 2016=16, 2017=17)
WW: Manufacturing week of the year
XXXXX: Progressive and unique serial number range in decimal.

0XXXXXXXXX
IPEI in hex format, 10 digits totally
1st digit: 0 (fixed information)

IMPORTANT! Above information shows relative size and boldness only.
Adjustment may be required at time of production by factories due to incline surface.

EXHIBIT A - FCC ID LABELING AND LOCATION

FCC ID Label

FCC ID Label Location

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase (Labeling requirements per 2.925)