



Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
MIMO Mode = SISO

Images:





Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
MIMO Mode = SISO

Images:



Modulation: 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5725, 5850]	1	5745.00000	17.700
		5785.00000	17.700
		5825.00000	17.700



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5745.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
MIMO Mode = SISO

Images:





Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5785.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5825.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
MIMO Mode = SISO

Images:



Modulation: 802.11ac VHT40 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5725, 5850]	1	5755.00000	36.400
		5795.00000	36.400



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5755.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5795.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
MIMO Mode = SISO

Images:



Modulation: 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5725, 5850]	1	5755.00000	36.400
		5795.00000	36.400



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5755.00000 Modulation = 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)
MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5795.00000 Modulation = 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)
MIMO Mode = SISO

Images:



Modulation: 802.11ac VHT80 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5725, 5850]	1	5775.00000	75.500



Verdict

Pass

Attachments

Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)
MIMO Mode = SISO

Images:



RSS-247 6.2.4.1 / FCC 15.407 (a) (3) Maximum Conducted output power UNII-3

Limits

FCC 15.407: For the band 5.725-5.850 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W

RSS-247: The maximum conducted output power shall not exceed 1 W.

Modulation: 802.11a (OFDM 6 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5745.00000	No	7.06	12.76
		5785.00000		6.84	12.54
		5825.00000		6.44	12.14

Modulation: 802.11ac VHT20 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5745.00000	No	7.20	12.90
		5785.00000		6.86	12.56
		5825.00000		6.42	12.12

Modulation: 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5745.00000	No	7.05	12.75
		5785.00000		6.74	12.44
		5825.00000		6.42	12.12

Modulation: 802.11ac VHT40 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5755.00000	No	7.46	13.16
		5795.00000		7.56	13.26

Modulation: 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5755.00000	No	7.52	13.22
		5795.00000		7.60	13.30

Modulation: 802.11ac VHT80 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Avg Power (dBm)	Max EIRP (dBm)
[5725, 5850]	1	5775.00000	No	7.76	13.46

Verdict

Pass

RSS-247 6.2.4.1 / FCC 15.407 (a) (3) Transmitter Maximum Power Spectral Density UNII-3

Limits

FCC 15.407: The maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

FCC 15.407: For client devices operating under the control of an indoor access point in the 5.850-5.895 GHz band, the maximum power spectral density must not exceed 14 dBm e.i.r.p. in any 1-megahertz band.

FCC 15.407: For an indoor access point operating in the 5.850-5.895 GHz band, the maximum power spectral density must not exceed 20 dBm e.i.r.p. in any 1-megahertz band.

FCC 15.407: For a subordinate device operating under the control of an indoor access point in the 5.850-5.895 GHz band, the maximum power spectral density must not exceed 20 dBm e.i.r.p. in any 1-megahertz band.

RSS-247: The output power spectral density shall not exceed 30 dBm in any 500 kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the output power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Modulation: 802.11a (OFDM 6 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5745.00000	No	5751.534653	-8.63
		5785.00000		5791.732673	-8.11
		5825.00000		5820.049505	-8.72



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5745.00000 Modulation = 802.11a (OFDM 6 Mbit/s)
TPC = No MIMO Mode = SISO

Images:





Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5785.00000 Modulation = 802.11a (OFDM 6 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5825.00000 Modulation = 802.11a (OFDM 6 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Modulation: 802.11ac VHT20 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5745.00000	No	5752.722772	-8.57
		5785.00000		5777.673267	-9.28
		5825.00000		5832.524752	-9.37



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:





Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:



Modulation: 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5745.00000	No	5751.138614	-8.98
		5785.00000		5778.861386	-8.94
		5825.00000		5831.336634	-9.65



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5745.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
TPC = No MIMO Mode = SISO

Images:





Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5785.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5825.00000 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Modulation: 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5755.00000	No	5767.875000	-12.54
		5795.00000		5781.125000	-12.25



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5755.00000 Modulation = 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5795.00000 Modulation = 802.11n HT40 (OFDM MCS0 13.5 Mbit/s)
TPC = No MIMO Mode = SISO

Images:



Modulation: 802.11ac VHT40 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5755.00000	No	5772.375000	-12.61
		5795.00000		5781.375000	-12.49



Verdict

Pass

Attachments



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5755.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5795.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:



Modulation: 802.11ac VHT80 (OFDM MCS0)

Mode: SISO

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5725, 5850]	1	5775.00000	No	5792.375000	-16.43



Verdict

Pass

Attachments

Operation Band MHz = [5725, 5850] Active Port = 1
Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)
TPC = No MIMO Mode = SISO

Images:



RSS-247 6.2.4.2 / FCC 15.407 (b) (4) (6) Transmitter Out of Band Radiated Emissions For transmitters operating solely in the 5.725-5.850 GHz band

Limits

For transmitters operating in the 5.725–5.85 GHz band:

All emissions shall be limited to a level of –27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)):

Frequency Range (MHz)	Field strength (µV/m)	Field strength (dBµV/m)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	300
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
960 - 40000	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function.

Frequency range tested for Radiated emissions:

Start frequency: no radiofrequency signal generated in the device found below 10th sub-harmonic, no further investigation required.

Stop frequency: it has been performed the radiated spurious emissions until 10th harmonic.

The measurement settings for each range of frequency is as follows:


Subrange Receiver: [ESW 44] 30 MHz - 1 GHz	Step Size 30,312 kHz	Detectors PK+	Bandwidth 100 kHz	Sweep Time 1 s	Preamp 0 dB
Subrange Receiver: [ESW 44] 1 GHz - 6,5 GHz	Step Size 100 kHz	Detectors PK+ ; AVG	Bandwidth 1 MHz	Sweep Time 1 s	Preamp 0 dB
Subrange Receiver: [ESW 44] 6,5 GHz - 17 GHz	Step Size 105 kHz	Detectors PK+ ; AVG	Bandwidth 1 MHz	Sweep Time 1 s	Preamp 30 dB
Subrange Receiver: [ESW 44] 17 GHz - 40 GHz	Step Size 766,667 kHz	Detectors PK+ ; AVG	Bandwidth 1 MHz	Sweep Time 1 s	Preamp 0 dB

FREQUENCY RANGE 30 MHz - 1 GHz

Spurious frequencies at less than 20 dB below the limit: Test range performed in worst-case.

Freq Rng (GHz)	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
[0.03, 1]	44.598	11.48	V	PK
		4.28	V	QP
	57.063	14.04	V	PK
		8.54	V	QP
	85.678	9.81	V	PK
		4.49	V	QP
	172.735	16.99	H	PK
		5.46	H	QP
	327.353	14.39	V	PK
		8.62	V	QP
	710.746	23.98	H	PK
		18.06	H	QP
		47.38	H	AVG

Full Spectrum



Tests results for worst-case 20MHz Modulation: 802.11n HT20 (OFDM MCS0)

Modulation: 802.11n HT20 (OFDM MCS0)

Mode: SISO

Results

No spurious emissions were detected at less than 20 dB from the limit

Tests results for worst-case 40MHz Modulation: 802.11ac VHT40 (OFDM MCS0)

Modulation: 802.11ac VHT40 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies detected at less than 20 dB below the limit.

Tests results for worst-case 80MHz Modulation: 802.11ac VHT80 (OFDM MCS0)

Modulation: 802.11ac VHT80 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies detected at less than 20 dB below the limit.

Verdict

Pass

Attachments

Operation Band MHz = [5725, 5850]

Active Port = 1


Frequency Range GHz = [1, 6.5]

Frequency MHz = 5745.00000

Modulation = 802.11n HT20 (OFDM MCS0)

MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850]

Active Port = 1


Frequency Range GHz = [1, 6.5]

Frequency MHz = 5785.00000

Modulation = 802.11n HT20 (OFDM MCS0)

MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850]

Active Port = 1


Frequency Range GHz = [1, 6.5]

Frequency MHz = 5825.00000

Modulation = 802.11n HT20 (OFDM MCS0)


MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17] Frequency MHz = 5745.00000
Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17] Frequency MHz = 5785.00000
Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17] Frequency MHz = 5825.00000
Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO


Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5755.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO

Images:


Full Spectrum



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5795.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO


Images:

Full Spectrum




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17000] Frequency MHz = 5755.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17000] Frequency MHz = 5795.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO


Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5775.00000
Modulation = 802.11ac VHT80 (OFDM MCS0) MIMO Mode = SISO


Images:

Full Spectrum



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [6.5, 17] Frequency MHz = 5775.00000
Modulation = 802.11ac VHT80 (OFDM MCS0) MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850]


Active Port = 1

Frequency Range GHz = [17, 40]

MIMO Mode = SISO

The spurious emissions above 17 GHz do not depend on either the operating channel or the modulation mode selected in the EUT. Test range performed in worst-case.

Images:



BAND EDGE EMISSIONS:

Modulation = 802.11a (OFDM 6 Mbit/s)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.

Modulation = 802.11n HT20 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.

Modulation: 802.11ac VHT20 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.

Modulation = 802.11n HT40 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.

Modulation = 802.11ac VHT40 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.

Modulation = 802.11ac VHT80 (OFDM MCS0)

Mode: SISO

Results

No spurious frequencies at less than 20 dB below the limit.


Verdict

Pass

Attachments


Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5745.00000
Modulation = 802.11a (OFDM 6 Mbit/s) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5785.00000
Modulation = 802.11a (OFDM 6 Mbit/s) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5825.00000
Modulation = 802.11a (OFDM 6 Mbit/s) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
 Frequency Range GHz = [1, 6.5] Frequency MHz = 5745.00000
 Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5785.00000
Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
 Frequency Range GHz = [1, 6.5] Frequency MHz = 5825.00000
 Modulation = 802.11n HT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5745.00000
Modulation = 802.11ac VHT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5785.00000
Modulation = 802.11ac VHT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5825.00000
Modulation = 802.11ac VHT20 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5755.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5795.00000
Modulation = 802.11ac VHT40 (OFDM MCS0) MIMO Mode = SISO

Images:




Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5755.00000
Modulation = 802.11n HT40 (OFDM MCS0) MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5795.00000
Modulation = 802.11n HT40 (OFDM MCS0) MIMO Mode = SISO

Images:



Operation Band MHz = [5725, 5850] Active Port = 1
Frequency Range GHz = [1, 6.5] Frequency MHz = 5775.00000
Modulation = 802.11ac VHT80 (OFDM MCS0) MIMO Mode = SISO

Images:

