


EXHIBIT A. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	869.187	-59.82	-27	Pass	9700
1000	5150	1	Peak	5150	-36.55	-27	Pass	4150
5150	5350	1	Peak	5177	8.98	24	Pass	601
5350	10300	1	Peak	5383.007	-46.93	-27	Pass	4950
10300	10700	1	Peak	10360.667	-46.79	-27	Pass	601
10700	25000	1	Peak	24733.981	-37.19	-27	Pass	14300



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	947.895	-58.52	-27	Pass	9700
1000	5150	1	Peak	5092.986	-45.78	-27	Pass	4150
5150	5350	1	Peak	5224.333	8.84	24	Pass	601
5350	10300	1	Peak	5378.006	-46.01	-27	Pass	4950
10300	10700	1	Peak	10441.333	-44.16	-27	Pass	601
10700	25000	1	Peak	24768.984	-38.02	-27	Pass	14300



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	914.591	-59.52	-27	Pass	9700
1000	5150	1	Peak	5122.993	-44.61	-27	Pass	4150
5150	5350	1	Peak	5244.667	9.23	24	Pass	601
5350	10300	1	Peak	5357.001	-44.28	-27	Pass	4950
10300	10700	1	Peak	10480.667	-42.02	-27	Pass	601
10700	25000	1	Peak	24848.989	-38.05	-27	Pass	14300



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	849.785	-59.46	-27	Pass	9700
1000	5150	1	Peak	5150	-37.24	-27	Pass	4150
5150	5350	1	Peak	5177	7.95	24	Pass	601
5350	10300	1	Peak	5387.007	-47.04	-27	Pass	4950
10300	10700	1	Peak	10356	-46.6	-27	Pass	601
10700	25000	1	Peak	24675.977	-37.7	-27	Pass	14300



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	937.894	-60.18	-27	Pass	9700
1000	5150	1	Peak	5103.989	-45.5	-27	Pass	4150
5150	5350	1	Peak	5217	8.17	24	Pass	601
5350	10300	1	Peak	5372.004	-46.2	-27	Pass	4950
10300	10700	1	Peak	10438	-43.62	-27	Pass	601
10700	25000	1	Peak	24720.98	-37.89	-27	Pass	14300



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	453.644	-60.23	-27	Pass	9700
1000	5150	1	Peak	5117.992	-45.56	-27	Pass	4150
5150	5350	1	Peak	5237	7.85	24	Pass	601
5350	10300	1	Peak	5361.002	-45.43	-27	Pass	4950
10300	10700	1	Peak	10479.333	-42.46	-27	Pass	601
10700	25000	1	Peak	24978.999	-37.26	-27	Pass	14300



7. 802.11n_40M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	823.082	-59.28	-27	Pass	9700
1000	5150	1	Peak	5145.999	-33.99	-27	Pass	4150
5150	5350	1	Peak	5183	4.49	24	Pass	601
5350	10300	1	Peak	5366.003	-47.09	-27	Pass	4950
10300	10700	1	Peak	10387.333	-47.66	-27	Pass	601
10700	25000	1	Peak	24775.984	-38.52	-27	Pass	14300



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	622.461	-59.37	-27	Pass	9700
1000	5150	1	Peak	5101.988	-45.74	-27	Pass	4150
5150	5350	1	Peak	5236.667	4.47	24	Pass	601
5350	10300	1	Peak	5392.008	-46.93	-27	Pass	4950
10300	10700	1	Peak	10460	-46.44	-27	Pass	601
10700	25000	1	Peak	24707.98	-37.88	-27	Pass	14300



9. 802.11a_20M_Band2_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	472.946	-59.34	-27	Pass	9700
1000	5150	1	Peak	2415.341	-43.69	-27	Pass	4150
5150	5350	1	Peak	5256.333	11.46	24	Pass	601
5350	10300	1	Peak	5379.006	-43.69	-27	Pass	4950
10300	10700	1	Peak	10522.667	-39.68	-27	Pass	601
10700	25000	1	Peak	24684.978	-36.53	-27	Pass	14300



10. 802.11a_20M_Band2_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	902.09	-59.31	-27	Pass	9700
1000	5150	1	Peak	5132.996	-45.8	-27	Pass	4150
5150	5350	1	Peak	5304.667	11.65	24	Pass	601
5350	10300	1	Peak	5354.001	-39.41	-27	Pass	4950
10300	10700	1	Peak	10600.667	-38.96	-27	Pass	601
10700	25000	1	Peak	24784.985	-37.19	-27	Pass	14300



11. 802.11a_20M_Band2_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	911.991	-59.52	-27	Pass	9700
1000	5150	1	Peak	5095.987	-44.73	-27	Pass	4150
5150	5350	1	Peak	5316.667	12.11	24	Pass	601
5350	10300	1	Peak	5350	-27.95	-27	Pass	4950
10300	10700	1	Peak	10640.667	-39.97	-27	Pass	601
10700	25000	1	Peak	24723.981	-36.87	-27	Pass	14300



12. 802.11n_20M_Band2_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	867.586	-59	-27	Pass	9700
1000	5150	1	Peak	2415.341	-43.21	-27	Pass	4150
5150	5350	1	Peak	5256.667	10.51	24	Pass	601
5350	10300	1	Peak	5376.005	-43.32	-27	Pass	4950
10300	10700	1	Peak	10518	-39.65	-27	Pass	601
10700	25000	1	Peak	24781.985	-36.98	-27	Pass	14300



13. 802.11n_20M_Band2_M

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	932.493	-59.36	-27	Pass	9700
1000	5150	1	Peak	5142.998	-45.01	-27	Pass	4150
5150	5350	1	Peak	5296.667	11.36	24	Pass	601
5350	10300	1	Peak	5350	-37.79	-27	Pass	4950
10300	10700	1	Peak	10598	-38.01	-27	Pass	601
10700	25000	1	Peak	24763.983	-37.16	-27	Pass	14300



14. 802.11n_20M_Band2_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	834.583	-58.73	-27	Pass	9700
1000	5150	1	Peak	5118.993	-45.9	-27	Pass	4150
5150	5350	1	Peak	5316.667	12	24	Pass	601
5350	10300	1	Peak	5350	-27.75	-27	Pass	4950
10300	10700	1	Peak	10639.333	-39	-27	Pass	601
10700	25000	1	Peak	24681.978	-37.27	-27	Pass	14300



15. 802.11n_40M_Band2_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	785.078	-58.88	-27	Pass	9700
1000	5150	1	Peak	5143.999	-45.34	-27	Pass	4150
5150	5350	1	Peak	5276.667	5.48	24	Pass	601
5350	10300	1	Peak	5354.001	-44.28	-27	Pass	4950
10300	10700	1	Peak	10539.333	-44.35	-27	Pass	601
10700	25000	1	Peak	24772.984	-36.87	-27	Pass	14300



16. 802.11n_40M_Band2_H

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	433.442	-59.41	-27	Pass	9700
1000	5150	1	Peak	5123.994	-45.43	-27	Pass	4150
5150	5350	1	Peak	5316.667	5.91	24	Pass	601
5350	10300	1	Peak	5351	-31.3	-27	Pass	4950
10300	10700	1	Peak	10613.333	-44.82	-27	Pass	601
10700	25000	1	Peak	24770.984	-37.01	-27	Pass	14300



17. 802.11a 20M Band3_L

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	856.185	-58.88	-27	Pass	9700
1000	5470	1	Peak	5466.999	-40.07	-27	Pass	4470
5470	5725	1	Peak	5496.775	8.64	24	Pass	601
5725	10940	1	Peak	5901.034	-47.24	-27	Pass	5215
10940	11450	1	Peak	11200.95	-47.32	-27	Pass	601
11450	25000	1	Peak	24721.979	-36.88	-27	Pass	13550



18. 802.11a_20M_Band3_M

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	952.895	-58.22	-27	Pass	9700
1000	5470	1	Peak	5458.998	-43.91	-27	Pass	4470
5470	5725	1	Peak	5577.1	6.17	24	Pass	601
5725	10940	1	Peak	5850.024	-47.1	-27	Pass	5215
10940	11450	1	Peak	11440.65	-47.53	-27	Pass	601
11450	25000	1	Peak	24851.989	-36.79	-27	Pass	13550



19. 802.11a_20M_Band3_H

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.792	-59.42	-27	Pass	9700
1000	5470	1	Peak	5413.987	-45.63	-27	Pass	4470
5470	5725	1	Peak	5696.525	7.1	24	Pass	601
5725	10940	1	Peak	5725	-29.48	-27	Pass	5215
10940	11450	1	Peak	11314.85	-47.31	-27	Pass	601
11450	25000	1	Peak	24709.979	-36.88	-27	Pass	13550



20. 802.11n_20M_Band3_L

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	228.02	-59.18	-27	Pass	9700
1000	5470	1	Peak	5466.999	-36.37	-27	Pass	4470
5470	5725	1	Peak	5496.775	8.83	24	Pass	601
5725	10940	1	Peak	6009.054	-47.15	-27	Pass	5215
10940	11450	1	Peak	11438.95	-47.32	-27	Pass	601
11450	25000	1	Peak	24701.978	-36.95	-27	Pass	13550



21. 802.11n_20M_Band3_M

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	794.579	-59.68	-27	Pass	9700
1000	5470	1	Peak	5462.998	-43.62	-27	Pass	4470
5470	5725	1	Peak	5576.675	6.83	24	Pass	601
5725	10940	1	Peak	6088.07	-47.24	-27	Pass	5215
10940	11450	1	Peak	11438.1	-47.74	-27	Pass	601
11450	25000	1	Peak	24816.986	-37.07	-27	Pass	13550



22. 802.11n_20M_Band3_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	802.18	-59.41	-27	Pass	9700
1000	5470	1	Peak	2651.369	-45.85	-27	Pass	4470
5470	5725	1	Peak	5696.95	7.31	24	Pass	601
5725	10940	1	Peak	5726	-28.38	-27	Pass	5215
10940	11450	1	Peak	11440.65	-47.12	-27	Pass	601
11450	25000	1	Peak	24742.981	-37.17	-27	Pass	13550



23. 802.11n_40M_Band3_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	470.245	-58.48	-27	Pass	9700
1000	5470	1	Peak	5470	-33.81	-27	Pass	4470
5470	5725	1	Peak	5503.15	5.66	24	Pass	601
5725	10940	1	Peak	5957.044	-47.46	-27	Pass	5215
10940	11450	1	Peak	11120.2	-47.82	-27	Pass	601
11450	25000	1	Peak	24716.979	-37.17	-27	Pass	13550



24. 802.11n_40M_Band3_M

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	841.884	-59.22	-27	Pass	9700
1000	5470	1	Peak	5450.996	-45.98	-27	Pass	4470
5470	5725	1	Peak	5583.05	3.44	24	Pass	601
5725	10940	1	Peak	5937.041	-47.53	-27	Pass	5215
10940	11450	1	Peak	10941.7	-47.73	-27	Pass	601
11450	25000	1	Peak	24763.983	-37.31	-27	Pass	13550



25. 802.11n_40M_Band3_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.79	-59.23	-27	Pass	9700
1000	5470	1	Peak	5458.998	-45.33	-27	Pass	4470
5470	5725	1	Peak	5662.95	4.09	24	Pass	601
5725	10940	1	Peak	5725	-37.48	-27	Pass	5215
10940	11450	1	Peak	11372.65	-47.43	-27	Pass	601
11450	25000	1	Peak	24749.982	-36.43	-27	Pass	13550



26. 802.11a 20M Band4_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	921.192	-60.2	-27	Pass	9700
1000	5650	1	Peak	5425.952	-46.25	-27	Pass	4650
5650	5700	1	Peak	5650.25	-46.63	-26.82	Pass	601
5700	5720	1	Peak	5719.867	-25.17	15.56	Pass	601
5720	5725	1	Peak	5720.05	-25.14	15.71	Pass	601
5725	5850	1	Peak	5746.667	9.24	30	Pass	601
5850	5855	1	Peak	5854.983	-44.98	15.64	Pass	601
5855	5875	1	Peak	5872.133	-44.41	10.8	Pass	601
5875	5925	1	Peak	5925	-46.66	-27	Pass	601
5925	25000	1	Peak	24809.99	-37.43	-27	Pass	19075



27. 802.11a_20M_Band4_M

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.287	-59.63	-27	Pass	9700
1000	5650	1	Peak	5540.977	-46.8	-27	Pass	4650
5650	5700	1	Peak	5650.583	-46.08	-26.57	Pass	601
5700	5720	1	Peak	5700.3	-43.92	10.08	Pass	601
5720	5725	1	Peak	5720.158	-42.04	15.96	Pass	601
5725	5850	1	Peak	5782.5	10.59	30	Pass	601
5850	5855	1	Peak	5854.867	-43.98	15.9	Pass	601
5855	5875	1	Peak	5873.6	-44.53	10.39	Pass	601
5875	5925	1	Peak	5924.167	-45.93	-26.38	Pass	601
5925	25000	1	Peak	24723.986	-37.67	-27	Pass	19075



28. 802.11a_20M_Band4_H

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	446.743	-59.98	-27	Pass	9700
1000	5650	1	Peak	5599.989	-46.87	-27	Pass	4650
5650	5700	1	Peak	5650.167	-48.95	-26.88	Pass	601
5700	5720	1	Peak	5707.3	-45.07	12.04	Pass	601
5720	5725	1	Peak	5720.208	-45.1	16.07	Pass	601
5725	5850	1	Peak	5822.292	10.71	30	Pass	601
5850	5855	1	Peak	5854.95	-22.58	15.71	Pass	601
5855	5875	1	Peak	5855	-22.79	15.6	Pass	601
5875	5925	1	Peak	5924.833	-45.74	-26.88	Pass	601
5925	25000	1	Peak	24863.993	-38.11	-27	Pass	19075



29. 802.11n_20M_Band4_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	505.149	-59.96	-27	Pass	9700
1000	5650	1	Peak	5626.995	-46.45	-27	Pass	4650
5650	5700	1	Peak	5650.333	-47.15	-26.75	Pass	601
5700	5720	1	Peak	5716.767	-24.04	14.69	Pass	601
5720	5725	1	Peak	5720.025	-23.86	15.66	Pass	601
5725	5850	1	Peak	5748.958	9.23	30	Pass	601
5850	5855	1	Peak	5854.908	-45.24	15.81	Pass	601
5855	5875	1	Peak	5870.133	-43.12	11.36	Pass	601
5875	5925	1	Peak	5925	-47.45	-27	Pass	601
5925	25000	1	Peak	24738.986	-37.87	-27	Pass	19075



30. 802.11n_20M_Band4_M

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	868.286	-60.46	-27	Pass	9700
1000	5650	1	Peak	3307.496	-47.07	-27	Pass	4650
5650	5700	1	Peak	5650.25	-47.99	-26.82	Pass	601
5700	5720	1	Peak	5706.3	-41.94	11.76	Pass	601
5720	5725	1	Peak	5720.342	-39.18	16.38	Pass	601
5725	5850	1	Peak	5789.167	9.93	30	Pass	601
5850	5855	1	Peak	5854.933	-42.25	15.75	Pass	601
5855	5875	1	Peak	5874.967	-45.1	10.01	Pass	601
5875	5925	1	Peak	5924.083	-46.19	-26.32	Pass	601
5925	25000	1	Peak	24792.989	-37.82	-27	Pass	19075



31. 802.11n_20M_Band4_H

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	464.145	-59.78	-27	Pass	9700
1000	5650	1	Peak	3187.47	-47.31	-27	Pass	4650
5650	5700	1	Peak	5650	-48.14	-27	Pass	601
5700	5720	1	Peak	5700.767	-46.33	10.21	Pass	601
5720	5725	1	Peak	5720.308	-44.96	16.3	Pass	601
5725	5850	1	Peak	5822.083	10.41	30	Pass	601
5850	5855	1	Peak	5854.967	-22.62	15.68	Pass	601
5855	5875	1	Peak	5857.267	-22.1	14.97	Pass	601
5875	5925	1	Peak	5924.833	-46.38	-26.88	Pass	601
5925	25000	1	Peak	24806.99	-38.66	-27	Pass	19075



32. 802.11n_40M_Band4_L

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	458.544	-59.9	-27	Pass	9700
1000	5650	1	Peak	5638.998	-45.41	-27	Pass	4650
5650	5700	1	Peak	5650.083	-46.28	-26.94	Pass	601
5700	5720	1	Peak	5719.033	-22.4	15.33	Pass	601
5720	5725	1	Peak	5720	-24.33	15.6	Pass	601
5725	5850	1	Peak	5761.667	6.46	30	Pass	601
5850	5855	1	Peak	5854.942	-42.92	15.73	Pass	601
5855	5875	1	Peak	5874.067	-44.32	10.26	Pass	601
5875	5925	1	Peak	5923.833	-46.02	-26.14	Pass	601
5925	25000	1	Peak	24733.986	-38.84	-27	Pass	19075



33. 802.11n_40M_Band4_H

33.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	892.889	-59.69	-27	Pass	9700
1000	5650	1	Peak	5646.999	-46.25	-27	Pass	4650
5650	5700	1	Peak	5650.25	-47.56	-26.82	Pass	601
5700	5720	1	Peak	5718.633	-34.87	15.22	Pass	601
5720	5725	1	Peak	5720.7	-34.2	17.2	Pass	601
5725	5850	1	Peak	5801.875	6.76	30	Pass	601
5850	5855	1	Peak	5854.958	-29.01	15.7	Pass	601
5855	5875	1	Peak	5861.933	-28.27	13.66	Pass	601
5875	5925	1	Peak	5924.167	-45.78	-26.38	Pass	601
5925	25000	1	Peak	24778.988	-38.26	-27	Pass	19075



END