

## **3-in-1 Stereo FM Transmitter User's Manual**

This multifunction 3-in-1 unit combines FM transmitter, car charger, and holder functions all into one, allowing the user to fully enjoy a MP3 listening experience while in a car. Please follow the operating instructions below:

1. Make sure the car's cigarette lighter receptacle power source is on.
2. Insert the 3-in-1's adapter into the receptacle. The unit's green LED comes on to indicate the unit is being powered.
3. Slide the compatible MP3 player into the unit and make sure the player's USB connector is securely inserted into the unit's port. The unit's red LED comes on to indicate the player is being charged. The LED turns blue when the player is fully charged.
4. Connect the unit's 3.5mm stereo DC audio plug located on the holder section to the jack on the player., then set the frequency switch located on the right side to "88.3" (The user may choose any of the four allowable frequencies, 88.3, 88.5, 88.7, 88.9). Tune the radio to FM 88.3, press the play button on the MP3 player and music is now played through the car's stereo speakers.
5. Disconnect the unit from the cigarette lighter receptacle and then disengage the player from the unit after use.

**Caution:**

Changes or modifications to this unit not expressly approved by the party responsible for compliance will void the user's authority to operate the equipment. Any change to the equipment will void FCC grant.

**NOTE:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 95 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.