


|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6986.8100    | 37.52                      | 9.89                    | 47.41                     | 68.30           | -20.89       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5233.6000    | 51.19                      | 40.13                   | 91.32                     | 999.00          | -907.68      | AVG      | No Limit |
| 2 * | 5235.9000    | 59.14                      | 40.14                   | 99.28                     | 68.30           | 30.98        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6986.3150    | 35.59                      | 9.89                    | 45.48                     | 68.30           | -22.82       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1   | 5150.0000    | 7.96                       | 39.90                   | 47.86                     | 74.00           | -26.14       | Peak     |           |
| 2   | 5150.0000    | 0.87                       | 39.90                   | 40.77                     | 54.00           | -13.23       | AVG      |           |
| 3 * | 5177.6000    | 46.97                      | 39.97                   | 86.94                     | 68.30           | 18.64        | Peak     | No L imit |
| 4   | 5205.8000    | 38.17                      | 40.05                   | 78.22                     | 999.00          | -920.78      | AVG      | No L imit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

# Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 6920.0250 | 37.34         | 9.85           | 47.19       | 68.30  | -21.11 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 7.89                       | 39.90                   | 47.79                     | 74.00           | -26.21       | Peak     |          |
| 2   | 5150.0000    | 1.44                       | 39.90                   | 41.34                     | 54.00           | -12.66       | AVG      |          |
| 3 * | 5177.8000    | 56.72                      | 39.97                   | 96.69                     | 68.30           | 28.39        | Peak     | No Limit |
| 4   | 5203.8000    | 48.44                      | 40.05                   | 88.49                     | 999.00          | -910.51      | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6919.9950    | 34.79                      | 9.85                    | 44.64                     | 68.30           | -23.66       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5219.8000    | 46.86                      | 40.09                   | 86.95                     | 68.30           | 18.65        | Peak     | No L imit |
| 2   | 5245.6000    | 38.86                      | 40.16                   | 79.02                     | 999.00          | -919.98      | AVG      | No L imit |



|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6973.3000    | 36.72                      | 9.88                    | 46.60                     | 68.30           | -21.70       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5216.0000    | 48.51                      | 40.08                   | 88.59                     | 999.00          | -910.41      | AVG      | No Limit |
| 2 * | 5224.4000    | 57.96                      | 40.10                   | 98.06                     | 68.30           | 29.76        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6973.2500    | 35.13                      | 9.88                    | 45.01                     | 68.30           | -23.29       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1   | 5150.0000    | 8.82                       | 39.90                   | 48.72                     | 74.00           | -25.28       | Peak     |           |
| 2   | 5150.0000    | 0.92                       | 39.90                   | 40.82                     | 54.00           | -13.18       | AVG      |           |
| 3   | 5228.0000    | 36.01                      | 40.11                   | 76.12                     | 999.00          | -922.88      | AVG      | No L imit |
| 4 * | 5228.8000    | 44.33                      | 40.12                   | 84.45                     | 68.30           | 16.15        | Peak     | No L imit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 6946.4400 | 36.75         | 9.87           | 46.62       | 68.30  | -21.68 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 11.58                      | 39.90                   | 51.48                     | 74.00           | -22.52       | Peak     |          |
| 2   | 5150.0000    | 1.38                       | 39.90                   | 41.28                     | 54.00           | -12.72       | AVG      |          |
| 3 * | 5219.2000    | 53.21                      | 40.09                   | 93.30                     | 68.30           | 25.00        | Peak     | No Limit |
| 4   | 5219.2000    | 44.49                      | 40.09                   | 84.58                     | 999.00          | -914.42      | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 6946.6000    | 35.85                      | 9.87                    | 45.72                     | 68.30           | -22.58       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5263.6000    | 49.44                      | 40.21                   | 89.65                     | 68.30           | 21.35        | Peak     | No Limit |
| 2   | 5264.1000    | 42.05                      | 40.21                   | 82.26                     | 999.00          | -916.74      | AVG      | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7013.3500    | 36.70                      | 9.93                    | 46.63                     | 68.30           | -21.67       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5257.2000    | 59.15                      | 40.19                   | 99.34                     | 68.30           | 31.04        | Peak     | No Limit |
| 2   | 5266.3000    | 51.83                      | 40.22                   | 92.05                     | 999.00          | -906.95      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7013.4600    | 35.28                      | 9.93                    | 45.21                     | 68.30           | -23.09       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5297.8000    | 50.29                      | 40.31                   | 90.60                     | 68.30           | 22.30        | Peak     | No Limit |
| 2   | 5304.2000    | 41.86                      | 40.33                   | 82.19                     | 999.00          | -916.81      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7066.5900    | 37.08                      | 10.03                   | 47.11                     | 68.30           | -21.19       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5293.9000    | 60.59                      | 40.30                   | 100.89                    | 68.30           | 32.59        | Peak     | No Limit |
| 2   | 5305.2000    | 51.41                      | 40.33                   | 91.74                     | 999.00          | -907.26      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5300MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7066.8900    | 35.31                      | 10.03                   | 45.34                     | 68.30           | -22.96       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5315.8000    | 51.54                      | 40.36                   | 91.90                     | 68.30           | 23.60        | Peak     | No Limit |
| 2   | 5326.6000    | 43.36                      | 40.39                   | 83.75                     | 999.00          | -915.25      | AVG      | No Limit |
| 3   | 5350.0000    | 9.94                       | 40.45                   | 50.39                     | 68.30           | -17.91       | Peak     |          |
| 4   | 5350.0000    | 0.91                       | 40.45                   | 41.36                     | 999.00          | -957.64      | AVG      |          |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7093.1650    | 36.29                      | 10.08                   | 46.37                     | 68.30           | -21.93       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5313.6000    | 52.26                      | 40.35                   | 92.61                     | 999.00          | -906.39      | AVG      | No Limit |
| 2 * | 5314.1000    | 60.34                      | 40.35                   | 100.69                    | 68.30           | 32.39        | Peak     | No Limit |
| 3   | 5350.0000    | 12.20                      | 40.45                   | 52.65                     | 68.30           | -15.65       | Peak     |          |
| 4   | 5350.0000    | 1.90                       | 40.45                   | 42.35                     | 999.00          | -956.65      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7093.3050    | 34.91                      | 10.08                   | 44.99                     | 68.30           | -23.31       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5257.2000    | 48.41                      | 40.19                   | 88.60                     | 68.30           | 20.30        | Peak     | No L imit |
| 2   | 5285.8000    | 39.60                      | 40.27                   | 79.87                     | 999.00          | -919.13      | AVG      | No L imit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7026.5800    | 36.28                      | 9.95                    | 46.23                     | 68.30           | -22.07       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5255.2000    | 49.53                      | 40.19                   | 89.72                     | 999.00          | -909.28      | AVG      | No Limit |
| 2 * | 5285.6000    | 58.07                      | 40.27                   | 98.34                     | 68.30           | 30.04        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7026.6850    | 34.95                      | 9.95                    | 44.90                     | 68.30           | -23.40       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5323.4000    | 48.25                      | 40.38                   | 88.63                     | 68.30           | 20.33        | Peak     | No L imit |
| 2   | 5325.0000    | 40.05                      | 40.38                   | 80.43                     | 999.00          | -918.57      | AVG      | No L imit |
| 3   | 5350.0000    | 9.36                       | 40.45                   | 49.81                     | 68.30           | -18.49       | Peak     |           |
| 4   | 5350.0000    | 0.95                       | 40.45                   | 41.40                     | 999.00          | -957.60      | AVG      |           |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7079.8400    | 36.14                      | 10.05                   | 46.19                     | 68.30           | -22.11       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5307.6000    | 57.23                      | 40.33                   | 97.56                     | 68.30           | 29.26        | Peak     | No Limit |
| 2   | 5312.4000    | 49.37                      | 40.35                   | 89.72                     | 999.00          | -909.28      | AVG      | No Limit |
| 3   | 5350.0000    | 9.22                       | 40.45                   | 49.67                     | 68.30           | -18.63       | Peak     |          |
| 4   | 5350.0000    | 2.46                       | 40.45                   | 42.91                     | 999.00          | -956.09      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 7080.1350 | 34.53         | 10.05          | 44.58       | 68.30  | -23.72 | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5317.2000    | 45.84                      | 40.36                   | 86.20                     | 68.30           | 17.90        | Peak     | No L imit |
| 2   | 5317.2000    | 36.95                      | 40.36                   | 77.31                     | 999.00          | -921.69      | AVG      | No L imit |
| 3   | 5350.0000    | 9.73                       | 40.45                   | 50.18                     | 68.30           | -18.12       | Peak     |           |
| 4   | 5350.0000    | 1.01                       | 40.45                   | 41.46                     | 999.00          | -957.54      | AVG      |           |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7053.3000    | 36.00                      | 10.00                   | 46.00                     | 68.30           | -22.30       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5300.0000    | 54.60                      | 40.31                   | 94.91                     | 68.30           | 26.61        | Peak     | No Limit |
| 2   | 5308.0000    | 46.22                      | 40.34                   | 86.56                     | 999.00          | -912.44      | AVG      | No Limit |
| 3   | 5350.0000    | 13.15                      | 40.45                   | 53.60                     | 68.30           | -14.70       | Peak     |          |
| 4   | 5350.0000    | 2.63                       | 40.45                   | 43.08                     | 999.00          | -955.92      | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7053.4950    | 34.51                      | 10.00                   | 44.51                     | 68.30           | -23.79       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.65                       | 40.76                   | 50.41                     | 74.00           | -23.59       | Peak     |          |
| 2   | 5460.0000    | 0.72                       | 40.76                   | 41.48                     | 54.00           | -12.52       | AVG      |          |
| 3   | 5470.0000    | 8.57                       | 40.79                   | 49.36                     | 68.30           | -18.94       | Peak     |          |
| 4   | 5506.4000    | 48.34                      | 40.89                   | 89.23                     | 999.00          | -909.77      | AVG      | No Limit |
| 5 * | 5507.0000    | 56.95                      | 40.90                   | 97.85                     | 68.30           | 29.55        | Peak     | No Limit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7333.3100    | 23.68                      | 10.53                   | 34.21                     | 54.00           | -19.79       | AVG      |         |
| 2   | 7333.2850    | 34.33                      | 10.53                   | 44.86                     | 74.00           | -29.14       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5494.1000    | 59.87                      | 40.85                   | 100.72                    | 68.30           | 32.42        | Peak     | No Limit |
| 2   | 5506.3000    | 51.95                      | 40.89                   | 92.84                     | 999.00          | -906.16      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7333.2250    | 24.81                      | 10.53                   | 35.34                     | 54.00           | -18.66       | AVG      |         |
| 2   | 7333.1000    | 34.74                      | 10.53                   | 45.27                     | 74.00           | -28.73       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5573.1000    | 56.80                      | 41.14                   | 97.94                     | 68.30           | 29.64        | Peak     | No Limit |
| 2   | 5587.4000    | 47.89                      | 41.19                   | 89.08                     | 999.00          | -909.92      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7439.9450    | 23.89                      | 10.73                   | 34.62                     | 54.00           | -19.38       | AVG      |         |
| 2   | 7439.7900    | 34.43                      | 10.73                   | 45.16                     | 74.00           | -28.84       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5573.6000    | 52.45                      | 41.14                   | 93.59                     | 999.00          | -905.41      | AVG      | No Limit |
| 2 * | 5574.0000    | 61.29                      | 41.14                   | 102.43                    | 68.30           | 34.13        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5580MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7439.9000    | 25.07                      | 10.73                   | 35.80                     | 54.00           | -18.20       | AVG      |         |
| 2   | 7440.2200    | 34.30                      | 10.73                   | 45.03                     | 74.00           | -28.97       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5694.7000    | 58.47                      | 41.59                   | 100.06                    | 68.30           | 31.76        | Peak     | No Limit |
| 2   | 5704.8000    | 49.88                      | 41.62                   | 91.50                     | 999.00          | -907.50      | AVG      | No Limit |
| 3   | 5725.0000    | 10.41                      | 41.70                   | 52.11                     | 68.30           | -16.19       | Peak     |          |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7599.9600    | 24.29                      | 10.84                   | 35.13                     | 54.00           | -18.87       | AVG      |         |
| 2   | 7600.4600    | 35.00                      | 10.84                   | 45.84                     | 74.00           | -28.16       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5705.3000    | 59.30                      | 41.63                   | 100.93                    | 68.30           | 32.63        | Peak     | No Limit |
| 2   | 5706.2000    | 51.14                      | 41.63                   | 92.77                     | 999.00          | -906.23      | AVG      | No Limit |
| 3   | 5725.0000    | 9.54                       | 41.70                   | 51.24                     | 68.30           | -17.06       | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7599.8800    | 24.54                      | 10.84                   | 35.38                     | 54.00           | -18.62       | AVG      |         |
| 2   | 7600.1700    | 34.24                      | 10.84                   | 45.08                     | 74.00           | -28.92       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1   | 5460.0000    | 8.86                       | 40.76                   | 49.62                     | 74.00           | -24.38       | Peak     |           |
| 2   | 5460.0000    | 0.70                       | 40.76                   | 41.46                     | 54.00           | -12.54       | AVG      |           |
| 3   | 5470.0000    | 9.25                       | 40.79                   | 50.04                     | 68.30           | -18.26       | Peak     |           |
| 4 * | 5522.4000    | 53.08                      | 40.95                   | 94.03                     | 68.30           | 25.73        | Peak     | No L imit |
| 5   | 5523.6000    | 44.32                      | 40.96                   | 85.28                     | 999.00          | -913.72      | AVG      | No L imit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7346.6250    | 25.76                      | 10.55                   | 36.31                     | 54.00           | -17.69       | AVG      |         |
| 2   | 7346.8400    | 34.97                      | 10.55                   | 45.52                     | 74.00           | -28.48       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.98                       | 40.76                   | 50.74                     | 74.00           | -23.26       | Peak     |          |
| 2   | 5460.0000    | 1.17                       | 40.76                   | 41.93                     | 54.00           | -12.07       | AVG      |          |
| 3   | 5470.0000    | 9.50                       | 40.79                   | 50.29                     | 68.30           | -18.01       | Peak     |          |
| 4 * | 5524.4000    | 58.51                      | 40.96                   | 99.47                     | 68.30           | 31.17        | Peak     | No Limit |
| 5   | 5524.8000    | 49.38                      | 40.96                   | 90.34                     | 999.00          | -908.66      | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7346.6050    | 24.89                      | 10.55                   | 35.44                     | 54.00           | -18.56       | AVG      |         |
| 2   | 7346.5300    | 34.23                      | 10.55                   | 44.78                     | 74.00           | -29.22       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5564.2000    | 54.79                      | 41.11                   | 95.90                     | 68.30           | 27.60        | Peak     | No L imit |
| 2   | 5565.6000    | 46.19                      | 41.11                   | 87.30                     | 999.00          | -911.70      | AVG      | No L imit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7400.1100    | 29.01                      | 10.65                   | 39.66                     | 54.00           | -14.34       | AVG      |         |
| 2   | 7400.1950    | 36.25                      | 10.65                   | 46.90                     | 74.00           | -27.10       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5534.2000    | 49.60                      | 41.00                   | 90.60                     | 999.00          | -908.40      | AVG      | No Limit |
| 2 * | 5536.4000    | 60.00                      | 41.00                   | 101.00                    | 68.30           | 32.70        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5550MHz |

# Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7400.2150    | 28.26                      | 10.65                   | 38.91                     | 54.00           | -15.09       | AVG      |         |
| 2   | 7400.2250    | 36.71                      | 10.65                   | 47.36                     | 74.00           | -26.64       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1   | 5655.0000    | 47.04                      | 41.44                   | 88.48                     | 999.00          | -910.52      | AVG      | No L imit |
| 2 * | 5683.6000    | 56.58                      | 41.55                   | 98.13                     | 68.30           | 29.83        | Peak     | No L imit |
| 3   | 5725.0000    | 9.00                       | 41.70                   | 50.70                     | 68.30           | -17.60       | Peak     |           |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7559.9600    | 27.44                      | 10.84                   | 38.28                     | 54.00           | -15.72       | AVG      |         |
| 2   | 7560.0150    | 35.54                      | 10.84                   | 46.38                     | 74.00           | -27.62       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5654.2000    | 58.12                      | 41.44                   | 99.56                     | 68.30           | 31.26        | Peak     | No Limit |
| 2   | 5667.0000    | 48.30                      | 41.48                   | 89.78                     | 999.00          | -909.22      | AVG      | No Limit |
| 3   | 5725.0000    | 10.45                      | 41.70                   | 52.15                     | 68.30           | -16.15       | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7559.9250    | 25.49                      | 10.84                   | 36.33                     | 54.00           | -17.67       | AVG      |         |
| 2   | 7559.9200    | 35.45                      | 10.84                   | 46.29                     | 74.00           | -27.71       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1   | 5460.0000    | 11.85                      | 40.76                   | 52.61                     | 74.00           | -21.39       | Peak     |           |
| 2   | 5460.0000    | 0.75                       | 40.76                   | 41.51                     | 54.00           | -12.49       | AVG      |           |
| 3   | 5470.0000    | 9.67                       | 40.79                   | 50.46                     | 68.30           | -17.84       | Peak     |           |
| 4 * | 5548.0000    | 51.33                      | 41.05                   | 92.38                     | 68.30           | 24.08        | Peak     | No L imit |
| 5   | 5557.2000    | 41.42                      | 41.08                   | 82.50                     | 999.00          | -916.50      | AVG      | No L imit |



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7373.2850    | 28.21                      | 10.60                   | 38.81                     | 54.00           | -15.19       | AVG      |         |
| 2   | 7373.3200    | 35.85                      | 10.60                   | 46.45                     | 74.00           | -27.55       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal


115 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.15                       | 40.76                   | 49.91                     | 74.00           | -24.09       | Peak     |          |
| 2   | 5460.0000    | 1.27                       | 40.76                   | 42.03                     | 54.00           | -11.97       | AVG      |          |
| 3   | 5470.0000    | 9.08                       | 40.79                   | 49.87                     | 68.30           | -18.43       | Peak     |          |
| 4   | 5539.2000    | 45.76                      | 41.01                   | 86.77                     | 999.00          | -912.23      | AVG      | No Limit |
| 5 * | 5565.2000    | 54.38                      | 41.11                   | 95.49                     | 68.30           | 27.19        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7373.3350    | 26.88                      | 10.60                   | 37.48                     | 54.00           | -16.52       | AVG      |         |
| 2   | 7373.4400    | 34.67                      | 10.60                   | 45.27                     | 74.00           | -28.73       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment   |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|-----------|
| 1 * | 5636.0000    | 55.69                      | 41.37                   | 97.06                     | 68.30           | 28.76        | Peak     | No L imit |
| 2   | 5645.2000    | 45.26                      | 41.40                   | 86.66                     | 999.00          | -912.34      | AVG      | No L imit |
| 3   | 5725.0000    | 10.01                      | 41.70                   | 51.71                     | 68.30           | -16.59       | Peak     |           |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7586.6200    | 26.79                      | 10.84                   | 37.63                     | 54.00           | -16.37       | AVG      |         |
| 2   | 7586.5100    | 35.46                      | 10.84                   | 46.30                     | 74.00           | -27.70       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal

115 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5582.8000    | 45.63                      | 41.17                   | 86.80                     | 999.00          | -912.20      | AVG      | No Limit |
| 2 * | 5618.4000    | 56.56                      | 41.31                   | 97.87                     | 68.30           | 29.57        | Peak     | No Limit |
| 3   | 5725.0000    | 10.26                      | 41.70                   | 51.96                     | 68.30           | -16.34       | Peak     |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal


80 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7586.5750    | 25.41                      | 10.84                   | 36.25                     | 54.00           | -17.75       | AVG      |         |
| 2   | 7586.7300    | 34.30                      | 10.84                   | 45.14                     | 74.00           | -28.86       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

**Vertical**




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 8.96                       | 41.66                   | 50.62                     | 109.40          | -58.78       | Peak     |         |
| 2   | 5725.0000    | 11.20                      | 41.70                   | 52.90                     | 122.20          | -69.30       | Peak     |         |
| 3 * | 5739.2000    | 57.38                      | 41.75                   | 99.13                     | 122.20          | -23.07       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical


80 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7659.9700    | 27.37                      | 10.84                   | 38.21                     | 54.00           | -15.79       | AVG      |         |
| 2   | 7659.8500    | 36.11                      | 10.84                   | 46.95                     | 74.00           | -27.05       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 8.87                       | 41.66                   | 50.53                     | 109.40          | -58.87       | Peak     |         |
| 2   | 5725.0000    | 10.32                      | 41.70                   | 52.02                     | 122.20          | -70.18       | Peak     |         |
| 3 * | 5750.2000    | 59.02                      | 41.79                   | 100.81                    | 122.20          | -21.39       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7659.9450    | 25.96                      | 10.84                   | 36.80                     | 54.00           | -17.20       | AVG      |         |
| 2   | 7659.9450    | 34.70                      | 10.84                   | 45.54                     | 74.00           | -28.46       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Vertical



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 5791.1000 | 49.13         | 41.94          | 91.07       | 122.20 | -31.13 | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7713.2800    | 27.06                      | 10.84                   | 37.90                     | 54.00           | -16.10       | AVG      |         |
| 2   | 7713.2950    | 35.01                      | 10.84                   | 45.85                     | 74.00           | -28.15       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5790.2000    | 60.14                      | 41.94                   | 102.08                    | 122.20          | -20.12       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7713.3500    | 26.06                      | 10.84                   | 36.90                     | 54.00           | -17.10       | AVG      |         |
| 2   | 7713.3150    | 35.43                      | 10.84                   | 46.27                     | 74.00           | -27.73       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5833.4000    | 56.75                      | 42.10                   | 98.85                     | 122.20          | -23.35       | Peak     |         |
| 2   | 5850.0000    | 9.04                       | 42.16                   | 51.20                     | 122.20          | -71.00       | Peak     |         |
| 3   | 5860.0000    | 8.46                       | 42.19                   | 50.65                     | 109.40          | -58.75       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7766.6200    | 36.91                      | 10.83                   | 47.74                     | 68.30           | -20.56       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5830.6000    | 58.38                      | 42.09                   | 100.47                    | 122.20          | -21.73       | Peak     |         |
| 2   | 5850.0000    | 10.41                      | 42.16                   | 52.57                     | 122.20          | -69.63       | Peak     |         |
| 3   | 5860.0000    | 9.40                       | 42.19                   | 51.59                     | 109.40          | -57.81       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 7766.4250 | 35.68         | 10.83          | 46.51       | 68.30  | -21.79 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 10.89                      | 41.66                   | 52.55                     | 109.40          | -56.85       | Peak     |         |
| 2   | 5725.0000    | 9.83                       | 41.70                   | 51.53                     | 122.20          | -70.67       | Peak     |         |
| 3 * | 5757.2000    | 55.41                      | 41.82                   | 97.23                     | 122.20          | -24.97       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical


80 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7673.2950    | 27.89                      | 10.84                   | 38.73                     | 54.00           | -15.27       | AVG      |         |
| 2   | 7673.2450    | 36.56                      | 10.84                   | 47.40                     | 74.00           | -26.60       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 8.46                       | 41.66                   | 50.12                     | 109.40          | -59.28       | Peak     |         |
| 2   | 5725.0000    | 11.55                      | 41.70                   | 53.25                     | 122.20          | -68.95       | Peak     |         |
| 3 * | 5770.4000    | 56.86                      | 41.86                   | 98.72                     | 122.20          | -23.48       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7673.2400    | 26.42                      | 10.84                   | 37.26                     | 54.00           | -16.74       | AVG      |         |
| 2   | 7672.8950    | 34.97                      | 10.84                   | 45.81                     | 74.00           | -28.19       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5780.2000    | 53.27                      | 41.90                   | 95.17                     | 122.20          | -27.03       | Peak     |         |
| 2   | 5850.0000    | 8.61                       | 42.16                   | 50.77                     | 122.20          | -71.43       | Peak     |         |
| 3   | 5860.0000    | 9.65                       | 42.19                   | 51.84                     | 109.40          | -57.56       | Peak     |         |



|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7726.6350    | 26.83                      | 10.84                   | 37.67                     | 54.00           | -16.33       | AVG      |         |
| 2   | 7726.5750    | 35.21                      | 10.84                   | 46.05                     | 74.00           | -27.95       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5809.0000    | 56.11                      | 42.01                   | 98.12                     | 122.20          | -24.08       | Peak     |         |
| 2   | 5850.0000    | 10.90                      | 42.16                   | 53.06                     | 122.20          | -69.14       | Peak     |         |
| 3   | 5860.0000    | 9.29                       | 42.19                   | 51.48                     | 109.40          | -57.92       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Horizontal

80 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7726.6300    | 24.95                      | 10.84                   | 35.79                     | 54.00           | -18.21       | AVG      |         |
| 2   | 7726.6250    | 34.83                      | 10.84                   | 45.67                     | 74.00           | -28.33       | Peak     |         |


|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 7.13                       | 41.66                   | 48.79                     | 109.40          | -60.61       | Peak     |         |
| 2   | 5725.0000    | 10.31                      | 41.70                   | 52.01                     | 122.20          | -70.19       | Peak     |         |
| 3 * | 5793.0000    | 48.03                      | 41.95                   | 89.98                     | 122.20          | -32.22       | Peak     |         |
| 4   | 5850.0000    | 10.69                      | 42.16                   | 52.85                     | 122.20          | -69.35       | Peak     |         |
| 5   | 5860.0000    | 10.31                      | 42.19                   | 52.50                     | 109.40          | -56.90       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7699.9450    | 25.69                      | 10.84                   | 36.53                     | 54.00           | -17.47       | AVG      |         |
| 2   | 7699.8050    | 34.85                      | 10.84                   | 45.69                     | 74.00           | -28.31       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

123 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 8.15                       | 41.66                   | 49.81                     | 109.40          | -59.59       | Peak     |         |
| 2   | 5725.0000    | 10.03                      | 41.70                   | 51.73                     | 122.20          | -70.47       | Peak     |         |
| 3 * | 5782.2000    | 53.34                      | 41.91                   | 95.25                     | 122.20          | -26.95       | Peak     |         |
| 4   | 5850.0000    | 9.57                       | 42.16                   | 51.73                     | 122.20          | -70.47       | Peak     |         |
| 5   | 5860.0000    | 9.73                       | 42.19                   | 51.92                     | 109.40          | -57.48       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

80 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 7699.9550    | 25.06                      | 10.84                   | 35.90                     | 54.00           | -18.10       | AVG      |         |
| 2   | 7699.8500    | 34.69                      | 10.84                   | 45.53                     | 74.00           | -28.47       | Peak     |         |





### TX N20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 14.JAN.2018 10:57:23

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducy factor  
Power Spectral Density = Measured density + Duty factor

### TX N40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 14.JAN.2018 10:59:22

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor

## TX AC20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 14.JAN.2018 10:58:19

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor

### TX AC40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 14.JAN.2018 11:00:20

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

### TX AC80 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 14.JAN.2018 11:01:06


Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

## APPENDIX E - BANDWIDTH

**Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48**


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH36    | 5180               | 21.29                   | 16.90                           |
| CH40    | 5200               | 21.19                   | 16.90                           |
| CH48    | 5240               | 21.19                   | 16.90                           |

**TX CH36**




Date: 14.JAN.2018 12:41:26

### TX CH40



Date: 14.JAN.2018 12:39:56

### TX CH48




Date: 14.JAN.2018 12:42:46



**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH36    | 5180               | 21.75                   | 17.90                           |
| CH40    | 5200               | 21.55                   | 17.90                           |
| CH48    | 5240               | 21.45                   | 17.80                           |

**TX CH36**




Date: 14.JAN.2018 13:03:57

### TX CH40



Date: 14.JAN.2018 13:11:25

### TX CH48




Date: 14.JAN.2018 13:15:43

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**

| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH38    | 5190               | 42.60                   | 37.40                           |
| CH46    | 5230               | 45.80                   | 37.60                           |


# 99% Occupied Bandwidth

## TX CH38




Date: 14.JAN.2018 14:04:03

# 26dB Bandwidth




Date: 5.FEB.2018 14:05:41

## 99% Occupied Bandwidth TX CH46



Date: 14.JAN.2018 14:06:49

## 26dB Bandwidth




Date: 5.FEB.2018 14:57:24

Test Mode: UNII-2A/TX A Mode\_CH52/CH60/CH64


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH52    | 5260               | 21.19                   | 16.90                           |
| CH60    | 5300               | 21.19                   | 16.90                           |
| CH64    | 5320               | 21.19                   | 16.90                           |

TX CH52




Date: 14.JAN.2018 12:44:19

### TX CH60



Date: 14.JAN.2018 12:45:27

### TX CH64




Date: 14.JAN.2018 12:47:14

Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64

| Channel | Frequency (MHz) | 26dB Bandwidth (MHz) | 99% Occupied Bandwidth (MHz) |
|---------|-----------------|----------------------|------------------------------|
| CH52    | 5260            | 21.36                | 17.80                        |
| CH60    | 5300            | 21.39                | 17.80                        |
| CH64    | 5320            | 21.49                | 17.80                        |


TX CH52



Date: 14.JAN.2018 13:17:06




### TX CH60



Date: 14.JAN.2018 13:20:23

### TX CH64




Date: 14.JAN.2018 13:22:09

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**

| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH54    | 5270               | 42.80                   | 37.60                           |
| CH62    | 5310               | 42.80                   | 37.40                           |


# 99% Occupied Bandwidth

## TX CH54



Date: 14.JAN.2018 16:58:38


# 26dB Bandwidth



Date: 5.FEB.2018 15:03:48


# 99% Occupied Bandwidth

## TX CH62



Date: 14.JAN.2018 14:13:14

# 26dB Bandwidth




Date: 5.FEB.2018 15:10:29

Test Mode: UNII-2C/TX A Mode\_CH100/CH116/CH140


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH100   | 5500               | 21.19                   | 16.90                           |
| CH116   | 5580               | 21.19                   | 16.80                           |
| CH140   | 5700               | 21.19                   | 16.90                           |

TX CH100




Date: 14.JAN.2018 12:49:32

### TX CH116



Date: 14.JAN.2018 12:52:34

### TX CH140




Date: 14.JAN.2018 12:53:41

Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH100   | 5500               | 21.29                   | 17.80                           |
| CH116   | 5580               | 21.49                   | 17.80                           |
| CH140   | 5700               | 21.45                   | 17.80                           |

TX CH100




Date: 14.JAN.2018 13:23:37

### TX CH116



Date: 14.JAN.2018 18:00:36

### TX CH140




Date: 14.JAN.2018 18:02:17



**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH102   | 5510               | 41.20                   | 37.40                           |
| CH110   | 5550               | 41.20                   | 37.40                           |
| CH134   | 5670               | 42.40                   | 37.40                           |

## 99% Occupied Bandwidth TX CH102




Date: 14.JAN.2018 14:14:48

## 26dB Bandwidth




Date: 5.FEB.2018 18:37:28

# 99% Occupied Bandwidth TX CH110



Date: 14.JAN.2018 16:45:17


## 26dB Bandwidth



Date: 5.FEB.2018 18:46:42


# 99% Occupied Bandwidth

## TX CH134



Date: 14.JAN.2018 14:17:48

# 26dB Bandwidth




Date: 5.FEB.2018 18:53:00

**Test Mode: UNII-3/ TX A Mode\_CH149/CH157/CH165**


| Channel | Frequency (MHz) | 6dB Bandwidth (MHz) | 99% Occupied Bandwidth (MHz) | Limit (kHz) |
|---------|-----------------|---------------------|------------------------------|-------------|
| CH149   | 5745            | 16.65               | 16.50                        | >=500       |
| CH157   | 5785            | 16.65               | 16.50                        | >=500       |
| CH165   | 5825            | 16.65               | 16.50                        | >=500       |

**TX CH 149**




Date: 14.JAN.2018 12:54:53

### TX CH 157



Date: 14.JAN.2018 12:56:08

### TX CH 165




Date: 14.JAN.2018 12:57:40

Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165


| Channel | Frequency<br>(MHz) | 6dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) | Limit<br>(kHz) |
|---------|--------------------|------------------------|---------------------------------|----------------|
| CH149   | 5745               | 17.75                  | 17.60                           | >=500          |
| CH157   | 5785               | 17.65                  | 17.60                           | >=500          |
| CH165   | 5825               | 17.80                  | 17.60                           | >=500          |

TX CH 149




Date: 14.JAN.2018 13:30:11

### TX CH 157



Date: 14.JAN.2018 18:05:34

### TX CH 165




Date: 14.JAN.2018 13:34:01



**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


| Channel | Frequency<br>(MHz) | 6dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) | Limit<br>(kHz) |
|---------|--------------------|------------------------|---------------------------------|----------------|
| CH151   | 5755               | 36.90                  | 36.40                           | >=500          |
| CH159   | 5795               | 36.80                  | 36.40                           | >=500          |

### TX CH 151



Date: 14.JAN.2018 14:27:37

### TX CH 159




Date: 14.JAN.2018 14:24:08

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**


| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH36    | 5180               | 21.19                   | 17.90                           |
| CH40    | 5200               | 21.39                   | 17.80                           |
| CH48    | 5240               | 21.10                   | 17.90                           |

**TX CH36**




Date: 14.JAN.2018 13:37:30

### TX CH40



Date: 14.JAN.2018 18:09:06

### TX CH48




Date: 14.JAN.2018 13:43:47

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**

| Channel | Frequency<br>(MHz) | 26dB Bandwidth<br>(MHz) | 99% Occupied Bandwidth<br>(MHz) |
|---------|--------------------|-------------------------|---------------------------------|
| CH38    | 5190               | 41.00                   | 37.00                           |
| CH46    | 5230               | 42.20                   | 37.20                           |


# 99% Occupied Bandwidth

## TX CH38



Date: 14.JAN.2018 14:30:22


# 26dB Bandwidth



Date: 5.FEB.2018 19:48:44


# 99% Occupied Bandwidth

## TX CH46



Date: 14.JAN.2018 14:31:40

# 26dB Bandwidth



Date: 5.FEB.2018 21:02:08