


HP-WH2960 wireless headphone

Transmitter user manual

1. Appearance diagram

Transmitter sketch map



2. Feature

Crystal oscillation , stability for carrier frequency.

3. Operating

(1)Open the lid of the battery room of the receiver, keep the correct polarity, put in a 6F22 (DC9V) battery, or insert the appropriative “UL” transmitter(DC output, 9V/200mA).

(2)Put the Audio plug into the Audio jack.

(3)Draw out the antenna , press the Power ON key, then the Power indicator lamp is

on .

(4)Tuning the Audio equipment volume, as far as you earphone receiver hear coziness.

(5)Press the Power OFF key, the lamp is off. The transmitter working is end.

4. Main technical parameter

Working frequency: 49.85MHz

Power supply: DC9V(size 6F22x1), or used “UL” appropriative adapter (DC12V output,200mA)

Power consume : about 9V, 80mA

5. Troubleshooting:

Reference receiver part.

Warning

Changes or modifications to this unit not expressly approved by the party responsible for compliance will void the user's authority to operate the equipment. Any change to the equipment will void FCC grant.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not

occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.