




OUTPUT LEVEL CH3.




OUTPUT LEVEL CH4.




OUTPUT SPURIOUS LEVEL CH3.




OUTPUT SPURIOUS LEVEL CH4.



TRANSFER SWITCH ISOLATION CH3.



TRANSFER SWITCH ISOLATION CH4.



ANTENNA CONDUCTED POWER


Agilent 21300-45 Jul 20, 2005

R T

Ref 76.99 dB μ V

#Atten 0 dB

Peak
Log
10
dB/



Start 30 MHz

Res BW 120 kHz

VBW 300 kHz

Stop 1 GHz

Sweep 146.4 ms (401 pts)

Pk	X Axis	Amplitude		Pk	X Axis	Amplitude
1	40 MHz	28.06 dB μ V		6	81 MHz	21.24 dB μ V
2	63 MHz	26.69 dB μ V		7	47 MHz	21.12 dB μ V
3	54 MHz	24.9 dB μ V		8	105 MHz	14.74 dB μ V
4	66 MHz	22.97 dB μ V		9		
5	69 MHz	21.24 dB μ V		10		

ANTENNA CONDUCTED POWER


Agilent 21300-00 Jul 20, 2005

R T

Ref 76.99 dB μ V

#Atten 0 dB

Peak
Log
10
dB/



Start 1 GHz

Res BW 1 MHz

VBW 3 MHz

Stop 5 GHz

Sweep 22.48 ms (401 pts)

Pk	X Axis	Amplitude		Pk	X Axis	Amplitude
1				6		
2				7		
3				8		
4				9		
5				10		