


Appendix B

RF Power Output




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	27.79 dBm	VBW	3 MHz		
	1.85010982 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 512
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:37:14




Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
Ref Lvl	28.38 dBm	VBW	3 MHz	
36 dBm	1.87990982 GHz	SWT	5 ms	Unit dBm



Title: Output power conducted / Channel: 661
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:38:46



Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	28.87 dBm	VBW	3 MHz		
	1.90976994 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 810
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:39:42


Appendix C

Radiated Power

Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 20.09dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 23.98dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 19.82dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 20.76dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 21.11dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 16.63dBm, RBW: 3MHz




Appendix D

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.13 dBm VBW 3 kHz
36 dBm 1.85022104 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth \ Channel: 512
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:47:23




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.08 dBm VBW 3 kHz
36 dBm 1.88001503 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 661
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:50:40




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 22.50 dBm VBW 3 kHz
36 dBm 1.90978497 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 810
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:52:10




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 512
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:54:55




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 310.62124249 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 661
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:56:17



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 810
Comment A: Integrated AVL solution / PHD1000
Date: 15.JUL.2005 14:57:50


Appendix E

Spurious Radiation

Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 62.024MHz, Pmax: -61.19dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 196.253MHz, Pmax: -60.30dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 842.886MHz, Pmax: -30.55dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 890.982MHz, Pmax: -31.65dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -22.28dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -26.64dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.599GHz, Pmax: -41.09dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 5.547GHz, Pmax: -36.22dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.022GHz, Pmax: -37.79dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.110GHz, Pmax: -36.63dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.447GHz, Pmax: -27.52dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.747GHz, Pmax: -26.61dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.086GHz, Pmax: -22.32dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.001GHz, Pmax: -20.69dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 171.723MHz, Pmax: -60.56dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 74.629MHz, Pmax: -62.06dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 890.982MHz, Pmax: -28.81dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 892.585MHz, Pmax: -29.02dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -26.64dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 512
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -22.28dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 5.643GHz, Pmax: -37.85dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -40.61dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.126GHz, Pmax: -36.78dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.046GHz, Pmax: -37.34dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.772GHz, Pmax: -27.04dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.531GHz, Pmax: -26.65dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.153GHz, Pmax: -21.69dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 661
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.204GHz, Pmax: -21.50dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 194.890MHz, Pmax: -60.59dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 188.076MHz, Pmax: -62.02dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 892.585MHz, Pmax: -29.86dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cerovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 890.982MHz, Pmax: -28.42dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -22.58dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -20.04dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 5.731GHz, Pmax: -36.56dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -40.91dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.196GHz, Pmax: -36.63dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.126GHz, Pmax: -36.79dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.808GHz, Pmax: -25.89dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.471GHz, Pmax: -26.66dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.170GHz, Pmax: -21.04dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT/ HW version: Gizmondo / Game Console GPRS/BT / MC55
Channel: 810
Temperature/ Voltage: Temp.:23°C, Unom.: 3,7 V DC
Test Site / Operator: ETS / Mr. Cersovsky
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.187GHz, Pmax: -21.30dBm, RBW: 1MHz




Appendix F

Line Conducted Emissions

EMI voltage test in the ac-mains according to FCC part 15

EUT: GIZMONDO / GAME CONSOLE GPRS / BT
Manufacturer: GIZMONDO EUROPE LTD
Operating Condition: Unom: 120 V AC (AC/DC-ADAPTOR) , Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5 (L1/N)
Comment: model: GIZMONDO mode: GPS + BT + link + charge L1



EMI voltage test in the ac-mains according to FCC part 15

EUT: GIZMONDO / GAME CONSOLE GPRS / BT
Manufacturer: GIZMONDO EUROPE LTD
Operating Condition: Unom: 120 V AC (AC/DC-ADAPTOR) , Tnom: 23°C
Test Site: ETS
Operator: Mr. Pflug
Test Specification: V-Network: ESH2-Z5 (L1/N)
Comment: model: GIZMONDO mode: GPS + BT + link + charge N

