


|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2402MHz _CH00_1Mbps |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 4804.010     | 45.41                    | 6.39                    | 51.80                      | 54.00           | -2.20      | AVG      |         |
| 2   |     | 4804.395     | 55.95                    | 6.39                    | 62.34                      | 74.00           | -11.66     | peak     |         |

|                   |                       |
|-------------------|-----------------------|
| Orthogonal Axis : | X                     |
| Test Mode :       | TX 2441MHz_CH39_1Mbps |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | X   | 2440.850     | 65.83                    | 33.51                   | 99.34                      | 74.00           | 25.34      | peak     |         |
| 2   | *   | 2441.000     | 55.86                    | 33.51                   | 89.37                      | 54.00           | 35.37      | AVG      |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2441MHz _CH39_1Mbps |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4881.956     | 54.78                    | 6.57                    | 61.35                      | 74.00           | -12.65     | peak     |         |
| 2   | *   | 4882.012     | 44.58                    | 6.57                    | 51.15                      | 54.00           | -2.85      | AVG      |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2441MHz _CH39_1Mbps |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | X   | 2440.850     | 65.80                    | 33.51                   | 99.31                      | 74.00           | 25.31      | peak     |         |
| 2   | *   | 2441.050     | 55.82                    | 33.51                   | 89.33                      | 54.00           | 35.33      | AVG      |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2441MHz _CH39_1Mbps |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4882.098     | 55.03                    | 6.57                    | 61.60                      | 74.00           | -12.40     | peak     |         |
| 2   | *   | 4882.113     | 44.99                    | 6.57                    | 51.56                      | 54.00           | -2.44      | AVG      |         |

|                   |                       |
|-------------------|-----------------------|
| Orthogonal Axis : | X                     |
| Test Mode :       | TX 2480MHz_CH78_1Mbps |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | X   | 2479.900     | 63.20                    | 33.61                   | 96.81                      | 74.00           | 22.81      | peak     |         |
| 2   | *   | 2480.050     | 53.33                    | 33.61                   | 86.94                      | 54.00           | 32.94      | AVG      |         |
| 3   |     | 2483.500     | 24.28                    | 33.62                   | 57.90                      | 74.00           | -16.10     | peak     |         |
| 4   |     | 2483.500     | 14.19                    | 33.62                   | 47.81                      | 54.00           | -6.19      | AVG      |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2480MHz _CH78_1Mbps |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 4959.867     | 42.81                    | 6.74                    | 49.55                      | 54.00           | -4.45      | AVG      |         |
| 2   |     | 4960.002     | 52.69                    | 6.74                    | 59.43                      | 74.00           | -14.57     | peak     |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2480MHz _CH78_1Mbps |

## Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | X   | 2479.850     | 63.32                    | 33.61                   | 96.93                      | 74.00           | 22.93      | peak     |         |
| 2   | *   | 2480.000     | 53.45                    | 33.61                   | 87.06                      | 54.00           | 33.06      | AVG      |         |
| 3   |     | 2483.500     | 24.61                    | 33.62                   | 58.23                      | 74.00           | -15.77     | peak     |         |
| 4   |     | 2483.500     | 14.21                    | 33.62                   | 47.83                      | 54.00           | -6.17      | AVG      |         |



|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2480MHz _CH78_1Mbps |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 4959.876     | 52.39                    | 6.74                    | 59.13                      | 74.00           | -14.87     | peak     |         |
| 2   | *   | 4960.127     | 43.85                    | 6.74                    | 50.59                      | 54.00           | -3.41      | AVG      |         |

|                   |                       |
|-------------------|-----------------------|
| Orthogonal Axis : | X                     |
| Test Mode :       | TX 2402MHz_CH00_3Mbps |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 2390.000     | 22.83                    | 33.38                   | 56.21                      | 74.00           | -17.79     | peak     |         |
| 2   |     | 2390.000     | 13.71                    | 33.38                   | 47.09                      | 54.00           | -6.91      | AVG      |         |
| 3   | *   | 2402.050     | 53.32                    | 33.41                   | 86.73                      | 54.00           | 32.73      | AVG      |         |
| 4   | X   | 2402.200     | 64.46                    | 33.41                   | 97.87                      | 74.00           | 23.87      | peak     |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2402MHz _CH00_3Mbps |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 4804.140     | 43.56                    | 6.39                    | 49.95                      | 54.00           | -4.05      | AVG      |         |
| 2   |     | 4804.230     | 53.87                    | 6.39                    | 60.26                      | 74.00           | -13.74     | peak     |         |

|                   |                       |
|-------------------|-----------------------|
| Orthogonal Axis : | X                     |
| Test Mode :       | TX 2402MHz_CH00_3Mbps |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   |     | 2390.000     | 23.51                    | 33.38                   | 56.89                      | 74.00           | -17.11     | peak     |         |
| 2   |     | 2390.000     | 13.70                    | 33.38                   | 47.08                      | 54.00           | -6.92      | AVG      |         |
| 3   | *   | 2402.050     | 53.52                    | 33.41                   | 86.93                      | 54.00           | 32.93      | AVG      |         |
| 4   | X   | 2402.200     | 64.68                    | 33.41                   | 98.09                      | 74.00           | 24.09      | peak     |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2402MHz _CH00_3Mbps |


### Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 4803.974     | 44.67                    | 6.39                    | 51.06                      | 54.00           | -2.94      | AVG      |         |
| 2   |     | 4804.275     | 55.13                    | 6.39                    | 61.52                      | 74.00           | -12.48     | peak     |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2441MHz _CH39_3Mbps |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 2441.050     | 53.28                    | 33.51                   | 86.79                      | 54.00           | 32.79      | AVG      |         |
| 2   | X   | 2441.200     | 64.32                    | 33.51                   | 97.83                      | 74.00           | 23.83      | peak     |         |

|                   |                        |
|-------------------|------------------------|
| Orthogonal Axis : | X                      |
| Test Mode :       | TX 2441MHz _CH39_3Mbps |

### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 4881.863     | 43.94                    | 6.57                    | 50.51                      | 54.00           | -3.49      | AVG      |         |
| 2   |     | 4881.962     | 54.53                    | 6.57                    | 61.10                      | 74.00           | -12.90     | peak     |         |