

Honwell Products(HK) Ltd

Bill of Material

Model: 3793 Analog

Date:2006/5/3

No	Material& Specification	Qty			
1	PCB: 80*75*1.2MM	1			
2	PCB: 43*40*1.2MM	1			
3	IC: CD2003 SMD	1			
4	IC: CD2822	1			
5	IC: 5199	1			
6	PVC: 444HF	1			
7	VOL: Φ 16B50K with Switch	1			
8	Slide Switch: SK-24D01	1			
9	LCD:3793A 30*29.8mm	1			
10	Zebra Connector:30*5*2.5 全导	1			
11	Quartz Crystal: 32.768KHz $\pm$ 10PPM	1			
12	Speaker: Φ 76MM (same as 2048)	1			
13	Triode: 9018	3			
14	Filter: L10.7A	2			
15	Filter: J10.7	1			
16	FM Coil: 3.5*5.5*0.7	2			
17	FM Coil: 3.5*4.5*0.7	3			
18	Trimmer Capacitance: 20P	2			
19	E. Cap 220UF/6.3V 6*5	3			
20	Magnetic Beard:22UH	4			
21	Inductance: 2.2UH 0204	1			
22	E. Cap: 1U / 50V 4*7	1			
23	C. Capacitance: 104	12			
24	C. Capacitance: 203	5			
25	C. Capacitance: 103	6			
26	C. Capacitance: 102	10			

Honwell Products(HK) Ltd

Bill of Material

Model: 3793 Analog

Date:2006/5/3

No	Material& Specification	Qty			
27	Resistance: 10K 1/8W	5			
28	Resistance: 2.2K 1/8W	3			
29	Resistance: 22K 1/8W	5			
30	Resistance: 1K 1/8W	6			
31	Metal Wire : 40MM	4			
32	FM Antenna: 1200MM 26 #	1			
33	Battery Wire : 80MM 28 #	2			
34	Speaker Wire : 70MM 32 #	2			
35	1.5V battery Wire : 80MM 28 #	2			
36	Touch Switch: 6*6*5 with Holder	2			
37	Battery Contact Plate(Positive)	1			
38	Battery Contact Plate(Negative)	1			
39	Positive&negative polar connector	2			
40	Battery compartment Metal Plate	2			
41	Nut Extensioner of Battery Conpartment	1			
42	Nut on Battery Conpartment	1			
43	Ring	1			
44	Spring	1			
45	Nut: 2*8PA	12			
46	Nut:3*8PA	10			
47	Nut:2.6*6PA	10			

Transmitter

48	PCB Board:60*57*1.2MM	1			
49	Earphone Jack:EJ3507 长度 14.1MM	1			
50	Slide Switch:SK12D07 VG4	1			
51	LED :Φ3MM Red	1			

Honwell Products(HK) Ltd

Bill of Material

Model: 3793 Analog

Date:2006/5/3

No	Material& Specification	Qty			
52	Antenna	1			
53	Earphone Plug	1			
54	Inductance:0.23UH	1			
55	E Cap:100UF/6.3V 5*5	1			
56	Coil:3*11.5T*0.6	5			
57	Tride:9018	3			
58	Diode:BB910	1			
59	Inductance:22UH	2			
60	Inductance:2.2UH	3			
61	Resistance:47K	2			
62	Resistance:33K	2			
63	Resistance:22K	1			
64	Resistance:18K	1			
65	Resistance:12K	1			
66	Resistance:10K	3			
67	Resistance:2.2K	1			
68	Resistance:220 ohm	1			
69	Resistance:10 ohm	1			
70	Capacitance:104P	1			
71	Capacitance:403P	1			
71	Capacitance:103P	3			
73	Capacitance:502P	1			
74	Capacitance:202P	2			
75	Capacitance:470P	1			
76	Capacitance:47P	8			
77	Capacitance:35P	3			

Honwell Products(HK) Ltd

Bill of Material

Model: 3793 Analog

Date:2006/5/3

No	Material& Specification	Qty			
78	Capacitance:20P	2			
79	Capacitance:10P	1			
80	Capacitance:2P	1			
81	Wire: 26# 150MM UL standard	3			
82	Battery Contact Plate(Positive)	1			
83	Battery Contact Plate(Negative)	1			
84	Positive&negative polar connector	2			
85	Silicon&Rubber	1			
86	ABS	1			