



|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 351            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6185MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12370.000       | 51.273                 | 51.248               | -22.727         | 74.000         | 0.026       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 352            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6185MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12370.000       | 50.271                 | 50.246               | -23.729         | 74.000         | 0.026       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 353            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6345MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12690.000       | 51.059                 | 50.966               | -22.941         | 74.000         | 0.093       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 354            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6345MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12690.000       | 50.914                 | 50.821               | -23.086         | 74.000         | 0.093       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 355            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6505MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13010.000       | 50.388                 | 50.687               | -23.612         | 74.000         | -0.299      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 356            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6505MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13010.000       | 51.078                 | 51.377               | -22.922         | 74.000         | -0.299      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 357            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:35 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6665MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13330.000       | 48.573                 | 49.601               | -25.427         | 74.000         | -1.028      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 358            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6665MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13330.000       | 49.605                 | 50.633               | -24.395         | 74.000         | -1.028      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 359            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6825MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13650.000       | 49.228                 | 50.639               | -24.772         | 74.000         | -1.411      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 360            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6825MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13650.000       | 49.550                 | 50.961               | -24.450         | 74.000         | -1.411      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 361            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6985MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13970.000       | 49.077                 | 50.498               | -24.923         | 74.000         | -1.421      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 362            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 8 : Transmit at 6985MHz by 802.11be(160MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13970.000       | 50.076                 | 51.497               | -23.924         | 74.000         | -1.421      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 363            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6105MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12210.000       | 49.798                 | 50.703               | -24.202         | 74.000         | -0.905      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 364            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6105MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12210.000       | 50.198                 | 51.103               | -23.802         | 74.000         | -0.905      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 365            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6265MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12530.000       | 50.287                 | 50.268               | -23.713         | 74.000         | 0.019       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 366            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6265MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 12530.000       | 50.717                 | 50.698               | -23.283         | 74.000         | 0.019       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 367            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6585MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13170.000       | 49.360                 | 50.764               | -24.640         | 74.000         | -1.404      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 368            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6585MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13170.000       | 50.769                 | 52.173               | -23.231         | 74.000         | -1.404      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 369            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:36 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6745MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13490.000       | 50.041                 | 50.802               | -23.959         | 74.000         | -0.761      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 370            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6745MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13490.000       | 49.368                 | 50.129               | -24.632         | 74.000         | -0.761      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 371            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6905MHz by 802.11be(320MHz)               |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13810.000       | 49.412                 | 50.970               | -24.588         | 74.000         | -1.558      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 372            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/09/26 - 20:37 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                  | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 9 : Transmit at 6905MHz by 802.11be(320MHz)               |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 13810.000       | 48.802                 | 50.360               | -25.198         | 74.000         | -1.558      | PK   |

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. If the test result on peak is lower than average limit, then average measurement needn't be performed.
4. We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.
5. We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Simultaneous Radiated Emission:

|                                                                            |                          |
|----------------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                          | Page No.: 477            |
| Engineer: Yu Liu                                                           |                          |
| Site: AC5                                                                  | Time: 2024/09/26 - 20:03 |
| Limit: FCC_Part15.209_RE(3m)                                               | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                        | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module       | Power: 3.3 Vdc           |
| Note: Mode 1: Transmit at 5955MHz by 802.11be(20MHz) + 2412 MHz by 802.11b |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4824.000        | 37.756                 | 51.618               | -36.244         | 74.000         | -13.862     | PK   |
| 2  |      | 7236.000        | 41.943                 | 51.061               | -32.057         | 74.000         | -9.119      | PK   |
| 3  |      | 9648.000        | 45.310                 | 49.215               | -28.690         | 74.000         | -3.906      | PK   |
| 4  |      | 11910.000       | 45.615                 | 46.622               | -28.385         | 74.000         | -1.008      | PK   |
| 5  | *    | 17865.000       | 49.215                 | 46.419               | -24.785         | 74.000         | 2.796       | PK   |

|                                                                            |                          |
|----------------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                          | Page No.: 478            |
| Engineer: Yu Liu                                                           |                          |
| Site: AC5                                                                  | Time: 2024/09/26 - 20:04 |
| Limit: FCC_Part15.209_RE(3m)                                               | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                        | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module       | Power: 3.3 Vdc           |
| Note: Mode 1: Transmit at 5955MHz by 802.11be(20MHz) + 2412 MHz by 802.11b |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4824.000        | 37.763                 | 51.625               | -36.237         | 74.000         | -13.862     | PK   |
| 2  |      | 7236.000        | 40.421                 | 49.539               | -33.579         | 74.000         | -9.119      | PK   |
| 3  |      | 9648.000        | 45.700                 | 49.605               | -28.300         | 74.000         | -3.906      | PK   |
| 4  |      | 11910.000       | 46.095                 | 47.102               | -27.905         | 74.000         | -1.008      | PK   |
| 5  | *    | 17865.000       | 49.827                 | 47.031               | -24.173         | 74.000         | 2.796       | PK   |

Note:


1. " \* ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

3. We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Radiated Emission below 1GHz:

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 5              |
| Engineer: Yu Liu                                                     |                          |
| Site: AC2                                                            | Time: 2024/09/28 - 19:33 |
| Limit: FCC_Part 15.209                                               | Margin: 0                |
| Probe: CBL6112D_27613(30-1000MHz)                                    | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 5955MHz by 802.11be(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 33.031          | 30.718                 | 7.235                | -9.282          | 40.000         | 23.484      | QP   |
| 2  |      | 52.310          | 29.162                 | 14.933               | -10.838         | 40.000         | 14.229      | QP   |
| 3  |      | 118.149         | 27.968                 | 8.659                | -15.532         | 43.500         | 19.310      | QP   |
| 4  |      | 255.161         | 27.458                 | 7.088                | -18.542         | 46.000         | 20.369      | QP   |
| 5  |      | 513.302         | 28.080                 | 2.066                | -17.920         | 46.000         | 26.014      | QP   |
| 6  |      | 945.801         | 33.074                 | 2.473                | -12.926         | 46.000         | 30.600      | QP   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 6              |
| Engineer: Yu Liu                                                     |                          |
| Site: AC2                                                            | Time: 2024/09/28 - 19:35 |
| Limit: FCC_Part 15.209                                               | Margin: 0                |
| Probe: CBL6112D_27613(30-1000MHz)                                    | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 5955MHz by 802.11be(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 32.304          | 31.664                 | 7.841                | -8.336          | 40.000         | 23.823      | QP   |
| 2  |      | 53.280          | 29.912                 | 15.922               | -10.088         | 40.000         | 13.990      | QP   |
| 3  |      | 113.662         | 27.777                 | 8.579                | -15.723         | 43.500         | 19.198      | QP   |
| 4  |      | 254.798         | 26.910                 | 6.579                | -19.090         | 46.000         | 20.331      | QP   |
| 5  |      | 521.062         | 28.125                 | 1.875                | -17.875         | 46.000         | 26.250      | QP   |
| 6  |      | 887.965         | 31.280                 | 1.776                | -14.720         | 46.000         | 29.504      | QP   |

Note:

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).
3. We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Radiated Emission 18-40GHz:

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 87             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 5955MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22356.000       | 43.752                 | 46.708               | -30.248         | 74.000         | -2.956      | PK   |
| 2  | *    | 29396.000       | 46.234                 | 46.685               | -27.766         | 74.000         | -0.451      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 88             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 5955MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22510.000       | 41.391                 | 44.150               | -32.609         | 74.000         | -2.759      | PK   |
| 2  | *    | 30848.000       | 47.101                 | 46.698               | -26.899         | 74.000         | 0.403       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 89             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6175MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 23060.000       | 46.346                 | 48.467               | -27.654         | 74.000         | -2.121      | PK   |
| 2  | *    | 33246.000       | 48.913                 | 48.203               | -25.087         | 74.000         | 0.710       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 90             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6175MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22928.000       | 45.804                 | 48.027               | -28.196         | 74.000         | -2.223      | PK   |
| 2  | *    | 31464.000       | 47.551                 | 47.131               | -26.449         | 74.000         | 0.420       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 91             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6415MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22136.000       | 42.389                 | 45.627               | -31.611         | 74.000         | -3.238      | PK   |
| 2  | *    | 26888.000       | 47.429                 | 46.901               | -26.571         | 74.000         | 0.528       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 92             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6415MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22928.000       | 43.124                 | 45.347               | -30.876         | 74.000         | -2.223      | PK   |
| 2  | *    | 31420.000       | 47.608                 | 47.182               | -26.392         | 74.000         | 0.426       | PK   |


|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 93             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6435MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22708.000       | 44.775                 | 47.279               | -29.225         | 74.000         | -2.504      | PK   |
| 2  | *    | 31288.000       | 47.159                 | 46.715               | -26.841         | 74.000         | 0.444       | PK   |




|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 94             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:04 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6435MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22972.000       | 44.242                 | 46.408               | -29.758         | 74.000         | -2.166      | PK   |
| 2  | *    | 30892.000       | 48.408                 | 47.982               | -25.592         | 74.000         | 0.426       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 95             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6475MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22290.000       | 43.224                 | 46.265               | -30.776         | 74.000         | -3.041      | PK   |
| 2  | *    | 27724.000       | 46.344                 | 46.119               | -27.656         | 74.000         | 0.225       | PK   |




|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 96             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6475MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22356.000       | 43.579                 | 46.535               | -30.421         | 74.000         | -2.956      | PK   |
| 2  | *    | 29110.000       | 46.311                 | 46.953               | -27.689         | 74.000         | -0.642      | PK   |




|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 97             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6515MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22774.000       | 43.895                 | 46.314               | -30.105         | 74.000         | -2.419      | PK   |
| 2  | *    | 26998.000       | 47.014                 | 46.438               | -26.986         | 74.000         | 0.576       | PK   |


|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 98             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6515MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22884.000       | 44.467                 | 46.745               | -29.533         | 74.000         | -2.278      | PK   |
| 2  | *    | 27020.000       | 47.076                 | 46.509               | -26.924         | 74.000         | 0.567       | PK   |




|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 99             |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6535MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22554.000       | 45.005                 | 47.707               | -28.995         | 74.000         | -2.702      | PK   |
| 2  | *    | 31134.000       | 46.954                 | 46.489               | -27.046         | 74.000         | 0.465       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 100            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6535MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22466.000       | 43.350                 | 46.165               | -30.650         | 74.000         | -2.815      | PK   |
| 2  | *    | 27218.000       | 46.887                 | 46.416               | -27.113         | 74.000         | 0.471       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 101            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6695MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22224.000       | 42.964                 | 46.089               | -31.036         | 74.000         | -3.125      | PK   |
| 2  | *    | 27504.000       | 46.221                 | 45.889               | -27.779         | 74.000         | 0.332       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 102            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6695MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22686.000       | 44.333                 | 46.866               | -29.667         | 74.000         | -2.533      | PK   |
| 2  | *    | 32366.000       | 47.331                 | 46.903               | -26.669         | 74.000         | 0.428       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 103            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6855MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22026.000       | 43.454                 | 46.835               | -30.546         | 74.000         | -3.381      | PK   |
| 2  | *    | 32520.000       | 47.944                 | 47.481               | -26.056         | 74.000         | 0.463       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 104            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6855MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22906.000       | 44.959                 | 47.210               | -29.041         | 74.000         | -2.251      | PK   |
| 2  | *    | 30034.000       | 46.957                 | 46.989               | -27.043         | 74.000         | -0.032      | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 105            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6875MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22114.000       | 43.004                 | 46.271               | -30.996         | 74.000         | -3.267      | PK   |
| 2  | *    | 30100.000       | 47.734                 | 47.730               | -26.266         | 74.000         | 0.004       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 106            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:05 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6875MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 21894.000       | 43.308                 | 46.822               | -30.692         | 74.000         | -3.514      | PK   |
| 2  | *    | 27020.000       | 46.072                 | 45.505               | -27.928         | 74.000         | 0.567       | PK   |


|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 107            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6895MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22598.000       | 43.377                 | 46.023               | -30.623         | 74.000         | -2.646      | PK   |
| 2  | *    | 27812.000       | 45.833                 | 45.651               | -28.167         | 74.000         | 0.182       | PK   |




|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 108            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6895MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22510.000       | 44.304                 | 47.063               | -29.696         | 74.000         | -2.759      | PK   |
| 2  | *    | 26822.000       | 47.657                 | 47.158               | -26.343         | 74.000         | 0.499       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 109            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6995MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22708.000       | 44.198                 | 46.702               | -29.802         | 74.000         | -2.504      | PK   |
| 2  | *    | 26800.000       | 46.557                 | 46.067               | -27.443         | 74.000         | 0.490       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 110            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 6995MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22378.000       | 45.039                 | 47.968               | -28.961         | 74.000         | -2.929      | PK   |
| 2  | *    | 30760.000       | 47.051                 | 46.696               | -26.949         | 74.000         | 0.355       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 111            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 7115MHz by 802.11ax(20MHz)                |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22136.000       | 42.621                 | 45.859               | -31.379         | 74.000         | -3.238      | PK   |
| 2  | *    | 26998.000       | 46.318                 | 45.742               | -27.682         | 74.000         | 0.576       | PK   |

|                                                                      |                          |
|----------------------------------------------------------------------|--------------------------|
| Profile: 2480675R                                                    | Page No.: 112            |
| Engineer: Yu Liu                                                     |                          |
| Site: AC5                                                            | Time: 2024/10/10 - 21:06 |
| Limit: FCC_Part15.209_RE(3m)                                         | Margin: 0                |
| Probe: BBHA 9170_294(18-40GHz)                                       | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module | Power: 3.3 Vdc           |
| Note: Mode 1 : Transmit at 7115MHz by 802.11ax(20MHz)                |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 22928.000       | 44.638                 | 46.861               | -29.362         | 74.000         | -2.223      | PK   |
| 2  | *    | 31442.000       | 47.340                 | 46.918               | -26.660         | 74.000         | 0.422       | PK   |

Note:

- " \* ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).
- We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Simultaneous Radiated Emission:

|                                                                                  |                          |
|----------------------------------------------------------------------------------|--------------------------|
| Profile: 2480883R                                                                | Page No.: 477            |
| Engineer: Yu Liu                                                                 |                          |
| Site: AC5                                                                        | Time: 2024/09/26 - 20:03 |
| Limit: FCC_Part15.209_RE(3m)                                                     | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                              | Polarity: Horizontal     |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module             | Power: 3.3 Vdc           |
| Note: Mode 1: Transmit at 2412MHz by 802.11b + Transmit at 5955MHz by 802.11be20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4824.000        | 37.756                 | 51.618               | -36.244         | 74.000         | -13.862     | PK   |
| 2  |      | 7236.000        | 41.943                 | 51.061               | -32.057         | 74.000         | -9.119      | PK   |
| 3  |      | 9648.000        | 45.310                 | 49.215               | -28.690         | 74.000         | -3.906      | PK   |
| 4  |      | 11910.000       | 45.615                 | 46.622               | -28.385         | 74.000         | -1.008      | PK   |
| 5  | *    | 17865.000       | 49.215                 | 46.419               | -24.785         | 74.000         | 2.796       | PK   |

|                                                                                  |                          |
|----------------------------------------------------------------------------------|--------------------------|
| Profile: 2480883R                                                                | Page No.: 478            |
| Engineer: Yu Liu                                                                 |                          |
| Site: AC5                                                                        | Time: 2024/09/26 - 20:04 |
| Limit: FCC_Part15.209_RE(3m)                                                     | Margin: 0                |
| Probe: Horn_3117_00167055_(1-18GHz)                                              | Polarity: Vertical       |
| EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module             | Power: 3.3 Vdc           |
| Note: Mode 1: Transmit at 2412MHz by 802.11b + Transmit at 5955MHz by 802.11be20 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 4824.000        | 37.763                 | 51.625               | -36.237         | 74.000         | -13.862     | PK   |
| 2  |      | 7236.000        | 40.421                 | 49.539               | -33.579         | 74.000         | -9.119      | PK   |
| 3  |      | 9648.000        | 45.700                 | 49.605               | -28.300         | 74.000         | -3.906      | PK   |
| 4  |      | 11910.000       | 46.095                 | 47.102               | -27.905         | 74.000         | -1.008      | PK   |
| 5  | *    | 17865.000       | 49.827                 | 47.031               | -24.173         | 74.000         | 2.796       | PK   |

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

## Appendix B: Emission bandwidth and occupied bandwidth


### Emission Bandwidth:

| TestMode    | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-------------|---------|----------------|----------------|----------|----------|------------|---------|
| 11AX20SISO  | Ant1    | 5955           | 22.600         | 5943.800 | 5966.400 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6175           | 23.040         | 6163.560 | 6186.600 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6415           | 23.200         | 6403.520 | 6426.720 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6435           | 22.680         | 6423.680 | 6446.360 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6475           | 22.640         | 6463.960 | 6486.600 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6515           | 23.040         | 6503.400 | 6526.440 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6535           | 22.800         | 6523.760 | 6546.560 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6695           | 23.240         | 6683.720 | 6706.960 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6855           | 22.920         | 6843.800 | 6866.720 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6875           | 22.600         | 6863.760 | 6886.360 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6895           | 23.160         | 6883.520 | 6906.680 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 6995           | 22.880         | 6983.760 | 7006.640 | N/A        | PASS    |
| 11AX20SISO  | Ant1    | 7115           | 22.800         | 7103.320 | 7126.120 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 5965           | 44.560         | 5942.840 | 5987.400 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6165           | 44.080         | 6142.840 | 6186.920 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6405           | 44.800         | 6382.440 | 6427.240 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6445           | 45.040         | 6422.680 | 6467.720 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6485           | 44.560         | 6462.520 | 6507.080 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6525           | 45.040         | 6502.760 | 6547.800 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6565           | 44.400         | 6543.000 | 6587.400 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6685           | 45.120         | 6662.040 | 6707.160 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6845           | 44.080         | 6823.080 | 6867.160 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6885           | 44.880         | 6862.280 | 6907.160 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6925           | 44.240         | 6903.080 | 6947.320 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 6965           | 45.680         | 6942.200 | 6987.880 | N/A        | PASS    |
| 11AX40SISO  | Ant1    | 7085           | 53.040         | 7055.800 | 7108.840 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 5985           | 93.760         | 5938.920 | 6032.680 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6145           | 91.520         | 6098.600 | 6190.120 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6385           | 93.760         | 6338.760 | 6432.520 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6465           | 95.520         | 6416.840 | 6512.360 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6545           | 91.040         | 6500.040 | 6591.080 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6625           | 92.000         | 6578.600 | 6670.600 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6705           | 104.480        | 6653.800 | 6758.280 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6785           | 91.360         | 6740.360 | 6831.720 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6865           | 90.720         | 6819.400 | 6910.120 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 6945           | 101.760        | 6893.640 | 6995.400 | N/A        | PASS    |
| 11AX80SISO  | Ant1    | 7025           | 126.240        | 6963.080 | 7089.320 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6025           | 209.920        | 5938.600 | 6148.520 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6185           | 172.800        | 6100.200 | 6273.000 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6345           | 229.760        | 6259.560 | 6489.320 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6505           | 180.480        | 6418.600 | 6599.080 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6665           | 216.960        | 6577.640 | 6794.600 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6825           | 243.840        | 6735.400 | 6979.240 | N/A        | PASS    |
| 11AX160SISO | Ant1    | 6985           | 248.320        | 6894.440 | 7142.760 | N/A        | PASS    |
| 11BE20SISO  | Ant1    | 5955           | 23.120         | 5943.680 | 5966.800 | N/A        | PASS    |
| 11BE20SISO  | Ant1    | 6175           | 22.440         | 6163.880 | 6186.320 | N/A        | PASS    |
| 11BE20SISO  | Ant1    | 6415           | 23.040         | 6403.680 | 6426.720 | N/A        | PASS    |


|             |      |      |         |          |          |     |      |
|-------------|------|------|---------|----------|----------|-----|------|
| 11BE20SISO  | Ant1 | 6435 | 23.320  | 6423.480 | 6446.800 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6475 | 23.240  | 6463.680 | 6486.920 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6515 | 22.960  | 6503.600 | 6526.560 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6535 | 22.480  | 6523.800 | 6546.280 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6695 | 23.040  | 6683.480 | 6706.520 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6855 | 23.040  | 6843.440 | 6866.480 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6875 | 23.120  | 6863.480 | 6886.600 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6895 | 22.640  | 6883.760 | 6906.400 | N/A | PASS |
| 11BE20SISO  | Ant1 | 6995 | 22.680  | 6983.800 | 7006.480 | N/A | PASS |
| 11BE20SISO  | Ant1 | 7115 | 22.640  | 7103.840 | 7126.480 | N/A | PASS |
| 11BE40SISO  | Ant1 | 5965 | 45.040  | 5942.600 | 5987.640 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6165 | 44.960  | 6142.600 | 6187.560 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6405 | 44.640  | 6382.840 | 6427.480 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6445 | 44.720  | 6422.280 | 6467.000 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6485 | 45.040  | 6462.520 | 6507.560 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6525 | 44.720  | 6502.520 | 6547.240 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6565 | 44.640  | 6542.840 | 6587.480 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6685 | 44.480  | 6663.000 | 6707.480 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6845 | 45.120  | 6822.440 | 6867.560 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6885 | 44.640  | 6862.680 | 6907.320 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6925 | 44.960  | 6902.600 | 6947.560 | N/A | PASS |
| 11BE40SISO  | Ant1 | 6965 | 44.480  | 6942.680 | 6987.160 | N/A | PASS |
| 11BE40SISO  | Ant1 | 7085 | 45.520  | 7062.040 | 7107.560 | N/A | PASS |
| 11BE80SISO  | Ant1 | 5985 | 93.760  | 5938.600 | 6032.360 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6145 | 93.600  | 6097.320 | 6190.920 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6385 | 89.920  | 6339.880 | 6429.800 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6465 | 92.160  | 6419.720 | 6511.880 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6545 | 108.960 | 6497.640 | 6606.600 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6625 | 95.200  | 6577.640 | 6672.840 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6705 | 96.480  | 6657.160 | 6753.640 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6785 | 93.600  | 6737.640 | 6831.240 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6865 | 95.200  | 6817.480 | 6912.680 | N/A | PASS |
| 11BE80SISO  | Ant1 | 6945 | 116.800 | 6890.760 | 7007.560 | N/A | PASS |
| 11BE80SISO  | Ant1 | 7025 | 150.240 | 6946.280 | 7096.520 | N/A | PASS |
| 11BE160SISO | Ant1 | 6025 | 244.480 | 5938.280 | 6182.760 | N/A | PASS |
| 11BE160SISO | Ant1 | 6185 | 182.720 | 6097.640 | 6280.360 | N/A | PASS |
| 11BE160SISO | Ant1 | 6345 | 243.520 | 6258.600 | 6502.120 | N/A | PASS |
| 11BE160SISO | Ant1 | 6505 | 241.280 | 6419.880 | 6661.160 | N/A | PASS |
| 11BE160SISO | Ant1 | 6665 | 282.240 | 6540.520 | 6822.760 | N/A | PASS |
| 11BE160SISO | Ant1 | 6825 | 243.840 | 6738.280 | 6982.120 | N/A | PASS |
| 11BE160SISO | Ant1 | 6985 | 243.520 | 6899.240 | 7142.760 | N/A | PASS |
| 11BE320SISO | Ant1 | 6105 | 339.200 | 5934.760 | 6273.960 | N/A | PASS |
| 11BE320SISO | Ant1 | 6265 | 341.120 | 6094.120 | 6435.240 | N/A | PASS |
| 11BE320SISO | Ant1 | 6425 | 485.120 | 6255.400 | 6740.520 | N/A | PASS |
| 11BE320SISO | Ant1 | 6585 | 341.120 | 6414.120 | 6755.240 | N/A | PASS |
| 11BE320SISO | Ant1 | 6745 | 340.480 | 6574.120 | 6914.600 | N/A | PASS |
| 11BE320SISO | Ant1 | 6905 | 340.480 | 6734.120 | 7074.600 | N/A | PASS |

Note1: We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.


Note2: We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.




11AX20SISO-Ant1-5955




11AX20SISO-Ant1-6175




11AX20SISO-Ant1-6415




11AX20SISO-Ant1-6435




11AX20SISO-Ant1-6475




11AX20SISO-Ant1-6515




11AX20SISO-Ant1-6535




11AX20SISO-Ant1-6695




11AX20SISO-Ant1-6855




11AX20SISO-Ant1-6875




11AX20SISO-Ant1-6895




11AX20SISO-Ant1-6995




11AX20SISO-Ant1-7115




11AX40SISO-Ant1-5965




11AX40SISO-Ant1-6165




11AX40SISO-Ant1-6405




11AX40SISO-Ant1-6445




11AX40SISO-Ant1-6485




11AX40SISO-Ant1-6525




11AX40SISO-Ant1-6565




11AX40SISO-Ant1-6685




11AX40SISO-Ant1-6845




11AX40SISO-Ant1-6885




11AX40SISO-Ant1-6925




11AX40SISO-Ant1-6965




11AX40SISO-Ant1-7085




11AX80SISO-Ant1-5985




11AX80SISO-Ant1-6145




11AX80SISO-Ant1-6385




11AX80SISO-Ant1-6465




11AX80SISO-Ant1-6545




11AX80SISO-Ant1-6625




11AX80SISO-Ant1-6705




11AX80SISO-Ant1-6785




11AX80SISO-Ant1-6865




11AX80SISO-Ant1-6945




11AX80SISO-Ant1-7025




11AX160SISO-Ant1-6025




11AX160SISO-Ant1-6185




11AX160SISO-Ant1-6345




11AX160SISO-Ant1-6505




11AX160SISO-Ant1-6665




11AX160SISO-Ant1-6825




11AX160SISO-Ant1-6985




11BE20SISO-Ant1-5955




11BE20SISO-Ant1-6175




11BE20SISO-Ant1-6415




11BE20SISO-Ant1-6435




11BE20SISO-Ant1-6475




11BE20SISO-Ant1-6515




11BE20SISO-Ant1-6535




11BE20SISO-Ant1-6695




11BE20SISO-Ant1-6855




11BE20SISO-Ant1-6875




11BE20SISO-Ant1-6895



11BE20SISO-Ant1-6995



11BE20SISO-Ant1-7115



11BE40SISO-Ant1-5965