



Profile: 2480675R	Page No.: 363
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.837	51.345	-26.163	74.000	-3.509	PK
2	*	15540.000	51.992	50.568	-22.008	74.000	1.424	PK

Profile: 2480675R	Page No.: 364
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.261	50.769	-26.739	74.000	-3.509	PK
2	*	15540.000	52.737	51.313	-21.263	74.000	1.424	PK

Profile: 2480675R	Page No.: 365
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.516	51.903	-25.484	74.000	-3.387	PK
2	*	15660.000	52.113	50.759	-21.887	74.000	1.354	PK

Profile: 2480675R	Page No.: 366
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.098	51.485	-25.902	74.000	-3.387	PK
2	*	15660.000	51.855	50.501	-22.145	74.000	1.354	PK

Profile: 2480675R	Page No.: 367
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.292	51.650	-25.708	74.000	-3.358	PK
2	*	15720.000	52.152	50.357	-21.848	74.000	1.795	PK

Profile: 2480675R	Page No.: 368
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	49.225	52.583	-24.775	74.000	-3.358	PK
2	*	15720.000	52.638	50.843	-21.362	74.000	1.795	PK

Profile: 2480675R	Page No.: 369
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.830	51.135	-26.170	74.000	-3.305	PK
2	*	15780.000	51.174	49.709	-22.826	74.000	1.465	PK

Profile: 2480675R	Page No.: 370
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.077	50.382	-26.923	74.000	-3.305	PK
2	*	15780.000	51.346	49.881	-22.654	74.000	1.465	PK

Profile: 2480675R	Page No.: 371
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.115	50.856	-25.885	74.000	-2.741	PK
2	*	15900.000	52.167	50.028	-21.833	74.000	2.139	PK

Profile: 2480675R	Page No.: 372
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.526	50.267	-26.474	74.000	-2.741	PK
2	*	15900.000	52.556	50.417	-21.444	74.000	2.139	PK

Profile: 2480675R	Page No.: 373
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.347	50.736	-26.653	74.000	-3.389	PK
2	*	15960.000	51.215	50.077	-22.785	74.000	1.138	PK

Profile: 2480675R	Page No.: 374
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.198	50.587	-26.802	74.000	-3.389	PK
2	*	15960.000	50.640	49.502	-23.360	74.000	1.138	PK

Profile: 2480675R	Page No.: 375
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.297	52.164	-24.703	74.000	-2.867	PK
2	*	16500.000	51.631	49.814	-22.369	74.000	1.817	PK

Profile: 2480675R	Page No.: 376
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.674	51.541	-25.326	74.000	-2.867	PK
2	*	16500.000	51.072	49.255	-22.928	74.000	1.817	PK

Profile: 2480675R	Page No.: 377
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	48.902	50.832	-25.098	74.000	-1.930	PK
2	*	16740.000	51.035	49.496	-22.965	74.000	1.538	PK

Profile: 2480675R	Page No.: 378
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.084	52.014	-23.916	74.000	-1.930	PK
2	*	16740.000	51.276	49.737	-22.724	74.000	1.538	PK

Profile: 2480675R	Page No.: 379
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	49.947	51.327	-24.053	74.000	-1.381	PK
2	*	17100.000	51.658	49.204	-22.342	74.000	2.455	PK

Profile: 2480675R	Page No.: 380
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	50.170	51.550	-23.830	74.000	-1.381	PK
2	*	17100.000	52.522	50.068	-21.478	74.000	2.455	PK

Profile: 2480675R	Page No.: 381
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	49.101	50.743	-24.899	74.000	-1.642	PK
2	*	17235.000	52.814	50.608	-21.186	74.000	2.206	PK

Profile: 2480675R	Page No.: 382
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	49.498	51.140	-24.502	74.000	-1.642	PK
2	*	17235.000	52.676	50.470	-21.324	74.000	2.206	PK

Profile: 2480675R	Page No.: 383
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	49.614	50.419	-24.386	74.000	-0.805	PK
2	*	17355.000	53.489	50.668	-20.511	74.000	2.821	PK

Profile: 2480675R	Page No.: 384
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.714	49.519	-25.286	74.000	-0.805	PK
2	*	17355.000	52.668	49.847	-21.332	74.000	2.821	PK

Profile: 2480675R	Page No.: 385
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.140	50.107	-24.860	74.000	-0.967	PK
2	*	17475.000	52.712	50.761	-21.288	74.000	1.952	PK

Profile: 2480675R	Page No.: 386
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.502	50.469	-24.498	74.000	-0.967	PK
2	*	17475.000	53.175	51.224	-20.825	74.000	1.952	PK

Profile: 2480675R	Page No.: 387
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	48.293	51.603	-25.707	74.000	-3.310	PK
2	*	15570.000	50.719	50.030	-23.281	74.000	0.689	PK

Profile: 2480675R	Page No.: 388
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	48.362	51.672	-25.638	74.000	-3.310	PK
2	*	15570.000	50.908	50.219	-23.092	74.000	0.689	PK

Profile: 2480675R	Page No.: 389
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	47.808	51.234	-26.192	74.000	-3.426	PK
2	*	15690.000	50.280	49.695	-23.720	74.000	0.584	PK

Profile: 2480675R	Page No.: 390
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	48.407	51.833	-25.593	74.000	-3.426	PK
2	*	15690.000	51.261	50.676	-22.739	74.000	0.584	PK

Profile: 2480675R	Page No.: 391
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	48.830	52.100	-25.170	74.000	-3.270	PK
2	*	15810.000	50.695	49.455	-23.305	74.000	1.240	PK

Profile: 2480675R	Page No.: 392
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	47.959	51.229	-26.041	74.000	-3.270	PK
2	*	15810.000	51.271	50.031	-22.729	74.000	1.240	PK

Profile: 2480675R	Page No.: 393
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	49.051	52.299	-24.949	74.000	-3.248	PK
2	*	15930.000	51.710	50.481	-22.290	74.000	1.229	PK

Profile: 2480675R	Page No.: 394
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.395	50.643	-26.605	74.000	-3.248	PK
2	*	15930.000	50.731	49.502	-23.269	74.000	1.229	PK

Profile: 2480675R	Page No.: 395
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.001	51.317	-24.999	74.000	-2.316	PK
2	*	16530.000	50.620	49.441	-23.380	74.000	1.179	PK

Profile: 2480675R	Page No.: 396
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	48.367	50.683	-25.633	74.000	-2.316	PK
2	*	16530.000	51.767	50.588	-22.233	74.000	1.179	PK

Profile: 2480675R	Page No.: 397
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	50.395	51.887	-23.605	74.000	-1.492	PK
2	*	16770.000	52.073	50.273	-21.927	74.000	1.801	PK

Profile: 2480675R	Page No.: 398
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5590MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	49.772	51.264	-24.228	74.000	-1.492	PK
2	*	16770.000	51.985	50.185	-22.015	74.000	1.801	PK

Profile: 2480675R	Page No.: 399
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.682	51.289	-24.318	74.000	-1.606	PK
2	*	17010.000	52.221	50.414	-21.779	74.000	1.807	PK

Profile: 2480675R	Page No.: 400
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.044	50.651	-24.956	74.000	-1.606	PK
2	*	17010.000	52.412	50.605	-21.588	74.000	1.807	PK

Profile: 2480675R	Page No.: 401
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.001	51.513	-23.999	74.000	-1.512	PK
2	*	17265.000	53.102	50.985	-20.898	74.000	2.117	PK

Profile: 2480675R	Page No.: 402
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	50.784	52.296	-23.216	74.000	-1.512	PK
2	*	17265.000	51.956	49.839	-22.044	74.000	2.117	PK

Profile: 2480675R	Page No.: 403
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.195	49.932	-25.805	74.000	-1.737	PK
2	*	17385.000	53.215	50.964	-20.785	74.000	2.251	PK

Profile: 2480675R	Page No.: 404
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.151	50.888	-24.849	74.000	-1.737	PK
2	*	17385.000	51.913	49.662	-22.087	74.000	2.251	PK

Profile: 2480675R	Page No.: 405
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	48.089	51.184	-25.911	74.000	-3.096	PK
2	*	15630.000	51.916	50.308	-22.084	74.000	1.608	PK

Profile: 2480675R	Page No.: 406
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	48.702	51.797	-25.298	74.000	-3.096	PK
2	*	15630.000	52.482	50.874	-21.518	74.000	1.608	PK

Profile: 2480675R	Page No.: 407
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	47.447	50.508	-26.553	74.000	-3.061	PK
2	*	15870.000	51.619	49.657	-22.381	74.000	1.962	PK

Profile: 2480675R	Page No.: 408
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	48.286	51.347	-25.714	74.000	-3.061	PK
2	*	15870.000	51.377	49.415	-22.623	74.000	1.962	PK

Profile: 2480675R	Page No.: 409
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	48.885	50.888	-25.115	74.000	-2.004	PK
2	*	16590.000	53.398	51.517	-20.602	74.000	1.882	PK

Profile: 2480675R	Page No.: 410
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	48.083	50.086	-25.917	74.000	-2.004	PK
2	*	16590.000	51.563	49.682	-22.437	74.000	1.882	PK

Profile: 2480675R	Page No.: 411
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	49.323	51.437	-24.677	74.000	-2.114	PK
2	*	16830.000	51.295	49.268	-22.705	74.000	2.028	PK

Profile: 2480675R	Page No.: 412
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	49.175	51.289	-24.825	74.000	-2.114	PK
2	*	16830.000	52.191	50.164	-21.809	74.000	2.028	PK

Profile: 2480675R	Page No.: 413
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	49.583	50.597	-24.417	74.000	-1.014	PK
2	*	17325.000	52.427	50.400	-21.573	74.000	2.027	PK

Profile: 2480675R	Page No.: 414
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 10 : Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	48.932	49.946	-25.068	74.000	-1.014	PK
2	*	17325.000	51.700	49.673	-22.300	74.000	2.027	PK

Profile: 2480675R	Page No.: 415
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	48.359	51.475	-25.641	74.000	-3.116	PK
2	*	15750.000	52.007	50.210	-21.993	74.000	1.798	PK

Profile: 2480675R	Page No.: 416
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	47.848	50.964	-26.152	74.000	-3.116	PK
2	*	15750.000	52.583	50.786	-21.417	74.000	1.798	PK

Profile: 2480675R	Page No.: 417
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	49.283	51.507	-24.717	74.000	-2.223	PK
2	*	16710.000	52.530	51.011	-21.470	74.000	1.520	PK

Profile: 2480675R	Page No.: 418
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	48.475	50.699	-25.525	74.000	-2.223	PK
2	*	16710.000	50.807	49.288	-23.193	74.000	1.520	PK

Profile: 2480675R	Page No.: 419
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5180MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	48.077	51.585	-25.923	74.000	-3.509	PK
2	*	15540.000	52.111	50.687	-21.889	74.000	1.424	PK

Profile: 2480675R	Page No.: 420
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5180MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.769	51.277	-26.231	74.000	-3.509	PK
2	*	15540.000	51.848	50.424	-22.152	74.000	1.424	PK

Profile: 2480675R	Page No.: 421
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5220MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	47.668	51.055	-26.332	74.000	-3.387	PK
2	*	15660.000	51.877	50.523	-22.123	74.000	1.354	PK

Profile: 2480675R	Page No.: 422
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5220MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.114	51.501	-25.886	74.000	-3.387	PK
2	*	15660.000	51.661	50.307	-22.339	74.000	1.354	PK

Profile: 2480675R	Page No.: 423
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5240MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.653	52.011	-25.347	74.000	-3.358	PK
2	*	15720.000	51.414	49.619	-22.586	74.000	1.795	PK

Profile: 2480675R	Page No.: 424
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5240MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	49.213	52.571	-24.787	74.000	-3.358	PK
2	*	15720.000	52.731	50.936	-21.269	74.000	1.795	PK

Profile: 2480675R	Page No.: 425
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5260MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.326	50.631	-26.674	74.000	-3.305	PK
2	*	15780.000	51.168	49.703	-22.832	74.000	1.465	PK

Profile: 2480675R	Page No.: 426
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5260MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.026	50.331	-26.974	74.000	-3.305	PK
2	*	15780.000	50.386	48.921	-23.614	74.000	1.465	PK

Profile: 2480675R	Page No.: 427
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5300MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.805	50.546	-26.195	74.000	-2.741	PK
2	*	15900.000	51.971	49.832	-22.029	74.000	2.139	PK

Profile: 2480675R	Page No.: 428
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5300MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.736	50.477	-26.264	74.000	-2.741	PK
2	*	15900.000	52.119	49.980	-21.881	74.000	2.139	PK

Profile: 2480675R	Page No.: 429
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5320MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	48.321	51.710	-25.679	74.000	-3.389	PK
2	*	15960.000	50.476	49.338	-23.524	74.000	1.138	PK

Profile: 2480675R	Page No.: 430
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5320MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.192	50.581	-26.808	74.000	-3.389	PK
2	*	15960.000	51.374	50.236	-22.626	74.000	1.138	PK

Profile: 2480675R	Page No.: 431
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5500MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.227	50.094	-26.773	74.000	-2.867	PK
2	*	16500.000	51.339	49.522	-22.661	74.000	1.817	PK

Profile: 2480675R	Page No.: 432
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5500MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.411	51.278	-25.589	74.000	-2.867	PK
2	*	16500.000	52.373	50.556	-21.627	74.000	1.817	PK

Profile: 2480675R	Page No.: 433
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5580MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.168	51.098	-24.832	74.000	-1.930	PK
2	*	16740.000	51.632	50.093	-22.368	74.000	1.538	PK

Profile: 2480675R	Page No.: 434
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5580MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.463	51.393	-24.537	74.000	-1.930	PK
2	*	16740.000	52.712	51.173	-21.288	74.000	1.538	PK

Profile: 2480675R	Page No.: 435
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5700MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	49.701	51.081	-24.299	74.000	-1.381	PK
2	*	17100.000	53.264	50.810	-20.736	74.000	2.455	PK

Profile: 2480675R	Page No.: 436
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5700MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	49.265	50.645	-24.735	74.000	-1.381	PK
2	*	17100.000	53.132	50.678	-20.868	74.000	2.455	PK

Profile: 2480675R	Page No.: 437
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5745MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	49.081	50.723	-24.919	74.000	-1.642	PK
2	*	17235.000	53.824	51.618	-20.176	74.000	2.206	PK

Profile: 2480675R	Page No.: 438
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5745MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.674	50.316	-25.326	74.000	-1.642	PK
2	*	17235.000	52.468	50.262	-21.532	74.000	2.206	PK

Profile: 2480675R	Page No.: 439
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5785MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	49.054	49.859	-24.946	74.000	-0.805	PK
2	*	17355.000	53.788	50.967	-20.212	74.000	2.821	PK

Profile: 2480675R	Page No.: 440
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5785MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.892	49.697	-25.108	74.000	-0.805	PK
2	*	17355.000	53.714	50.893	-20.286	74.000	2.821	PK

Profile: 2480675R	Page No.: 441
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5825MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.363	50.330	-24.637	74.000	-0.967	PK
2	*	17475.000	52.947	50.996	-21.053	74.000	1.952	PK

Profile: 2480675R	Page No.: 442
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 12 : Transmit at 5825MHz by 802.11be(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	49.280	50.247	-24.720	74.000	-0.967	PK
2	*	17475.000	52.442	50.491	-21.558	74.000	1.952	PK

Profile: 2480675R	Page No.: 443
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5190MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	48.225	51.535	-25.775	74.000	-3.310	PK
2	*	15570.000	52.239	51.550	-21.761	74.000	0.689	PK

Profile: 2480675R	Page No.: 444
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5190MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	47.967	51.277	-26.033	74.000	-3.310	PK
2	*	15570.000	51.797	51.108	-22.203	74.000	0.689	PK

Profile: 2480675R	Page No.: 445
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5230MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	48.236	51.662	-25.764	74.000	-3.426	PK
2	*	15690.000	51.646	51.061	-22.354	74.000	0.584	PK

Profile: 2480675R	Page No.: 446
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5230MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	49.966	53.392	-24.034	74.000	-3.426	PK
2	*	15690.000	51.477	50.892	-22.523	74.000	0.584	PK

Profile: 2480675R	Page No.: 447
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5270MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	47.834	51.104	-26.166	74.000	-3.270	PK
2	*	15810.000	50.877	49.637	-23.123	74.000	1.240	PK

Profile: 2480675R	Page No.: 448
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5270MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	49.068	52.338	-24.932	74.000	-3.270	PK
2	*	15810.000	52.067	50.827	-21.933	74.000	1.240	PK

Profile: 2480675R	Page No.: 449
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5310MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.895	51.143	-26.105	74.000	-3.248	PK
2	*	15930.000	49.710	48.481	-24.290	74.000	1.229	PK

Profile: 2480675R	Page No.: 450
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5310MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	48.418	51.666	-25.582	74.000	-3.248	PK
2	*	15930.000	51.103	49.874	-22.897	74.000	1.229	PK

Profile: 2480675R	Page No.: 451
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5510MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.987	52.303	-24.013	74.000	-2.316	PK
2	*	16530.000	51.894	50.715	-22.106	74.000	1.179	PK

Profile: 2480675R	Page No.: 452
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5510MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.802	52.118	-24.198	74.000	-2.316	PK
2	*	16530.000	50.530	49.351	-23.470	74.000	1.179	PK

Profile: 2480675R	Page No.: 453
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5590MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11180.000	52.095	53.587	-21.905	74.000	-1.492	PK
2		16770.000	51.998	50.198	-22.002	74.000	1.801	PK

Profile: 2480675R	Page No.: 454
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5590MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	50.585	52.077	-23.415	74.000	-1.492	PK
2	*	16770.000	51.720	49.920	-22.280	74.000	1.801	PK

Profile: 2480675R	Page No.: 455
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5670MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.602	51.209	-24.398	74.000	-1.606	PK
2	*	17010.000	51.224	49.417	-22.776	74.000	1.807	PK

Profile: 2480675R	Page No.: 456
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5670MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	49.896	51.503	-24.104	74.000	-1.606	PK
2	*	17010.000	51.743	49.936	-22.257	74.000	1.807	PK

Profile: 2480675R	Page No.: 457
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5755MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	49.743	51.255	-24.257	74.000	-1.512	PK
2	*	17265.000	52.944	50.827	-21.056	74.000	2.117	PK

Profile: 2480675R	Page No.: 458
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5755MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	49.314	50.826	-24.686	74.000	-1.512	PK
2	*	17265.000	52.337	50.220	-21.663	74.000	2.117	PK

Profile: 2480675R	Page No.: 459
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5795MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.966	50.703	-25.034	74.000	-1.737	PK
2	*	17385.000	52.350	50.099	-21.650	74.000	2.251	PK

Profile: 2480675R	Page No.: 460
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 13 : Transmit at 5795MHz by 802.11be(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	48.913	50.650	-25.087	74.000	-1.737	PK
2	*	17385.000	52.568	50.317	-21.432	74.000	2.251	PK

Profile: 2480675R	Page No.: 461
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5210MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	47.460	50.555	-26.540	74.000	-3.096	PK
2	*	15630.000	51.626	50.018	-22.374	74.000	1.608	PK

Profile: 2480675R	Page No.: 462
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5210MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	48.090	51.185	-25.910	74.000	-3.096	PK
2	*	15630.000	52.376	50.768	-21.624	74.000	1.608	PK

Profile: 2480675R	Page No.: 463
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5290MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	47.796	50.857	-26.204	74.000	-3.061	PK
2	*	15870.000	51.054	49.092	-22.946	74.000	1.962	PK

Profile: 2480675R	Page No.: 464
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5290MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	48.162	51.223	-25.838	74.000	-3.061	PK
2	*	15870.000	51.559	49.597	-22.441	74.000	1.962	PK

Profile: 2480675R	Page No.: 465
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5530MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	48.873	50.876	-25.127	74.000	-2.004	PK
2	*	16590.000	51.564	49.683	-22.436	74.000	1.882	PK

Profile: 2480675R	Page No.: 466
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5530MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	49.310	51.313	-24.690	74.000	-2.004	PK
2	*	16590.000	51.389	49.508	-22.611	74.000	1.882	PK

Profile: 2480675R	Page No.: 467
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5610MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	49.772	51.886	-24.228	74.000	-2.114	PK
2	*	16830.000	51.949	49.922	-22.051	74.000	2.028	PK

Profile: 2480675R	Page No.: 468
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5610MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	48.511	50.625	-25.489	74.000	-2.114	PK
2	*	16830.000	52.445	50.418	-21.555	74.000	2.028	PK

Profile: 2480675R	Page No.: 469
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5775MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	49.061	50.075	-24.939	74.000	-1.014	PK
2	*	17325.000	51.546	49.519	-22.454	74.000	2.027	PK

Profile: 2480675R	Page No.: 470
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 14 : Transmit at 5775MHz by 802.11be(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	49.559	50.573	-24.441	74.000	-1.014	PK
2	*	17325.000	52.461	50.434	-21.539	74.000	2.027	PK

Profile: 2480675R	Page No.: 471
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 15 : Transmit at 5250MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	49.494	52.610	-24.506	74.000	-3.116	PK
2	*	15750.000	52.635	50.838	-21.365	74.000	1.798	PK

Profile: 2480675R	Page No.: 472
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 15 : Transmit at 5250MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	48.051	51.167	-25.949	74.000	-3.116	PK
2	*	15750.000	52.088	50.291	-21.912	74.000	1.798	PK

Profile: 2480675R	Page No.: 473
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 15 : Transmit at 5570MHz by 802.11be(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	49.249	51.473	-24.751	74.000	-2.223	PK
2	*	16710.000	50.851	49.332	-23.149	74.000	1.520	PK

Profile: 2480675R	Page No.: 474
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 15 : Transmit at 5570MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	48.154	50.378	-25.846	74.000	-2.223	PK
2	*	16710.000	51.019	49.500	-22.981	74.000	1.520	PK

- Note:
- 1. Measured Level = Reading Level + Factor.
 - 2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
 - 3. If the test result on peak is lower than average limit, then average measurement needn't be performed.
 - 4. We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.
 - 5. We use the RF output power of Indoor Access Point Mode for testing, which has a higher RF output power.




The worst case of Radiated Emission Above 18GHz:

Profile: 2480675R	Page No.: 63
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		19694.000	41.153	46.816	-32.847	74.000	-5.663	PK
2	*	25172.000	45.979	46.111	-28.021	74.000	-0.132	PK

Profile: 2480675R	Page No.: 64
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23940.000	45.321	47.315	-28.679	74.000	-1.994	PK
2	*	32674.000	47.004	46.508	-26.996	74.000	0.496	PK


Profile: 2480675R	Page No.: 65
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		20728.000	43.516	48.177	-30.484	74.000	-4.661	PK
2	*	32652.000	47.885	47.393	-26.115	74.000	0.492	PK




Profile: 2480675R	Page No.: 66
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		20244.000	43.396	48.582	-30.604	74.000	-5.186	PK
2	*	26118.000	46.325	46.131	-27.675	74.000	0.194	PK


Profile: 2480675R	Page No.: 67
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23126.000	44.754	46.866	-29.246	74.000	-2.112	PK
2	*	31398.000	46.987	46.558	-27.013	74.000	0.429	PK




Profile: 2480675R	Page No.: 68
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		20288.000	44.112	49.250	-29.888	74.000	-5.138	PK
2	*	26492.000	47.396	47.040	-26.604	74.000	0.356	PK




Profile: 2480675R	Page No.: 69
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		20266.000	44.321	49.484	-29.679	74.000	-5.163	PK
2	*	27174.000	45.557	45.065	-28.443	74.000	0.492	PK

Profile: 2480675R	Page No.: 70
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22378.000	43.837	46.766	-30.163	74.000	-2.929	PK
2	*	26470.000	46.619	46.273	-27.381	74.000	0.346	PK

Profile: 2480675R	Page No.: 71
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22378.000	42.822	45.751	-31.178	74.000	-2.929	PK
2	*	29968.000	47.814	47.885	-26.186	74.000	-0.071	PK

Profile: 2480675R	Page No.: 72
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22928.000	43.626	45.849	-30.374	74.000	-2.223	PK
2	*	33070.000	49.339	48.730	-24.661	74.000	0.609	PK

Profile: 2480675R	Page No.: 73
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22818.000	43.781	46.144	-30.219	74.000	-2.363	PK
2	*	30870.000	47.553	47.139	-26.447	74.000	0.414	PK

Profile: 2480675R	Page No.: 74
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22708.000	44.341	46.845	-29.659	74.000	-2.504	PK
2	*	26800.000	46.424	45.934	-27.576	74.000	0.490	PK

Profile: 2480675R	Page No.: 75
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		20992.000	42.480	46.855	-31.520	74.000	-4.375	PK
2	*	27020.000	46.027	45.460	-27.973	74.000	0.567	PK

Profile: 2480675R	Page No.: 76
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22686.000	43.106	45.639	-30.894	74.000	-2.533	PK
2	*	26690.000	47.296	46.854	-26.704	74.000	0.442	PK

Profile: 2480675R	Page No.: 77
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22686.000	44.149	46.682	-29.851	74.000	-2.533	PK
2	*	26558.000	46.481	46.096	-27.519	74.000	0.385	PK

Profile: 2480675R	Page No.: 78
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22818.000	44.872	47.235	-29.128	74.000	-2.363	PK
2	*	26272.000	47.238	46.976	-26.762	74.000	0.262	PK

Profile: 2480675R	Page No.: 79
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23280.000	43.259	45.349	-30.741	74.000	-2.090	PK
2	*	32872.000	48.279	47.737	-25.721	74.000	0.542	PK

Profile: 2480675R	Page No.: 80
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23368.000	44.388	46.465	-29.612	74.000	-2.077	PK
2	*	32454.000	47.899	47.451	-26.101	74.000	0.448	PK

Profile: 2480675R	Page No.: 81
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22554.000	43.221	45.923	-30.779	74.000	-2.702	PK
2	*	26096.000	45.825	45.640	-28.175	74.000	0.185	PK

Profile: 2480675R	Page No.: 82
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23082.000	42.226	44.344	-31.774	74.000	-2.118	PK
2	*	30518.000	46.065	45.838	-27.935	74.000	0.227	PK


Profile: 2480675R	Page No.: 83
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22686.000	44.036	46.569	-29.964	74.000	-2.533	PK
2	*	30958.000	46.955	46.493	-27.045	74.000	0.462	PK




Profile: 2480675R	Page No.: 84
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22642.000	43.283	45.873	-30.717	74.000	-2.590	PK
2	*	32630.000	48.237	47.749	-25.763	74.000	0.488	PK


Profile: 2480675R	Page No.: 85
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22642.000	43.765	46.355	-30.235	74.000	-2.590	PK
2	*	26690.000	45.774	45.332	-28.226	74.000	0.442	PK



Profile: 2480675R	Page No.: 86
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22356.000	41.832	44.788	-32.168	74.000	-2.956	PK
2	*	32960.000	48.872	48.311	-25.128	74.000	0.561	PK


Note:

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).


The worst case of Radiated Emission below 1GHz:

Profile: 2480675R	Page No.: 3
Engineer: Yu Liu	
Site: AC2	Time: 2024/09/28 - 19:28
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	32.425	30.753	6.985	-9.247	40.000	23.768	QP
2		48.551	28.786	13.334	-11.214	40.000	15.452	QP
3		118.512	27.973	8.658	-15.527	43.500	19.315	QP
4		252.372	26.526	6.451	-19.474	46.000	20.075	QP
5		618.790	28.566	1.299	-17.434	46.000	27.267	QP
6		860.926	30.946	1.587	-15.054	46.000	29.359	QP

Profile: 2480675R	Page No.: 4
Engineer: Yu Liu	
Site: AC2	Time: 2024/09/28 - 19:30
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	32.667	30.293	6.635	-9.707	40.000	23.658	QP
2		52.674	29.980	15.841	-10.020	40.000	14.140	QP
3		126.636	29.227	10.022	-14.273	43.500	19.204	QP
4		253.827	25.277	5.049	-20.723	46.000	20.228	QP
5		525.912	28.086	1.689	-17.914	46.000	26.398	QP
6		832.675	31.778	2.436	-14.222	46.000	29.341	QP

- Note:
- " * ", means this data is the worst emission level.
 - Measurement Level = Reading Level + Factor(Probe+Cable-Amp).


The worst case of Simultaneous Radiated Emission:

Profile: 2480675R	Page No.: 479
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 5180MHz by 802.11a + Transmit at 5955MHz by 802.11be20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.507	50.015	-27.493	74.000	-3.509	PK
2		11910.000	46.889	47.896	-27.111	74.000	-1.008	PK
3		15540.000	50.352	48.928	-23.648	74.000	1.424	PK
4	*	17865.000	50.900	48.104	-23.100	74.000	2.796	PK

Profile: 2480675R	Page No.: 480
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 5180MHz by 802.11a + Transmit at 5955MHz by 802.11be20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.214	48.722	-28.786	74.000	-3.509	PK
2		11910.000	45.902	46.909	-28.098	74.000	-1.008	PK
3		15540.000	50.324	48.900	-23.676	74.000	1.424	PK
4	*	17865.000	51.002	48.206	-22.998	74.000	2.796	PK

Note:

- " * ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Appendix B: Emission bandwidth and occupied bandwidth

Emission Bandwidth :

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]
11A	Ant1	5180	34.320	5162.960	5197.280
11A	Ant1	5200	34.160	5183.320	5217.480
11A	Ant1	5240	34.200	5223.360	5257.560
11A	Ant1	5260	34.400	5243.280	5277.680
11A	Ant1	5280	32.400	5265.120	5297.520
11A	Ant1	5320	30.440	5303.400	5333.840
11A	Ant1	5500	34.440	5483.120	5517.560
11A	Ant1	5580	32.600	5564.880	5597.480
11A	Ant1	5700	33.920	5684.000	5717.920
11A	Ant1	5745	29.000	5729.760	5758.760
11A	Ant1	5785	24.920	5772.920	5797.840
11A	Ant1	5825	29.000	5809.960	5838.960
11N20SISO	Ant1	5180	24.840	5167.640	5192.480
11N20SISO	Ant1	5200	23.320	5188.120	5211.440
11N20SISO	Ant1	5240	23.840	5227.720	5251.560
11N20SISO	Ant1	5260	32.040	5243.520	5275.560
11N20SISO	Ant1	5280	25.440	5266.760	5292.200
11N20SISO	Ant1	5320	23.240	5308.000	5331.240
11N20SISO	Ant1	5500	35.040	5482.400	5517.440
11N20SISO	Ant1	5580	28.200	5565.960	5594.160
11N20SISO	Ant1	5700	38.840	5680.960	5719.800
11N20SISO	Ant1	5745	32.680	5728.120	5760.800
11N20SISO	Ant1	5785	27.000	5771.520	5798.520
11N20SISO	Ant1	5825	27.840	5809.800	5837.640
11N40SISO	Ant1	5190	44.240	5168.160	5212.400
11N40SISO	Ant1	5230	44.960	5207.840	5252.800
11N40SISO	Ant1	5270	44.800	5247.200	5292.000
11N40SISO	Ant1	5310	44.640	5287.600	5332.240
11N40SISO	Ant1	5510	46.000	5486.880	5532.880
11N40SISO	Ant1	5550	44.320	5527.440	5571.760
11N40SISO	Ant1	5670	44.800	5647.920	5692.720
11N40SISO	Ant1	5755	47.840	5729.560	5777.400
11N40SISO	Ant1	5795	46.240	5771.880	5818.120
11AC20SISO	Ant1	5180	24.040	5167.440	5191.480
11AC20SISO	Ant1	5200	23.640	5188.160	5211.800
11AC20SISO	Ant1	5240	23.760	5227.560	5251.320
11AC20SISO	Ant1	5260	30.720	5244.360	5275.080
11AC20SISO	Ant1	5280	24.520	5267.200	5291.720
11AC20SISO	Ant1	5320	24.160	5307.440	5331.600
11AC20SISO	Ant1	5500	35.200	5483.040	5518.240
11AC20SISO	Ant1	5580	31.040	5564.920	5595.960
11AC20SISO	Ant1	5700	38.480	5680.440	5718.920
11AC20SISO	Ant1	5745	32.360	5727.760	5760.120
11AC20SISO	Ant1	5785	28.080	5770.360	5798.440
11AC20SISO	Ant1	5825	27.560	5810.560	5838.120

11AC40SISO	Ant1	5190	45.200	5167.360	5212.560
11AC40SISO	Ant1	5230	46.160	5207.200	5253.360
11AC40SISO	Ant1	5270	44.880	5247.520	5292.400
11AC40SISO	Ant1	5310	44.560	5287.600	5332.160
11AC40SISO	Ant1	5510	45.840	5486.560	5532.400
11AC40SISO	Ant1	5550	45.120	5527.200	5572.320
11AC40SISO	Ant1	5670	46.640	5646.800	5693.440
11AC40SISO	Ant1	5755	51.280	5725.720	5777.000
11AC40SISO	Ant1	5795	47.600	5770.440	5818.040
11AC80SISO	Ant1	5210	92.960	5164.080	5257.040
11AC80SISO	Ant1	5290	91.360	5244.240	5335.600
11AC80SISO	Ant1	5530	90.400	5484.720	5575.120
11AC80SISO	Ant1	5610	91.200	5564.400	5655.600
11AC80SISO	Ant1	5775	126.720	5715.800	5842.520
11AC160SISO	Ant1	5250	172.480	5163.920	5336.400
11AC160SISO	Ant1	5250_UNII-1	86.08	5163.920	5250
11AC160SISO	Ant1	5250_UNII-2A	86.4	5250	5336.400
11AC160SISO	Ant1	5570	171.840	5483.600	5655.440
11AX20SISO	Ant1	5180	23.560	5167.960	5191.520
11AX20SISO	Ant1	5200	23.480	5188.600	5212.080
11AX20SISO	Ant1	5240	23.280	5228.040	5251.320
11AX20SISO	Ant1	5260	24.360	5248.000	5272.360
11AX20SISO	Ant1	5280	23.400	5267.720	5291.120
11AX20SISO	Ant1	5320	22.760	5308.280	5331.040
11AX20SISO	Ant1	5500	31.120	5484.720	5515.840
11AX20SISO	Ant1	5580	31.080	5564.160	5595.240
11AX20SISO	Ant1	5700	33.280	5682.760	5716.040
11AX20SISO	Ant1	5745	25.760	5731.440	5757.200
11AX20SISO	Ant1	5785	32.720	5769.480	5802.200
11AX20SISO	Ant1	5825	33.560	5807.640	5841.200
11AX40SISO	Ant1	5190	43.840	5168.160	5212.000
11AX40SISO	Ant1	5230	42.240	5208.720	5250.960
11AX40SISO	Ant1	5270	44.320	5247.840	5292.160
11AX40SISO	Ant1	5310	43.520	5288.080	5331.600
11AX40SISO	Ant1	5510	43.760	5488.160	5531.920
11AX40SISO	Ant1	5550	43.200	5528.080	5571.280
11AX40SISO	Ant1	5670	44.160	5647.840	5692.000
11AX40SISO	Ant1	5755	51.040	5726.680	5777.720
11AX40SISO	Ant1	5795	62.560	5761.400	5823.960
11AX80SISO	Ant1	5210	90.400	5164.400	5254.800
11AX80SISO	Ant1	5290	87.680	5246.000	5333.680
11AX80SISO	Ant1	5530	87.840	5486.160	5574.000
11AX80SISO	Ant1	5610	88.320	5565.360	5653.680
11AX80SISO	Ant1	5775	117.760	5708.600	5826.360
11AX160SISO	Ant1	5250	170.240	5164.240	5334.480
11AX160SISO	Ant1	5250_UNII-1	85.76	5164.240	5250
11AX160SISO	Ant1	5250_UNII-2A	84.48	5250	5334.480
11AX160SISO	Ant1	5570	168.640	5485.200	5653.840

11BE20SISO	Ant1	5180	24.040	5167.800	5191.840
11BE20SISO	Ant1	5200	23.400	5188.200	5211.600
11BE20SISO	Ant1	5240	23.360	5228.000	5251.360
11BE20SISO	Ant1	5260	23.200	5248.480	5271.680
11BE20SISO	Ant1	5280	23.760	5267.400	5291.160
11BE20SISO	Ant1	5320	23.120	5308.040	5331.160
11BE20SISO	Ant1	5500	38.520	5481.000	5519.520
11BE20SISO	Ant1	5580	33.120	5564.480	5597.600
11BE20SISO	Ant1	5700	34.400	5684.240	5718.640
11BE20SISO	Ant1	5745	25.360	5731.440	5756.800
11BE20SISO	Ant1	5785	30.640	5771.120	5801.760
11BE20SISO	Ant1	5825	36.680	5806.600	5843.280
11BE40SISO	Ant1	5190	43.600	5168.880	5212.480
11BE40SISO	Ant1	5230	43.440	5208.480	5251.920
11BE40SISO	Ant1	5270	43.520	5248.080	5291.600
11BE40SISO	Ant1	5310	43.440	5288.480	5331.920
11BE40SISO	Ant1	5510	43.840	5488.640	5532.480
11BE40SISO	Ant1	5550	44.320	5526.880	5571.200
11BE40SISO	Ant1	5670	43.520	5648.560	5692.080
11BE40SISO	Ant1	5755	54.080	5725.960	5780.040
11BE40SISO	Ant1	5795	66.960	5764.600	5831.560
11BE80SISO	Ant1	5210	88.480	5166.000	5254.480
11BE80SISO	Ant1	5290	86.720	5246.640	5333.360
11BE80SISO	Ant1	5530	88.640	5485.200	5573.840
11BE80SISO	Ant1	5610	89.280	5564.720	5654.000
11BE80SISO	Ant1	5775	119.680	5708.760	5828.440
11BE160SISO	Ant1	5250	170.880	5165.840	5336.720
11BE160SISO	Ant1	5250_UNII-1	84.16	5165.840	5250
11BE160SISO	Ant1	5250_UNII-2A	86.72	5250	5336.720
11BE160SISO	Ant1	5570	169.600	5484.560	5654.160

Note1: We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.

Note2: We use the RF output power of Indoor Access Point Mode for testing, which has a higher RF output power.