



Profile: 2480675R	Page No.: 351
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6185MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12370.000	51.273	51.248	-22.727	74.000	0.026	PK

Profile: 2480675R	Page No.: 352
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6185MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12370.000	50.271	50.246	-23.729	74.000	0.026	PK

Profile: 2480675R	Page No.: 353
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6345MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12690.000	51.059	50.966	-22.941	74.000	0.093	PK

Profile: 2480675R	Page No.: 354
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6345MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12690.000	50.914	50.821	-23.086	74.000	0.093	PK

Profile: 2480675R	Page No.: 355
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6505MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13010.000	50.388	50.687	-23.612	74.000	-0.299	PK

Profile: 2480675R	Page No.: 356
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6505MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13010.000	51.078	51.377	-22.922	74.000	-0.299	PK

Profile: 2480675R	Page No.: 357
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6665MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13330.000	48.573	49.601	-25.427	74.000	-1.028	PK

Profile: 2480675R	Page No.: 358
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6665MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13330.000	49.605	50.633	-24.395	74.000	-1.028	PK

Profile: 2480675R	Page No.: 359
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6825MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13650.000	49.228	50.639	-24.772	74.000	-1.411	PK

Profile: 2480675R	Page No.: 360
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6825MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13650.000	49.550	50.961	-24.450	74.000	-1.411	PK

Profile: 2480675R	Page No.: 361
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6985MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13970.000	49.077	50.498	-24.923	74.000	-1.421	PK

Profile: 2480675R	Page No.: 362
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 8 : Transmit at 6985MHz by 802.11be(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13970.000	50.076	51.497	-23.924	74.000	-1.421	PK

Profile: 2480675R	Page No.: 363
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6105MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12210.000	49.798	50.703	-24.202	74.000	-0.905	PK

Profile: 2480675R	Page No.: 364
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6105MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12210.000	50.198	51.103	-23.802	74.000	-0.905	PK

Profile: 2480675R	Page No.: 365
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6265MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12530.000	50.287	50.268	-23.713	74.000	0.019	PK

Profile: 2480675R	Page No.: 366
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6265MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	12530.000	50.717	50.698	-23.283	74.000	0.019	PK

Profile: 2480675R	Page No.: 367
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6585MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13170.000	49.360	50.764	-24.640	74.000	-1.404	PK

Profile: 2480675R	Page No.: 368
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6585MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13170.000	50.769	52.173	-23.231	74.000	-1.404	PK

Profile: 2480675R	Page No.: 369
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6745MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13490.000	50.041	50.802	-23.959	74.000	-0.761	PK

Profile: 2480675R	Page No.: 370
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6745MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13490.000	49.368	50.129	-24.632	74.000	-0.761	PK

Profile: 2480675R	Page No.: 371
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6905MHz by 802.11be(320MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13810.000	49.412	50.970	-24.588	74.000	-1.558	PK

Profile: 2480675R	Page No.: 372
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 9 : Transmit at 6905MHz by 802.11be(320MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	13810.000	48.802	50.360	-25.198	74.000	-1.558	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. If the test result on peak is lower than average limit, then average measurement needn't be performed.
4. We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.
5. We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Simultaneous Radiated Emission:

Profile: 2480675R	Page No.: 479
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 5180MHz by 802.11a + Transmit at 5955MHz by 802.11be20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.507	50.015	-27.493	74.000	-3.509	PK
2		11910.000	46.889	47.896	-27.111	74.000	-1.008	PK
3		15540.000	50.352	48.928	-23.648	74.000	1.424	PK
4	*	17865.000	50.900	48.104	-23.100	74.000	2.796	PK

Profile: 2480675R	Page No.: 480
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 5180MHz by 802.11a + Transmit at 5955MHz by 802.11be20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.214	48.722	-28.786	74.000	-3.509	PK
2		11910.000	45.902	46.909	-28.098	74.000	-1.008	PK
3		15540.000	50.324	48.900	-23.676	74.000	1.424	PK
4	*	17865.000	51.002	48.206	-22.998	74.000	2.796	PK

Note:

- " * ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).
- We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.


The worst case of Radiated Emission below 1GHz:

Profile: 2480675R	Page No.: 5
Engineer: Yu Liu	
Site: AC2	Time: 2024/09/28 - 19:33
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5955MHz by 802.11be(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	33.031	30.718	7.235	-9.282	40.000	23.484	QP
2		52.310	29.162	14.933	-10.838	40.000	14.229	QP
3		118.149	27.968	8.659	-15.532	43.500	19.310	QP
4		255.161	27.458	7.088	-18.542	46.000	20.369	QP
5		513.302	28.080	2.066	-17.920	46.000	26.014	QP
6		945.801	33.074	2.473	-12.926	46.000	30.600	QP

Profile: 2480675R	Page No.: 6
Engineer: Yu Liu	
Site: AC2	Time: 2024/09/28 - 19:35
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5955MHz by 802.11be(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	32.304	31.664	7.841	-8.336	40.000	23.823	QP
2		53.280	29.912	15.922	-10.088	40.000	13.990	QP
3		113.662	27.777	8.579	-15.723	43.500	19.198	QP
4		254.798	26.910	6.579	-19.090	46.000	20.331	QP
5		521.062	28.125	1.875	-17.875	46.000	26.250	QP
6		887.965	31.280	1.776	-14.720	46.000	29.504	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).
3. We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.




The worst case of Radiated Emission 18-40GHz:

Profile: 2480675R	Page No.: 87
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5955MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22356.000	43.752	46.708	-30.248	74.000	-2.956	PK
2	*	29396.000	46.234	46.685	-27.766	74.000	-0.451	PK


Profile: 2480675R	Page No.: 88
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 5955MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22510.000	41.391	44.150	-32.609	74.000	-2.759	PK
2	*	30848.000	47.101	46.698	-26.899	74.000	0.403	PK




Profile: 2480675R	Page No.: 89
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6175MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		23060.000	46.346	48.467	-27.654	74.000	-2.121	PK
2	*	33246.000	48.913	48.203	-25.087	74.000	0.710	PK

Profile: 2480675R	Page No.: 90
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6175MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22928.000	45.804	48.027	-28.196	74.000	-2.223	PK
2	*	31464.000	47.551	47.131	-26.449	74.000	0.420	PK

Profile: 2480675R	Page No.: 91
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6415MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22136.000	42.389	45.627	-31.611	74.000	-3.238	PK
2	*	26888.000	47.429	46.901	-26.571	74.000	0.528	PK

Profile: 2480675R	Page No.: 92
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6415MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22928.000	43.124	45.347	-30.876	74.000	-2.223	PK
2	*	31420.000	47.608	47.182	-26.392	74.000	0.426	PK

Profile: 2480675R	Page No.: 93
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6435MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22708.000	44.775	47.279	-29.225	74.000	-2.504	PK
2	*	31288.000	47.159	46.715	-26.841	74.000	0.444	PK

Profile: 2480675R	Page No.: 94
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6435MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22972.000	44.242	46.408	-29.758	74.000	-2.166	PK
2	*	30892.000	48.408	47.982	-25.592	74.000	0.426	PK

Profile: 2480675R	Page No.: 95
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6475MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22290.000	43.224	46.265	-30.776	74.000	-3.041	PK
2	*	27724.000	46.344	46.119	-27.656	74.000	0.225	PK


Profile: 2480675R	Page No.: 96
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6475MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22356.000	43.579	46.535	-30.421	74.000	-2.956	PK
2	*	29110.000	46.311	46.953	-27.689	74.000	-0.642	PK




Profile: 2480675R	Page No.: 97
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6515MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22774.000	43.895	46.314	-30.105	74.000	-2.419	PK
2	*	26998.000	47.014	46.438	-26.986	74.000	0.576	PK




Profile: 2480675R	Page No.: 98
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6515MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22884.000	44.467	46.745	-29.533	74.000	-2.278	PK
2	*	27020.000	47.076	46.509	-26.924	74.000	0.567	PK




Profile: 2480675R	Page No.: 99
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6535MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22554.000	45.005	47.707	-28.995	74.000	-2.702	PK
2	*	31134.000	46.954	46.489	-27.046	74.000	0.465	PK


Profile: 2480675R	Page No.: 100
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6535MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22466.000	43.350	46.165	-30.650	74.000	-2.815	PK
2	*	27218.000	46.887	46.416	-27.113	74.000	0.471	PK




Profile: 2480675R	Page No.: 101
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6695MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22224.000	42.964	46.089	-31.036	74.000	-3.125	PK
2	*	27504.000	46.221	45.889	-27.779	74.000	0.332	PK

Profile: 2480675R	Page No.: 102
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6695MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22686.000	44.333	46.866	-29.667	74.000	-2.533	PK
2	*	32366.000	47.331	46.903	-26.669	74.000	0.428	PK

Profile: 2480675R	Page No.: 103
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6855MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22026.000	43.454	46.835	-30.546	74.000	-3.381	PK
2	*	32520.000	47.944	47.481	-26.056	74.000	0.463	PK

Profile: 2480675R	Page No.: 104
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6855MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22906.000	44.959	47.210	-29.041	74.000	-2.251	PK
2	*	30034.000	46.957	46.989	-27.043	74.000	-0.032	PK

Profile: 2480675R	Page No.: 105
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6875MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22114.000	43.004	46.271	-30.996	74.000	-3.267	PK
2	*	30100.000	47.734	47.730	-26.266	74.000	0.004	PK

Profile: 2480675R	Page No.: 106
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6875MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		21894.000	43.308	46.822	-30.692	74.000	-3.514	PK
2	*	27020.000	46.072	45.505	-27.928	74.000	0.567	PK

Profile: 2480675R	Page No.: 107
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6895MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22598.000	43.377	46.023	-30.623	74.000	-2.646	PK
2	*	27812.000	45.833	45.651	-28.167	74.000	0.182	PK

Profile: 2480675R	Page No.: 108
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6895MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22510.000	44.304	47.063	-29.696	74.000	-2.759	PK
2	*	26822.000	47.657	47.158	-26.343	74.000	0.499	PK

Profile: 2480675R	Page No.: 109
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6995MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22708.000	44.198	46.702	-29.802	74.000	-2.504	PK
2	*	26800.000	46.557	46.067	-27.443	74.000	0.490	PK



Profile: 2480675R	Page No.: 110
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 6995MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22378.000	45.039	47.968	-28.961	74.000	-2.929	PK
2	*	30760.000	47.051	46.696	-26.949	74.000	0.355	PK

Profile: 2480675R	Page No.: 111
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 7115MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22136.000	42.621	45.859	-31.379	74.000	-3.238	PK
2	*	26998.000	46.318	45.742	-27.682	74.000	0.576	PK

Profile: 2480675R	Page No.: 112
Engineer: Yu Liu	
Site: AC5	Time: 2024/10/10 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA 9170_294(18-40GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 7115MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		22928.000	44.638	46.861	-29.362	74.000	-2.223	PK
2	*	31442.000	47.340	46.918	-26.660	74.000	0.422	PK

Note:

- " * ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).
- We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.

Appendix B: Emission bandwidth and occupied bandwidth


Emission Bandwidth:

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11AX20SISO	Ant1	5955	22.600	5943.800	5966.400	N/A	PASS
11AX20SISO	Ant1	6175	23.040	6163.560	6186.600	N/A	PASS
11AX20SISO	Ant1	6415	23.200	6403.520	6426.720	N/A	PASS
11AX20SISO	Ant1	6435	22.680	6423.680	6446.360	N/A	PASS
11AX20SISO	Ant1	6475	22.640	6463.960	6486.600	N/A	PASS
11AX20SISO	Ant1	6515	23.040	6503.400	6526.440	N/A	PASS
11AX20SISO	Ant1	6535	22.800	6523.760	6546.560	N/A	PASS
11AX20SISO	Ant1	6695	23.240	6683.720	6706.960	N/A	PASS
11AX20SISO	Ant1	6855	22.920	6843.800	6866.720	N/A	PASS
11AX20SISO	Ant1	6875	22.600	6863.760	6886.360	N/A	PASS
11AX20SISO	Ant1	6895	23.160	6883.520	6906.680	N/A	PASS
11AX20SISO	Ant1	6995	22.880	6983.760	7006.640	N/A	PASS
11AX20SISO	Ant1	7115	22.800	7103.320	7126.120	N/A	PASS
11AX40SISO	Ant1	5965	44.560	5942.840	5987.400	N/A	PASS
11AX40SISO	Ant1	6165	44.080	6142.840	6186.920	N/A	PASS
11AX40SISO	Ant1	6405	44.800	6382.440	6427.240	N/A	PASS
11AX40SISO	Ant1	6445	45.040	6422.680	6467.720	N/A	PASS
11AX40SISO	Ant1	6485	44.560	6462.520	6507.080	N/A	PASS
11AX40SISO	Ant1	6525	45.040	6502.760	6547.800	N/A	PASS
11AX40SISO	Ant1	6565	44.400	6543.000	6587.400	N/A	PASS
11AX40SISO	Ant1	6685	45.120	6662.040	6707.160	N/A	PASS
11AX40SISO	Ant1	6845	44.080	6823.080	6867.160	N/A	PASS
11AX40SISO	Ant1	6885	44.880	6862.280	6907.160	N/A	PASS
11AX40SISO	Ant1	6925	44.240	6903.080	6947.320	N/A	PASS
11AX40SISO	Ant1	6965	45.680	6942.200	6987.880	N/A	PASS
11AX40SISO	Ant1	7085	53.040	7055.800	7108.840	N/A	PASS
11AX80SISO	Ant1	5985	93.760	5938.920	6032.680	N/A	PASS
11AX80SISO	Ant1	6145	91.520	6098.600	6190.120	N/A	PASS
11AX80SISO	Ant1	6385	93.760	6338.760	6432.520	N/A	PASS
11AX80SISO	Ant1	6465	95.520	6416.840	6512.360	N/A	PASS
11AX80SISO	Ant1	6545	91.040	6500.040	6591.080	N/A	PASS
11AX80SISO	Ant1	6625	92.000	6578.600	6670.600	N/A	PASS
11AX80SISO	Ant1	6705	104.480	6653.800	6758.280	N/A	PASS
11AX80SISO	Ant1	6785	91.360	6740.360	6831.720	N/A	PASS
11AX80SISO	Ant1	6865	90.720	6819.400	6910.120	N/A	PASS
11AX80SISO	Ant1	6945	101.760	6893.640	6995.400	N/A	PASS
11AX80SISO	Ant1	7025	126.240	6963.080	7089.320	N/A	PASS
11AX160SISO	Ant1	6025	209.920	5938.600	6148.520	N/A	PASS
11AX160SISO	Ant1	6185	172.800	6100.200	6273.000	N/A	PASS
11AX160SISO	Ant1	6345	229.760	6259.560	6489.320	N/A	PASS
11AX160SISO	Ant1	6505	180.480	6418.600	6599.080	N/A	PASS
11AX160SISO	Ant1	6665	216.960	6577.640	6794.600	N/A	PASS
11AX160SISO	Ant1	6825	243.840	6735.400	6979.240	N/A	PASS
11AX160SISO	Ant1	6985	248.320	6894.440	7142.760	N/A	PASS
11BE20SISO	Ant1	5955	23.120	5943.680	5966.800	N/A	PASS
11BE20SISO	Ant1	6175	22.440	6163.880	6186.320	N/A	PASS
11BE20SISO	Ant1	6415	23.040	6403.680	6426.720	N/A	PASS


11BE20SISO	Ant1	6435	23.320	6423.480	6446.800	N/A	PASS
11BE20SISO	Ant1	6475	23.240	6463.680	6486.920	N/A	PASS
11BE20SISO	Ant1	6515	22.960	6503.600	6526.560	N/A	PASS
11BE20SISO	Ant1	6535	22.480	6523.800	6546.280	N/A	PASS
11BE20SISO	Ant1	6695	23.040	6683.480	6706.520	N/A	PASS
11BE20SISO	Ant1	6855	23.040	6843.440	6866.480	N/A	PASS
11BE20SISO	Ant1	6875	23.120	6863.480	6886.600	N/A	PASS
11BE20SISO	Ant1	6895	22.640	6883.760	6906.400	N/A	PASS
11BE20SISO	Ant1	6995	22.680	6983.800	7006.480	N/A	PASS
11BE20SISO	Ant1	7115	22.640	7103.840	7126.480	N/A	PASS
11BE40SISO	Ant1	5965	45.040	5942.600	5987.640	N/A	PASS
11BE40SISO	Ant1	6165	44.960	6142.600	6187.560	N/A	PASS
11BE40SISO	Ant1	6405	44.640	6382.840	6427.480	N/A	PASS
11BE40SISO	Ant1	6445	44.720	6422.280	6467.000	N/A	PASS
11BE40SISO	Ant1	6485	45.040	6462.520	6507.560	N/A	PASS
11BE40SISO	Ant1	6525	44.720	6502.520	6547.240	N/A	PASS
11BE40SISO	Ant1	6565	44.640	6542.840	6587.480	N/A	PASS
11BE40SISO	Ant1	6685	44.480	6663.000	6707.480	N/A	PASS
11BE40SISO	Ant1	6845	45.120	6822.440	6867.560	N/A	PASS
11BE40SISO	Ant1	6885	44.640	6862.680	6907.320	N/A	PASS
11BE40SISO	Ant1	6925	44.960	6902.600	6947.560	N/A	PASS
11BE40SISO	Ant1	6965	44.480	6942.680	6987.160	N/A	PASS
11BE40SISO	Ant1	7085	45.520	7062.040	7107.560	N/A	PASS
11BE80SISO	Ant1	5985	93.760	5938.600	6032.360	N/A	PASS
11BE80SISO	Ant1	6145	93.600	6097.320	6190.920	N/A	PASS
11BE80SISO	Ant1	6385	89.920	6339.880	6429.800	N/A	PASS
11BE80SISO	Ant1	6465	92.160	6419.720	6511.880	N/A	PASS
11BE80SISO	Ant1	6545	108.960	6497.640	6606.600	N/A	PASS
11BE80SISO	Ant1	6625	95.200	6577.640	6672.840	N/A	PASS
11BE80SISO	Ant1	6705	96.480	6657.160	6753.640	N/A	PASS
11BE80SISO	Ant1	6785	93.600	6737.640	6831.240	N/A	PASS
11BE80SISO	Ant1	6865	95.200	6817.480	6912.680	N/A	PASS
11BE80SISO	Ant1	6945	116.800	6890.760	7007.560	N/A	PASS
11BE80SISO	Ant1	7025	150.240	6946.280	7096.520	N/A	PASS
11BE160SISO	Ant1	6025	244.480	5938.280	6182.760	N/A	PASS
11BE160SISO	Ant1	6185	182.720	6097.640	6280.360	N/A	PASS
11BE160SISO	Ant1	6345	243.520	6258.600	6502.120	N/A	PASS
11BE160SISO	Ant1	6505	241.280	6419.880	6661.160	N/A	PASS
11BE160SISO	Ant1	6665	282.240	6540.520	6822.760	N/A	PASS
11BE160SISO	Ant1	6825	243.840	6738.280	6982.120	N/A	PASS
11BE160SISO	Ant1	6985	243.520	6899.240	7142.760	N/A	PASS
11BE320SISO	Ant1	6105	339.200	5934.760	6273.960	N/A	PASS
11BE320SISO	Ant1	6265	341.120	6094.120	6435.240	N/A	PASS
11BE320SISO	Ant1	6425	485.120	6255.400	6740.520	N/A	PASS
11BE320SISO	Ant1	6585	341.120	6414.120	6755.240	N/A	PASS
11BE320SISO	Ant1	6745	340.480	6574.120	6914.600	N/A	PASS
11BE320SISO	Ant1	6905	340.480	6734.120	7074.600	N/A	PASS

Note1: We have evaluated SISO, CDD, Beamforming mode, shown in the report is the worst data.


Note2: We use the RF output power of Low-power indoor access point Mode for testing, which has a higher RF output power.




11AX20SISO-Ant1-5955




11AX20SISO-Ant1-6175




11AX20SISO-Ant1-6415




11AX20SISO-Ant1-6435




11AX20SISO-Ant1-6475




11AX20SISO-Ant1-6515




11AX20SISO-Ant1-6535




11AX20SISO-Ant1-6695




11AX20SISO-Ant1-6855




11AX20SISO-Ant1-6875




11AX20SISO-Ant1-6895




11AX20SISO-Ant1-6995




11AX20SISO-Ant1-7115




11AX40SISO-Ant1-5965




11AX40SISO-Ant1-6165




11AX40SISO-Ant1-6405




11AX40SISO-Ant1-6445




11AX40SISO-Ant1-6485




11AX40SISO-Ant1-6525




11AX40SISO-Ant1-6565




11AX40SISO-Ant1-6685




11AX40SISO-Ant1-6845




11AX40SISO-Ant1-6885




11AX40SISO-Ant1-6925




11AX40SISO-Ant1-6965




11AX40SISO-Ant1-7085




11AX80SISO-Ant1-5985




11AX80SISO-Ant1-6145




11AX80SISO-Ant1-6385




11AX80SISO-Ant1-6465




11AX80SISO-Ant1-6545




11AX80SISO-Ant1-6625




11AX80SISO-Ant1-6705




11AX80SISO-Ant1-6785




11AX80SISO-Ant1-6865




11AX80SISO-Ant1-6945




11AX80SISO-Ant1-7025




11AX160SISO-Ant1-6025




11AX160SISO-Ant1-6185




11AX160SISO-Ant1-6345




11AX160SISO-Ant1-6505




11AX160SISO-Ant1-6665




11AX160SISO-Ant1-6825




11AX160SISO-Ant1-6985




11BE20SISO-Ant1-5955




11BE20SISO-Ant1-6175




11BE20SISO-Ant1-6415




11BE20SISO-Ant1-6435




11BE20SISO-Ant1-6475




11BE20SISO-Ant1-6515




11BE20SISO-Ant1-6535




11BE20SISO-Ant1-6695




11BE20SISO-Ant1-6855




11BE20SISO-Ant1-6875




11BE20SISO-Ant1-6895



11BE20SISO-Ant1-6995



11BE20SISO-Ant1-7115



11BE40SISO-Ant1-5965