


Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 11:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2436.896	95.464	58.768	N/A	N/A	36.696	PK
2			2483.500	60.511	23.421	-13.489	74.000	37.089	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 11:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2437.678	84.314	47.612	N/A	N/A	36.702	AV
2			2483.500	43.796	6.706	-10.204	54.000	37.089	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.128	72.613	36.975	-1.387	74.000	35.638	PK
2		*	2409.960	107.840	72.114	N/A	N/A	35.725	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.088	13.447	-4.912	54.000	35.642	AV
2		*	2404.528	90.449	54.746	N/A	N/A	35.702	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	63.856	27.555	-10.144	74.000	36.302	PK
2		*	2405.088	101.540	65.115	N/A	N/A	36.426	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.654	13.353	-4.346	54.000	36.302	AV
2		*	2406.600	90.057	53.619	N/A	N/A	36.437	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2464.936	108.524	72.549	N/A	N/A	35.976	PK
2			2483.500	69.259	33.203	-4.741	74.000	36.055	PK
3			2484.160	72.683	36.624	-1.317	74.000	36.059	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2458.624	94.419	58.472	N/A	N/A	35.947	AV
2			2483.500	50.762	14.706	-3.238	54.000	36.055	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.504	99.969	63.115	N/A	N/A	36.854	PK
2			2483.500	63.470	26.380	-10.530	74.000	37.089	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.152	86.547	49.687	N/A	N/A	36.860	AV
2			2483.500	50.442	13.352	-3.558	54.000	37.089	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2384.844	73.733	38.113	-0.267	74.000	35.620	PK
2			2390.000	68.906	33.265	-5.094	74.000	35.642	PK
3		*	2409.528	103.882	68.158	N/A	N/A	35.724	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.133	15.492	-2.867	54.000	35.642	AV
2		*	2409.924	91.297	55.572	N/A	N/A	35.725	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	65.097	28.796	-8.903	74.000	36.302	PK
2		*	2405.040	98.439	62.014	N/A	N/A	36.424	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.239	13.938	-3.761	54.000	36.302	AV
2		*	2408.538	86.007	49.553	N/A	N/A	36.454	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2435.570	104.022	68.179	N/A	N/A	35.842	PK
2			2483.500	68.567	32.511	-5.433	74.000	36.055	PK
3			2485.516	72.716	36.651	-1.284	74.000	36.066	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.634	89.306	53.340	N/A	N/A	35.965	AV
2			2483.500	51.179	15.123	-2.821	54.000	36.055	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2446.654	97.762	60.986	N/A	N/A	36.777	PK
2			2483.500	64.860	27.770	-9.140	74.000	37.089	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2448.354	83.412	46.621	N/A	N/A	36.791	AV
2			2483.500	50.630	13.540	-3.370	54.000	37.089	AV
3			2483.500	50.630	13.540	-3.370	54.000	37.089	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	65.796	30.155	-8.204	74.000	35.642	PK
2		*	2416.176	108.993	73.238	N/A	N/A	35.755	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.594	13.953	-4.406	54.000	35.642	AV
2		*	2413.936	96.700	60.956	N/A	N/A	35.744	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	63.255	26.954	-10.745	74.000	36.302	PK
2		*	2404.640	99.426	63.004	N/A	N/A	36.421	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2412MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.555	13.254	-4.445	54.000	36.302	AV
2		*	2406.320	88.486	52.051	N/A	N/A	36.435	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/02 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2466.448	110.023	74.041	N/A	N/A	35.982	PK
2			2483.500	68.996	32.940	-5.004	74.000	36.055	PK
3			2484.280	71.037	34.978	-2.963	74.000	36.059	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.336	96.621	60.690	N/A	N/A	35.931	AV
2			2483.500	49.382	13.326	-4.618	54.000	36.055	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2467.816	102.892	65.933	N/A	N/A	36.958	PK
2			2483.500	62.224	25.134	-11.776	74.000	37.089	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 2462MHz by 802.11n20 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.552	91.895	55.041	N/A	N/A	36.854	AV
2			2483.500	49.298	12.208	-4.702	54.000	37.089	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2388.606	73.022	37.387	-0.978	74.000	35.636	PK
2			2390.000	68.842	33.201	-5.158	74.000	35.642	PK
3		*	2436.390	107.124	71.278	N/A	N/A	35.846	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.544	14.903	-3.456	54.000	35.642	AV
2		*	2429.592	93.678	57.860	N/A	N/A	35.818	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	63.904	27.603	-10.096	74.000	36.302	PK
2		*	2423.454	97.193	60.610	N/A	N/A	36.584	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2422MHz by 802.11n40 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	48.685	12.384	-5.315	54.000	36.302	AV
2		*	2410.320	82.499	46.031	N/A	N/A	36.469	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2435.366	106.606	70.764	N/A	N/A	35.841	PK
2			2483.500	69.867	33.811	-4.133	74.000	36.055	PK
3			2490.650	72.435	36.345	-1.565	74.000	36.090	PK

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2450.360	93.765	57.857	N/A	N/A	35.907	AV
2			2483.500	50.793	14.737	-3.207	54.000	36.055	AV

Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.960	99.974	63.047	N/A	N/A	36.927	PK
2			2483.500	63.403	26.313	-10.597	74.000	37.089	PK


Engineer: Milo	
Site: AC5	Time: 2013/04/03 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 2452MHz by 802.11n40 Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.250	81.963	45.129	N/A	N/A	36.835	AV
2			2483.500	49.231	12.141	-4.769	54.000	37.089	AV


Test for panel antenna

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.308	15.007	-22.692	74.000	36.302	PK
2		*	2412.032	82.642	46.159	N/A	N/A	36.483	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	38.417	2.116	-15.583	54.000	36.302	AV
2		*	2411.136	79.042	42.567	N/A	N/A	36.475	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.403	14.762	-23.597	74.000	35.642	PK
2		*	2411.976	84.450	48.715	N/A	N/A	35.735	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	37.811	2.170	-16.189	54.000	35.642	AV
2		*	2411.080	80.113	44.383	N/A	N/A	35.730	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.328	89.352	52.430	N/A	N/A	36.922	PK
2			2483.500	53.828	16.738	-20.172	74.000	37.089	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.728	85.597	48.680	N/A	N/A	36.917	AV
2			2483.500	45.165	8.075	-8.835	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.640	90.454	54.497	N/A	N/A	35.956	PK
2			2483.500	54.101	18.045	-19.899	74.000	36.055	PK
3			2487.832	55.649	19.572	-18.351	74.000	36.076	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.016	86.158	50.191	N/A	N/A	35.968	AV
2			2483.500	45.221	9.165	-8.779	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.015	14.714	-22.985	74.000	36.302	PK
2		*	2409.120	85.520	49.061	N/A	N/A	36.459	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.501	3.200	-14.499	54.000	36.302	AV
2		*	2406.824	75.445	39.005	N/A	N/A	36.440	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.775	17.134	-21.225	74.000	35.642	PK
2		*	2415.000	87.406	51.657	N/A	N/A	35.749	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.269	3.628	-14.731	54.000	35.642	AV
2		*	2408.000	77.360	41.643	N/A	N/A	35.717	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.648	88.180	51.325	N/A	N/A	36.856	PK
2			2483.500	57.464	20.374	-16.536	74.000	37.089	PK
3			2483.656	61.714	24.623	-12.286	74.000	37.091	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2457.640	77.437	40.564	N/A	N/A	36.873	AV
2			2483.500	42.042	4.952	-11.958	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2458.288	89.535	53.590	N/A	N/A	35.946	PK
2			2483.500	58.842	22.786	-15.158	74.000	36.055	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.536	78.275	42.338	N/A	N/A	35.937	AV
2			2483.500	41.757	5.701	-12.243	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.966	14.665	-23.034	74.000	36.302	PK
2		*	2413.656	84.511	48.014	N/A	N/A	36.497	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.258	2.957	-14.742	54.000	36.302	AV
2		*	2406.264	73.359	36.924	N/A	N/A	36.435	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.921	15.280	-23.079	74.000	35.642	PK
2		*	2408.728	86.573	50.853	N/A	N/A	35.721	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.060	3.419	-14.940	54.000	35.642	AV
2		*	2408.000	75.938	40.221	N/A	N/A	35.717	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2458.984	87.691	50.806	N/A	N/A	36.884	PK
2			2483.500	57.662	20.572	-16.338	74.000	37.089	PK
3			2484.088	60.831	23.736	-13.169	74.000	37.095	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.968	76.568	39.701	N/A	N/A	36.867	AV
2			2483.500	41.825	4.735	-12.175	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2459.296	87.014	51.064	N/A	N/A	35.950	PK
2			2483.500	56.407	20.351	-17.593	74.000	36.055	PK
3			2483.992	59.098	23.040	-14.902	74.000	36.058	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.824	75.531	39.593	N/A	N/A	35.938	AV
2			2483.500	40.728	4.672	-13.272	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.840	16.539	-21.160	74.000	36.302	PK
2		*	2435.994	84.786	48.098	N/A	N/A	36.689	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	40.468	4.167	-13.532	54.000	36.302	AV
2		*	2438.040	73.968	37.263	N/A	N/A	36.705	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.990	16.349	-22.010	74.000	35.642	PK
2		*	2434.608	81.477	45.638	N/A	N/A	35.839	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.116	3.475	-14.884	54.000	35.642	AV
2		*	2438.436	69.945	34.090	N/A	N/A	35.854	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2464.708	82.773	45.840	N/A	N/A	36.934	PK
2			2483.500	65.549	28.459	-8.451	74.000	37.089	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2449.952	71.897	35.092	N/A	N/A	36.806	AV
2			2483.500	44.620	7.530	-9.380	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2449.952	84.946	49.040	N/A	N/A	35.906	PK
2			2483.500	66.723	30.667	-7.277	74.000	36.055	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2451.856	72.988	37.073	N/A	N/A	35.915	AV
2			2483.500	44.816	8.760	-9.184	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.236	16.935	-20.764	74.000	36.302	PK
2		*	2413.208	91.920	55.427	N/A	N/A	36.494	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2386.384	43.406	7.134	-10.594	54.000	36.272	AV
2			2390.000	42.708	6.407	-11.292	54.000	36.302	AV
3		*	2414.048	88.501	52.000	N/A	N/A	36.501	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.398	16.757	-21.602	74.000	35.642	PK
2		*	2413.432	92.615	56.873	N/A	N/A	35.742	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	40.114	4.473	-13.886	54.000	35.642	AV
2		*	2411.304	87.556	51.825	N/A	N/A	35.731	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.473	93.904	57.006	N/A	N/A	36.897	PK
2			2483.500	55.270	18.180	-18.730	74.000	37.089	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.082	90.193	53.290	N/A	N/A	36.903	AV
2			2483.500	45.641	8.551	-8.359	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.473	92.215	56.259	N/A	N/A	35.956	PK
2			2483.500	52.860	16.804	-21.140	74.000	36.055	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.082	88.633	52.674	N/A	N/A	35.959	AV
2			2483.500	42.423	6.367	-11.577	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	57.283	20.982	-16.717	74.000	36.302	PK
2		*	2418.360	91.949	55.410	N/A	N/A	36.539	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	41.301	5.000	-12.699	54.000	36.302	AV
2		*	2417.072	79.497	42.970	N/A	N/A	36.527	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	57.719	22.078	-16.281	74.000	35.642	PK
2		*	2416.624	92.288	56.531	N/A	N/A	35.757	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	42.548	6.907	-11.452	54.000	35.642	AV
2		*	2416.176	81.340	45.585	N/A	N/A	35.755	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.752	95.365	58.500	N/A	N/A	36.865	PK
2			2483.500	69.024	31.934	-4.976	74.000	37.089	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2457.040	83.640	46.772	N/A	N/A	36.867	AV
2			2483.500	50.627	13.537	-3.373	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.560	94.175	58.238	N/A	N/A	35.937	PK
2			2483.500	65.664	29.608	-8.336	74.000	36.055	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.936	83.668	47.734	N/A	N/A	35.934	AV
2			2483.500	48.488	12.432	-5.512	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.352	64.497	28.201	-9.503	74.000	36.296	PK
2			2390.000	61.750	25.449	-12.250	74.000	36.302	PK
3		*	2417.520	93.128	56.597	N/A	N/A	36.531	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	43.914	7.613	-10.086	54.000	36.302	AV
2		*	2419.480	82.092	45.544	N/A	N/A	36.548	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	60.832	25.191	-13.168	74.000	35.642	PK
2		*	2418.248	93.674	57.909	N/A	N/A	35.765	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	42.191	6.550	-11.809	54.000	35.642	AV
2		*	2418.640	81.555	45.789	N/A	N/A	35.766	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.968	95.398	58.531	N/A	N/A	36.867	PK
2			2483.500	68.149	31.059	-5.851	74.000	37.089	PK
3			2483.680	72.505	35.414	-1.495	74.000	37.092	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.824	83.874	47.008	N/A	N/A	36.866	AV
2			2483.500	52.366	15.276	-1.634	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.440	94.000	58.063	N/A	N/A	35.936	PK
2			2483.500	67.464	31.408	-6.536	74.000	36.055	PK
3			2484.208	69.675	33.616	-4.325	74.000	36.059	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n20 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.696	82.943	47.010	N/A	N/A	35.933	AV
2			2483.500	49.231	13.175	-4.769	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.112	16.811	-20.888	74.000	36.302	PK
2		*	2447.101	88.991	52.211	N/A	N/A	36.780	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.442	3.141	-14.558	54.000	36.302	AV
2		*	2448.024	76.376	39.587	N/A	N/A	36.789	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.941	17.300	-21.059	74.000	35.642	PK
2		*	2436.522	88.889	53.042	N/A	N/A	35.847	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2422MHz by 802.11n40 Chain 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	38.917	3.276	-15.083	54.000	35.642	AV
2		*	2447.101	77.630	41.738	N/A	N/A	35.892	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2451.570	90.693	53.873	N/A	N/A	36.820	PK
2			2483.500	69.794	32.704	-4.206	74.000	37.089	PK
3			2484.485	73.078	35.980	-0.922	74.000	37.098	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2448.467	78.921	42.129	N/A	N/A	36.792	AV
2			2483.500	53.324	16.234	-0.676	54.000	37.089	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2455.949	89.131	53.197	N/A	N/A	35.934	PK
2			2483.500	68.887	32.831	-5.113	74.000	36.055	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/18 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2452MHz by 802.11n40 Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2446.669	77.470	41.580	N/A	N/A	35.890	AV
2			2483.500	49.738	13.682	-4.262	54.000	36.055	AV

Engineer: Brgant	
Site: AC5	Time: 2013/04/19 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.646	13.345	-24.354	74.000	36.302	PK
2		*	2412.816	88.538	52.048	N/A	N/A	36.490	PK

Engineer: Brgant	
Site: AC5	Time: 2013/04/19 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS-ABGN 3X3 NETWORK MINI PCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b Chain 2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2386.384	38.189	1.917	-15.811	54.000	36.272	AV
2			2390.000	37.359	1.058	-16.641	54.000	36.302	AV
3		*	2413.264	86.682	50.188	N/A	N/A	36.494	AV