


Profile: 2480675R	Page No.: 2
Engineer: Yu Liu	
Site: AC2	Time: 2024/09/28 - 19:22
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1 : Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	31.455	29.745	5.547	-10.255	40.000	24.199	QP
2		48.066	28.932	13.286	-11.068	40.000	15.646	QP
3		126.636	26.801	7.596	-16.699	43.500	19.204	QP
4		254.555	27.157	6.851	-18.843	46.000	20.306	QP
5		568.229	29.510	2.369	-16.490	46.000	27.141	QP
6		943.740	31.667	1.113	-14.333	46.000	30.554	QP

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)


The worst case of Simultaneous Radiated Emission:

Profile: 2480675R	Page No.: 475
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Horizontal
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 2412MHz by 802.11b + Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	37.969	51.831	-36.031	74.000	-13.862	PK
2		7236.000	41.840	50.958	-32.160	74.000	-9.119	PK
3		9648.000	46.651	50.556	-27.349	74.000	-3.906	PK
4		10360.000	46.342	49.850	-27.658	74.000	-3.509	PK
5	*	15540.000	50.579	49.155	-23.421	74.000	1.424	PK

Profile: 2480675R	Page No.: 476
Engineer: Yu Liu	
Site: AC5	Time: 2024/09/26 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055_(1-18GHz)	Polarity: Vertical
EUT: WiFi 7 (802.11be) 2x2 Dual Band Dual Concurrent Wireless Module	Power: 3.3 Vdc
Note: Mode 1: Transmit at 2412MHz by 802.11b + Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	38.215	52.077	-35.785	74.000	-13.862	PK
2		7236.000	42.068	51.186	-31.932	74.000	-9.119	PK
3		9648.000	47.261	51.166	-26.739	74.000	-3.906	PK
4		10360.000	46.795	50.303	-27.205	74.000	-3.509	PK
5	*	15540.000	50.975	49.551	-23.025	74.000	1.424	PK

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

_____ The End _____