

File name: J32989C2.RES
Date: 20. Oct 05 13:45



CMA Testing
and Certification
Laboratories
廠商會檢定中心


Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	9k	30M	T_CONDCF

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

PC connected mode (PC)



File name: J32989C2.RES
Date: 20. Oct 05 13:45

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.19500	37.7	-26.2	L1	gnd
0.24500	39.6	-22.3	N	gnd
0.31500	34.5	-25.3	N	gnd
0.48500	31.1	-25.1	N	gnd
0.66000	32.0	-24.0	L1	gnd
0.97000	37.3	-18.6	N	gnd
1.18000	36.7	-19.2	L1	gnd
1.56000	35.0	-20.9	L1	gnd
2.32000	34.6	-21.3	L1	gnd
3.01000	37.0	-18.9	L1	gnd
5.05000	30.3	-25.6	N	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.19500	30.0	-26.2	L1	gnd
0.24500	31.5	-22.1	N	gnd
0.38500	24.0	-24.8	L1	gnd
0.45000	30.5	-16.7	L1	gnd
0.66000	28.9	-17.0	L1	gnd
0.80000	30.5	-15.4	L1	gnd
1.35000	32.7	-13.2	L1	gnd
1.56000	31.0	-14.9	L1	gnd
2.32000	31.4	-14.6	L1	gnd
3.01000	30.4	-15.5	L1	gnd
4.37000	24.4	-21.5	N	gnd
6.70000	25.9	-24.0	N	gnd
29.32000	22.1	-27.8	N	gnd

* limit exceeded

File name: J32989C3.RES
Date: 20. Oct 05 10:39


Scan Settings (2 Ranges)

----- Frequencies -----			----- Receiver Settings -----						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	LN	Preamp	
150k	1M	5k	9k	QP+AV	20ms	AUTO	LN	OFF	
1M	30M	10k	9k	QP+AV	20ms	AUTO	LN	OFF	

Transducer No.	Start	Stop	Name
12	9k	30M	T_CONDCF

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Stand-alone mode (AC-DC adaptor)



File name: J32989C3.RES
Date: 20. Oct 05 10:39

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.28000	41.9	-18.9	L1	gnd
0.56000	36.2	-19.7	N	gnd
0.71500	38.5	-17.4	L1	gnd
0.86500	36.9	-19.0	L1	gnd
1.16000	39.6	-16.3	L1	gnd
1.76000	38.2	-17.7	N	gnd
2.21000	32.5	-23.4	N	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.28000	26.9	-23.9	N	gnd
0.57000	23.9	-22.0	N	gnd
0.86000	17.9	-28.0	N	gnd
1.16000	20.1	-25.8	L1	gnd
1.75000	16.5	-29.4	N	gnd

* limit exceeded