




J1850 CONTROLLER





A/D INPUT




REPROGRAM






D/A OUT



Title		
Hi-Diagnosis		
Size	Document Number	Rev
A3	REPROGRAM/J1850	1.0
Date:	Wednesday, June 23, 2005	Sheet 1 of 1




Title		
Hi-Diagnosis		
Size	Document Number	Rev
A3	DLC CONNECTOR	1.0
Date:	Wednesday, June 29, 2005	Sheet 1 of 1




UART



J1708(485)



LOW CAN




HIGH CAN




CAN CONTROLLER

Title		
Hi-Diagnosis		
Size	Document Number	Rev
A3	DLC COMM.	1.0
Date:	Wednesday, June 29, 2005	Sheet 1 of 1











510 PULL-UP
 4.7K PULL-UP
 2K PULL-UP

Title		
Hi-Diagnosis		
Size	Document Number	Rev
A3	DLC OB1/OBD2	1.0
Date:	Wednesday, June 29, 2005	Sheet 1 of 1










Title		
Hi-Diagnosis		
Size	Document Number	Rev
A3	POWER	1.0
Date:	Wednesday, June 29, 2005	Sheet 1 of 1




IF 5V USED FOR MCU POWER

PB0	SS#	PE0	RXD0	RTS0	PG3
PB1	SCK	PET	TXD0	CTS0	PG4
PB2	MOS	PE4	LINK_LED		
PB3	MISO	PE5	STS_LED		
		PE6	RXD_LED		
		PE7	TXD_LED		





SUPPLIED POWER SHOULD BE SELECTED BY THIS JUMPER



Title		
<Title>		
Size	Document Number	Rev
A3	<Doc>	1.0
Date:	Thursday, June 23, 2005	Sheet 1 of 2