



Nolan Systems – USA
1595 Cleo Springs Dr.
San Jose, Ca. 95131, USA
Tel: 408-392-0928 Fax: 408-392-0998

Bluetooth NAAAH2C2M Headset User Guide

Version 0.3
Sept. 2005

Federal Communications Commission (FCC) Statement

15.21

You are cautioned that changes or modifications not expressly approved by the part responsible for compliance could void the user's authority to operate the equipment.

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Operation is subject to the following two conditions:

- 1) this device may not cause interference and
- 2) this device must accept any interference, including interference that may cause undesired operation of the device.

FCC RF Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Description

This Bluetooth NAAAH2C2 headset offers the latest innovation in Bluetooth technology. It is a sleek cordless headset that enables comfortable hands-free communication with your Bluetooth cell phone.

Bluetooth AAA Headset features




Fig 1

- 1 – Two LEDs: same color, indicate Headset working state.
- 2 – Battery chamber cover
- 3 – Speaker
- 4 – Volume up button
- 5 – Talk button
- 6 – Volume down button
- 7 – Ear hook
- 8 – MIC



Nolan Systems – USA
1595 Cleo Springs Dr.
San Jose, Ca. 95131, USA
Tel: 408-392-0928 Fax: 408-392-0998

Insert AAA battery

The headset is powered with a cell of AAA battery. Please insert an AAA battery before use. The talk time is dependent with the capacity of battery.

Insert AAA Battery

1. Open the battery chamber cover (refer to **Fig 1**).
2. Insert an AAA battery as shown on the label at the entrance to the battery chamber, making sure the positive (“+”) and negative (“-”) terminals are in the correct orientation.
3. Close the battery chamber cover.

Turn on / off the Headset

To turn on the headset

Press and hold the Talk button for four seconds. You will hear an ON tone and the LED will flash. The headset turns on and is placed in standby mode, ready to make and receive calls.

To turn off the headset

Press and hold the Talk button for four seconds. You will hear an OFF tone or the LED will light off. The headset is turned off. Then release the Talk button.

Pair the Headset with Bluetooth enabled devices

Pairing is the process of linking the headset with your Bluetooth mobile phone.

Before you use the headset with your mobile phone, you must pair both devices. After pairing is completed, you can use the headset only with the paired mobile phone. If you wish to use the headset with a different mobile phone, you must redo the pairing process with the new mobile phone. In this case, the headset will no longer work with the previous mobile phone.

Before you commence pairing the headset, ensure that the battery is fully charged.

To pair the device

1. With the headset turned off, press and hold the TALK button for 5 seconds. You will hear a PAIRING tone, and the LED will flash at 1 second interval.
2. Release the TALK button. The headset is now in Pairing Mode.
3. Turn on the mobile phone and place it within 10 feet of the headset.
4. Initiate the device discovery feature on the mobile phone. Refer to the mobile phone user guide for instructions for initiating this feature.
5. When prompted by the mobile phone, enter the headset pin code “0000”. When pairing is completed, the LED on headset will flash at three seconds interval and the headset will be placed in standby mode, ready to make and receive calls.

To cancel pairing mode

While you are in pairing mode, you can cancel the pairing process and turn off the headset.



Nolan Systems – USA
1595 Cleo Springs Dr.
San Jose, Ca. 95131, USA
Tel: 408-392-0928 Fax: 408-392-0998

Press and hold the TALK button for 3 seconds. You will hear a OFF tone or the LED will light off. The headset is turned off. Then release the Talk button.

Making calls

You can make calls from your mobile phone, or directly from headset using voice dialing (if it's supported by the phone)

To make calls from your mobile phone

Dial the call from your mobile phone, and the call is automatically connected to your Headset.

To make calls using voice dial

1. Short press the **Talk button** on the Headset,
2. Speak the name of the person you wish to call. The call is automatically connected to your headset.

Answer / Reject / End calls

Once Headset is successfully paired with your mobile phone, you can use the headset to receive calls.

Answer / Reject calls

When there is an incoming call, if the Headset is turned on, you can hear a RING tone from headset to indicate the incoming call.

1. Short press **Talk button** to answer the call
2. Press and hold the **Talk button** for 3 seconds to reject the call.

End calls

When you have finished your call, short press **Talk button** will end the call.

Transfer calls

You can transfer the calls connected to your headset back to your mobile phone, or from your mobile phone to your headset.

To transfer calls from your headset (phone dependent)

With voice in headset, press and hold volume up button for 4 seconds on your headset, the call will transfer to you mobile phone.

To transfer calls from your mobile phone

With the call connected to your mobile phone, Press volume up button on your headset.

Adjust the volume

To increase the volume

While in talking mode, press (click) the Volume button + to increase volume by 1 step, repeat this procedure until you have reached the desired level.

To decrease the volume



Nolan Systems – USA
1595 Cleo Springs Dr.
San Jose, Ca. 95131, USA
Tel: 408-392-0928 Fax: 408-392-0998

While in talking mode, press (click) the Volume button - to decrease volume by 1 step, repeat this procedure until you have reached the desired level.

Muting headset

You can mute and un-mute the microphone temporarily so that you cannot be heard by the connected party.

To mute the headset

With talking mode, press and hold the volume button “+” and button “-” for 3 seconds.

To un-mute the headset

When microphone is muted, press and hold volume button “+” and button “-” for 3 seconds.