




## 802.11b\_Nss1,(1Mbps)\_2TX

31/03/2020

### 2417MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.83396G     | 37.27             | 54.00             | -16.73         | 4.38           | 3           | Horizontal | 342            | 1.83          | -       | 32.89         | 31.10      | 7.33       | 34.05      |
| PK   | 4.83371G     | 47.95             | 74.00             | -26.05         | 4.38           | 3           | Horizontal | 342            | 1.83          | -       | 43.57         | 31.10      | 7.33       | 34.05      |

## 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX

31/03/2020




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3598G      | 45.01             | 54.00             | -8.99          | 32.78          | 3           | Vertical  | 342            | 1.50          | -       | 12.23         | 27.76      | 5.02       | -          |
| AV   | 2.4354G      | 113.02            | Inf               | -Inf           | 32.71          | 3           | Vertical  | 342            | 1.50          | -       | 80.31         | 27.56      | 5.15       | -          |
| AV   | 2.4962G      | 45.82             | 54.00             | -8.18          | 32.74          | 3           | Vertical  | 342            | 1.50          | -       | 13.08         | 27.50      | 5.24       | -          |
| PK   | 2.3802G      | 58.75             | 74.00             | -15.25         | 32.74          | 3           | Vertical  | 342            | 1.50          | -       | 26.01         | 27.68      | 5.06       | -          |
| PK   | 2.435G       | 115.02            | Inf               | -Inf           | 32.72          | 3           | Vertical  | 342            | 1.50          | -       | 82.30         | 27.57      | 5.15       | -          |
| PK   | 2.4934G      | 57.97             | 74.00             | -16.03         | 32.75          | 3           | Vertical  | 342            | 1.50          | -       | 25.22         | 27.51      | 5.24       | -          |



## 802.11b\_Nss1,(1Mbps)\_2TX

31/03/2020

### 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.874G       | 52.15             | 54.00             | -1.85          | 4.42           | 3           | Vertical  | 20             | 1.49          | -       | 47.73         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87397G     | 55.38             | 74.00             | -18.62         | 4.42           | 3           | Vertical  | 20             | 1.49          | -       | 50.96         | 31.10      | 7.37       | 34.05      |



## 802.11b\_Nss1,(1Mbps)\_2TX

31/03/2020

### 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.8739G      | 35.40             | 54.00             | -18.60         | 4.42           | 3           | Horizontal | 340            | 1.42          | -       | 30.98         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87388G     | 47.57             | 74.00             | -26.43         | 4.42           | 3           | Horizontal | 340            | 1.42          | -       | 43.15         | 31.10      | 7.37       | 34.05      |

## 802.11b\_Nss1,(1Mbps)\_2TX

31/03/2020

### 2457MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.4578G      | 111.31            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 342            | 1.50          | -       | 78.58         | 27.54      | 5.19       | -          |
| AV   | 2.484G       | 47.46             | 54.00             | -6.54          | 32.75          | 3           | Vertical  | 342            | 1.50          | -       | 14.71         | 27.52      | 5.23       | -          |
| PK   | 2.4578G      | 113.88            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 342            | 1.50          | -       | 81.15         | 27.54      | 5.19       | -          |
| PK   | 2.4852G      | 59.11             | 74.00             | -14.89         | 32.74          | 3           | Vertical  | 342            | 1.50          | -       | 26.37         | 27.51      | 5.23       | -          |



## 802.11b\_Nss1,(1Mbps)\_2TX

27/05/2020

### 2457MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.914G       | 53.45             | 54.00             | -0.55          | 7.19           | 3           | Vertical  | 15             | 1.30          | -       | 46.26         | 33.83      | 7.41       | 34.05      |
| PK   | 4.91391G     | 55.98             | 74.00             | -18.02         | 7.19           | 3           | Vertical  | 15             | 1.30          | -       | 48.79         | 33.83      | 7.41       | 34.05      |



## 802.11b\_Nss1,(1Mbps)\_2TX

27/05/2020

### 2457MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.91281G     | 37.38             | 54.00             | -16.62         | 7.19           | 3           | Horizontal | 110            | 1.78          | -       | 30.19         | 33.83      | 7.41       | 34.05      |
| PK   | 4.91405G     | 46.78             | 74.00             | -27.22         | 7.19           | 3           | Horizontal | 110            | 1.78          | -       | 39.59         | 33.83      | 7.41       | 34.05      |



## 802.11b\_Nss1,(1Mbps)\_2TX

31/03/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.4628G      | 111.37            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 21             | 1.50          | -       | 78.64         | 27.54      | 5.19       | -          |
| AV   | 2.4835G      | 47.61             | 54.00             | -6.39          | 32.75          | 3           | Vertical  | 21             | 1.50          | -       | 14.86         | 27.52      | 5.23       | -          |
| PK   | 2.4628G      | 113.79            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 21             | 1.50          | -       | 81.06         | 27.54      | 5.19       | -          |
| PK   | 2.4842G      | 59.78             | 74.00             | -14.22         | 32.75          | 3           | Vertical  | 21             | 1.50          | -       | 27.03         | 27.52      | 5.23       | -          |



## 802.11b\_Nss1,(1Mbps)\_2TX

27/05/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.92387G     | 53.74             | 54.00             | -0.26          | 7.22           | 3           | Vertical  | 25             | 1.34          | -       | 46.52         | 33.85      | 7.42       | 34.05      |
| PK   | 4.92392G     | 57.12             | 74.00             | -16.88         | 7.22           | 3           | Vertical  | 25             | 1.34          | -       | 49.90         | 33.85      | 7.42       | 34.05      |



## 802.11b\_Nss1,(1Mbps)\_2TX

27/05/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.92408G     | 36.22             | 54.00             | -17.78         | 7.22           | 3           | Horizontal | 85             | 2.21          | -       | 29.00         | 33.85      | 7.42       | 34.05      |
| PK   | 4.92382G     | 48.38             | 74.00             | -25.62         | 7.22           | 3           | Horizontal | 85             | 2.21          | -       | 41.16         | 33.85      | 7.42       | 34.05      |

## 802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

### 2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3894G      | 53.66             | 54.00             | -0.34          | 34.76          | 3           | Vertical  | 344            | 1.90          | -       | 18.90         | 29.68      | 5.08       | -          |
| AV   | 2.4184G      | 105.27            | Inf               | -Inf           | 34.92          | 3           | Vertical  | 344            | 1.90          | -       | 70.35         | 29.79      | 5.13       | -          |
| PK   | 2.3892G      | 67.39             | 74.00             | -6.61          | 34.76          | 3           | Vertical  | 344            | 1.90          | -       | 32.63         | 29.68      | 5.08       | -          |
| PK   | 2.4184G      | 113.90            | Inf               | -Inf           | 34.92          | 3           | Vertical  | 344            | 1.90          | -       | 78.98         | 29.79      | 5.13       | -          |



## 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

### 2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.82404G     | 37.06             | 54.00             | -16.94         | 4.37           | 3           | Vertical  | 280            | 2.05          | -       | 32.69         | 31.10      | 7.32       | 34.05      |
| PK   | 4.82436G     | 49.96             | 74.00             | -24.04         | 4.37           | 3           | Vertical  | 280            | 2.05          | -       | 45.59         | 31.10      | 7.32       | 34.05      |

## 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

### 2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.82408G     | 33.21             | 54.00             | -20.79         | 4.37           | 3           | Horizontal | 267            | 1.82          | -       | 28.84         | 31.10      | 7.32       | 34.05      |
| PK   | 4.82726G     | 46.28             | 74.00             | -27.72         | 4.38           | 3           | Horizontal | 267            | 1.82          | -       | 41.90         | 31.10      | 7.33       | 34.05      |

## 802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

### 2417MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3894G      | 53.25             | 54.00             | -0.75          | 34.76          | 3           | Vertical  | 342            | 1.90          | -       | 18.49         | 29.68      | 5.08       | -          |
| AV   | 2.4232G      | 105.98            | Inf               | -Inf           | 34.95          | 3           | Vertical  | 342            | 1.90          | -       | 71.03         | 29.82      | 5.13       | -          |
| PK   | 2.3894G      | 68.21             | 74.00             | -5.79          | 34.76          | 3           | Vertical  | 342            | 1.90          | -       | 33.45         | 29.68      | 5.08       | -          |
| PK   | 2.4234G      | 115.14            | Inf               | -Inf           | 34.96          | 3           | Vertical  | 342            | 1.90          | -       | 80.18         | 29.82      | 5.14       | -          |

## 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

### 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.389G       | 48.96             | 54.00             | -5.04          | 32.72          | 3           | Vertical  | 34             | 1.48          | -       | 16.24         | 27.64      | 5.08       | -          |
| AV   | 2.4442G      | 109.17            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 34             | 1.48          | -       | 76.44         | 27.56      | 5.17       | -          |
| AV   | 2.4835G      | 50.12             | Inf               | -Inf           | 32.75          | 3           | Vertical  | 34             | 1.48          | -       | 17.37         | 27.52      | 5.23       | -          |
| PK   | 2.3894G      | 65.33             | 74.00             | -8.67          | 32.72          | 3           | Vertical  | 34             | 1.48          | -       | 32.61         | 27.64      | 5.08       | -          |
| PK   | 2.439G       | 118.06            | Inf               | -Inf           | 32.72          | 3           | Vertical  | 34             | 1.48          | -       | 85.34         | 27.56      | 5.16       | -          |
| PK   | 2.4842G      | 64.49             | 74.00             | -9.51          | 32.75          | 3           | Vertical  | 34             | 1.48          | -       | 31.74         | 27.52      | 5.23       | -          |



## 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

### 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87422G     | 41.22             | 54.00             | -12.78         | 4.42           | 3           | Vertical  | 16             | 1.23          | -       | 36.80         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87416G     | 54.70             | 74.00             | -19.30         | 4.42           | 3           | Vertical  | 16             | 1.23          | -       | 50.28         | 31.10      | 7.37       | 34.05      |



# 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

## 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87352G     | 34.59             | 54.00             | -19.41         | 4.42           | 3           | Horizontal | 183            | 1.50          | -       | 30.17         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87388G     | 47.46             | 74.00             | -26.54         | 4.42           | 3           | Horizontal | 183            | 1.50          | -       | 43.04         | 31.10      | 7.37       | 34.05      |

## 802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

### 2457MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.4548G      | 106.41            | Inf               | -Inf           | 35.15          | 3           | Vertical  | 27             | 1.67          | -       | 71.26         | 29.97      | 5.18       | -          |
| AV   | 2.4846G      | 53.81             | 54.00             | -0.19          | 35.35          | 3           | Vertical  | 27             | 1.67          | -       | 18.46         | 30.12      | 5.23       | -          |
| PK   | 2.4546G      | 115.82            | Inf               | -Inf           | 35.15          | 3           | Vertical  | 27             | 1.67          | -       | 80.67         | 29.97      | 5.18       | -          |
| PK   | 2.4848G      | 69.33             | 74.00             | -4.67          | 35.35          | 3           | Vertical  | 27             | 1.67          | -       | 33.98         | 30.12      | 5.23       | -          |



## 802.11g\_Nss1,(6Mbps)\_2TX

27/05/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.469G       | 104.36            | Inf               | -Inf           | 35.24          | 3           | Vertical  | 346            | 1.50          | -       | 69.12         | 30.04      | 5.20       | -          |
| AV   | 2.4835G      | 53.64             | 54.00             | -0.36          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 18.29         | 30.12      | 5.23       | -          |
| PK   | 2.4588G      | 113.27            | Inf               | -Inf           | 35.18          | 3           | Vertical  | 346            | 1.50          | -       | 78.09         | 29.99      | 5.19       | -          |
| PK   | 2.4836G      | 67.50             | 74.00             | -6.50          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 32.15         | 30.12      | 5.23       | -          |



## 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.92412G     | 38.55             | 54.00             | -15.45         | 4.57           | 3           | Vertical  | 21             | 1.45          | -       | 33.98         | 31.20      | 7.42       | 34.05      |
| PK   | 4.92466G     | 51.85             | 74.00             | -22.15         | 4.57           | 3           | Vertical  | 21             | 1.45          | -       | 47.28         | 31.20      | 7.42       | 34.05      |



# 802.11g\_Nss1,(6Mbps)\_2TX

31/03/2020

## 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.91848G     | 33.07             | 54.00             | -20.93         | 4.54           | 3           | Horizontal | 142            | 1.29          | -       | 28.53         | 31.17      | 7.42       | 34.05      |
| PK   | 4.93324G     | 46.49             | 74.00             | -27.51         | 4.61           | 3           | Horizontal | 142            | 1.29          | -       | 41.88         | 31.23      | 7.43       | 34.05      |

## VHT20\_Nss1,(MCS0)\_2TX

27/05/2020

### 2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.39G        | 53.43             | 54.00             | -0.57          | 34.76          | 3           | Vertical  | 27             | 1.69          | -       | 18.67         | 29.68      | 5.08       | -          |
| AV   | 2.415G       | 102.80            | Inf               | -Inf           | 34.89          | 3           | Vertical  | 27             | 1.69          | -       | 67.91         | 29.77      | 5.12       | -          |
| PK   | 2.3898G      | 68.98             | 74.00             | -5.02          | 34.76          | 3           | Vertical  | 27             | 1.69          | -       | 34.22         | 29.68      | 5.08       | -          |
| PK   | 2.4158G      | 112.17            | Inf               | -Inf           | 34.90          | 3           | Vertical  | 27             | 1.69          | -       | 77.27         | 29.78      | 5.12       | -          |



# VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

## 2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.82388G     | 37.05             | 54.00             | -16.95         | 4.37           | 3           | Vertical  | 19             | 1.45          | -       | 32.68         | 31.10      | 7.32       | 34.05      |
| PK   | 4.82304G     | 50.86             | 74.00             | -23.14         | 4.37           | 3           | Vertical  | 19             | 1.45          | -       | 46.49         | 31.10      | 7.32       | 34.05      |



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2412MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.81596G     | 33.19             | 54.00             | -20.81         | 4.37           | 3           | Horizontal | 15             | 1.50          | -       | 28.82         | 31.10      | 7.32       | 34.05      |
| PK   | 4.81492G     | 46.00             | 74.00             | -28.00         | 4.36           | 3           | Horizontal | 15             | 1.50          | -       | 41.64         | 31.10      | 7.31       | 34.05      |

## VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

### 2417MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK   | 2.3886G      | 67.66             | 74.00             | -6.34          | 31.64          | 3           | Vertical  | 25             | 1.92          | -       | 36.02         | 27.65      | 3.99       | -          |
| AV   | 2.3886G      | 51.96             | 54.00             | -2.04          | 31.64          | 3           | Vertical  | 25             | 1.92          | -       | 20.32         | 27.65      | 3.99       | -          |
| PK   | 2.4234G      | 115.77            | Inf               | -Inf           | 31.60          | 3           | Vertical  | 25             | 1.92          | -       | 84.17         | 27.58      | 4.02       | -          |
| AV   | 2.4224G      | 106.78            | Inf               | -Inf           | 31.60          | 3           | Vertical  | 25             | 1.92          | -       | 75.18         | 27.58      | 4.02       | -          |

## VHT20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX

31/03/2020




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3882G      | 48.76             | 54.00             | -5.24          | 32.73          | 3           | Vertical  | 33             | 1.49          | -       | 16.03         | 27.65      | 5.08       | -          |
| AV   | 2.4438G      | 108.92            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 33             | 1.49          | -       | 76.19         | 27.56      | 5.17       | -          |
| AV   | 2.4835G      | 50.31             | Inf               | -Inf           | 32.75          | 3           | Vertical  | 33             | 1.49          | -       | 17.56         | 27.52      | 5.23       | -          |
| PK   | 2.389G       | 65.36             | 74.00             | -8.64          | 32.72          | 3           | Vertical  | 33             | 1.49          | -       | 32.64         | 27.64      | 5.08       | -          |
| PK   | 2.4434G      | 117.99            | Inf               | -Inf           | 32.73          | 3           | Vertical  | 33             | 1.49          | -       | 85.26         | 27.56      | 5.17       | -          |
| PK   | 2.487G       | 66.06             | 74.00             | -7.94          | 32.74          | 3           | Vertical  | 33             | 1.49          | -       | 33.32         | 27.51      | 5.23       | -          |



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87418G     | 40.54             | 54.00             | -13.46         | 4.42           | 3           | Vertical  | 20             | 1.72          | -       | 36.12         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87322G     | 55.89             | 74.00             | -18.11         | 4.42           | 3           | Vertical  | 20             | 1.72          | -       | 51.47         | 31.10      | 7.37       | 34.05      |



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87688G     | 33.62             | 54.00             | -20.38         | 4.43           | 3           | Horizontal | 0              | 1.50          | -       | 29.19         | 31.10      | 7.38       | 34.05      |
| PK   | 4.86812G     | 46.57             | 74.00             | -27.43         | 4.42           | 3           | Horizontal | 0              | 1.50          | -       | 42.15         | 31.10      | 7.37       | 34.05      |

## VHT20\_Nss1,(MCS0)\_2TX

27/05/2020

### 2457MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.464G       | 105.46            | Inf               | -Inf           | 35.22          | 3           | Vertical  | 346            | 1.50          | -       | 70.24         | 30.02      | 5.20       | -          |
| AV   | 2.4835G      | 53.25             | 54.00             | -0.75          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 17.90         | 30.12      | 5.23       | -          |
| PK   | 2.4634G      | 114.40            | Inf               | -Inf           | 35.22          | 3           | Vertical  | 346            | 1.50          | -       | 79.18         | 30.02      | 5.20       | -          |
| PK   | 2.4838G      | 67.68             | 74.00             | -6.32          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 32.33         | 30.12      | 5.23       | -          |

## VHT20\_Nss1,(MCS0)\_2TX

27/05/2020

### 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.469G       | 104.64            | Inf               | -Inf           | 35.24          | 3           | Vertical  | 346            | 1.50          | -       | 69.40         | 30.04      | 5.20       | -          |
| AV   | 2.4842G      | 53.39             | 54.00             | -0.61          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 18.04         | 30.12      | 5.23       | -          |
| PK   | 2.4684G      | 113.76            | Inf               | -Inf           | 35.24          | 3           | Vertical  | 346            | 1.50          | -       | 78.52         | 30.04      | 5.20       | -          |
| PK   | 2.4844G      | 68.79             | 74.00             | -5.21          | 35.35          | 3           | Vertical  | 346            | 1.50          | -       | 33.44         | 30.12      | 5.23       | -          |



VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.92268G     | 38.77             | 54.00             | -15.23         | 4.56           | 3           | Vertical  | 22             | 1.40          | -       | 34.21         | 31.19      | 7.42       | 34.05      |
| PK   | 4.9225G      | 52.06             | 74.00             | -21.94         | 4.56           | 3           | Vertical  | 22             | 1.40          | -       | 47.50         | 31.19      | 7.42       | 34.05      |



# VHT20\_Nss1,(MCS0)\_2TX

31/03/2020

## 2462MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.91404G     | 33.37             | 54.00             | -20.63         | 4.52           | 3           | Horizontal | 334            | 1.50          | -       | 28.85         | 31.16      | 7.41       | 34.05      |
| PK   | 4.90948G     | 46.29             | 74.00             | -27.71         | 4.50           | 3           | Horizontal | 334            | 1.50          | -       | 41.79         | 31.14      | 7.41       | 34.05      |

# VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

## 2422MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.39G        | 53.19             | 54.00             | -0.81          | 34.76          | 3           | Vertical  | 344            | 1.72          | -       | 18.43         | 29.68      | 5.08       | -          |
| AV   | 2.4344G      | 98.61             | Inf               | -Inf           | 35.02          | 3           | Vertical  | 344            | 1.72          | -       | 63.59         | 29.87      | 5.15       | -          |
| AV   | 2.4912G      | 49.52             | 54.00             | -4.48          | 35.40          | 3           | Vertical  | 344            | 1.72          | -       | 14.12         | 30.16      | 5.24       | -          |
| PK   | 2.386G       | 64.14             | 74.00             | -9.86          | 34.74          | 3           | Vertical  | 344            | 1.72          | -       | 29.40         | 29.67      | 5.07       | -          |
| PK   | 2.4336G      | 107.40            | Inf               | -Inf           | 35.02          | 3           | Vertical  | 344            | 1.72          | -       | 72.38         | 29.87      | 5.15       | -          |
| PK   | 2.4872G      | 60.42             | 74.00             | -13.58         | 35.37          | 3           | Vertical  | 344            | 1.72          | -       | 25.05         | 30.14      | 5.23       | -          |



# VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

## 2422MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.8293G      | 34.08             | 54.00             | -19.92         | 4.38           | 3           | Vertical  | 36             | 1.50          | -       | 29.70         | 31.10      | 7.33       | 34.05      |
| PK   | 4.83794G     | 46.82             | 74.00             | -27.18         | 4.39           | 3           | Vertical  | 36             | 1.50          | -       | 42.43         | 31.10      | 7.34       | 34.05      |



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2422MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.83434G     | 33.83             | 54.00             | -20.17         | 4.38           | 3           | Horizontal | 92             | 1.50          | -       | 29.45         | 31.10      | 7.33       | 34.05      |
| PK   | 4.84448G     | 46.15             | 74.00             | -27.85         | 4.39           | 3           | Horizontal | 92             | 1.50          | -       | 41.76         | 31.10      | 7.34       | 34.05      |

# VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

## 2427MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3898G      | 53.38             | 54.00             | -0.62          | 34.76          | 3           | Vertical  | 347            | 1.88          | -       | 18.62         | 29.68      | 5.08       | -          |
| AV   | 2.433G       | 99.12             | Inf               | -Inf           | 35.01          | 3           | Vertical  | 347            | 1.88          | -       | 64.11         | 29.86      | 5.15       | -          |
| AV   | 2.4982G      | 49.39             | 54.00             | -4.61          | 35.44          | 3           | Vertical  | 347            | 1.88          | -       | 13.95         | 30.19      | 5.25       | -          |
| PK   | 2.389G       | 64.75             | 74.00             | -9.25          | 34.76          | 3           | Vertical  | 347            | 1.88          | -       | 29.99         | 29.68      | 5.08       | -          |
| PK   | 2.4318G      | 107.74            | Inf               | -Inf           | 35.01          | 3           | Vertical  | 347            | 1.88          | -       | 72.73         | 29.86      | 5.15       | -          |
| PK   | 2.4914G      | 60.48             | 74.00             | -13.52         | 35.40          | 3           | Vertical  | 347            | 1.88          | -       | 25.08         | 30.16      | 5.24       | -          |

# VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

## 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3898G      | 53.52             | 54.00             | -0.48          | 34.76          | 3           | Vertical  | 345            | 1.87          | -       | 18.76         | 29.68      | 5.08       | -          |
| AV   | 2.4514G      | 102.40            | Inf               | -Inf           | 35.14          | 3           | Vertical  | 345            | 1.87          | -       | 67.26         | 29.96      | 5.18       | -          |
| AV   | 2.4854G      | 50.63             | 54.00             | -3.37          | 35.36          | 3           | Vertical  | 345            | 1.87          | -       | 15.27         | 30.13      | 5.23       | -          |
| PK   | 2.3898G      | 65.97             | 74.00             | -8.03          | 34.76          | 3           | Vertical  | 345            | 1.87          | -       | 31.21         | 29.68      | 5.08       | -          |
| PK   | 2.4518G      | 110.83            | Inf               | -Inf           | 35.14          | 3           | Vertical  | 345            | 1.87          | -       | 75.69         | 29.96      | 5.18       | -          |
| PK   | 2.4862G      | 62.11             | 74.00             | -11.89         | 35.36          | 3           | Vertical  | 345            | 1.87          | -       | 26.75         | 30.13      | 5.23       | -          |



# VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

## 2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87376G     | 36.99             | 54.00             | -17.01         | 4.42           | 3           | Vertical  | 20             | 1.49          | -       | 32.57         | 31.10      | 7.37       | 34.05      |
| PK   | 4.87364G     | 48.53             | 74.00             | -25.47         | 4.42           | 3           | Vertical  | 20             | 1.49          | -       | 44.11         | 31.10      | 7.37       | 34.05      |



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2437MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.87094G     | 34.44             | 54.00             | -19.56         | 4.42           | 3           | Horizontal | 18             | 2.88          | -       | 30.02         | 31.10      | 7.37       | 34.05      |
| PK   | 4.86326G     | 46.41             | 74.00             | -27.59         | 4.41           | 3           | Horizontal | 18             | 2.88          | -       | 42.00         | 31.10      | 7.36       | 34.05      |

## VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

### 2447MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3898G      | 49.07             | 54.00             | -4.93          | 34.76          | 3           | Vertical  | 345            | 1.87          | -       | 14.31         | 29.68      | 5.08       | -          |
| AV   | 2.4514G      | 102.43            | Inf               | -Inf           | 35.14          | 3           | Vertical  | 345            | 1.87          | -       | 67.29         | 29.96      | 5.18       | -          |
| AV   | 2.4862G      | 53.83             | 54.00             | -0.17          | 35.36          | 3           | Vertical  | 345            | 1.87          | -       | 18.47         | 30.13      | 5.23       | -          |
| PK   | 2.3794G      | 60.01             | 74.00             | -13.99         | 34.72          | 3           | Vertical  | 345            | 1.87          | -       | 25.29         | 29.66      | 5.06       | -          |
| PK   | 2.4514G      | 111.06            | Inf               | -Inf           | 35.14          | 3           | Vertical  | 345            | 1.87          | -       | 75.92         | 29.96      | 5.18       | -          |
| PK   | 2.4835G      | 68.14             | 74.00             | -5.86          | 35.35          | 3           | Vertical  | 345            | 1.87          | -       | 32.79         | 30.12      | 5.23       | -          |

# VHT40\_Nss1,(MCS0)\_2TX

27/05/2020

## 2452MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 2.3864G      | 48.00             | 54.00             | -6.00          | 34.74          | 3           | Vertical  | 345            | 1.87          | -       | 13.26         | 29.67      | 5.07       | -          |
| AV   | 2.4464G      | 97.68             | Inf               | -Inf           | 35.10          | 3           | Vertical  | 345            | 1.87          | -       | 62.58         | 29.93      | 5.17       | -          |
| AV   | 2.4835G      | 53.62             | 54.00             | -0.38          | 35.35          | 3           | Vertical  | 345            | 1.87          | -       | 18.27         | 30.12      | 5.23       | -          |
| PK   | 2.3556G      | 59.42             | 74.00             | -14.58         | 34.62          | 3           | Vertical  | 345            | 1.87          | -       | 24.80         | 29.61      | 5.01       | -          |
| PK   | 2.4476G      | 105.78            | Inf               | -Inf           | 35.11          | 3           | Vertical  | 345            | 1.87          | -       | 70.67         | 29.94      | 5.17       | -          |
| PK   | 2.4835G      | 65.45             | 74.00             | -8.55          | 35.35          | 3           | Vertical  | 345            | 1.87          | -       | 30.10         | 30.12      | 5.23       | -          |



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2452MHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.91822G     | 35.22             | 54.00             | -18.78         | 4.54           | 3           | Vertical  | 203            | 1.93          | -       | 30.68         | 31.17      | 7.42       | 34.05      |
| PK   | 4.91612G     | 47.25             | 74.00             | -26.75         | 4.53           | 3           | Vertical  | 203            | 1.93          | -       | 42.72         | 31.16      | 7.42       | 34.05      |



VHT40\_Nss1,(MCS0)\_2TX

31/03/2020

2452MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV   | 4.91858G     | 34.35             | 54.00             | -19.65         | 4.54           | 3           | Horizontal | 88             | 1.50          | -       | 29.81         | 31.17      | 7.42       | 34.05      |
| PK   | 4.91396G     | 46.27             | 74.00             | -27.73         | 4.52           | 3           | Horizontal | 88             | 1.50          | -       | 41.75         | 31.16      | 7.41       | 34.05      |