


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.23	54.00	-6.77	4.24	3	Vertical	52	1.35	42.99	33.00	5.86	34.62
AV	5.228G	100.64	Inf	-Inf	4.40	3	Vertical	52	1.35	96.24	33.10	5.90	34.60
PK	5.1492G	58.91	74.00	-15.09	4.24	3	Vertical	52	1.35	54.67	33.00	5.86	34.62
PK	5.2276G	111.75	Inf	-Inf	4.40	3	Vertical	52	1.35	107.35	33.10	5.90	34.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.53	54.00	-6.47	4.23	3	Horizontal	61	2.14	43.30	33.00	5.85	34.62
AV	5.2336G	103.72	Inf	-Inf	4.40	3	Horizontal	61	2.14	99.32	33.10	5.90	34.60
PK	5.1456G	59.76	74.00	-14.24	4.24	3	Horizontal	61	2.14	55.52	33.00	5.86	34.62
PK	5.2352G	114.81	Inf	-Inf	4.40	3	Horizontal	61	2.14	110.41	33.10	5.90	34.60


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	102.52	Inf	-Inf	5.34	3	Vertical	16	1.50	97.18	33.71	6.17	34.54
PK	5.5678G	56.77	68.20	-11.43	4.34	3	Vertical	16	1.50	52.43	32.84	6.05	34.55
PK	5.7514G	112.69	Inf	-Inf	5.34	3	Vertical	16	1.50	107.35	33.71	6.17	34.54
PK	6.0142G	58.02	68.20	-10.18	5.88	3	Vertical	16	1.50	52.14	34.10	6.30	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	102.37	Inf	-Inf	5.35	3	Horizontal	66	3.00	97.02	33.72	6.17	34.54
PK	5.5342G	57.19	68.20	-11.01	4.28	3	Horizontal	66	3.00	52.91	32.80	6.04	34.56
PK	5.7562G	112.59	Inf	-Inf	5.35	3	Horizontal	66	3.00	107.24	33.72	6.17	34.54
PK	5.9362G	58.17	68.20	-10.03	5.94	3	Horizontal	66	3.00	52.23	34.20	6.27	34.53


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	102.75	Inf	-Inf	5.54	3	Vertical	21	1.44	97.21	33.88	6.20	34.54
PK	5.495G	57.51	68.20	-10.69	4.27	3	Vertical	21	1.44	53.24	32.81	6.02	34.56
PK	5.7926G	112.93	Inf	-Inf	5.52	3	Vertical	21	1.44	107.41	33.87	6.19	34.54
PK	5.9378G	58.41	68.20	-9.79	5.95	3	Vertical	21	1.44	52.46	34.20	6.27	34.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	103.22	Inf	-Inf	5.55	3	Horizontal	83	2.94	97.67	33.89	6.20	34.54
PK	5.621G	57.45	68.20	-10.75	4.46	3	Horizontal	83	2.94	52.99	32.94	6.07	34.55
PK	5.789G	113.33	Inf	-Inf	5.51	3	Horizontal	83	2.94	107.82	33.86	6.19	34.54
PK	5.9306G	58.71	68.20	-9.49	5.94	3	Horizontal	83	2.94	52.77	34.20	6.27	34.53


5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX






5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	99.57	Inf	-Inf	5.40	3	Vertical	25	2.62	94.17	33.76	6.18	34.54
PK	5.6454G	63.64	68.20	-4.56	4.53	3	Vertical	25	2.62	59.11	32.99	6.09	34.55
PK	5.7834G	110.14	Inf	-Inf	5.48	3	Vertical	25	2.62	104.66	33.83	6.19	34.54
PK	5.943G	61.18	68.20	-7.02	5.95	3	Vertical	25	2.62	55.23	34.20	6.27	34.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	100.53	Inf	-Inf	5.47	3	Horizontal	78	2.07	95.06	33.82	6.19	34.54
PK	5.6502G	65.63	68.35	-2.72	4.55	3	Horizontal	78	2.07	61.08	33.00	6.10	34.55
PK	5.781G	111.63	Inf	-Inf	5.47	3	Horizontal	78	2.07	106.16	33.82	6.19	34.54
PK	5.9574G	59.07	68.20	-9.13	5.95	3	Horizontal	78	2.07	53.12	34.19	6.28	34.52


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	37.76M	35.52	40.00	-4.48	3	Horizontal	360	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	101.78M	30.83	43.50	-12.67	3	Vertical	0	1.00	-
5775MHz	Pass	PK	241.46M	23.82	46.00	-22.18	3	Vertical	0	1.00	-
5775MHz	Pass	PK	383.08M	24.62	46.00	-21.38	3	Vertical	0	1.00	-
5775MHz	Pass	PK	505.3M	34.49	46.00	-11.51	3	Vertical	0	1.00	-
5775MHz	Pass	PK	575.14M	33.70	46.00	-12.30	3	Vertical	0	1.00	-
5775MHz	Pass	QP	40.75M	34.60	40.00	-5.40	3	Vertical	182	1.00	-
5775MHz	Pass	PK	37.76M	35.52	40.00	-4.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	101.78M	30.26	43.50	-13.24	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	245.34M	28.48	46.00	-17.52	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	344.28M	26.14	46.00	-19.86	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	507.24M	28.53	46.00	-17.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	575.14M	31.40	46.00	-14.60	3	Horizontal	360	1.00	-

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	101.78M	30.83	43.50	-12.67	-10.06	3	Vertical	0	1.00	40.89	16.33	1.43	27.82
PK	241.46M	23.82	46.00	-22.18	-8.35	3	Vertical	0	1.00	32.17	16.63	2.22	27.20
PK	383.08M	24.62	46.00	-21.38	-4.72	3	Vertical	0	1.00	29.34	20.18	2.82	27.72
PK	505.3M	34.49	46.00	-11.51	-2.38	3	Vertical	0	1.00	36.87	22.67	3.32	28.37
PK	575.14M	33.70	46.00	-12.30	-1.23	3	Vertical	0	1.00	34.93	23.81	3.50	28.54
QP	40.75M	34.60	40.00	-5.40	-8.35	3	Vertical	182	1.00	42.95	17.47	1.03	26.85

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	35.52	40.00	-4.48	-6.64	3	Horizontal	360	1.00	42.16	19.05	1.03	26.72
PK	101.78M	30.26	43.50	-13.24	-10.06	3	Horizontal	360	1.00	40.32	16.33	1.43	27.82
PK	245.34M	28.48	46.00	-17.52	-7.88	3	Horizontal	360	1.00	36.36	17.06	2.24	27.18
PK	344.28M	26.14	46.00	-19.86	-5.49	3	Horizontal	360	1.00	31.63	19.28	2.69	27.46
PK	507.24M	28.53	46.00	-17.47	-2.39	3	Horizontal	360	1.00	30.92	22.67	3.32	28.38
PK	575.14M	31.40	46.00	-14.60	-1.23	3	Horizontal	360	1.00	32.63	23.81	3.50	28.54

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1478G	48.43	54.00	-5.57	3	Horizontal	62	2.28
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1466G	44.98	54.00	-9.02	3	Horizontal	62	2.29
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1468G	47.90	54.00	-6.10	3	Horizontal	62	2.51
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	51.99	54.00	-2.01	3	Horizontal	64	2.40
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9498G	59.25	68.20	-8.95	3	Horizontal	61	2.79
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.9922G	59.17	68.20	-9.03	3	Horizontal	62	2.76
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9386G	59.00	68.20	-9.20	3	Horizontal	64	2.20
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	62.76	68.35	-5.59	3	Horizontal	60	2.70



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	44.80	54.00	-9.20	3	Vertical	196	2.92
5180MHz	Pass	AV	5.1828G	105.73	Inf	-Inf	3	Vertical	196	2.92
5180MHz	Pass	PK	5.1482G	58.59	74.00	-15.41	3	Vertical	196	2.92
5180MHz	Pass	PK	5.1776G	116.00	Inf	-Inf	3	Vertical	196	2.92
5180MHz	Pass	AV	5.1478G	48.43	54.00	-5.57	3	Horizontal	62	2.28
5180MHz	Pass	AV	5.1828G	107.85	Inf	-Inf	3	Horizontal	62	2.28
5180MHz	Pass	PK	5.1476G	61.96	74.00	-12.04	3	Horizontal	62	2.28
5180MHz	Pass	PK	5.182G	118.20	Inf	-Inf	3	Horizontal	62	2.28
5180MHz	Pass	PK	10.3645G	50.02	68.20	-18.18	3	Vertical	203	1.32
5180MHz	Pass	PK	10.3711G	49.50	68.20	-18.70	3	Horizontal	338	1.50
5200MHz	Pass	AV	5.1492G	43.23	54.00	-10.77	3	Vertical	194	2.90
5200MHz	Pass	AV	5.1948G	104.20	Inf	-Inf	3	Vertical	194	2.90
5200MHz	Pass	PK	5.1076G	56.60	74.00	-17.40	3	Vertical	194	2.90
5200MHz	Pass	PK	5.1956G	114.24	Inf	-Inf	3	Vertical	194	2.90
5200MHz	Pass	AV	5.136G	43.89	54.00	-10.11	3	Horizontal	60	2.55
5200MHz	Pass	AV	5.1948G	105.62	Inf	-Inf	3	Horizontal	60	2.55
5200MHz	Pass	PK	5.1472G	56.60	74.00	-17.40	3	Horizontal	60	2.55
5200MHz	Pass	PK	5.1952G	115.69	Inf	-Inf	3	Horizontal	60	2.55
5200MHz	Pass	PK	10.39754G	50.17	68.20	-18.03	3	Vertical	111	1.50
5200MHz	Pass	PK	10.40702G	49.77	68.20	-18.43	3	Horizontal	10	1.50
5240MHz	Pass	AV	5.1362G	43.13	54.00	-10.87	3	Vertical	214	2.86
5240MHz	Pass	AV	5.2364G	103.72	Inf	-Inf	3	Vertical	214	2.86
5240MHz	Pass	AV	5.378G	44.23	54.00	-9.77	3	Vertical	214	2.86
5240MHz	Pass	PK	5.1398G	55.95	74.00	-18.05	3	Vertical	214	2.86
5240MHz	Pass	PK	5.237G	114.00	Inf	-Inf	3	Vertical	214	2.86
5240MHz	Pass	PK	5.3678G	57.58	74.00	-16.42	3	Vertical	214	2.86
5240MHz	Pass	AV	5.1494G	44.27	54.00	-9.73	3	Horizontal	62	2.53
5240MHz	Pass	AV	5.2346G	105.93	Inf	-Inf	3	Horizontal	62	2.53
5240MHz	Pass	AV	5.3894G	44.30	54.00	-9.70	3	Horizontal	62	2.53
5240MHz	Pass	PK	5.1242G	57.31	74.00	-16.69	3	Horizontal	62	2.53
5240MHz	Pass	PK	5.2346G	115.69	Inf	-Inf	3	Horizontal	62	2.53
5240MHz	Pass	PK	5.384G	57.76	74.00	-16.24	3	Horizontal	62	2.53
5240MHz	Pass	PK	10.47766G	49.77	68.20	-18.43	3	Vertical	48	1.89
5240MHz	Pass	PK	10.47628G	49.56	68.20	-18.64	3	Horizontal	270	1.72
5745MHz	Pass	AV	5.7486G	103.78	Inf	-Inf	3	Vertical	184	2.94
5745MHz	Pass	PK	5.6046G	57.32	68.20	-10.88	3	Vertical	184	2.94
5745MHz	Pass	PK	5.7438G	114.31	Inf	-Inf	3	Vertical	184	2.94
5745MHz	Pass	PK	5.9346G	58.64	68.20	-9.56	3	Vertical	184	2.94
5745MHz	Pass	AV	5.7486G	104.74	Inf	-Inf	3	Horizontal	63	2.77
5745MHz	Pass	PK	5.6442G	58.14	68.20	-10.06	3	Horizontal	63	2.77
5745MHz	Pass	PK	5.7438G	114.80	Inf	-Inf	3	Horizontal	63	2.77
5745MHz	Pass	PK	6.0114G	58.62	68.20	-9.58	3	Horizontal	63	2.77
5745MHz	Pass	AV	11.50458G	38.31	54.00	-15.69	3	Vertical	325	1.50
5745MHz	Pass	PK	11.481G	50.44	74.00	-23.56	3	Vertical	325	1.50
5745MHz	Pass	AV	11.49606G	38.27	54.00	-15.73	3	Horizontal	20	1.52
5745MHz	Pass	PK	11.49096G	50.01	74.00	-23.99	3	Horizontal	20	1.52
5785MHz	Pass	AV	5.78371G	103.47	Inf	-Inf	3	Vertical	172	1.50
5785MHz	Pass	PK	5.63004G	57.34	68.20	-10.86	3	Vertical	172	1.50
5785MHz	Pass	PK	5.78371G	113.44	Inf	-Inf	3	Vertical	172	1.50
5785MHz	Pass	PK	6.02087G	58.87	68.20	-9.33	3	Vertical	172	1.50
5785MHz	Pass	AV	5.78129G	103.19	Inf	-Inf	3	Horizontal	320	2.16
5785MHz	Pass	PK	5.59737G	57.58	68.20	-10.62	3	Horizontal	320	2.16
5785MHz	Pass	PK	5.78129G	113.72	Inf	-Inf	3	Horizontal	320	2.16
5785MHz	Pass	PK	6.04991G	58.94	68.20	-9.26	3	Horizontal	320	2.16
5785MHz	Pass	AV	11.56772G	37.90	54.00	-16.10	3	Vertical	58	1.15
5785MHz	Pass	PK	11.56364G	49.90	74.00	-24.10	3	Vertical	58	1.15
5785MHz	Pass	AV	11.57102G	37.98	54.00	-16.02	3	Horizontal	61	1.50
5785MHz	Pass	PK	11.56556G	49.94	74.00	-24.06	3	Horizontal	61	1.50
5825MHz	Pass	AV	5.8214G	103.07	Inf	-Inf	3	Vertical	174	1.50
5825MHz	Pass	PK	5.633G	57.42	68.20	-10.78	3	Vertical	174	1.50



RSE TX above 1GHz_C-330E_Radio 0

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	5.8214G	113.33	Inf	-Inf	3	Vertical	174	1.50
5825MHz	Pass	PK	5.999G	58.73	68.20	-9.47	3	Vertical	174	1.50
5825MHz	Pass	AV	5.8238G	105.49	Inf	-Inf	3	Horizontal	61	2.79
5825MHz	Pass	PK	5.555G	58.40	68.20	-9.80	3	Horizontal	61	2.79
5825MHz	Pass	PK	5.8238G	115.84	Inf	-Inf	3	Horizontal	61	2.79
5825MHz	Pass	PK	5.9498G	59.25	68.20	-8.95	3	Horizontal	61	2.79
5825MHz	Pass	AV	11.64778G	37.58	54.00	-16.42	3	Vertical	24	2.31
5825MHz	Pass	PK	11.66416G	49.80	74.00	-24.20	3	Vertical	24	2.31
5825MHz	Pass	AV	11.64646G	37.59	54.00	-16.41	3	Horizontal	27	1.87
5825MHz	Pass	PK	11.6464G	49.66	74.00	-24.34	3	Horizontal	27	1.87
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1452G	44.17	54.00	-9.83	3	Vertical	190	2.93
5180MHz	Pass	AV	5.1844G	104.07	Inf	-Inf	3	Vertical	190	2.93
5180MHz	Pass	PK	5.1432G	58.89	74.00	-15.11	3	Vertical	190	2.93
5180MHz	Pass	PK	5.1856G	117.09	Inf	-Inf	3	Vertical	190	2.93
5180MHz	Pass	AV	5.1466G	44.98	54.00	-9.02	3	Horizontal	62	2.29
5180MHz	Pass	AV	5.1848G	104.66	Inf	-Inf	3	Horizontal	62	2.29
5180MHz	Pass	PK	5.1448G	58.85	74.00	-15.15	3	Horizontal	62	2.29
5180MHz	Pass	PK	5.1848G	118.55	Inf	-Inf	3	Horizontal	62	2.29
5180MHz	Pass	PK	10.34704G	48.98	68.20	-19.22	3	Vertical	82	2.22
5180MHz	Pass	PK	10.35916G	49.20	68.20	-19.00	3	Horizontal	172	1.15
5200MHz	Pass	AV	5.1448G	42.37	54.00	-11.63	3	Vertical	195	2.90
5200MHz	Pass	AV	5.1952G	102.81	Inf	-Inf	3	Vertical	195	2.90
5200MHz	Pass	PK	5.104G	55.92	74.00	-18.08	3	Vertical	195	2.90
5200MHz	Pass	PK	5.1952G	115.94	Inf	-Inf	3	Vertical	195	2.90
5200MHz	Pass	AV	5.136G	42.85	54.00	-11.15	3	Horizontal	62	2.40
5200MHz	Pass	AV	5.2044G	104.74	Inf	-Inf	3	Horizontal	62	2.40
5200MHz	Pass	PK	5.1152G	56.71	74.00	-17.29	3	Horizontal	62	2.40
5200MHz	Pass	PK	5.2052G	118.25	Inf	-Inf	3	Horizontal	62	2.40
5200MHz	Pass	PK	10.39646G	49.18	68.20	-19.02	3	Vertical	285	2.45
5200MHz	Pass	PK	10.4117G	48.99	68.20	-19.21	3	Horizontal	151	2.23
5240MHz	Pass	AV	5.1356G	42.80	54.00	-11.20	3	Vertical	194	2.86
5240MHz	Pass	AV	5.2352G	102.51	Inf	-Inf	3	Vertical	194	2.86
5240MHz	Pass	AV	5.3708G	43.58	54.00	-10.42	3	Vertical	194	2.86
5240MHz	Pass	PK	5.1494G	56.28	74.00	-17.72	3	Vertical	194	2.86
5240MHz	Pass	PK	5.2448G	116.01	Inf	-Inf	3	Vertical	194	2.86
5240MHz	Pass	PK	5.3714G	57.63	74.00	-16.37	3	Vertical	194	2.86
5240MHz	Pass	AV	5.1362G	43.51	54.00	-10.49	3	Horizontal	62	2.52
5240MHz	Pass	AV	5.2346G	104.46	Inf	-Inf	3	Horizontal	62	2.52
5240MHz	Pass	AV	5.3756G	43.44	54.00	-10.56	3	Horizontal	62	2.52
5240MHz	Pass	PK	5.1368G	56.80	74.00	-17.20	3	Horizontal	62	2.52
5240MHz	Pass	PK	5.2346G	118.01	Inf	-Inf	3	Horizontal	62	2.52
5240MHz	Pass	PK	5.3756G	57.18	74.00	-16.82	3	Horizontal	62	2.52
5240MHz	Pass	PK	10.48918G	49.17	68.20	-19.03	3	Vertical	221	2.48
5240MHz	Pass	PK	10.48474G	48.89	68.20	-19.31	3	Horizontal	341	2.13
5745MHz	Pass	AV	5.7426G	102.58	Inf	-Inf	3	Vertical	189	2.94
5745MHz	Pass	PK	5.5026G	58.41	68.20	-9.79	3	Vertical	189	2.94
5745MHz	Pass	PK	5.7414G	115.51	Inf	-Inf	3	Vertical	189	2.94
5745MHz	Pass	PK	6.033G	58.50	68.20	-9.70	3	Vertical	189	2.94
5745MHz	Pass	AV	5.7426G	104.18	Inf	-Inf	3	Horizontal	62	2.76
5745MHz	Pass	PK	5.6466G	58.77	68.20	-9.43	3	Horizontal	62	2.76
5745MHz	Pass	PK	5.7438G	116.91	Inf	-Inf	3	Horizontal	62	2.76
5745MHz	Pass	PK	5.9922G	59.17	68.20	-9.03	3	Horizontal	62	2.76
5745MHz	Pass	AV	11.4846G	37.69	54.00	-16.31	3	Vertical	270	2.90
5745MHz	Pass	PK	11.47788G	49.58	74.00	-24.42	3	Vertical	270	2.90
5745MHz	Pass	AV	11.493G	37.63	54.00	-16.37	3	Horizontal	306	2.85
5745MHz	Pass	PK	11.4783G	49.90	74.00	-24.10	3	Horizontal	306	2.85
5785MHz	Pass	AV	5.78371G	102.64	Inf	-Inf	3	Vertical	172	1.50
5785MHz	Pass	PK	5.601G	57.92	68.20	-10.28	3	Vertical	172	1.50
5785MHz	Pass	PK	5.7825G	116.09	Inf	-Inf	3	Vertical	172	1.50
5785MHz	Pass	PK	5.93496G	58.97	68.20	-9.23	3	Vertical	172	1.50
5785MHz	Pass	AV	5.77887G	101.67	Inf	-Inf	3	Horizontal	321	2.14



RSE TX above 1GHz_C-330E_Radio 0

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.58648G	57.56	68.20	-10.64	3	Horizontal	321	2.14
5785MHz	Pass	PK	5.78855G	114.21	Inf	-Inf	3	Horizontal	321	2.14
5785MHz	Pass	PK	6.06443G	58.52	68.20	-9.68	3	Horizontal	321	2.14
5785MHz	Pass	AV	11.56544G	37.32	54.00	-16.68	3	Vertical	244	1.12
5785MHz	Pass	PK	11.56736G	49.41	74.00	-24.59	3	Vertical	244	1.12
5785MHz	Pass	AV	11.55572G	37.38	54.00	-16.62	3	Horizontal	152	2.72
5785MHz	Pass	PK	11.57156G	48.97	74.00	-25.03	3	Horizontal	152	2.72
5825MHz	Pass	AV	5.8226G	102.44	Inf	-Inf	3	Vertical	172	1.50
5825MHz	Pass	PK	5.6258G	57.54	68.20	-10.66	3	Vertical	172	1.50
5825MHz	Pass	PK	5.8238G	115.70	Inf	-Inf	3	Vertical	172	1.50
5825MHz	Pass	PK	6.1118G	58.46	68.20	-9.74	3	Vertical	172	1.50
5825MHz	Pass	AV	5.8274G	101.53	Inf	-Inf	3	Horizontal	66	2.18
5825MHz	Pass	PK	5.633G	57.98	68.20	-10.22	3	Horizontal	66	2.18
5825MHz	Pass	PK	5.8274G	114.59	Inf	-Inf	3	Horizontal	66	2.18
5825MHz	Pass	PK	6.0074G	58.72	68.20	-9.48	3	Horizontal	66	2.18
5825MHz	Pass	AV	11.64688G	36.99	54.00	-17.01	3	Vertical	81	2.36
5825MHz	Pass	PK	11.65804G	48.54	74.00	-25.46	3	Vertical	81	2.36
5825MHz	Pass	AV	11.63914G	36.87	54.00	-17.13	3	Horizontal	173	2.19
5825MHz	Pass	PK	11.6578G	48.70	74.00	-25.30	3	Horizontal	173	2.19
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.146G	46.40	54.00	-7.60	3	Vertical	194	2.93
5190MHz	Pass	AV	5.1848G	101.39	Inf	-Inf	3	Vertical	194	2.93
5190MHz	Pass	PK	5.1436G	61.79	74.00	-12.21	3	Vertical	194	2.93
5190MHz	Pass	PK	5.1856G	115.26	Inf	-Inf	3	Vertical	194	2.93
5190MHz	Pass	AV	5.1468G	47.90	54.00	-6.10	3	Horizontal	62	2.51
5190MHz	Pass	AV	5.1856G	102.47	Inf	-Inf	3	Horizontal	62	2.51
5190MHz	Pass	PK	5.1448G	63.33	74.00	-10.67	3	Horizontal	62	2.51
5190MHz	Pass	PK	5.1864G	115.65	Inf	-Inf	3	Horizontal	62	2.51
5190MHz	Pass	PK	10.38636G	49.19	68.20	-19.01	3	Vertical	71	1.63
5190MHz	Pass	PK	10.38168G	48.75	68.20	-19.45	3	Horizontal	21	2.23
5230MHz	Pass	AV	5.136G	43.16	54.00	-10.84	3	Vertical	211	3.00
5230MHz	Pass	AV	5.2284G	100.70	Inf	-Inf	3	Vertical	211	3.00
5230MHz	Pass	PK	5.1492G	57.16	74.00	-16.84	3	Vertical	211	3.00
5230MHz	Pass	PK	5.2292G	114.27	Inf	-Inf	3	Vertical	211	3.00
5230MHz	Pass	AV	5.1356G	43.62	54.00	-10.38	3	Horizontal	65	2.56
5230MHz	Pass	AV	5.2348G	101.58	Inf	-Inf	3	Horizontal	65	2.56
5230MHz	Pass	PK	5.146G	56.81	74.00	-17.19	3	Horizontal	65	2.56
5230MHz	Pass	PK	5.2252G	114.76	Inf	-Inf	3	Horizontal	65	2.56
5230MHz	Pass	PK	10.45412G	48.84	68.20	-19.36	3	Vertical	30	1.14
5230MHz	Pass	PK	10.46486G	49.16	68.20	-19.04	3	Horizontal	121	2.74
5755MHz	Pass	AV	5.7538G	99.98	Inf	-Inf	3	Vertical	173	1.50
5755MHz	Pass	PK	5.6446G	57.56	68.20	-10.64	3	Vertical	173	1.50
5755MHz	Pass	PK	5.7526G	112.74	Inf	-Inf	3	Vertical	173	1.50
5755MHz	Pass	PK	6.0154G	58.24	68.20	-9.96	3	Vertical	173	1.50
5755MHz	Pass	AV	5.7478G	99.39	Inf	-Inf	3	Horizontal	64	2.20
5755MHz	Pass	PK	5.6146G	57.64	68.20	-10.56	3	Horizontal	64	2.20
5755MHz	Pass	PK	5.7478G	113.02	Inf	-Inf	3	Horizontal	64	2.20
5755MHz	Pass	PK	5.9386G	59.00	68.20	-9.20	3	Horizontal	64	2.20
5755MHz	Pass	AV	11.49506G	37.65	54.00	-16.35	3	Vertical	126	2.73
5755MHz	Pass	PK	11.5031G	49.77	74.00	-24.23	3	Vertical	126	2.73
5755MHz	Pass	AV	11.49614G	37.74	54.00	-16.26	3	Horizontal	352	2.47
5755MHz	Pass	PK	11.4977G	50.35	74.00	-23.65	3	Horizontal	352	2.47
5795MHz	Pass	AV	5.7938G	99.92	Inf	-Inf	3	Vertical	179	2.19
5795MHz	Pass	PK	5.6174G	57.84	68.20	-10.36	3	Vertical	179	2.19
5795MHz	Pass	PK	5.7938G	112.58	Inf	-Inf	3	Vertical	179	2.19
5795MHz	Pass	PK	5.9702G	58.93	68.20	-9.27	3	Vertical	179	2.19
5795MHz	Pass	AV	5.7962G	101.43	Inf	-Inf	3	Horizontal	326	2.68
5795MHz	Pass	PK	5.4974G	57.69	68.20	-10.51	3	Horizontal	326	2.68
5795MHz	Pass	PK	5.7962G	113.73	Inf	-Inf	3	Horizontal	326	2.68
5795MHz	Pass	PK	6.0158G	58.75	68.20	-9.45	3	Horizontal	326	2.68
5795MHz	Pass	AV	11.5753G	37.20	54.00	-16.80	3	Vertical	196	2.91
5795MHz	Pass	PK	11.5963G	49.29	74.00	-24.71	3	Vertical	196	2.91




RSE TX above 1GHz_C-330E_Radio 0

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	AV	11.57632G	37.15	54.00	-16.85	3	Horizontal	311	2.93
5795MHz	Pass	PK	11.58502G	49.72	74.00	-24.28	3	Horizontal	311	2.93
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	47.20	54.00	-6.80	3	Vertical	192	2.89
5210MHz	Pass	AV	5.215G	98.07	Inf	-Inf	3	Vertical	192	2.89
5210MHz	Pass	AV	5.354G	44.25	54.00	-9.75	3	Vertical	192	2.89
5210MHz	Pass	PK	5.136G	62.17	74.00	-11.83	3	Vertical	192	2.89
5210MHz	Pass	PK	5.214G	111.95	Inf	-Inf	3	Vertical	192	2.89
5210MHz	Pass	PK	5.393G	57.34	74.00	-16.66	3	Vertical	192	2.89
5210MHz	Pass	AV	5.147G	51.99	54.00	-2.01	3	Horizontal	64	2.40
5210MHz	Pass	AV	5.205G	99.40	Inf	-Inf	3	Horizontal	64	2.40
5210MHz	Pass	AV	5.353G	44.16	54.00	-9.84	3	Horizontal	64	2.40
5210MHz	Pass	PK	5.144G	67.20	74.00	-6.80	3	Horizontal	64	2.40
5210MHz	Pass	PK	5.205G	113.06	Inf	-Inf	3	Horizontal	64	2.40
5210MHz	Pass	PK	5.42G	58.26	74.00	-15.74	3	Horizontal	64	2.40
5210MHz	Pass	PK	10.42108G	49.00	68.20	-19.20	3	Vertical	54	1.33
5210MHz	Pass	PK	10.4077G	49.36	68.20	-18.84	3	Horizontal	261	1.12
5775MHz	Pass	AV	5.7738G	96.92	Inf	-Inf	3	Vertical	174	2.77
5775MHz	Pass	PK	5.6442G	60.72	68.20	-7.48	3	Vertical	174	2.77
5775MHz	Pass	PK	5.7726G	110.70	Inf	-Inf	3	Vertical	174	2.77
5775MHz	Pass	PK	5.979G	58.82	68.20	-9.38	3	Vertical	174	2.77
5775MHz	Pass	AV	5.7774G	98.54	Inf	-Inf	3	Horizontal	60	2.70
5775MHz	Pass	PK	5.6502G	62.76	68.35	-5.59	3	Horizontal	60	2.70
5775MHz	Pass	PK	5.7678G	111.50	Inf	-Inf	3	Horizontal	60	2.70
5775MHz	Pass	PK	5.9934G	58.64	68.20	-9.56	3	Horizontal	60	2.70
5775MHz	Pass	AV	11.53734G	37.34	54.00	-16.66	3	Vertical	44	1.51
5775MHz	Pass	PK	11.54982G	50.27	74.00	-23.73	3	Vertical	44	1.51
5775MHz	Pass	AV	11.55198G	37.36	54.00	-16.64	3	Horizontal	82	1.62
5775MHz	Pass	PK	11.54964G	49.67	74.00	-24.33	3	Horizontal	82	1.62


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	43.23	54.00	-10.77	5.81	3	Vertical	194	2.90	37.42	33.10	6.85	34.14
AV	5.1948G	104.20	Inf	-Inf	5.86	3	Vertical	194	2.90	98.34	33.10	6.90	34.14
PK	5.1076G	56.60	74.00	-17.40	5.77	3	Vertical	194	2.90	50.83	33.10	6.80	34.13
PK	5.1956G	114.24	Inf	-Inf	5.86	3	Vertical	194	2.90	108.38	33.10	6.90	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.89	54.00	-10.11	5.79	3	Horizontal	60	2.55	38.10	33.10	6.83	34.14
AV	5.1948G	105.62	Inf	-Inf	5.86	3	Horizontal	60	2.55	99.76	33.10	6.90	34.14
PK	5.1472G	56.60	74.00	-17.40	5.81	3	Horizontal	60	2.55	50.79	33.10	6.85	34.14
PK	5.1952G	115.69	Inf	-Inf	5.86	3	Horizontal	60	2.55	109.83	33.10	6.90	34.14




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1362G	43.13	54.00	-10.87	5.79	3	Vertical	214	2.86	37.34	33.10	6.83	34.14
AV	5.2364G	103.72	Inf	-Inf	5.79	3	Vertical	214	2.86	97.93	33.03	6.91	34.15
AV	5.378G	44.23	54.00	-9.77	5.62	3	Vertical	214	2.86	38.61	32.90	6.89	34.17
PK	5.1398G	55.95	74.00	-18.05	5.80	3	Vertical	214	2.86	50.15	33.10	6.84	34.14
PK	5.237G	114.00	Inf	-Inf	5.79	3	Vertical	214	2.86	108.21	33.03	6.91	34.15
PK	5.3678G	57.58	74.00	-16.42	5.63	3	Vertical	214	2.86	51.95	32.90	6.89	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	44.27	54.00	-9.73	5.81	3	Horizontal	62	2.53	38.46	33.10	6.85	34.14
AV	5.2346G	105.93	Inf	-Inf	5.79	3	Horizontal	62	2.53	100.14	33.03	6.91	34.15
AV	5.3894G	44.30	54.00	-9.70	5.62	3	Horizontal	62	2.53	38.68	32.90	6.89	34.17
PK	5.1242G	57.31	74.00	-16.69	5.79	3	Horizontal	62	2.53	51.52	33.10	6.82	34.13
PK	5.2346G	115.69	Inf	-Inf	5.79	3	Horizontal	62	2.53	109.90	33.03	6.91	34.15
PK	5.384G	57.76	74.00	-16.24	5.62	3	Horizontal	62	2.53	52.14	32.90	6.89	34.17




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	103.78	Inf	-Inf	6.87	3	Vertical	184	2.94	96.91	33.79	7.28	34.20
PK	5.6046G	57.32	68.20	-10.88	6.02	3	Vertical	184	2.94	51.30	33.00	7.21	34.19
PK	5.7438G	114.31	Inf	-Inf	6.85	3	Vertical	184	2.94	107.46	33.78	7.27	34.20
PK	5.9346G	58.64	68.20	-9.56	7.47	3	Vertical	184	2.94	51.17	34.23	7.45	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	104.74	Inf	-Inf	6.87	3	Horizontal	63	2.77	97.87	33.79	7.28	34.20
PK	5.6442G	58.14	68.20	-10.06	6.04	3	Horizontal	63	2.77	52.10	33.00	7.23	34.19
PK	5.7438G	114.80	Inf	-Inf	6.85	3	Horizontal	63	2.77	107.95	33.78	7.27	34.20
PK	6.0114G	58.62	68.20	-9.58	7.39	3	Horizontal	63	2.77	51.23	34.10	7.51	34.22


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.78371G	103.47	Inf	-Inf	7.09	3	Vertical	172	1.50	96.38	34.00	7.29	34.20
PK	5.63004G	57.34	68.20	-10.86	6.03	3	Vertical	172	1.50	51.31	33.00	7.22	34.19
PK	5.78371G	113.44	Inf	-Inf	7.09	3	Vertical	172	1.50	106.35	34.00	7.29	34.20
PK	6.02087G	58.87	68.20	-9.33	7.38	3	Vertical	172	1.50	51.49	34.10	7.50	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.78129G	103.19	Inf	-Inf	7.08	3	Horizontal	320	2.16	96.11	33.99	7.29	34.20
PK	5.59737G	57.58	68.20	-10.62	6.01	3	Horizontal	320	2.16	51.57	32.99	7.21	34.19
PK	5.78129G	113.72	Inf	-Inf	7.08	3	Horizontal	320	2.16	106.64	33.99	7.29	34.20
PK	6.04991G	58.94	68.20	-9.26	7.35	3	Horizontal	320	2.16	51.59	34.10	7.48	34.23


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	103.07	Inf	-Inf	7.21	3	Vertical	174	1.50	95.86	34.10	7.32	34.21
PK	5.633G	57.42	68.20	-10.78	6.03	3	Vertical	174	1.50	51.39	33.00	7.22	34.19
PK	5.8214G	113.33	Inf	-Inf	7.21	3	Vertical	174	1.50	106.12	34.10	7.32	34.21
PK	5.999G	58.73	68.20	-9.47	7.40	3	Vertical	174	1.50	51.33	34.10	7.52	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.8238G	105.49	Inf	-Inf	7.22	3	Horizontal	61	2.79	98.27	34.10	7.33	34.21
PK	5.555G	58.40	68.20	-9.80	5.87	3	Horizontal	61	2.79	52.53	32.91	7.14	34.18
PK	5.8238G	115.84	Inf	-Inf	7.22	3	Horizontal	61	2.79	108.62	34.10	7.33	34.21
PK	5.9498G	59.25	68.20	-8.95	7.44	3	Horizontal	61	2.79	51.81	34.20	7.46	34.22


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	44.17	54.00	-9.83	5.80	3	Vertical	190	2.93	38.37	33.10	6.84	34.14
AV	5.1844G	104.07	Inf	-Inf	5.85	3	Vertical	190	2.93	98.22	33.10	6.89	34.14
PK	5.1432G	58.89	74.00	-15.11	5.80	3	Vertical	190	2.93	53.09	33.10	6.84	34.14
PK	5.1856G	117.09	Inf	-Inf	5.85	3	Vertical	190	2.93	111.24	33.10	6.89	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	44.98	54.00	-9.02	5.81	3	Horizontal	62	2.29	39.17	33.10	6.85	34.14
AV	5.1848G	104.66	Inf	-Inf	5.85	3	Horizontal	62	2.29	98.81	33.10	6.89	34.14
PK	5.1448G	58.85	74.00	-15.15	5.80	3	Horizontal	62	2.29	53.05	33.10	6.84	34.14
PK	5.1848G	118.55	Inf	-Inf	5.85	3	Horizontal	62	2.29	112.70	33.10	6.89	34.14


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	42.37	54.00	-11.63	5.80	3	Vertical	195	2.90	36.57	33.10	6.84	34.14
AV	5.1952G	102.81	Inf	-Inf	5.86	3	Vertical	195	2.90	96.95	33.10	6.90	34.14
PK	5.104G	55.92	74.00	-18.08	5.76	3	Vertical	195	2.90	50.16	33.10	6.79	34.13
PK	5.1952G	115.94	Inf	-Inf	5.86	3	Vertical	195	2.90	110.08	33.10	6.90	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	42.85	54.00	-11.15	5.79	3	Horizontal	62	2.40	37.06	33.10	6.83	34.14
AV	5.2044G	104.74	Inf	-Inf	5.86	3	Horizontal	62	2.40	98.88	33.09	6.91	34.14
PK	5.1152G	56.71	74.00	-17.29	5.78	3	Horizontal	62	2.40	50.93	33.10	6.81	34.13
PK	5.2052G	118.25	Inf	-Inf	5.86	3	Horizontal	62	2.40	112.39	33.09	6.91	34.14




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	102.58	Inf	-Inf	6.84	3	Vertical	189	2.94	95.74	33.77	7.27	34.20
PK	5.5026G	58.41	68.20	-9.79	5.77	3	Vertical	189	2.94	52.64	32.90	7.05	34.18
PK	5.7414G	115.51	Inf	-Inf	6.84	3	Vertical	189	2.94	108.67	33.77	7.27	34.20
PK	6.033G	58.50	68.20	-9.70	7.36	3	Vertical	189	2.94	51.14	34.10	7.49	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7426G	104.18	Inf	-Inf	6.84	3	Horizontal	62	2.76	97.34	33.77	7.27	34.20
PK	5.6466G	58.77	68.20	-9.43	6.04	3	Horizontal	62	2.76	52.73	33.00	7.23	34.19
PK	5.7438G	116.91	Inf	-Inf	6.85	3	Horizontal	62	2.76	110.06	33.78	7.27	34.20
PK	5.9922G	59.17	68.20	-9.03	7.41	3	Horizontal	62	2.76	51.76	34.12	7.51	34.22


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	102.64	Inf	-Inf	7.09	3	Vertical	172	1.50	95.55	34.00	7.29	34.20
PK	5.601G	57.92	68.20	-10.28	6.02	3	Vertical	172	1.50	51.90	33.00	7.21	34.19
PK	5.7825G	116.09	Inf	-Inf	7.09	3	Vertical	172	1.50	109.00	34.00	7.29	34.20
PK	5.93496G	58.97	68.20	-9.23	7.47	3	Vertical	172	1.50	51.50	34.23	7.45	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77887G	101.67	Inf	-Inf	7.06	3	Horizontal	321	2.14	94.61	33.97	7.29	34.20
PK	5.58648G	57.56	68.20	-10.64	5.97	3	Horizontal	321	2.14	51.59	32.97	7.19	34.19
PK	5.78855G	114.21	Inf	-Inf	7.12	3	Horizontal	321	2.14	107.09	34.03	7.29	34.20
PK	6.06443G	58.52	68.20	-9.68	7.31	3	Horizontal	321	2.14	51.21	34.07	7.47	34.23


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.44	Inf	-Inf	7.21	3	Vertical	172	1.50	95.23	34.10	7.32	34.21
PK	5.8258G	57.54	68.20	-10.66	6.03	3	Vertical	172	1.50	51.51	33.00	7.22	34.19
PK	5.8238G	115.70	Inf	-Inf	7.22	3	Vertical	172	1.50	108.48	34.10	7.33	34.21
PK	6.1118G	58.46	68.20	-9.74	7.24	3	Vertical	172	1.50	51.22	34.05	7.43	34.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	101.53	Inf	-Inf	7.22	3	Horizontal	66	2.18	94.31	34.10	7.33	34.21
PK	5.633G	57.98	68.20	-10.22	6.03	3	Horizontal	66	2.18	51.95	33.00	7.22	34.19
PK	5.8274G	114.59	Inf	-Inf	7.22	3	Horizontal	66	2.18	107.37	34.10	7.33	34.21
PK	6.0074G	58.72	68.20	-9.48	7.39	3	Horizontal	66	2.18	51.33	34.10	7.51	34.22


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.40	54.00	-7.60	5.81	3	Vertical	194	2.93	40.59	33.10	6.85	34.14
AV	5.1848G	101.39	Inf	-Inf	5.85	3	Vertical	194	2.93	95.54	33.10	6.89	34.14
PK	5.1436G	61.79	74.00	-12.21	5.80	3	Vertical	194	2.93	55.99	33.10	6.84	34.14
PK	5.1856G	115.26	Inf	-Inf	5.85	3	Vertical	194	2.93	109.41	33.10	6.89	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	47.90	54.00	-6.10	5.81	3	Horizontal	62	2.51	42.09	33.10	6.85	34.14
AV	5.1856G	102.47	Inf	-Inf	5.85	3	Horizontal	62	2.51	96.62	33.10	6.89	34.14
PK	5.1448G	63.33	74.00	-10.67	5.80	3	Horizontal	62	2.51	57.53	33.10	6.84	34.14
PK	5.1864G	115.65	Inf	-Inf	5.85	3	Horizontal	62	2.51	109.80	33.10	6.89	34.14




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.16	54.00	-10.84	5.79	3	Vertical	211	3.00	37.37	33.10	6.83	34.14
AV	5.2284G	100.70	Inf	-Inf	5.80	3	Vertical	211	3.00	94.90	33.04	6.91	34.15
PK	5.1492G	57.16	74.00	-16.84	5.81	3	Vertical	211	3.00	51.35	33.10	6.85	34.14
PK	5.2292G	114.27	Inf	-Inf	5.80	3	Vertical	211	3.00	108.47	33.04	6.91	34.15

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	43.62	54.00	-10.38	5.79	3	Horizontal	65	2.56	37.83	33.10	6.83	34.14
AV	5.2348G	101.58	Inf	-Inf	5.79	3	Horizontal	65	2.56	95.79	33.03	6.91	34.15
PK	5.146G	56.81	74.00	-17.19	5.81	3	Horizontal	65	2.56	51.00	33.10	6.85	34.14
PK	5.2252G	114.76	Inf	-Inf	5.81	3	Horizontal	65	2.56	108.95	33.05	6.91	34.15




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	99.98	Inf	-Inf	6.90	3	Vertical	173	1.50	93.08	33.82	7.28	34.20
PK	5.6446G	57.56	68.20	-10.64	6.04	3	Vertical	173	1.50	51.52	33.00	7.23	34.19
PK	5.7526G	112.74	Inf	-Inf	6.90	3	Vertical	173	1.50	105.84	33.82	7.28	34.20
PK	6.0154G	58.24	68.20	-9.96	7.39	3	Vertical	173	1.50	50.85	34.10	7.51	34.22

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	99.39	Inf	-Inf	6.87	3	Horizontal	64	2.20	92.52	33.79	7.28	34.20
PK	5.6146G	57.64	68.20	-10.56	6.03	3	Horizontal	64	2.20	51.61	33.00	7.22	34.19
PK	5.7478G	113.02	Inf	-Inf	6.87	3	Horizontal	64	2.20	106.15	33.79	7.28	34.20
PK	5.9386G	59.00	68.20	-9.20	7.45	3	Horizontal	64	2.20	51.55	34.22	7.45	34.22




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7938G	99.92	Inf	-Inf	7.16	3	Vertical	179	2.19	92.76	34.06	7.30	34.20
PK	5.6174G	57.84	68.20	-10.36	6.03	3	Vertical	179	2.19	51.81	33.00	7.22	34.19
PK	5.7938G	112.58	Inf	-Inf	7.16	3	Vertical	179	2.19	105.42	34.06	7.30	34.20
PK	5.9702G	58.93	68.20	-9.27	7.43	3	Vertical	179	2.19	51.50	34.16	7.49	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7962G	101.43	Inf	-Inf	7.18	3	Horizontal	326	2.68	94.25	34.08	7.30	34.20
PK	5.4974G	57.69	68.20	-10.51	5.77	3	Horizontal	326	2.68	51.92	32.90	7.05	34.18
PK	5.7962G	113.73	Inf	-Inf	7.18	3	Horizontal	326	2.68	106.55	34.08	7.30	34.20
PK	6.0158G	58.75	68.20	-9.45	7.39	3	Horizontal	326	2.68	51.36	34.10	7.51	34.22




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX






5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.7738G	96.92	Inf	-Inf	7.03	3	Vertical	174	2.77	89.89	33.94	7.29	34.20
PK	5.6442G	60.72	68.20	-7.48	6.04	3	Vertical	174	2.77	54.68	33.00	7.23	34.19
PK	5.7726G	110.70	Inf	-Inf	7.03	3	Vertical	174	2.77	103.67	33.94	7.29	34.20
PK	5.979G	58.82	68.20	-9.38	7.42	3	Vertical	174	2.77	51.40	34.14	7.50	34.22

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.7774G	98.54	Inf	-Inf	7.05	3	Horizontal	60	2.70	91.49	33.96	7.29	34.20
PK	5.6502G	62.76	68.35	-5.59	6.04	3	Horizontal	60	2.70	56.72	33.00	7.23	34.19
PK	5.7678G	111.50	Inf	-Inf	7.00	3	Horizontal	60	2.70	104.50	33.91	7.29	34.20
PK	5.9934G	58.64	68.20	-9.56	7.40	3	Horizontal	60	2.70	51.24	34.11	7.51	34.22


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	QP	37.92M	35.43	40.00	-4.57	3	Vertical	181	1.00	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5795MHz	Pass	PK	101.78M	28.37	43.50	-15.13	3	Vertical	0	1.00	-
5795MHz	Pass	PK	191.02M	24.46	43.50	-19.04	3	Vertical	0	1.00	-
5795MHz	Pass	PK	348.16M	22.82	46.00	-23.18	3	Vertical	0	1.00	-
5795MHz	Pass	PK	499.48M	28.02	46.00	-17.98	3	Vertical	0	1.00	-
5795MHz	Pass	PK	575.14M	31.18	46.00	-14.82	3	Vertical	0	1.00	-
5795MHz	Pass	QP	37.92M	35.43	40.00	-4.57	3	Vertical	181	1.00	-
5795MHz	Pass	PK	37.76M	34.03	40.00	-5.97	3	Horizontal	360	1.00	-
5795MHz	Pass	PK	101.78M	28.07	43.50	-15.43	3	Horizontal	360	1.00	-
5795MHz	Pass	PK	231.76M	26.03	46.00	-19.97	3	Horizontal	360	1.00	-
5795MHz	Pass	PK	369.5M	25.98	46.00	-20.02	3	Horizontal	360	1.00	-
5795MHz	Pass	PK	534.4M	27.56	46.00	-18.44	3	Horizontal	360	1.00	-
5795MHz	Pass	PK	658.56M	29.99	46.00	-16.01	3	Horizontal	360	1.00	-

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	101.78M	28.37	43.50	-15.13	-10.06	3	Vertical	0	1.00	38.43	16.33	1.43	27.82				
PK	191.02M	24.46	43.50	-19.04	-11.25	3	Vertical	0	1.00	35.71	14.22	1.98	27.45				
PK	348.16M	22.82	46.00	-23.18	-5.31	3	Vertical	0	1.00	28.13	19.48	2.70	27.49				
PK	499.48M	28.02	46.00	-17.98	-2.38	3	Vertical	0	1.00	30.40	22.65	3.31	28.34				
PK	575.14M	31.18	46.00	-14.82	-1.23	3	Vertical	0	1.00	32.41	23.81	3.50	28.54				
QP	37.92M	35.43	40.00	-4.57	-6.73	3	Vertical	181	1.00	42.16	18.97	1.03	26.73				

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	37.76M	34.03	40.00	-5.97	-6.64	3	Horizontal	360	1.00	40.67	19.05	1.03	26.72				
PK	101.78M	28.07	43.50	-15.43	-10.06	3	Horizontal	360	1.00	38.13	16.33	1.43	27.82				
PK	231.76M	26.03	46.00	-19.97	-9.56	3	Horizontal	360	1.00	35.59	15.51	2.18	27.25				
PK	369.5M	25.98	46.00	-20.02	-4.84	3	Horizontal	360	1.00	30.82	20.01	2.78	27.63				
PK	534.4M	27.56	46.00	-18.44	-2.23	3	Horizontal	360	1.00	29.79	22.94	3.38	28.55				
PK	658.56M	29.99	46.00	-16.01	0.07	3	Horizontal	360	1.00	29.92	24.87	3.72	28.52				

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	52.05	54.00	-1.95	3	Vertical	166	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.77	54.00	-2.23	3	Horizontal	63	1.37
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.52	54.00	-0.48	3	Horizontal	65	1.47
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.12	54.00	-0.88	3	Horizontal	64	1.45
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9774G	60.03	68.20	-8.17	3	Horizontal	62	1.29
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.9882G	59.11	68.20	-9.09	3	Vertical	171	1.35
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	6.0026G	58.93	68.20	-9.27	3	Horizontal	62	1.35
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	61.64	68.35	-6.71	3	Vertical	170	1.38



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	52.05	54.00	-1.95	3	Vertical	166	1.50
5180MHz	Pass	AV	5.1832G	103.10	Inf	-Inf	3	Vertical	166	1.50
5180MHz	Pass	PK	5.1488G	67.55	74.00	-6.45	3	Vertical	166	1.50
5180MHz	Pass	PK	5.1832G	114.09	Inf	-Inf	3	Vertical	166	1.50
5180MHz	Pass	AV	5.15G	51.98	54.00	-2.02	3	Horizontal	64	1.44
5180MHz	Pass	AV	5.181G	104.00	Inf	-Inf	3	Horizontal	64	1.44
5180MHz	Pass	PK	5.15G	67.96	74.00	-6.04	3	Horizontal	64	1.44
5180MHz	Pass	PK	5.1804G	114.09	Inf	-Inf	3	Horizontal	64	1.44
5180MHz	Pass	PK	10.36732G	50.81	68.20	-17.39	3	Vertical	142	1.20
5180MHz	Pass	PK	10.35144G	49.71	68.20	-18.49	3	Horizontal	330	2.99
5200MHz	Pass	AV	5.1488G	43.48	54.00	-10.52	3	Vertical	164	1.45
5200MHz	Pass	AV	5.2032G	103.24	Inf	-Inf	3	Vertical	164	1.45
5200MHz	Pass	PK	5.1496G	56.70	74.00	-17.30	3	Vertical	164	1.45
5200MHz	Pass	PK	5.2036G	113.32	Inf	-Inf	3	Vertical	164	1.45
5200MHz	Pass	AV	5.15G	43.76	54.00	-10.24	3	Horizontal	64	1.41
5200MHz	Pass	AV	5.1956G	104.83	Inf	-Inf	3	Horizontal	64	1.41
5200MHz	Pass	PK	5.1492G	56.94	74.00	-17.06	3	Horizontal	64	1.41
5200MHz	Pass	PK	5.1952G	114.45	Inf	-Inf	3	Horizontal	64	1.41
5200MHz	Pass	PK	10.40172G	49.64	68.20	-18.56	3	Vertical	82	1.50
5200MHz	Pass	PK	10.40528G	49.53	68.20	-18.67	3	Horizontal	101	1.00
5240MHz	Pass	AV	5.1434G	43.04	54.00	-10.96	3	Vertical	164	1.50
5240MHz	Pass	AV	5.2382G	103.02	Inf	-Inf	3	Vertical	164	1.50
5240MHz	Pass	AV	5.354G	43.84	54.00	-10.16	3	Vertical	164	1.50
5240MHz	Pass	PK	5.1284G	56.30	74.00	-17.70	3	Vertical	164	1.50
5240MHz	Pass	PK	5.2436G	113.36	Inf	-Inf	3	Vertical	164	1.50
5240MHz	Pass	PK	5.384G	57.12	74.00	-16.88	3	Vertical	164	1.50
5240MHz	Pass	AV	5.1116G	43.21	54.00	-10.79	3	Horizontal	64	1.40
5240MHz	Pass	AV	5.2352G	104.79	Inf	-Inf	3	Horizontal	64	1.40
5240MHz	Pass	AV	5.363G	43.91	54.00	-10.09	3	Horizontal	64	1.40
5240MHz	Pass	PK	5.1428G	56.67	74.00	-17.33	3	Horizontal	64	1.40
5240MHz	Pass	PK	5.2442G	114.30	Inf	-Inf	3	Horizontal	64	1.40
5240MHz	Pass	PK	5.3732G	57.32	74.00	-16.68	3	Horizontal	64	1.40
5240MHz	Pass	PK	10.48592G	49.74	68.20	-18.46	3	Vertical	180	1.08
5240MHz	Pass	PK	10.48028G	49.92	68.20	-18.28	3	Horizontal	132	2.98
5745MHz	Pass	AV	5.7474G	103.34	Inf	-Inf	3	Vertical	170	1.42
5745MHz	Pass	PK	5.6214G	57.18	68.20	-11.02	3	Vertical	170	1.42
5745MHz	Pass	PK	5.7486G	112.99	Inf	-Inf	3	Vertical	170	1.42
5745MHz	Pass	PK	6.0222G	58.60	68.20	-9.60	3	Vertical	170	1.42
5745MHz	Pass	AV	5.7498G	102.75	Inf	-Inf	3	Horizontal	63	1.32
5745MHz	Pass	PK	5.6418G	56.98	68.20	-11.22	3	Horizontal	63	1.32
5745MHz	Pass	PK	5.7438G	112.11	Inf	-Inf	3	Horizontal	63	1.32
5745MHz	Pass	PK	6.0078G	59.29	68.20	-8.91	3	Horizontal	63	1.32
5745MHz	Pass	AV	11.492G	38.16	54.00	-15.84	3	Vertical	55	1.50
5745MHz	Pass	PK	11.48284G	51.57	74.00	-22.43	3	Vertical	55	1.50
5745MHz	Pass	AV	11.49664G	38.21	54.00	-15.79	3	Horizontal	218	1.50
5745MHz	Pass	PK	11.48188G	50.34	74.00	-23.66	3	Horizontal	218	1.50
5785MHz	Pass	AV	5.78855G	103.06	Inf	-Inf	3	Vertical	174	1.22
5785MHz	Pass	PK	5.51509G	57.21	68.20	-10.99	3	Vertical	174	1.22
5785MHz	Pass	PK	5.78855G	112.32	Inf	-Inf	3	Vertical	174	1.22
5785MHz	Pass	PK	5.98941G	58.91	68.20	-9.29	3	Vertical	174	1.22
5785MHz	Pass	AV	5.78976G	103.54	Inf	-Inf	3	Horizontal	62	1.30
5785MHz	Pass	PK	5.50662G	57.07	68.20	-11.13	3	Horizontal	62	1.30
5785MHz	Pass	PK	5.78976G	112.88	Inf	-Inf	3	Horizontal	62	1.30
5785MHz	Pass	PK	5.93859G	59.07	68.20	-9.13	3	Horizontal	62	1.30
5785MHz	Pass	AV	11.56828G	37.84	54.00	-16.16	3	Vertical	327	1.50
5785MHz	Pass	PK	11.56272G	49.76	74.00	-24.24	3	Vertical	327	1.50
5785MHz	Pass	AV	11.56948G	37.71	54.00	-16.29	3	Horizontal	35	1.50
5785MHz	Pass	PK	11.56768G	50.20	74.00	-23.80	3	Horizontal	35	1.50
5825MHz	Pass	AV	5.8274G	103.30	Inf	-Inf	3	Vertical	168	1.38
5825MHz	Pass	PK	5.525G	57.26	68.20	-10.94	3	Vertical	168	1.38



RSE TX above 1GHz_C-330E_Radio 3

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	5.8238G	113.49	Inf	-Inf	3	Vertical	168	1.38
5825MHz	Pass	PK	6.0182G	58.67	68.20	-9.53	3	Vertical	168	1.38
5825MHz	Pass	AV	5.8238G	104.20	Inf	-Inf	3	Horizontal	62	1.29
5825MHz	Pass	PK	5.5898G	56.95	68.20	-11.25	3	Horizontal	62	1.29
5825MHz	Pass	PK	5.8238G	113.90	Inf	-Inf	3	Horizontal	62	1.29
5825MHz	Pass	PK	5.9774G	60.03	68.20	-8.17	3	Horizontal	62	1.29
5825MHz	Pass	AV	11.64728G	37.34	54.00	-16.66	3	Vertical	332	1.50
5825MHz	Pass	PK	11.65864G	49.53	74.00	-24.47	3	Vertical	332	1.50
5825MHz	Pass	AV	11.64648G	37.47	54.00	-16.53	3	Horizontal	258	1.50
5825MHz	Pass	PK	11.65892G	49.76	74.00	-24.24	3	Horizontal	258	1.50
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.94	54.00	-4.06	3	Vertical	183	1.42
5180MHz	Pass	AV	5.1808G	101.76	Inf	-Inf	3	Vertical	183	1.42
5180MHz	Pass	PK	5.15G	66.55	74.00	-7.45	3	Vertical	183	1.42
5180MHz	Pass	PK	5.1808G	115.46	Inf	-Inf	3	Vertical	183	1.42
5180MHz	Pass	AV	5.15G	51.77	54.00	-2.23	3	Horizontal	63	1.37
5180MHz	Pass	AV	5.181G	104.31	Inf	-Inf	3	Horizontal	63	1.37
5180MHz	Pass	PK	5.1494G	69.77	74.00	-4.23	3	Horizontal	63	1.37
5180MHz	Pass	PK	5.181G	117.83	Inf	-Inf	3	Horizontal	63	1.37
5180MHz	Pass	PK	10.35556G	48.76	68.20	-19.44	3	Vertical	183	2.46
5180MHz	Pass	PK	10.35904G	49.02	68.20	-19.18	3	Horizontal	10	2.05
5200MHz	Pass	AV	5.15G	44.44	54.00	-9.56	3	Vertical	175	1.50
5200MHz	Pass	AV	5.1988G	102.35	Inf	-Inf	3	Vertical	175	1.50
5200MHz	Pass	PK	5.1488G	59.21	74.00	-14.79	3	Vertical	175	1.50
5200MHz	Pass	PK	5.1976G	115.25	Inf	-Inf	3	Vertical	175	1.50
5200MHz	Pass	AV	5.15G	45.10	54.00	-8.90	3	Horizontal	64	1.41
5200MHz	Pass	AV	5.2012G	104.77	Inf	-Inf	3	Horizontal	64	1.41
5200MHz	Pass	PK	5.1492G	58.77	74.00	-15.23	3	Horizontal	64	1.41
5200MHz	Pass	PK	5.2012G	117.65	Inf	-Inf	3	Horizontal	64	1.41
5200MHz	Pass	PK	10.39344G	48.53	68.20	-19.67	3	Vertical	352	1.61
5200MHz	Pass	PK	10.39476G	49.04	68.20	-19.16	3	Horizontal	71	2.11
5240MHz	Pass	AV	5.15G	42.64	54.00	-11.36	3	Vertical	166	1.43
5240MHz	Pass	AV	5.237G	102.84	Inf	-Inf	3	Vertical	166	1.43
5240MHz	Pass	AV	5.3822G	43.37	54.00	-10.63	3	Vertical	166	1.43
5240MHz	Pass	PK	5.1182G	56.69	74.00	-17.31	3	Vertical	166	1.43
5240MHz	Pass	PK	5.2364G	116.50	Inf	-Inf	3	Vertical	166	1.43
5240MHz	Pass	PK	5.3528G	57.05	74.00	-16.95	3	Vertical	166	1.43
5240MHz	Pass	AV	5.1482G	42.54	54.00	-11.46	3	Horizontal	64	1.38
5240MHz	Pass	AV	5.2412G	104.63	Inf	-Inf	3	Horizontal	64	1.38
5240MHz	Pass	AV	5.3696G	43.39	54.00	-10.61	3	Horizontal	64	1.38
5240MHz	Pass	PK	5.1458G	56.95	74.00	-17.05	3	Horizontal	64	1.38
5240MHz	Pass	PK	5.2412G	117.83	Inf	-Inf	3	Horizontal	64	1.38
5240MHz	Pass	PK	5.3768G	56.91	74.00	-17.09	3	Horizontal	64	1.38
5240MHz	Pass	PK	10.47872G	49.95	68.20	-18.25	3	Vertical	292	1.85
5240MHz	Pass	PK	10.47808G	49.44	68.20	-18.76	3	Horizontal	74	2.98
5745MHz	Pass	AV	5.7414G	102.75	Inf	-Inf	3	Vertical	170	1.30
5745MHz	Pass	PK	5.6262G	57.87	68.20	-10.33	3	Vertical	170	1.30
5745MHz	Pass	PK	5.7498G	114.70	Inf	-Inf	3	Vertical	170	1.30
5745MHz	Pass	PK	6.0258G	58.58	68.20	-9.62	3	Vertical	170	1.30
5745MHz	Pass	AV	5.7438G	103.01	Inf	-Inf	3	Horizontal	60	1.27
5745MHz	Pass	PK	5.4702G	56.86	68.20	-11.34	3	Horizontal	60	1.27
5745MHz	Pass	PK	5.7438G	116.06	Inf	-Inf	3	Horizontal	60	1.27
5745MHz	Pass	PK	5.9802G	59.06	68.20	-9.14	3	Horizontal	60	1.27
5745MHz	Pass	AV	11.49416G	37.75	54.00	-16.25	3	Vertical	36	2.17
5745MHz	Pass	PK	11.4968G	49.73	74.00	-24.27	3	Vertical	36	2.17
5745MHz	Pass	AV	11.4932G	37.64	54.00	-16.36	3	Horizontal	300	2.24
5745MHz	Pass	PK	11.4908G	50.00	74.00	-24.00	3	Horizontal	300	2.24
5785MHz	Pass	AV	5.78129G	102.51	Inf	-Inf	3	Vertical	171	1.35
5785MHz	Pass	PK	5.59253G	57.30	68.20	-10.90	3	Vertical	171	1.35
5785MHz	Pass	PK	5.78008G	115.07	Inf	-Inf	3	Vertical	171	1.35
5785MHz	Pass	PK	5.9882G	59.11	68.20	-9.09	3	Vertical	171	1.35
5785MHz	Pass	AV	5.78371G	102.71	Inf	-Inf	3	Horizontal	60	1.37



RSE TX above 1GHz_C-330E_Radio 3

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.58769G	56.91	68.20	-11.29	3	Horizontal	60	1.37
5785MHz	Pass	PK	5.78371G	115.58	Inf	-Inf	3	Horizontal	60	1.37
5785MHz	Pass	PK	6.05717G	59.01	68.20	-9.19	3	Horizontal	60	1.37
5785MHz	Pass	AV	11.57192G	37.34	54.00	-16.66	3	Vertical	142	2.95
5785MHz	Pass	PK	11.56332G	49.19	74.00	-24.81	3	Vertical	142	2.95
5785MHz	Pass	AV	11.56992G	37.25	54.00	-16.75	3	Horizontal	210	1.18
5785MHz	Pass	PK	11.57492G	49.20	74.00	-24.80	3	Horizontal	210	1.18
5825MHz	Pass	AV	5.8202G	101.86	Inf	-Inf	3	Vertical	208	1.38
5825MHz	Pass	PK	5.615G	57.11	68.20	-11.09	3	Vertical	208	1.38
5825MHz	Pass	PK	5.819G	114.97	Inf	-Inf	3	Vertical	208	1.38
5825MHz	Pass	PK	5.9762G	58.75	68.20	-9.45	3	Vertical	208	1.38
5825MHz	Pass	AV	5.8238G	104.16	Inf	-Inf	3	Horizontal	59	1.28
5825MHz	Pass	PK	5.6174G	57.46	68.20	-10.74	3	Horizontal	59	1.28
5825MHz	Pass	PK	5.8238G	117.26	Inf	-Inf	3	Horizontal	59	1.28
5825MHz	Pass	PK	5.9678G	59.01	68.20	-9.19	3	Horizontal	59	1.28
5825MHz	Pass	AV	11.6456G	36.92	54.00	-17.08	3	Vertical	191	1.76
5825MHz	Pass	PK	11.64752G	48.37	74.00	-25.63	3	Vertical	191	1.76
5825MHz	Pass	AV	11.64124G	37.10	54.00	-16.90	3	Horizontal	120	1.85
5825MHz	Pass	PK	11.6444G	49.45	74.00	-24.55	3	Horizontal	120	1.85
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	52.16	54.00	-1.84	3	Vertical	166	1.50
5190MHz	Pass	AV	5.1864G	97.86	Inf	-Inf	3	Vertical	166	1.50
5190MHz	Pass	PK	5.1472G	70.55	74.00	-3.45	3	Vertical	166	1.50
5190MHz	Pass	PK	5.1772G	110.92	Inf	-Inf	3	Vertical	166	1.50
5190MHz	Pass	AV	5.15G	53.52	54.00	-0.48	3	Horizontal	65	1.47
5190MHz	Pass	AV	5.1908G	100.27	Inf	-Inf	3	Horizontal	65	1.47
5190MHz	Pass	PK	5.1496G	71.14	74.00	-2.86	3	Horizontal	65	1.47
5190MHz	Pass	PK	5.1812G	113.13	Inf	-Inf	3	Horizontal	65	1.47
5190MHz	Pass	PK	10.3732G	49.87	68.20	-18.33	3	Vertical	241	2.52
5190MHz	Pass	PK	10.3852G	49.30	68.20	-18.90	3	Horizontal	200	1.29
5230MHz	Pass	AV	5.1492G	45.05	54.00	-8.95	3	Vertical	176	1.41
5230MHz	Pass	AV	5.2288G	99.38	Inf	-Inf	3	Vertical	176	1.41
5230MHz	Pass	PK	5.15G	59.94	74.00	-14.06	3	Vertical	176	1.41
5230MHz	Pass	PK	5.2288G	112.59	Inf	-Inf	3	Vertical	176	1.41
5230MHz	Pass	AV	5.15G	45.83	54.00	-8.17	3	Horizontal	64	1.41
5230MHz	Pass	AV	5.2312G	101.22	Inf	-Inf	3	Horizontal	64	1.41
5230MHz	Pass	PK	5.148G	62.18	74.00	-11.82	3	Horizontal	64	1.41
5230MHz	Pass	PK	5.232G	114.25	Inf	-Inf	3	Horizontal	64	1.41
5230MHz	Pass	PK	10.4652G	50.01	68.20	-18.19	3	Vertical	166	2.88
5230MHz	Pass	PK	10.46188G	49.85	68.20	-18.35	3	Horizontal	289	2.14
5755MHz	Pass	AV	5.7514G	99.14	Inf	-Inf	3	Vertical	172	1.30
5755MHz	Pass	PK	5.4874G	57.43	68.20	-10.77	3	Vertical	172	1.30
5755MHz	Pass	PK	5.7418G	111.91	Inf	-Inf	3	Vertical	172	1.30
5755MHz	Pass	PK	5.953G	58.71	68.20	-9.49	3	Vertical	172	1.30
5755MHz	Pass	AV	5.7538G	99.74	Inf	-Inf	3	Horizontal	62	1.22
5755MHz	Pass	PK	5.6146G	57.06	68.20	-11.14	3	Horizontal	62	1.22
5755MHz	Pass	PK	5.7538G	113.59	Inf	-Inf	3	Horizontal	62	1.22
5755MHz	Pass	PK	5.9482G	58.77	68.20	-9.43	3	Horizontal	62	1.22
5755MHz	Pass	AV	11.50364G	37.56	54.00	-16.44	3	Vertical	200	1.55
5755MHz	Pass	PK	11.50324G	49.59	74.00	-24.41	3	Vertical	200	1.55
5755MHz	Pass	AV	11.51512G	37.77	54.00	-16.23	3	Horizontal	317	1.11
5755MHz	Pass	PK	11.50172G	50.42	74.00	-23.58	3	Horizontal	317	1.11
5795MHz	Pass	AV	5.7902G	99.16	Inf	-Inf	3	Vertical	169	1.33
5795MHz	Pass	PK	5.4986G	57.13	68.20	-11.07	3	Vertical	169	1.33
5795MHz	Pass	PK	5.7998G	112.69	Inf	-Inf	3	Vertical	169	1.33
5795MHz	Pass	PK	6.0902G	58.66	68.20	-9.54	3	Vertical	169	1.33
5795MHz	Pass	AV	5.7938G	99.86	Inf	-Inf	3	Horizontal	62	1.35
5795MHz	Pass	PK	5.6174G	56.92	68.20	-11.28	3	Horizontal	62	1.35
5795MHz	Pass	PK	5.7938G	112.24	Inf	-Inf	3	Horizontal	62	1.35
5795MHz	Pass	PK	6.0026G	58.93	68.20	-9.27	3	Horizontal	62	1.35
5795MHz	Pass	AV	11.58056G	37.10	54.00	-16.90	3	Vertical	339	1.80
5795MHz	Pass	PK	11.5852G	49.26	74.00	-24.74	3	Vertical	339	1.80




RSE TX above 1GHz_C-330E_Radio 3

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	AV	11.58924G	37.12	54.00	-16.88	3	Horizontal	219	1.31
5795MHz	Pass	PK	11.5892G	49.65	74.00	-24.35	3	Horizontal	219	1.31
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.73	54.00	-2.27	3	Vertical	174	1.44
5210MHz	Pass	AV	5.209G	94.70	Inf	-Inf	3	Vertical	174	1.44
5210MHz	Pass	AV	5.359G	44.08	54.00	-9.92	3	Vertical	174	1.44
5210MHz	Pass	PK	5.15G	69.11	74.00	-4.89	3	Vertical	174	1.44
5210MHz	Pass	PK	5.209G	107.46	Inf	-Inf	3	Vertical	174	1.44
5210MHz	Pass	PK	5.438G	57.60	74.00	-16.40	3	Vertical	174	1.44
5210MHz	Pass	AV	5.15G	53.12	54.00	-0.88	3	Horizontal	64	1.45
5210MHz	Pass	AV	5.211G	96.25	Inf	-Inf	3	Horizontal	64	1.45
5210MHz	Pass	AV	5.351G	44.15	54.00	-9.85	3	Horizontal	64	1.45
5210MHz	Pass	PK	5.14G	69.83	74.00	-4.17	3	Horizontal	64	1.45
5210MHz	Pass	PK	5.189G	108.87	Inf	-Inf	3	Horizontal	64	1.45
5210MHz	Pass	PK	5.379G	57.18	74.00	-16.82	3	Horizontal	64	1.45
5210MHz	Pass	PK	10.41788G	50.08	68.20	-18.12	3	Vertical	123	2.92
5210MHz	Pass	PK	10.43G	49.27	68.20	-18.93	3	Horizontal	282	1.61
5775MHz	Pass	AV	5.7714G	96.45	Inf	-Inf	3	Vertical	170	1.38
5775MHz	Pass	PK	5.6502G	61.64	68.35	-6.71	3	Vertical	170	1.38
5775MHz	Pass	PK	5.781G	110.06	Inf	-Inf	3	Vertical	170	1.38
5775MHz	Pass	PK	6.0234G	59.88	68.20	-8.32	3	Vertical	170	1.38
5775MHz	Pass	AV	5.7942G	96.59	Inf	-Inf	3	Horizontal	62	1.26
5775MHz	Pass	PK	5.643G	60.93	68.20	-7.27	3	Horizontal	62	1.26
5775MHz	Pass	PK	5.7738G	109.31	Inf	-Inf	3	Horizontal	62	1.26
5775MHz	Pass	PK	5.925G	59.45	68.20	-8.75	3	Horizontal	62	1.26
5775MHz	Pass	AV	11.54984G	37.45	54.00	-16.55	3	Vertical	64	1.69
5775MHz	Pass	PK	11.54664G	50.08	74.00	-23.92	3	Vertical	64	1.69
5775MHz	Pass	AV	11.5414G	37.46	54.00	-16.54	3	Horizontal	332	1.32
5775MHz	Pass	PK	11.54052G	49.14	74.00	-24.86	3	Horizontal	332	1.32


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	43.48	54.00	-10.52	5.81	3	Vertical	164	1.45	37.67	33.10	6.85	34.14
AV	5.2032G	103.24	Inf	-Inf	5.86	3	Vertical	164	1.45	97.38	33.09	6.91	34.14
PK	5.1496G	56.70	74.00	-17.30	5.81	3	Vertical	164	1.45	50.89	33.10	6.85	34.14
PK	5.2036G	113.32	Inf	-Inf	5.86	3	Vertical	164	1.45	107.46	33.09	6.91	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.76	54.00	-10.24	5.81	3	Horizontal	64	1.41	37.95	33.10	6.85	34.14
AV	5.1956G	104.83	Inf	-Inf	5.86	3	Horizontal	64	1.41	98.97	33.10	6.90	34.14
PK	5.1492G	56.94	74.00	-17.06	5.81	3	Horizontal	64	1.41	51.13	33.10	6.85	34.14
PK	5.1952G	114.45	Inf	-Inf	5.86	3	Horizontal	64	1.41	108.59	33.10	6.90	34.14


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.7474G	103.34	Inf	-Inf	6.87	3	Vertical	170	1.42	96.47	33.79	7.28	34.20				
PK	5.6214G	57.18	68.20	-11.02	6.03	3	Vertical	170	1.42	51.15	33.00	7.22	34.19				
PK	5.7486G	112.99	Inf	-Inf	6.87	3	Vertical	170	1.42	106.12	33.79	7.28	34.20				
PK	6.0222G	58.60	68.20	-9.60	7.38	3	Vertical	170	1.42	51.22	34.10	7.50	34.22				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.7498G	102.75	Inf	-Inf	6.88	3	Horizontal	63	1.32	95.87	33.80	7.28	34.20			
PK	5.6418G	56.98	68.20	-11.22	6.04	3	Horizontal	63	1.32	50.94	33.00	7.23	34.19			
PK	5.7438G	112.11	Inf	-Inf	6.85	3	Horizontal	63	1.32	105.26	33.78	7.27	34.20			
PK	6.0078G	59.29	68.20	-8.91	7.39	3	Horizontal	63	1.32	51.90	34.10	7.51	34.22			


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	103.06	Inf	-Inf	7.12	3	Vertical	174	1.22	95.94	34.03	7.29	34.20
PK	5.51509G	57.21	68.20	-10.99	5.79	3	Vertical	174	1.22	51.42	32.90	7.07	34.18
PK	5.78855G	112.32	Inf	-Inf	7.12	3	Vertical	174	1.22	105.20	34.03	7.29	34.20
PK	5.98941G	58.91	68.20	-9.29	7.41	3	Vertical	174	1.22	51.50	34.12	7.51	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78976G	103.54	Inf	-Inf	7.14	3	Horizontal	62	1.30	96.40	34.04	7.30	34.20
PK	5.50662G	57.07	68.20	-11.13	5.78	3	Horizontal	62	1.30	51.29	32.90	7.06	34.18
PK	5.78976G	112.88	Inf	-Inf	7.14	3	Horizontal	62	1.30	105.74	34.04	7.30	34.20
PK	5.93859G	59.07	68.20	-9.13	7.45	3	Horizontal	62	1.30	51.62	34.22	7.45	34.22


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.30	Inf	-Inf	7.22	3	Vertical	168	1.38	96.08	34.10	7.33	34.21
PK	5.525G	57.26	68.20	-10.94	5.81	3	Vertical	168	1.38	51.45	32.90	7.09	34.18
PK	5.8238G	113.49	Inf	-Inf	7.22	3	Vertical	168	1.38	106.27	34.10	7.33	34.21
PK	6.0182G	58.67	68.20	-9.53	7.39	3	Vertical	168	1.38	51.28	34.10	7.51	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	104.20	Inf	-Inf	7.22	3	Horizontal	62	1.29	96.98	34.10	7.33	34.21
PK	5.5898G	56.95	68.20	-11.25	5.98	3	Horizontal	62	1.29	50.97	32.98	7.19	34.19
PK	5.8238G	113.90	Inf	-Inf	7.22	3	Horizontal	62	1.29	106.68	34.10	7.33	34.21
PK	5.9774G	60.03	68.20	-8.17	7.43	3	Horizontal	62	1.29	52.60	34.15	7.50	34.22


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.94	54.00	-4.06	5.81	3	Vertical	183	1.42	44.13	33.10	6.85	34.14
AV	5.1808G	101.76	Inf	-Inf	5.85	3	Vertical	183	1.42	95.91	33.10	6.89	34.14
PK	5.15G	66.55	74.00	-7.45	5.81	3	Vertical	183	1.42	60.74	33.10	6.85	34.14
PK	5.1808G	115.46	Inf	-Inf	5.85	3	Vertical	183	1.42	109.61	33.10	6.89	34.14

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.77	54.00	-2.23	5.81	3	Horizontal	63	1.37	45.96	33.10	6.85	34.14
AV	5.181G	104.31	Inf	-Inf	5.85	3	Horizontal	63	1.37	98.46	33.10	6.89	34.14
PK	5.1494G	69.77	74.00	-4.23	5.81	3	Horizontal	63	1.37	63.96	33.10	6.85	34.14
PK	5.181G	117.83	Inf	-Inf	5.85	3	Horizontal	63	1.37	111.98	33.10	6.89	34.14


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.44	54.00	-9.56	5.81	3	Vertical	175	1.50	38.63	33.10	6.85	34.14
AV	5.1988G	102.35	Inf	-Inf	5.87	3	Vertical	175	1.50	96.48	33.10	6.91	34.14
PK	5.1488G	59.21	74.00	-14.79	5.81	3	Vertical	175	1.50	53.40	33.10	6.85	34.14
PK	5.1976G	115.25	Inf	-Inf	5.87	3	Vertical	175	1.50	109.38	33.10	6.91	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.10	54.00	-8.90	5.81	3	Horizontal	64	1.41	39.29	33.10	6.85	34.14
AV	5.2012G	104.77	Inf	-Inf	5.87	3	Horizontal	64	1.41	98.90	33.10	6.91	34.14
PK	5.1492G	58.77	74.00	-15.23	5.81	3	Horizontal	64	1.41	52.96	33.10	6.85	34.14
PK	5.2012G	117.65	Inf	-Inf	5.87	3	Horizontal	64	1.41	111.78	33.10	6.91	34.14


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	102.75	Inf	-Inf	6.84	3	Vertical	170	1.30	95.91	33.77	7.27	34.20
PK	5.6262G	57.87	68.20	-10.33	6.03	3	Vertical	170	1.30	51.84	33.00	7.22	34.19
PK	5.7498G	114.70	Inf	-Inf	6.88	3	Vertical	170	1.30	107.82	33.80	7.28	34.20
PK	6.0258G	58.58	68.20	-9.62	7.37	3	Vertical	170	1.30	51.21	34.10	7.50	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	103.01	Inf	-Inf	6.85	3	Horizontal	60	1.27	96.16	33.78	7.27	34.20
PK	5.4702G	56.86	68.20	-11.34	5.72	3	Horizontal	60	1.27	51.14	32.90	7.00	34.18
PK	5.7438G	116.06	Inf	-Inf	6.85	3	Horizontal	60	1.27	109.21	33.78	7.27	34.20
PK	5.9802G	59.06	68.20	-9.14	7.42	3	Horizontal	60	1.27	51.64	34.14	7.50	34.22


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	102.51	Inf	-Inf	7.08	3	Vertical	171	1.35	95.43	33.99	7.29	34.20
PK	5.59253G	57.30	68.20	-10.90	6.00	3	Vertical	171	1.35	51.30	32.99	7.20	34.19
PK	5.78008G	115.07	Inf	-Inf	7.07	3	Vertical	171	1.35	108.00	33.98	7.29	34.20
PK	5.9882G	59.11	68.20	-9.09	7.41	3	Vertical	171	1.35	51.70	34.12	7.51	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	102.71	Inf	-Inf	7.09	3	Horizontal	60	1.37	95.62	34.00	7.29	34.20
PK	5.58769G	56.91	68.20	-11.29	5.98	3	Horizontal	60	1.37	50.93	32.98	7.19	34.19
PK	5.78371G	115.58	Inf	-Inf	7.09	3	Horizontal	60	1.37	108.49	34.00	7.29	34.20
PK	6.05717G	59.01	68.20	-9.19	7.33	3	Horizontal	60	1.37	51.68	34.09	7.47	34.23


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	101.86	Inf	-Inf	7.21	3	Vertical	208	1.38	94.65	34.10	7.32	34.21
PK	5.615G	57.11	68.20	-11.09	6.03	3	Vertical	208	1.38	51.08	33.00	7.22	34.19
PK	5.819G	114.97	Inf	-Inf	7.21	3	Vertical	208	1.38	107.76	34.10	7.32	34.21
PK	5.9762G	58.75	68.20	-9.45	7.42	3	Vertical	208	1.38	51.33	34.15	7.49	34.22

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	104.16	Inf	-Inf	7.22	3	Horizontal	59	1.28	96.94	34.10	7.33	34.21
PK	5.6174G	57.46	68.20	-10.74	6.03	3	Horizontal	59	1.28	51.43	33.00	7.22	34.19
PK	5.8238G	117.26	Inf	-Inf	7.22	3	Horizontal	59	1.28	110.04	34.10	7.33	34.21
PK	5.9678G	59.01	68.20	-9.19	7.42	3	Horizontal	59	1.28	51.59	34.16	7.48	34.22


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.16	54.00	-1.84	5.81	3	Vertical	166	1.50	46.35	33.10	6.85	34.14
AV	5.1864G	97.86	Inf	-Inf	5.85	3	Vertical	166	1.50	92.01	33.10	6.89	34.14
PK	5.1472G	70.55	74.00	-3.45	5.81	3	Vertical	166	1.50	64.74	33.10	6.85	34.14
PK	5.1772G	110.92	Inf	-Inf	5.84	3	Vertical	166	1.50	105.08	33.10	6.88	34.14

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.52	54.00	-0.48	5.81	3	Horizontal	65	1.47	47.71	33.10	6.85	34.14
AV	5.1908G	100.27	Inf	-Inf	5.86	3	Horizontal	65	1.47	94.41	33.10	6.90	34.14
PK	5.1496G	71.14	74.00	-2.86	5.81	3	Horizontal	65	1.47	65.33	33.10	6.85	34.14
PK	5.1812G	113.13	Inf	-Inf	5.85	3	Horizontal	65	1.47	107.28	33.10	6.89	34.14




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.05	54.00	-8.95	5.81	3	Vertical	176	1.41	39.24	33.10	6.85	34.14
AV	5.2288G	99.38	Inf	-Inf	5.80	3	Vertical	176	1.41	93.58	33.04	6.91	34.15
PK	5.15G	59.94	74.00	-14.06	5.81	3	Vertical	176	1.41	54.13	33.10	6.85	34.14
PK	5.2288G	112.59	Inf	-Inf	5.80	3	Vertical	176	1.41	106.79	33.04	6.91	34.15

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.83	54.00	-8.17	5.81	3	Horizontal	64	1.41	40.02	33.10	6.85	34.14
AV	5.2312G	101.22	Inf	-Inf	5.80	3	Horizontal	64	1.41	95.42	33.04	6.91	34.15
PK	5.148G	62.18	74.00	-11.82	5.81	3	Horizontal	64	1.41	56.37	33.10	6.85	34.14
PK	5.232G	114.25	Inf	-Inf	5.80	3	Horizontal	64	1.41	108.45	33.04	6.91	34.15


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	99.14	Inf	-Inf	6.89	3	Vertical	172	1.30	92.25	33.81	7.28	34.20
PK	5.4874G	57.43	68.20	-10.77	5.75	3	Vertical	172	1.30	51.68	32.90	7.03	34.18
PK	5.7418G	111.91	Inf	-Inf	6.84	3	Vertical	172	1.30	105.07	33.77	7.27	34.20
PK	5.953G	58.71	68.20	-9.49	7.44	3	Vertical	172	1.30	51.27	34.19	7.47	34.22

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	99.74	Inf	-Inf	6.90	3	Horizontal	62	1.22	92.84	33.82	7.28	34.20
PK	5.6146G	57.06	68.20	-11.14	6.03	3	Horizontal	62	1.22	51.03	33.00	7.22	34.19
PK	5.7538G	113.59	Inf	-Inf	6.90	3	Horizontal	62	1.22	106.69	33.82	7.28	34.20
PK	5.9482G	58.77	68.20	-9.43	7.44	3	Horizontal	62	1.22	51.33	34.20	7.46	34.22


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	99.16	Inf	-Inf	7.14	3	Vertical	169	1.33	92.02	34.04	7.30	34.20
PK	5.4986G	57.13	68.20	-11.07	5.77	3	Vertical	169	1.33	51.36	32.90	7.05	34.18
PK	5.7998G	112.69	Inf	-Inf	7.20	3	Vertical	169	1.33	105.49	34.10	7.30	34.20
PK	6.0902G	58.66	68.20	-9.54	7.23	3	Vertical	169	1.33	51.43	34.02	7.45	34.24

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	99.86	Inf	-Inf	7.16	3	Horizontal	62	1.35	92.70	34.06	7.30	34.20
PK	5.6174G	56.92	68.20	-11.28	6.03	3	Horizontal	62	1.35	50.89	33.00	7.22	34.19
PK	5.7938G	112.24	Inf	-Inf	7.16	3	Horizontal	62	1.35	105.08	34.06	7.30	34.20
PK	6.0026G	58.93	68.20	-9.27	7.40	3	Horizontal	62	1.35	51.53	34.10	7.52	34.22


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	96.45	Inf	-Inf	7.02	3	Vertical	170	1.38	89.43	33.93	7.29	34.20
PK	5.6502G	61.64	68.35	-6.71	6.04	3	Vertical	170	1.38	55.60	33.00	7.23	34.19
PK	5.781G	110.06	Inf	-Inf	7.08	3	Vertical	170	1.38	102.98	33.99	7.29	34.20
PK	6.0234G	59.88	68.20	-8.32	7.37	3	Vertical	170	1.38	52.51	34.10	7.50	34.23

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7942G	96.59	Inf	-Inf	7.17	3	Horizontal	62	1.26	89.42	34.07	7.30	34.20
PK	5.643G	60.93	68.20	-7.27	6.04	3	Horizontal	62	1.26	54.89	33.00	7.23	34.19
PK	5.7738G	109.31	Inf	-Inf	7.03	3	Horizontal	62	1.26	102.28	33.94	7.29	34.20
PK	5.925G	59.45	68.20	-8.75	7.48	3	Horizontal	62	1.26	51.97	34.25	7.44	34.21


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	Horizontal
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	Horizontal
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82406G	43.63	54.00	-10.37	3	Vertical	303	2.77	-
Mode 1	Pass	AV	4.92196G	33.94	54.00	-20.06	3	Vertical	1	1.50	-
Mode 1	Pass	AV	4.95905G	34.99	54.00	-19.01	3	Vertical	136	2.17	-
Mode 1	Pass	AV	11.01934G	42.49	54.00	-11.51	3	Vertical	171	1.58	-
Mode 1	Pass	AV	14.0641G	45.45	68.20	-22.75	3	Vertical	54	2.19	-
Mode 1	Pass	PK	4.82392G	50.22	74.00	-23.78	3	Vertical	303	2.77	-
Mode 1	Pass	PK	4.92272G	46.23	74.00	-27.77	3	Vertical	1	1.50	-
Mode 1	Pass	PK	4.9633G	46.60	74.00	-27.40	3	Vertical	136	2.17	-
Mode 1	Pass	PK	11.0203G	53.33	74.00	-20.67	3	Vertical	171	1.58	-
Mode 1	Pass	PK	14.04904G	57.42	68.20	-10.78	3	Vertical	54	2.19	-
Mode 1	Pass	AV	4.82404G	44.91	54.00	-9.09	3	Horizontal	308	1.27	-
Mode 1	Pass	AV	4.92008G	34.49	54.00	-19.51	3	Horizontal	320	1.50	-
Mode 1	Pass	AV	4.9603G	34.99	54.00	-19.01	3	Horizontal	130	2.02	-
Mode 1	Pass	AV	11.01608G	42.48	54.00	-11.52	3	Horizontal	44	2.77	-
Mode 1	Pass	AV	14.03962G	45.53	68.20	-22.67	3	Horizontal	62	2.19	-
Mode 1	Pass	PK	4.82417G	50.58	74.00	-23.42	3	Horizontal	308	1.27	-
Mode 1	Pass	PK	4.92714G	47.20	74.00	-26.80	3	Horizontal	320	1.50	-
Mode 1	Pass	PK	4.96364G	47.50	74.00	-26.50	3	Horizontal	130	2.02	-
Mode 1	Pass	PK	11.01826G	53.97	74.00	-20.03	3	Horizontal	44	2.77	-
Mode 1	Pass	PK	14.04052G	56.87	68.20	-11.33	3	Horizontal	62	2.19	-
Mode 2	Pass	AV	4.82392G	42.88	54.00	-11.12	3	Vertical	308	2.90	-
Mode 2	Pass	AV	4.95911G	35.03	54.00	-18.97	3	Vertical	65	1.75	-
Mode 2	Pass	AV	11.01878G	42.45	54.00	-11.55	3	Vertical	322	2.46	-
Mode 2	Pass	AV	11.48738G	42.32	54.00	-11.68	3	Vertical	349	2.11	-
Mode 2	Pass	AV	14.0498G	45.30	68.20	-22.90	3	Vertical	272	1.20	-
Mode 2	Pass	PK	4.82399G	49.77	74.00	-24.23	3	Vertical	308	2.90	-
Mode 2	Pass	PK	4.96363G	46.51	74.00	-27.49	3	Vertical	65	1.75	-
Mode 2	Pass	PK	11.015G	53.81	74.00	-20.19	3	Vertical	322	2.46	-
Mode 2	Pass	PK	11.48998G	51.97	74.00	-22.03	3	Vertical	349	2.11	-
Mode 2	Pass	PK	14.04616G	56.83	68.20	-11.37	3	Vertical	272	1.20	-
Mode 2	Pass	AV	4.82398G	44.91	54.00	-9.09	3	Horizontal	305	1.03	-
Mode 2	Pass	AV	4.9615G	35.07	54.00	-18.93	3	Horizontal	76	1.53	-
Mode 2	Pass	AV	11.01836G	42.55	54.00	-11.45	3	Horizontal	258	2.66	-
Mode 2	Pass	AV	11.48668G	42.34	54.00	-11.66	3	Horizontal	342	1.09	-
Mode 2	Pass	AV	14.05478G	45.36	68.20	-22.84	3	Horizontal	231	2.05	-
Mode 2	Pass	PK	4.82396G	51.05	74.00	-22.95	3	Horizontal	305	1.03	-
Mode 2	Pass	PK	4.96365G	47.46	74.00	-26.54	3	Horizontal	76	1.53	-
Mode 2	Pass	PK	11.01514G	54.01	74.00	-19.99	3	Horizontal	258	2.66	-
Mode 2	Pass	PK	11.48932G	51.85	74.00	-22.15	3	Horizontal	342	1.09	-
Mode 2	Pass	PK	14.0492G	56.28	68.20	-11.92	3	Horizontal	231	2.05	-
Mode 3	Pass	AV	4.82394G	43.86	54.00	-10.14	3	Vertical	305	2.78	-
Mode 3	Pass	AV	4.95915G	34.96	54.00	-19.04	3	Vertical	341	1.48	-
Mode 3	Pass	AV	11.01566G	42.37	54.00	-11.63	3	Vertical	28	1.06	-
Mode 3	Pass	AV	12.68798G	43.70	54.00	-10.30	3	Vertical	108	2.39	-
Mode 3	Pass	AV	14.05486G	45.37	68.20	-22.83	3	Vertical	61	2.24	-
Mode 3	Pass	PK	4.82404G	51.07	74.00	-22.93	3	Vertical	305	2.78	-
Mode 3	Pass	PK	4.96366G	46.08	74.00	-27.92	3	Vertical	341	1.48	-
Mode 3	Pass	PK	11.0181G	53.65	74.00	-20.35	3	Vertical	28	1.06	-
Mode 3	Pass	PK	12.69058G	54.26	74.00	-19.74	3	Vertical	108	2.39	-
Mode 3	Pass	PK	14.0469G	55.90	68.20	-12.30	3	Vertical	61	2.24	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	AV	4.82399G	45.12	54.00	-8.88	3	Horizontal	307	1.32	-
Mode 3	Pass	AV	4.96096G	35.12	54.00	-18.88	3	Horizontal	233	1.50	-
Mode 3	Pass	AV	11.0153G	42.42	54.00	-11.58	3	Horizontal	124	2.15	-
Mode 3	Pass	AV	12.69054G	43.74	54.00	-10.26	3	Horizontal	42	2.66	-
Mode 3	Pass	AV	14.04836G	45.43	68.20	-22.77	3	Horizontal	82	1.04	-
Mode 3	Pass	PK	4.8238G	50.71	74.00	-23.29	3	Horizontal	307	1.32	-
Mode 3	Pass	PK	4.96366G	47.40	74.00	-26.60	3	Horizontal	233	1.50	-
Mode 3	Pass	PK	11.0178G	53.72	74.00	-20.28	3	Horizontal	124	2.15	-
Mode 3	Pass	PK	12.68926G	54.38	74.00	-19.62	3	Horizontal	42	2.66	-
Mode 3	Pass	PK	14.05256G	56.95	68.20	-11.25	3	Horizontal	82	1.04	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.82406G	43.63	54.00	-10.37	3.37	3	Vertical	303	2.77	40.26	32.34	5.68	34.65				
AV	4.92196G	33.94	54.00	-20.06	3.92	3	Vertical	1	1.50	30.02	32.83	5.74	34.65				
AV	4.95905G	34.99	54.00	-19.01	4.17	3	Vertical	136	2.17	30.82	33.04	5.77	34.64				
AV	11.01934G	42.49	54.00	-11.51	12.60	3	Vertical	171	1.58	29.89	38.88	8.30	34.58				
AV	14.0641G	45.45	68.20	-22.75	16.86	3	Vertical	54	2.19	28.59	40.49	9.33	32.96				
PK	4.82392G	50.22	74.00	-23.78	3.37	3	Vertical	303	2.77	46.85	32.34	5.68	34.65				
PK	4.92272G	46.23	74.00	-27.77	3.93	3	Vertical	1	1.50	42.30	32.84	5.74	34.65				
PK	4.9633G	46.60	74.00	-27.40	4.18	3	Vertical	136	2.17	42.42	33.05	5.77	34.64				
PK	11.0203G	53.33	74.00	-20.67	12.60	3	Vertical	171	1.58	40.73	38.88	8.30	34.58				
PK	14.04904G	57.42	68.20	-10.78	16.84	3	Vertical	54	2.19	40.58	40.45	9.33	32.94				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.82404G	44.91	54.00	-9.09	3.37	3	Horizontal	308	1.27	41.54	32.34	5.68	34.65				
AV	4.92008G	34.49	54.00	-19.51	3.91	3	Horizontal	320	1.50	30.58	32.82	5.74	34.65				
AV	4.9603G	34.99	54.00	-19.01	4.17	3	Horizontal	130	2.02	30.82	33.04	5.77	34.64				
AV	11.01608G	42.48	54.00	-11.52	12.60	3	Horizontal	44	2.77	29.88	38.88	8.30	34.58				
AV	14.03962G	45.53	68.20	-22.67	16.81	3	Horizontal	62	2.19	28.72	40.42	9.32	32.93				
PK	4.82417G	50.58	74.00	-23.42	3.38	3	Horizontal	308	1.27	47.20	32.35	5.68	34.65				
PK	4.92714G	47.20	74.00	-26.80	3.96	3	Horizontal	320	1.50	43.24	32.86	5.75	34.65				
PK	4.96364G	47.50	74.00	-26.50	4.18	3	Horizontal	130	2.02	43.32	33.05	5.77	34.64				
PK	11.01826G	53.97	74.00	-20.03	12.60	3	Horizontal	44	2.77	41.37	38.88	8.30	34.58				
PK	14.04052G	56.87	68.20	-11.33	16.81	3	Horizontal	62	2.19	40.06	40.42	9.32	32.93				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82392G	42.88	54.00	-11.12	3.37	3	Vertical	308	2.90	39.51	32.34	5.68	34.65
AV	4.95911G	35.03	54.00	-18.97	4.17	3	Vertical	65	1.75	30.86	33.04	5.77	34.64
AV	11.01878G	42.45	54.00	-11.55	12.60	3	Vertical	322	2.46	29.85	38.88	8.30	34.58
AV	11.48738G	42.32	54.00	-11.68	12.93	3	Vertical	349	2.11	29.39	39.01	8.49	34.57
AV	14.0498G	45.30	68.20	-22.90	16.84	3	Vertical	272	1.20	28.46	40.45	9.33	32.94
PK	4.82399G	49.77	74.00	-24.23	3.37	3	Vertical	308	2.90	46.40	32.34	5.68	34.65
PK	4.96363G	46.51	74.00	-27.49	4.18	3	Vertical	65	1.75	42.33	33.05	5.77	34.64
PK	11.015G	53.81	74.00	-20.19	12.60	3	Vertical	322	2.46	41.21	38.88	8.30	34.58
PK	11.48998G	51.97	74.00	-22.03	12.94	3	Vertical	349	2.11	39.03	39.01	8.50	34.57
PK	14.04616G	56.83	68.20	-11.37	16.82	3	Vertical	272	1.20	40.01	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	44.91	54.00	-9.09	3.37	3	Horizontal	305	1.03	41.54	32.34	5.68	34.65
AV	4.9615G	35.07	54.00	-18.93	4.18	3	Horizontal	76	1.53	30.89	33.05	5.77	34.64
AV	11.01836G	42.55	54.00	-11.45	12.60	3	Horizontal	258	2.66	29.95	38.88	8.30	34.58
AV	11.48668G	42.34	54.00	-11.66	12.93	3	Horizontal	342	1.09	29.41	39.01	8.49	34.57
AV	14.05478G	45.36	68.20	-22.84	16.84	3	Horizontal	231	2.05	28.52	40.46	9.33	32.95
PK	4.82396G	51.05	74.00	-22.95	3.37	3	Horizontal	305	1.03	47.68	32.34	5.68	34.65
PK	4.96365G	47.46	74.00	-26.54	4.18	3	Horizontal	76	1.53	43.28	33.05	5.77	34.64
PK	11.01514G	54.01	74.00	-19.99	12.60	3	Horizontal	258	2.66	41.41	38.88	8.30	34.58
PK	11.48932G	51.85	74.00	-22.15	12.94	3	Horizontal	342	1.09	38.91	39.01	8.50	34.57
PK	14.0492G	56.28	68.20	-11.92	16.84	3	Horizontal	231	2.05	39.44	40.45	9.33	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82394G	43.86	54.00	-10.14	3.37	3	Vertical	305	2.78	40.49	32.34	5.68	34.65
AV	4.95915G	34.96	54.00	-19.04	4.17	3	Vertical	341	1.48	30.79	33.04	5.77	34.64
AV	11.01566G	42.37	54.00	-11.63	12.60	3	Vertical	28	1.06	29.77	38.88	8.30	34.58
AV	12.68798G	43.70	54.00	-10.30	14.33	3	Vertical	108	2.39	29.37	39.46	8.92	34.05
AV	14.05486G	45.37	68.20	-22.83	16.84	3	Vertical	61	2.24	28.53	40.46	9.33	32.95
PK	4.82404G	51.07	74.00	-22.93	3.37	3	Vertical	305	2.78	47.70	32.34	5.68	34.65
PK	4.96366G	46.08	74.00	-27.92	4.18	3	Vertical	341	1.48	41.90	33.05	5.77	34.64
PK	11.0181G	53.65	74.00	-20.35	12.60	3	Vertical	28	1.06	41.05	38.88	8.30	34.58
PK	12.69058G	54.26	74.00	-19.74	14.34	3	Vertical	108	2.39	39.92	39.47	8.92	34.05
PK	14.0469G	55.90	68.20	-12.30	16.82	3	Vertical	61	2.24	39.08	40.44	9.32	32.94

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82399G	45.12	54.00	-8.88	3.37	3	Horizontal	307	1.32	41.75	32.34	5.68	34.65
AV	4.96096G	35.12	54.00	-18.88	4.17	3	Horizontal	233	1.50	30.95	33.04	5.77	34.64
AV	11.0153G	42.42	54.00	-11.58	12.60	3	Horizontal	124	2.15	29.82	38.88	8.30	34.58
AV	12.69054G	43.74	54.00	-10.26	14.34	3	Horizontal	42	2.66	29.40	39.47	8.92	34.05
AV	14.04836G	45.43	68.20	-22.77	16.84	3	Horizontal	82	1.04	28.59	40.45	9.33	32.94
PK	4.8238G	50.71	74.00	-23.29	3.37	3	Horizontal	307	1.32	47.34	32.34	5.68	34.65
PK	4.96366G	47.40	74.00	-26.60	4.18	3	Horizontal	233	1.50	43.22	33.05	5.77	34.64
PK	11.0178G	53.72	74.00	-20.28	12.60	3	Horizontal	124	2.15	41.12	38.88	8.30	34.58
PK	12.68926G	54.38	74.00	-19.62	14.34	3	Horizontal	42	2.66	40.04	39.47	8.92	34.05
PK	14.05256G	56.95	68.20	-11.25	16.85	3	Horizontal	82	1.04	40.10	40.46	9.33	32.94




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.92458G	39.68	54.00	-14.32	Vertical
Mode 2	Pass	AV	11.09483G	37.65	54.00	-16.35	Horizontal

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.82397G	38.72	54.00	-15.28	3	Vertical	302	1.63	-
Mode 1	Pass	AV	4.92458G	39.68	54.00	-14.32	3	Vertical	318	1.50	-
Mode 1	Pass	AV	4.96096G	30.13	54.00	-23.87	3	Vertical	299	1.50	-
Mode 1	Pass	AV	11.1013G	37.36	54.00	-16.64	3	Vertical	157	1.38	-
Mode 1	Pass	PK	4.8241G	46.38	74.00	-27.62	3	Vertical	302	1.63	-
Mode 1	Pass	PK	4.92659G	47.66	74.00	-26.34	3	Vertical	318	1.50	-
Mode 1	Pass	PK	4.95907G	44.41	74.00	-29.59	3	Vertical	299	1.50	-
Mode 1	Pass	PK	11.09941G	51.56	74.00	-22.44	3	Vertical	157	1.38	-
Mode 1	Pass	AV	4.82386G	34.79	54.00	-19.21	3	Horizontal	341	1.41	-
Mode 1	Pass	AV	4.92584G	36.58	54.00	-17.42	3	Horizontal	165	1.28	-
Mode 1	Pass	AV	4.96094G	30.54	54.00	-23.46	3	Horizontal	303	1.30	-
Mode 1	Pass	AV	11.1006G	37.42	54.00	-16.58	3	Horizontal	158	1.50	-
Mode 1	Pass	PK	4.82405G	44.82	74.00	-29.18	3	Horizontal	341	1.41	-
Mode 1	Pass	PK	4.93056G	46.62	74.00	-27.38	3	Horizontal	165	1.28	-
Mode 1	Pass	PK	4.96097G	43.99	74.00	-30.01	3	Horizontal	303	1.30	-
Mode 1	Pass	PK	11.10375G	51.83	74.00	-22.17	3	Horizontal	158	1.50	-
Mode 2	Pass	AV	4.82396G	37.07	54.00	-16.93	3	Vertical	305	1.62	-
Mode 2	Pass	AV	4.95628G	30.46	54.00	-23.54	3	Vertical	159	1.42	-
Mode 2	Pass	AV	10.36567G	36.97	68.20	-31.23	3	Vertical	37	1.50	-
Mode 2	Pass	AV	11.09967G	37.45	54.00	-16.55	3	Vertical	258	1.44	-
Mode 2	Pass	PK	4.81413G	47.62	74.00	-26.38	3	Vertical	305	1.62	-
Mode 2	Pass	PK	4.96434G	44.84	74.00	-29.16	3	Vertical	159	1.42	-
Mode 2	Pass	PK	10.36254G	50.86	68.20	-17.34	3	Vertical	37	1.50	-
Mode 2	Pass	PK	11.10689G	52.03	74.00	-21.97	3	Vertical	258	1.44	-
Mode 2	Pass	AV	4.82394G	35.25	54.00	-18.75	3	Horizontal	343	1.47	-
Mode 2	Pass	AV	4.96077G	31.30	54.00	-22.70	3	Horizontal	309	1.19	-
Mode 2	Pass	AV	10.35052G	36.94	68.20	-31.26	3	Horizontal	19	1.50	-
Mode 2	Pass	AV	11.09483G	37.65	54.00	-16.35	3	Horizontal	128	1.66	-
Mode 2	Pass	PK	4.82393G	45.89	74.00	-28.11	3	Horizontal	343	1.47	-
Mode 2	Pass	PK	4.96012G	44.93	74.00	-29.07	3	Horizontal	309	1.19	-
Mode 2	Pass	PK	10.36856G	50.94	68.20	-17.26	3	Horizontal	19	1.50	-
Mode 2	Pass	PK	11.10341G	52.42	74.00	-21.58	3	Horizontal	128	1.66	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82397G	38.72	54.00	-15.28	4.34	3	Vertical	302	1.63	-	34.38	32.34	6.18	34.18
AV	4.92458G	39.68	54.00	-14.32	4.95	3	Vertical	318	1.50	-	34.73	32.85	6.25	34.15
AV	4.96096G	30.13	54.00	-23.87	5.18	3	Vertical	299	1.50	-	24.95	33.04	6.27	34.13
AV	11.1013G	37.36	54.00	-16.64	16.05	3	Vertical	157	1.38	-	21.31	38.90	11.29	34.14
PK	4.8241G	46.38	74.00	-27.62	4.34	3	Vertical	302	1.63	-	42.04	32.34	6.18	34.18
PK	4.92659G	47.66	74.00	-26.34	4.96	3	Vertical	318	1.50	-	42.70	32.86	6.25	34.15
PK	4.95907G	44.41	74.00	-29.59	5.18	3	Vertical	299	1.50	-	39.23	33.04	6.27	34.13
PK	11.09941G	51.56	74.00	-22.44	16.05	3	Vertical	157	1.38	-	35.51	38.90	11.29	34.14

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82386G	34.79	54.00	-19.21	4.34	3	Horizontal	341	1.41	-	30.45	32.34	6.18	34.18
AV	4.92584G	36.58	54.00	-17.42	4.96	3	Horizontal	165	1.28	-	31.62	32.86	6.25	34.15
AV	4.96094G	30.54	54.00	-23.46	5.18	3	Horizontal	303	1.30	-	25.36	33.04	6.27	34.13
AV	11.1006G	37.42	54.00	-16.58	16.05	3	Horizontal	158	1.50	-	21.37	38.90	11.29	34.14
PK	4.82405G	44.82	74.00	-29.18	4.34	3	Horizontal	341	1.41	-	40.48	32.34	6.18	34.18
PK	4.93056G	46.62	74.00	-27.38	4.99	3	Horizontal	165	1.28	-	41.63	32.88	6.25	34.14
PK	4.96097G	43.99	74.00	-30.01	5.18	3	Horizontal	303	1.30	-	38.81	33.04	6.27	34.13
PK	11.10375G	51.83	74.00	-22.17	16.05	3	Horizontal	158	1.50	-	35.78	38.90	11.29	34.14

Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2

