




Report No.: AAEMT/RF/250131-01-02




Report No.: AAEMT/RF/250131-01-02



Report No.: AAEMT/RF/250131-01-02

Channel: 114

26dB BW 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX





26dB BW 802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX





Report No.: AAEMT/RF/250131-01-02





Report No.: AAEMT/RF/250131-01-02




Report No.: AAEMT/RF/250131-01-02




Report No.: AAEMT/RF/250131-01-02





Report No.: AAEMT/RF/250131-01-02






Report No.: AAEMT/RF/250131-01-02




Report No.: AAEMT/RF/250131-01-02



Report No.: AAEMT/RF/250131-01-02

6. MAXIMUM CONDUCTED OUTPUT POWER

Test Requirement:	FCC Part15 E Section 15.407
Test Method:	KDB 789033 D02 General UNII Test Procedures New Rules v02r01
Limit:	For the band 5.15-5.25 GHz, the maximum conducted output power over the frequency bands of operation shall not exceed 250mW. For the band 5.745-5.850 GHz, the maximum conducted output power over the frequency bands of operation shall not exceed 30dBm
Test setup:	
Test procedure:	Measurement using an RF average power meter (i) Measurements may be performed using a wideband RF spectrum Analyser with a thermocouple detector or equivalent if all of the conditions listed below are satisfied a) The EUT is configured to transmit continuously or to transmit with a constant duty cycle. b) At all times when the EUT is transmitting, it must be transmitting at its maximum power control level. c) The integration period of the spectrum Analyser exceeds the repetition period of the transmitted signal by at least a factor of five. (ii) If the transmitter does not transmit continuously, measure the duty cycle, x, of the transmitter output signal as described in section B). (iii) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter. (iv) Adjust the measurement in dBm by adding $10 \log(1/x)$ where x is the duty cycle (e.g., $10 \log(1/0.25)$ if the duty cycle is 25 percent).
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 6 for details

Report No.: AAEMT/RF/250131-01-02

6.1. TEST RESULT

Antenna 0:

CH. No.	Frequency (MHz)	Output Power (dBm)					Limit(dBm)	Result
		802.11a	802.11n (HT20)	802.11ac (VHT20)	802.11ax (HE20)	802.11be (EHT20)		
36	5180.00	19.07	19.17	19.25	19.12	19.12	30.00	Pass
40	5200.00	19.48	19.35	19.37	19.46	18.37	30.00	Pass
48	5240.00	20.52	20.66	20.46	20.56	19.47	30.00	Pass
52	5260.00	20.47	20.26	20.34	20.18	20.10	23.98	Pass
60	5300.00	19.48	19.40	19.43	19.37	19.65	23.98	Pass
64	5320.00	18.84	18.69	18.76	18.67	18.80	23.98	Pass
100	5500.00	20.04	20.16	20.19	20.15	19.85	23.98	Pass
116	5580.00	20.38	20.43	20.20	20.35	20.40	23.98	Pass
140	5700.00	20.34	20.33	20.26	20.31	19.66	23.98	Pass
149	5745.00	19.08	19.11	18.97	18.96	18.46	30.00	Pass
157	5785.00	20.2	20.12	20.31	20.20	19.86	30.00	Pass
165	5825.00	20.01	20.09	19.94	20.07	19.67	30.00	Pass

CH. No.	Frequency (MHz)	Output Power (dBm)				Limit(dBm)	Result
		802.11n (HT40)	802.11ac (VHT40)	802.11ax (HE40)	802.11be (EHT40)		
38	5190.00	18.74	18.26	18.66	17.46	30.00	Pass
46	5230.00	20.33	20.36	19.41	19.59	30.00	Pass
54	5270.00	19.60	19.59	19.37	18.91	23.98	Pass
62	5310.00	18.38	18.42	18.43	19.60	23.98	Pass
102	5510.00	19.25	19.11	19.19	18.65	23.98	Pass
110	5550.00	19.77	18.73	18.67	19.09	23.98	Pass
134	5670.00	19.53	18.52	18.50	18.94	23.98	Pass
151	5755.00	19.45	19.18	19.10	18.64	30.00	Pass
159	5795.00	18.81	18.90	19.90	19.58	30.00	Pass

Report No.: AAEMT/RF/250131-01-02

CH. No.	Frequency (MHz)	Output Power (dBm)			Limit(dBm)	Result
		802.11ac(VHT80)	802.11ax(HE80)	802.11be(EHT80)		
42	5210.00	18.71	18.69	18.79	30.00	Pass
58	5290.00	19.9	19.64	19.09	23.98	Pass
106	5530.00	19.72	19.86	19.21	23.98	Pass
122	5610.00	18.89	19.04	18.69	23.98	Pass
155	5775.00	19.79	19.72	19.41	30.00	Pass

CH. No.	Frequency (MHz)	Output Power (dBm)		Limit(dBm)	Result
		802.11ax(VHT160)	802.11be(EHT160)		
114	5570.00	17.83	18.12	23.98	Pass

Report No.: AAEMT/RF/250131-01-02

MRU Antenna 0:

CH. No.	Frequency (MHz)	Output Power (dBm)	Limit(dBm)	Result
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
42	5210.00	18.52	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
42	5210.00	18.45	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
58	5290.00	18.41	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
58	5290.00	18.35	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
106	5530.00	18.64	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
106	5530.00	18.55	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
122	5610.00	18.28	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
122	5610.00	18.32	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
155	5775.00	18.44	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
155	5775.00	18.27	30.00	Pass

Report No.: AAEMT/RF/250131-01-02

CH. No.	Frequency (MHz)	Output Power (dBm)	Limit(dBm)	Result
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX				
114	5570.00	17.50	23.98	Pass
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX				
114	5570.00	17.77	23.98	Pass
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX				
114	5570.00	17.59	23.98	Pass

Report No.: AAEMT/RF/250131-01-02

Antenna 1:

CH. No.	Frequency (MHz)	Output Power (dBm)					Limit(dBm)	Result
		802.11a	802.11n (HT20)	802.11ac (VHT20)	802.11ax (HE20)	802.11be (EHT20)		
36	5180.00	18.51	18.49	18.56	18.73	19.22	30.00	Pass
40	5200.00	19.02	18.96	18.90	18.99	18.37	30.00	Pass
48	5240.00	19.94	20.00	20.05	20.20	19.47	30.00	Pass
52	5260.00	20.60	20.64	20.71	20.79	19.87	23.98	Pass
60	5300.00	19.69	19.63	19.55	19.72	18.98	23.98	Pass
64	5320.00	18.81	19.05	18.99	19.03	20.10	23.98	Pass
100	5500.00	20.63	20.70	20.65	20.71	19.31	23.98	Pass
116	5580.00	20.79	20.83	20.68	20.85	19.97	23.98	Pass
140	5700.00	20.54	20.45	20.52	20.50	20.05	23.98	Pass
149	5745.00	19.08	18.92	19.01	18.85	18.35	30.00	Pass
157	5785.00	19.71	19.93	19.60	19.61	19.32	30.00	Pass
165	5825.00	20.29	20.27	20.19	20.10	19.52	30.00	Pass

CH. No.	Frequency (MHz)	Output Power (dBm)				Limit(dBm)	Result
		802.11n (HT40)	802.11ac (VHT40)	802.11ax (HE40)	802.11be (EHT 40)		
38	5190.00	19.31	18.96	19.31	19.08	30.00	Pass
46	5230.00	20.36	20.52	20.38	20.15	30.00	Pass
54	5270.00	19.95	19.90	19.90	19.70	23.98	Pass
62	5310.00	18.52	18.67	18.59	19.10	23.98	Pass
102	5510.00	19.65	18.63	19.17	18.78	23.98	Pass
110	5550.00	19.69	18.52	18.59	18.85	23.98	Pass
134	5670.00	18.69	18.96	18.59	19.22	23.98	Pass
151	5755.00	19.60	18.51	19.61	18.14	30.00	Pass
159	5795.00	18.31	18.23	19.32	19.42	30.00	Pass

Report No.: AAEMT/RF/250131-01-02

CH. No.	Frequency (MHz)	Output Power (dBm)			Limit(dBm)	Result
		802.11ac(VHT80)	802.11ax(HE80)	802.11be (EHT 80)		
42	5210.00	18.93	19.41	18.74	30.00	Pass
58	5290.00	19.23	19.09	18.73	23.98	Pass
106	5530.00	18.89	19.83	19.13	23.98	Pass
122	5610.00	18.48	18.44	18.74	23.98	Pass
155	5775.00	18.47	18.37	19.15	30.00	Pass

CH. No.	Frequency (MHz)	Output Power (dBm)		Limit(dBm)	Result
		802.11ax(VHT160)	802.11be(EHT160)		
114	5570.00	18.23	18.31	23.98	Pass

Report No.: AAEMT/RF/250131-01-02


MRU Antenna 1:

CH. No.	Frequency (MHz)	Output Power (dBm)	Limit(dBm)	Result
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
42	5210.00	18.69	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
42	5210.00	18.57	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
58	5290.00	18.86	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
58	5290.00	18.69	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
106	5530.00	18.73	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
106	5530.00	18.60	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
122	5610.00	18.24	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
122	5610.00	18.00	23.98	Pass
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX				
155	5775.00	18.09	30.00	Pass
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX				
155	5775.00	18.15	30.00	Pass

Report No.: AAEMT/RF/250131-01-02

CH. No.	Frequency (MHz)	Output Power (dBm)	Limit(dBm)	Result
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX				
114	5570.00	17.60	23.98	Pass
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX				
114	5570.00	17.64	23.98	Pass
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX				
114	5570.00	17.73	23.98	Pass

7. Band Edges Measurement


Test Requirement:	FCC Part15 E Section 15.407 and 15.205
Test Method:	ANSI C63.10:2020
Limit:	Undesirable emission limits: (1) For transmitters operating in the 5.15-5.25 GHz band: all emissions outside of the 5.15-5.35 GHz band shall not exceed an EIRP of -27 dBm/MHz. (2) For transmitters operating in the 5.25-5.35 GHz band: all emissions outside of the 5.15-5.35 GHz band shall not exceed an EIRP of -27 dBm/MHz. Devices operating in the 5.25-5.35 GHz band that generate emissions in the 5.15-5.25 GHz band must meet all applicable technical requirements for operation in the 5.15-5.25 GHz band (including indoor use) or alternatively meet an out-of-band emission EIRP limit of -27 dBm/MHz in the 5.15-5.25 GHz band. (3) For transmitters operating in the 5.47-5.725 GHz band: all emissions outside of the 5.47-5.725 GHz band shall not exceed an EIRP of -27 dBm/MHz.
Test Procedure:	a. The Transmitter output of EUT was connected to the spectrum analyzer. Equipment mode: Spectrum analyzer Detector function: Peak mode SPAN: 100MHz RBW: 1 MHz VBW $\geq 3 \times$ RBW Sweep time= Auto. b. Using Peak Search to read the peak power of Carrier frequencies after Maximum Hold function is completed. c. Find the next peak frequency outside the operation frequency band.
Test setup:	
Test results:	Pass

Report No.: AAEMT/RF/250131-01-02

7.1. TEST RESULT

Antenna 0:

802.11a(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz



802.11a(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz



Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11a(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz




Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz




802.11a(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.725GHz-5.85GHz)

The Low Channel 149: 5745MHz




802.11a(20M) (5.725GHz-5.85GHz)

The High Channel 165: 5825MHz




Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz



802.11n(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.25GHz-5.35GHz)

The Low Channel 52: 5260MHz



802.11n(20M) (5.25GHz-5.35GHz)


The High Channel 64: 5320MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.47GHz-5.725GHz)

The Low Channel 100: 5500MHz



802.11n(20M) (5.47GHz-5.725GHz)

The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.725GHz-5.85GHz)

The Low Channel 149: 5745MHz




802.11n(20M) (5.725GHz-5.85GHz)

The High Channel 165: 5825MHz




Report No.: AAEMT/RF/250131-01-02

**802.11ac(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz**



**802.11ac(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz**




Report No.: AAEMT/RF/250131-01-02

802.11ac(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11ac(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz




Report No.: AAEMT/RF/250131-01-02

802.11ac(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz



802.11ac(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(20M) (5.725GHz-5.85GHz) The Low Channel 149: 5745MHz




802.11ac(20M) (5.725GHz-5.85GHz) The High Channel 165: 5825MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz




802.11ax(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz




Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11ax(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz




Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz



802.11ax(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.725GHz-5.85GHz)
The Low Channel 149: 5745MHz




802.11ax(20M) (5.725GHz-5.85GHz)
The High Channel 165: 5825MHz




Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz




802.11be(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz




Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.25GHz-5.35GHz)
The Low Channel 52: 5260MHz




802.11be(20M) (5.25GHz-5.35GHz)
The High Channel 64: 5320MHz



Report No.: AAEMT/RF/250131-01-02


802.11be(20M) (5.47GHz-5.725GHz)

The Low Channel 100: 5500MHz



802.11be(20M) (5.47GHz-5.725GHz)

The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.725GHz-5.85GHz) The Low Channel 149: 5745MHz




802.11be(20M) (5.725GHz-5.85GHz) The High Channel 165: 5825MHz




Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.15GHz-5.25GHz)
The Lowest Channel 38: 5190MHz



802.11n(40M) (5.15GHz-5.25GHz)
The High Channel 46: 5230MHz




Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.25GHz-5.35GHz)
The Lowest Channel 54: 5270MHz




802.11n(40M) (5.25GHz-5.35GHz)
The High Channel 62: 5310MHz




Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11n(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.725GHz-5.85GHz)
The Lowest Channel 151: 5755MHz




802.11n(40M) (5.725GHz-5.85GHz)
The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

**802.11ac(40M) (5.15GHz-5.25GHz)
The Lowest Channel 38: 5190MHz**




**802.11ac(40M) (5.15GHz-5.25GHz)
The High Channel 46: 5230MHz**



Report No.: AAEMT/RF/250131-01-02

**802.11ac(40M) (5.25GHz-5.35GHz)
The Lowest Channel 54: 5270MHz**




**802.11ac(40M) (5.25GHz-5.35GHz)
The High Channel 62: 5310MHz**




Report No.: AAEMT/RF/250131-01-02

802.11ac(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11ac(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(40M) (5.725GHz-5.85GHz) The Lowest Channel 151: 5755MHz




802.11ac(40M) (5.725GHz-5.85GHz) The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(40M) (5.15GHz-5.25GHz)
The Lowest Channel 38: 5190MHz




802.11ax(40M) (5.15GHz-5.25GHz)
The High Channel 46: 5230MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(40M) (5.25GHz-5.35GHz) The Lowest Channel 54: 5270MHz




802.11ax(40M) (5.25GHz-5.35GHz) The High Channel 62: 5310MHz




Report No.: AAEMT/RF/250131-01-02

802.11ax(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11ax(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(40M) (5.725GHz-5.85GHz)
The Lowest Channel 151: 5755MHz




802.11ax(40M) (5.725GHz-5.85GHz)
The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(40M) (5.15GHz-5.25GHz) The Lowest Channel 38: 5190MHz




802.11be(40M) (5.15GHz-5.25GHz) The High Channel 46: 5230MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(40M) (5.25GHz-5.35GHz) The Lowest Channel 54: 5270MHz




802.11be(40M) (5.25GHz-5.35GHz) The High Channel 62: 5310MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11be(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(40M) (5.725GHz-5.85GHz)
The Lowest Channel 151: 5755MHz




802.11be(40M) (5.725GHz-5.85GHz)
The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(80M) (5.15GHz-5.25GHz)
The Lowest Channel 42: 5210MHz



Report No.: AAEMT/RF/250131-01-02

**802.11ac(80M) (5.25GHz-5.35GHz)
The Lowest Channel 58: 5290MHz**



**802.11ac(80M) (5.47GHz-5.725GHz)
The Lowest Channel 106: 5530MHz**



Report No.: AAEMT/RF/250131-01-02

802.11ac(80M) (5.725GHz-5.85GHz) The High Channel 155: 5775MHz




802.11ax(80M) (5.15GHz-5.25GHz) The Lowest Channel 42: 5210MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(80M) (5.25GHz-5.35GHz)
The Lowest Channel 58: 5290MHz



802.11ax(80M) (5.47GHz-5.725GHz)

The Lowest Channel 106: 5530MHz



802.11ax(80M) (5.725GHz-5.85GHz)

The High Channel 155: 5775MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(80M) (5.15GHz-5.25GHz) The Lowest Channel 42: 5210MHz




802.11be(80M) (5.25GHz-5.35GHz) The Lowest Channel 58: 5290MHz



Report No.: AAEMT/RF/250131-01-02

**802.11be(80M) (5.47GHz-5.725GHz)
The Lowest Channel 106: 5530MHz**



**802.11be(80M) (5.725GHz-5.85GHz)
The High Channel 155: 5775MHz**



Report No.: AAEMT/RF/250131-01-02

802.11ax(160M) (5.47GHz-5.725GHz)
The Lowest Channel 114: 5530MHz




802.11be(160M) (5.47GHz-5.725GHz)
The Lowest Channel 114: 5530MHz




Report No.: AAEMT/RF/250131-01-02

MRU Antenna 0:

802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX (5.15GHz-5.25GHz)
The Lowest Channel 42: 5210MHz



802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX (5.15GHz-5.25GHz)
The Lowest Channel 42: 5210MHz



Report No.: AAEMT/RF/250131-01-02

802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX (5.25GHz-5.35GHz)
The Lowest Channel 58: 5290MHz




802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX (5.25GHz-5.35GHz)
The Lowest Channel 58: 5290MHz




Report No.: AAEMT/RF/250131-01-02

**802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX (5.47GHz-5.725GHz)
The Lowest Channel 106: 5530MHz**



**802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX (5.47GHz-5.725GHz)
The Lowest Channel 106: 5530MHz**



802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX (5.725GHz-5.85GHz)
The High Channel 155: 5775MHz




802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX (5.725GHz-5.85GHz)
The High Channel 155: 5775MHz




Report No.: AAEMT/RF/250131-01-02

802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX (5.47GHz-5.725GHz)

The Lowest Channel 114: 5530MHz




802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX



Report No.: AAEMT/RF/250131-01-02


802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX




Report No.: AAEMT/RF/250131-01-02

Antenna 1:

802.11a(20M) (5.15GHz-5.25GHz) The Lowest Channel 36: 5180MHz



802.11a(20M) (5.15GHz-5.25GHz) The High Channel 48: 5240MHz



Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11a(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz




Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz



802.11a(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11a(20M) (5.725GHz-5.85GHz)
The Low Channel 149: 5745MHz




802.11a(20M) (5.725GHz-5.85GHz)
The High Channel 165: 5825MHz




Report No.: AAEMT/RF/250131-01-02

**802.11n(20M) (5.15GHz-5.25GHz)
The Lowest Channel 36: 5180MHz**




**802.11n(20M) (5.15GHz-5.25GHz)
The High Channel 48: 5240MHz**



Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11n(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz



Report No.: AAEMT/RF/250131-01-02


802.11n(20M) (5.47GHz-5.725GHz)

The Low Channel 100: 5500MHz



802.11n(20M) (5.47GHz-5.725GHz)

The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(20M) (5.725GHz-5.85GHz)

The Low Channel 149: 5745MHz



802.11n(20M) (5.725GHz-5.85GHz)


The High Channel 165: 5825MHz



Report No.: AAEMT/RF/250131-01-02


802.11ac(20M) (5.15GHz-5.25GHz)

The Lowest Channel 36: 5180MHz



802.11ac(20M) (5.15GHz-5.25GHz)

The High Channel 48: 5240MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11ac(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz



Report No.: AAEMT/RF/250131-01-02


802.11ac(20M) (5.47GHz-5.725GHz)

The Low Channel 100: 5500MHz



802.11ac(20M) (5.47GHz-5.725GHz)

The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(20M) (5.725GHz-5.85GHz)
The Low Channel 149: 5745MHz




802.11ac(20M) (5.725GHz-5.85GHz)
The High Channel 165: 5825MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.15GHz-5.25GHz)

The Lowest Channel 36: 5180MHz



802.11ax(20M) (5.15GHz-5.25GHz)

The High Channel 48: 5240MHz




Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz



802.11ax(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz




Report No.: AAEMT/RF/250131-01-02

802.11ax(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz



802.11ax(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

**802.11ax(20M) (5.725GHz-5.85GHz)
The Low Channel 149: 5745MHz**




**802.11ax(20M) (5.725GHz-5.85GHz)
The High Channel 165: 5825MHz**



Report No.: AAEMT/RF/250131-01-02


802.11be(20M) (5.15GHz-5.25GHz)

The Lowest Channel 36: 5180MHz



802.11be(20M) (5.15GHz-5.25GHz)

The High Channel 48: 5240MHz




Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.25GHz-5.35GHz) The Low Channel 52: 5260MHz




802.11be(20M) (5.25GHz-5.35GHz) The High Channel 64: 5320MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.47GHz-5.725GHz) The Low Channel 100: 5500MHz



802.11be(20M) (5.47GHz-5.725GHz) The High Channel 140: 5700MHz



Report No.: AAEMT/RF/250131-01-02

802.11be(20M) (5.725GHz-5.85GHz)
The Low Channel 149: 5745MHz




802.11be(20M) (5.725GHz-5.85GHz)
The High Channel 165: 5825MHz



Report No.: AAEMT/RF/250131-01-02


802.11n(40M) (5.15GHz-5.25GHz)

The Lowest Channel 38: 5190MHz



802.11n(40M) (5.15GHz-5.25GHz)


The High Channel 46: 5230MHz



Report No.: AAEMT/RF/250131-01-02


802.11n(40M) (5.25GHz-5.35GHz)

The Lowest Channel 54: 5270MHz




802.11n(40M) (5.25GHz-5.35GHz)

The High Channel 62: 5310MHz




Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11n(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz



Report No.: AAEMT/RF/250131-01-02

802.11n(40M) (5.725GHz-5.85GHz)
The Lowest Channel 151: 5755MHz




802.11n(40M) (5.725GHz-5.85GHz)
The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

802.11ac(40M) (5.15GHz-5.25GHz)

The Lowest Channel 38: 5190MHz



802.11ac(40M) (5.15GHz-5.25GHz)


The High Channel 46: 5230MHz



Report No.: AAEMT/RF/250131-01-02


802.11ac(40M) (5.25GHz-5.35GHz)

The Lowest Channel 54: 5270MHz




802.11ac(40M) (5.25GHz-5.35GHz)

The High Channel 62: 5310MHz




Report No.: AAEMT/RF/250131-01-02

802.11ac(40M) (5.47GHz-5.725GHz)
The Lowest Channel 102: 5510MHz



802.11ac(40M) (5.47GHz-5.725GHz)
The High Channel 134: 5670MHz




Report No.: AAEMT/RF/250131-01-02

802.11ac(40M) (5.725GHz-5.85GHz)
The Lowest Channel 151: 5755MHz




802.11ac(40M) (5.725GHz-5.85GHz)
The High Channel 159: 5795MHz



Report No.: AAEMT/RF/250131-01-02

802.11ax(40M) (5.15GHz-5.25GHz) The Lowest Channel 38: 5190MHz



802.11ax(40M) (5.15GHz-5.25GHz) The High Channel 46: 5230MHz

