


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6185MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_3_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6345MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6345MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX

MASK

6665MHz_TX

01/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68859G	3.45	6.9096G	-40.20	-35.20	-5.00	1
6.6812G	3.11	6.8096G	-31.61	-19.01	-12.60	2
6.70939G	3.90	6.9916G	-45.11	-35.52	-9.59	3
6.63521G	3.38	6.9952G	-46.42	-36.57	-9.85	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX

MASK

6665MHz_TX

01/06/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72818G	3.81	6.921G	-39.55	-36.18	-3.37	1
6.6574G	3.61	7.0142G	-48.61	-36.39	-12.22	2
6.71079G	4.50	7.04G	-47.65	-35.50	-12.15	3
6.63581G	3.66	6.9944G	-45.93	-36.20	-9.73	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_TX

MASK

6665MHz_TX

01/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6814G	3.44	7.015G	-46.66	-35.65	-11.01	1
6.6596G	3.10	7.0182G	-48.65	-36.90	-11.75	2
6.6702G	4.03	7.0376G	-47.96	-35.97	-11.99	3
6.69619G	3.24	6.9858G	-45.14	-35.69	-9.45	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_TX

MASK

6665MHz_TX

01/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70099G	3.46	6.985G	-43.52	-32.63	-10.89	1
6.6754G	3.12	7.0032G	-47.51	-36.56	-10.95	2
6.70979G	4.03	6.9942G	-44.04	-32.09	-11.95	3
6.61861G	3.09	6.994G	-45.39	-36.73	-8.66	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6665MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

MASK

6665MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX

MASK

6665MHz_TX

01/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6684G	3.52	6.823G	-30.94	-19.00	-11.94	1
6.59922G	3.26	6.8162G	-32.11	-19.33	-12.78	2
6.68899G	4.05	7.0358G	-48.52	-35.95	-12.57	3
6.61021G	3.31	6.281G	-46.88	-36.69	-10.19	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

MASK

6665MHz_TX

01/06/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.668G	3.38	7.0318G	-49.89	-36.62	-13.27	1
6.6588G	3.02	6.3236G	-49.85	-36.98	-12.87	2
6.6692G	3.93	7.0238G	-48.88	-35.08	-13.80	3
6.69359G	3.27	6.334G	-48.19	-36.73	-11.46	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX

MASK

6665MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

MASK

6665MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6665MHz_TX

01/06/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6665MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_3_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_4_4TX

MASK

6105MHz_TX

01/06/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_5_TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06741G	1.48	6.8122G	-47.49	-37.97	-9.52	1
6.05541G	1.00	6.6502G	-42.06	-39.00	-3.06	2
6.08181G	1.52	6.891G	-49.64	-36.56	-13.08	3
6.0966G	1.49	6.813G	-47.63	-38.51	-9.12	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07701G	1.67	6.8362G	-48.78	-38.33	-10.45	1
6.0946G	1.44	6.6206G	-41.22	-38.56	-2.66	2
6.05181G	1.45	6.9046G	-50.43	-37.22	-13.21	3
6.1002G	1.52	6.9038G	-50.85	-38.48	-12.37	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

MASK

6105MHz_TX

01/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0866G	1.64	6.8338G	-48.85	-38.36	-10.49	1
6.095G	1.20	6.6158G	-43.02	-38.80	-4.22	2
6.119G	1.48	6.9038G	-50.73	-37.16	-13.57	3
6.121G	1.49	6.9034G	-51.26	-38.51	-12.75	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

MASK

6105MHz_TX

01/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0898G	1.49	6.8358G	-49.20	-38.51	-10.69	1
6.1162G	1.32	6.6134G	-43.65	-38.51	-5.14	2
6.07381G	1.37	6.905G	-51.01	-37.32	-13.69	3
6.095G	1.32	6.9034G	-51.46	-38.68	-12.78	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05821G	1.48	6.8354G	-49.53	-38.52	-11.01	1
6.117G	1.32	6.619G	-48.64	-38.68	-9.96	2
6.07461G	1.38	6.9022G	-50.73	-37.19	-13.54	3
6.1002G	1.06	6.9018G	-51.35	-38.92	-12.43	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07541G	1.50	6.8354G	-49.63	-38.50	-11.13	1
6.1178G	1.39	6.6154G	-48.67	-38.58	-10.09	2
6.08221G	1.53	6.9038G	-50.79	-37.11	-13.68	3
6.0894G	1.13	6.9006G	-51.43	-38.79	-12.64	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX

MASK

6105MHz_TX

01/06/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_5_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05781G	1.33	6.8354G	-49.56	-38.67	-10.89	1
6.07381G	1.25	6.6322G	-48.56	-38.75	-9.81	2
6.0926G	1.21	6.9034G	-50.79	-37.41	-13.38	3
6.0982G	1.22	6.905G	-51.62	-38.78	-12.84	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08181G	1.32	6.8358G	-49.69	-38.68	-11.01	1
6.1118G	1.43	6.623G	-48.77	-38.57	-10.20	2
6.0906G	1.37	6.905G	-50.79	-37.32	-13.47	3
6.1198G	1.13	6.905G	-51.62	-38.87	-12.75	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

MASK

6105MHz_TX

01/06/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_9_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	1.64	6.8354G	-49.37	-38.36	-11.01	1
6.0922G	1.03	6.6166G	-47.72	-38.97	-8.75	2
6.08021G	1.53	6.9018G	-50.49	-37.02	-13.47	3
6.07981G	1.18	6.8982G	-51.07	-38.64	-12.43	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_10_4TX

MASK

6105MHz_TX

01/06/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0878G	1.60	6.8358G	-49.36	-38.40	-10.96	1
6.0858G	1.01	6.6146G	-47.52	-38.90	-8.62	2
6.08021G	1.61	6.9026G	-50.51	-36.97	-13.54	3
6.07581G	1.19	6.903G	-51.38	-38.81	-12.57	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX

MASK

6105MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_5_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40137G	3.59	6.5866G	-30.99	-16.96	-14.03	1
6.41856G	4.12	6.5822G	-29.77	-17.73	-12.04	2
6.41216G	4.02	6.5902G	-31.06	-17.17	-13.89	3
6.13863G	3.93	6.985G	-46.60	-36.07	-10.53	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP_6_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40337G	3.68	6.6306G	-31.48	-18.05	-13.43	1
6.40217G	4.16	6.6498G	-31.90	-19.80	-12.10	2
6.38937G	4.00	6.6346G	-32.64	-18.45	-14.19	3
6.11944G	4.11	6.9882G	-46.58	-35.89	-10.69	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.277G	3.62	6.976G	-43.58	-28.84	-14.74	1
6.41696G	4.15	6.981G	-46.03	-33.29	-12.74	2
6.40976G	3.89	7.065G	-48.90	-33.88	-15.02	3
6.11824G	4.00	6.9854G	-46.73	-36.00	-10.73	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30019G	4.11	6.567G	-32.61	-15.91	-16.70	1
6.37617G	4.51	7.0398G	-48.98	-35.49	-13.49	2
6.37097G	4.27	7.0646G	-49.04	-33.49	-15.55	3
6.11904G	4.24	6.9862G	-47.02	-35.76	-11.26	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40457G	3.98	7.0634G	-48.78	-31.95	-16.83	1
6.40017G	4.33	7.0386G	-49.15	-35.67	-13.48	2
6.40616G	4.42	7.0646G	-49.02	-33.34	-15.68	3
6.19782G	4.43	6.9874G	-46.90	-35.57	-11.33	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2822G	4.15	6.5702G	-29.87	-15.96	-13.91	1
6.40217G	4.66	6.6206G	-30.87	-18.39	-12.48	2
6.36737G	4.44	6.6122G	-30.71	-17.31	-13.40	3
6.11624G	4.80	6.9706G	-44.80	-34.57	-10.23	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40177G	3.84	6.6542G	-32.20	-18.52	-13.68	1
6.40576G	4.26	6.6378G	-30.99	-19.33	-11.66	2
6.41056G	4.00	6.6522G	-32.35	-18.88	-13.47	3
6.11704G	4.09	6.9934G	-46.72	-35.91	-10.81	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29659G	4.22	7.0642G	-48.92	-31.74	-17.18	1
6.32299G	4.24	7.0386G	-49.11	-35.76	-13.35	2
6.11584G	4.17	7.0638G	-49.10	-33.55	-15.55	3
6.13623G	4.28	6.9926G	-47.70	-35.72	-11.98	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX

MASK

6265MHz_TX

01/06/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_3_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2774G	4.35	7.061G	-48.73	-31.48	-17.25	1
6.32219G	4.39	7.0358G	-49.27	-35.61	-13.66	2
6.11744G	4.07	7.0646G	-49.07	-33.69	-15.38	3
6.11504G	4.08	6.9946G	-47.72	-35.92	-11.80	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_4_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11264G	4.19	7.065G	-48.97	-31.80	-17.17	1
6.32499G	4.17	7.0326G	-49.10	-35.68	-13.42	2
6.12064G	3.90	7.065G	-49.11	-33.87	-15.24	3
6.13583G	3.98	6.993G	-47.64	-36.02	-11.62	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

MASK

6265MHz_TX

01/06/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29819G	3.93	7.065G	-48.74	-32.06	-16.68	1
6.41856G	4.17	7.0342G	-49.13	-35.75	-13.38	2
6.40297G	4.17	7.065G	-48.90	-33.60	-15.30	3
6.23541G	4.09	6.9894G	-46.97	-35.91	-11.06	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39817G	3.88	7.065G	-48.92	-32.11	-16.81	1
6.40217G	4.33	7.0358G	-49.18	-35.67	-13.51	2
6.40976G	4.14	7.0638G	-48.91	-33.58	-15.33	3
6.19542G	4.14	6.9886G	-46.92	-35.86	-11.06	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_9_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40457G	4.01	6.5702G	-32.75	-16.10	-16.65	1
6.41896G	4.38	7.0374G	-49.10	-35.62	-13.48	2
6.41016G	4.10	7.065G	-48.87	-33.67	-15.20	3
6.21861G	4.25	6.987G	-46.91	-35.75	-11.16	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_10_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40457G	3.99	6.571G	-32.99	-16.14	-16.85	1
6.41816G	4.43	7.0366G	-49.09	-35.57	-13.52	2
6.40816G	4.17	7.0646G	-48.85	-33.59	-15.26	3
6.21661G	4.04	6.999G	-47.02	-35.96	-11.06	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41856G	4.06	7.065G	-48.92	-31.93	-16.99	1
6.41896G	4.50	7.0342G	-49.02	-35.42	-13.60	2
6.41176G	4.08	7.0646G	-49.00	-33.68	-15.32	3
6.19262G	3.95	6.9998G	-47.38	-36.05	-11.33	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX

MASK

6265MHz_TX

01/06/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2786G	4.01	7.063G	-48.80	-31.90	-16.90	1
6.37977G	4.09	7.0354G	-49.15	-35.89	-13.26	2
6.37097G	4.01	7.0634G	-49.00	-33.70	-15.30	3
6.21901G	3.82	6.9882G	-46.92	-36.18	-10.74	4



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	53.28M	36.68	40.00	-3.32	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	PK	53.28M	36.68	40.00	-3.32	3	Vertical	0	1.00
6025MHz	Pass	PK	191.02M	34.58	43.50	-8.92	3	Vertical	0	1.00
6025MHz	Pass	PK	472.32M	31.21	46.00	-14.79	3	Vertical	0	1.00
6025MHz	Pass	PK	656.62M	29.16	46.00	-16.84	3	Vertical	0	1.00
6025MHz	Pass	PK	769.14M	29.30	46.00	-16.70	3	Vertical	0	1.00
6025MHz	Pass	PK	961.2M	37.05	54.00	-16.95	3	Vertical	0	1.00
6025MHz	Pass	PK	138.64M	29.39	43.50	-14.11	3	Horizontal	360	1.00
6025MHz	Pass	PK	189.08M	30.94	43.50	-12.56	3	Horizontal	360	1.00
6025MHz	Pass	PK	464.56M	31.81	46.00	-14.19	3	Horizontal	360	1.00
6025MHz	Pass	PK	656.62M	35.73	46.00	-10.27	3	Horizontal	360	1.00
6025MHz	Pass	PK	769.14M	34.53	46.00	-11.47	3	Horizontal	360	1.00
6025MHz	Pass	PK	961.2M	36.63	54.00	-17.37	3	Horizontal	360	1.00
6025MHz	Pass	PK	113.42M	25.39	43.50	-18.11	3	Vertical	360	1.00
6025MHz	Pass	PK	189.08M	26.47	43.50	-17.03	3	Vertical	360	1.00
6025MHz	Pass	PK	394.72M	30.56	46.00	-15.44	3	Vertical	360	1.00
6025MHz	Pass	PK	474.26M	32.82	46.00	-13.18	3	Vertical	360	1.00
6025MHz	Pass	PK	769.14M	29.74	46.00	-16.26	3	Vertical	360	1.00
6025MHz	Pass	PK	961.2M	38.76	54.00	-15.24	3	Vertical	360	1.00
6025MHz	Pass	PK	117.3M	28.77	43.50	-14.73	3	Horizontal	0	1.00
6025MHz	Pass	PK	307.42M	26.24	46.00	-19.76	3	Horizontal	0	1.00
6025MHz	Pass	PK	433.52M	39.70	46.00	-6.30	3	Horizontal	0	1.00
6025MHz	Pass	PK	656.62M	36.61	46.00	-9.39	3	Horizontal	0	1.00
6025MHz	Pass	PK	769.14M	33.22	46.00	-12.78	3	Horizontal	0	1.00
6025MHz	Pass	PK	961.2M	38.19	54.00	-15.81	3	Horizontal	0	1.00


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_Adapter



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.38034G	40.98	54.00	-13.02	3	Horizontal	320	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.41852G	41.06	54.00	-12.94	3	Horizontal	179	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.45432G	41.11	54.00	-12.89	3	Horizontal	223	1.60
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.16424G	41.35	54.00	-12.65	3	Vertical	134	1.88
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.2322G	50.11	68.20	-18.09	3	Horizontal	198	1.78
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.37276G	42.59	54.00	-11.41	3	Horizontal	250	1.59
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2226G	50.01	68.20	-18.19	3	Vertical	58	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.2128G	50.00	68.20	-18.20	3	Vertical	58	1.40

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9226G	45.93	68.20	-22.27	3	Vertical	47	2.39
5955MHz	Pass	AV	5.9604G	90.75	Inf	-Inf	3	Vertical	47	2.39
5955MHz	Pass	PK	5.8968G	57.85	88.20	-30.35	3	Vertical	47	2.39
5955MHz	Pass	PK	5.9598G	101.97	Inf	-Inf	3	Vertical	47	2.39
5955MHz	Pass	AV	5.925G	46.49	68.20	-21.71	3	Horizontal	12	1.73
5955MHz	Pass	AV	5.9568G	101.54	Inf	-Inf	3	Horizontal	12	1.73
5955MHz	Pass	PK	5.9238G	58.41	88.20	-29.79	3	Horizontal	12	1.73
5955MHz	Pass	PK	5.9568G	114.28	Inf	-Inf	3	Horizontal	12	1.73
5955MHz	Pass	AV	11.89572G	40.81	54.00	-13.19	3	Vertical	35	1.50
5955MHz	Pass	PK	11.9205G	53.26	74.00	-20.74	3	Vertical	35	1.50
5955MHz	Pass	AV	11.89506G	40.92	54.00	-13.08	3	Horizontal	75	1.64
5955MHz	Pass	PK	11.90364G	53.66	74.00	-20.34	3	Horizontal	75	1.64
6195MHz	Pass	AV	5.9106G	45.87	68.20	-22.33	3	Vertical	349	1.60
6195MHz	Pass	AV	6.1962G	91.84	Inf	-Inf	3	Vertical	349	1.60
6195MHz	Pass	PK	5.9166G	58.04	88.20	-30.16	3	Vertical	349	1.60
6195MHz	Pass	PK	6.1962G	103.08	Inf	-Inf	3	Vertical	349	1.60
6195MHz	Pass	AV	5.925G	45.87	68.20	-22.33	3	Horizontal	201	1.77
6195MHz	Pass	AV	6.1938G	103.15	Inf	-Inf	3	Horizontal	201	1.77
6195MHz	Pass	PK	5.9226G	57.28	88.20	-30.92	3	Horizontal	201	1.77
6195MHz	Pass	PK	6.1926G	114.31	Inf	-Inf	3	Horizontal	201	1.77
6195MHz	Pass	AV	12.38628G	40.94	54.00	-13.06	3	Vertical	199	1.50
6195MHz	Pass	PK	12.39786G	53.54	74.00	-20.46	3	Vertical	199	1.50
6195MHz	Pass	AV	12.38034G	40.98	54.00	-13.02	3	Horizontal	320	1.50
6195MHz	Pass	PK	12.39186G	53.47	74.00	-20.53	3	Horizontal	320	1.50
6415MHz	Pass	AV	5.923G	45.86	68.20	-22.34	3	Vertical	145	3.00
6415MHz	Pass	AV	6.4126G	92.44	Inf	-Inf	3	Vertical	145	3.00
6415MHz	Pass	PK	5.863G	57.84	88.20	-30.36	3	Vertical	145	3.00
6415MHz	Pass	PK	6.415G	102.71	Inf	-Inf	3	Vertical	145	3.00
6415MHz	Pass	AV	5.9062G	45.85	68.20	-22.35	3	Horizontal	198	1.99
6415MHz	Pass	AV	6.4102G	103.51	Inf	-Inf	3	Horizontal	198	1.99
6415MHz	Pass	PK	5.9134G	58.77	88.20	-29.43	3	Horizontal	198	1.99
6415MHz	Pass	PK	6.4198G	114.22	Inf	-Inf	3	Horizontal	198	1.99
6415MHz	Pass	AV	12.84482G	42.54	68.20	-25.66	3	Vertical	23	1.81
6415MHz	Pass	PK	12.8189G	54.86	88.20	-33.34	3	Vertical	23	1.81
6415MHz	Pass	AV	12.84434G	42.36	68.20	-25.84	3	Horizontal	17	1.97
6415MHz	Pass	PK	12.82274G	54.81	88.20	-33.39	3	Horizontal	17	1.97
6535MHz	Pass	AV	5.9246G	45.91	68.20	-22.29	3	Vertical	58	1.58
6535MHz	Pass	AV	6.5378G	91.96	Inf	-Inf	3	Vertical	58	1.58
6535MHz	Pass	AV	7.235G	50.09	68.20	-18.11	3	Vertical	58	1.58
6535MHz	Pass	PK	5.9218G	57.16	88.20	-31.04	3	Vertical	58	1.58
6535MHz	Pass	PK	6.5378G	101.90	Inf	-Inf	3	Vertical	58	1.58
6535MHz	Pass	PK	7.1874G	62.07	88.20	-26.13	3	Vertical	58	1.58
6535MHz	Pass	AV	5.9022G	45.83	68.20	-22.37	3	Horizontal	198	1.78
6535MHz	Pass	AV	6.5322G	103.82	Inf	-Inf	3	Horizontal	198	1.78
6535MHz	Pass	AV	7.2322G	50.11	68.20	-18.09	3	Horizontal	198	1.78
6535MHz	Pass	PK	5.8966G	58.48	88.20	-29.72	3	Horizontal	198	1.78
6535MHz	Pass	PK	6.5322G	115.07	Inf	-Inf	3	Horizontal	198	1.78
6535MHz	Pass	PK	7.2294G	61.98	88.20	-26.22	3	Horizontal	198	1.78
6535MHz	Pass	AV	13.0769G	42.40	68.20	-25.80	3	Vertical	206	1.50
6535MHz	Pass	PK	13.07786G	55.00	88.20	-33.20	3	Vertical	206	1.50
6535MHz	Pass	AV	13.0841G	42.41	68.20	-25.79	3	Horizontal	286	1.26
6535MHz	Pass	PK	13.05992G	55.35	88.20	-32.85	3	Horizontal	286	1.26
6695MHz	Pass	AV	6.689G	91.62	Inf	-Inf	3	Vertical	58	1.45
6695MHz	Pass	AV	7.195G	49.80	68.20	-18.40	3	Vertical	58	1.45
6695MHz	Pass	PK	6.691G	102.74	Inf	-Inf	3	Vertical	58	1.45
6695MHz	Pass	PK	7.127G	62.37	88.20	-25.83	3	Vertical	58	1.45
6695MHz	Pass	AV	6.697G	103.73	Inf	-Inf	3	Horizontal	193	1.69
6695MHz	Pass	AV	7.193G	49.78	68.20	-18.42	3	Horizontal	193	1.69
6695MHz	Pass	PK	6.697G	114.36	Inf	-Inf	3	Horizontal	193	1.69
6695MHz	Pass	PK	7.185G	62.32	88.20	-25.88	3	Horizontal	193	1.69



RSE TX above 1GHz_Non-Beamforming_Radio 0

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	AV	13.40482G	42.62	68.20	-25.58	3	Vertical	64	1.50
6695MHz	Pass	PK	13.38796G	55.46	74.00	-18.54	3	Vertical	64	1.50
6695MHz	Pass	AV	13.40392G	42.52	68.20	-25.68	3	Horizontal	109	1.61
6695MHz	Pass	PK	13.4008G	55.17	88.20	-33.03	3	Horizontal	109	1.61
6855MHz	Pass	AV	6.8536G	88.41	Inf	-Inf	3	Vertical	350	1.69
6855MHz	Pass	AV	7.2008G	49.86	68.20	-18.34	3	Vertical	350	1.69
6855MHz	Pass	PK	6.8536G	99.03	Inf	-Inf	3	Vertical	350	1.69
6855MHz	Pass	PK	7.191G	61.58	88.20	-26.62	3	Vertical	350	1.69
6855MHz	Pass	AV	6.8578G	103.16	Inf	-Inf	3	Horizontal	193	1.75
6855MHz	Pass	AV	7.2036G	49.77	68.20	-18.43	3	Horizontal	193	1.75
6855MHz	Pass	PK	6.8564G	114.97	Inf	-Inf	3	Horizontal	193	1.75
6855MHz	Pass	PK	7.1518G	61.80	88.20	-26.40	3	Horizontal	193	1.75
6855MHz	Pass	AV	13.72416G	42.77	68.20	-25.43	3	Vertical	47	3.00
6855MHz	Pass	PK	13.71564G	55.25	88.20	-32.95	3	Vertical	47	3.00
6855MHz	Pass	AV	13.7226G	42.73	68.20	-25.47	3	Horizontal	214	1.17
6855MHz	Pass	PK	13.70802G	55.62	88.20	-32.58	3	Horizontal	214	1.17
802.11ax.HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	46.00	68.20	-22.20	3	Vertical	47	2.39
5965MHz	Pass	AV	5.9602G	87.43	Inf	-Inf	3	Vertical	47	2.39
5965MHz	Pass	PK	5.9212G	58.11	88.20	-30.09	3	Vertical	47	2.39
5965MHz	Pass	PK	5.9716G	98.87	Inf	-Inf	3	Vertical	47	2.39
5965MHz	Pass	AV	5.9248G	48.77	68.20	-19.43	3	Horizontal	11	1.56
5965MHz	Pass	AV	5.968G	97.72	Inf	-Inf	3	Horizontal	11	1.56
5965MHz	Pass	PK	5.9248G	59.86	88.20	-28.34	3	Horizontal	11	1.56
5965MHz	Pass	PK	5.9764G	108.68	Inf	-Inf	3	Horizontal	11	1.56
5965MHz	Pass	AV	11.9324G	40.96	54.00	-13.04	3	Vertical	26	1.69
5965MHz	Pass	PK	11.93744G	53.50	74.00	-20.50	3	Vertical	26	1.69
5965MHz	Pass	AV	11.92484G	40.86	54.00	-13.14	3	Horizontal	357	2.72
5965MHz	Pass	PK	11.9372G	53.18	74.00	-20.82	3	Horizontal	357	2.72
6205MHz	Pass	AV	5.9242G	45.90	68.20	-22.30	3	Vertical	282	2.44
6205MHz	Pass	AV	6.2086G	88.44	Inf	-Inf	3	Vertical	282	2.44
6205MHz	Pass	PK	5.9194G	57.27	88.20	-30.93	3	Vertical	282	2.44
6205MHz	Pass	PK	6.2086G	99.66	Inf	-Inf	3	Vertical	282	2.44
6205MHz	Pass	AV	5.9086G	45.82	68.20	-22.38	3	Horizontal	203	1.80
6205MHz	Pass	AV	6.2074G	99.37	Inf	-Inf	3	Horizontal	203	1.80
6205MHz	Pass	PK	5.9206G	57.09	88.20	-31.11	3	Horizontal	203	1.80
6205MHz	Pass	PK	6.2074G	110.92	Inf	-Inf	3	Horizontal	203	1.80
6205MHz	Pass	AV	12.42296G	41.03	54.00	-12.97	3	Vertical	26	1.40
6205MHz	Pass	PK	12.389G	53.93	74.00	-20.07	3	Vertical	26	1.40
6205MHz	Pass	AV	12.41852G	41.06	54.00	-12.94	3	Horizontal	179	1.50
6205MHz	Pass	PK	12.40952G	53.65	74.00	-20.35	3	Horizontal	179	1.50
6405MHz	Pass	AV	5.9154G	45.83	68.20	-22.37	3	Vertical	68	3.00
6405MHz	Pass	AV	6.405G	91.85	Inf	-Inf	3	Vertical	68	3.00
6405MHz	Pass	PK	5.9058G	57.68	88.20	-30.52	3	Vertical	68	3.00
6405MHz	Pass	PK	6.4146G	101.66	Inf	-Inf	3	Vertical	68	3.00
6405MHz	Pass	AV	5.913G	46.03	68.20	-22.17	3	Horizontal	198	1.98
6405MHz	Pass	AV	6.4002G	100.22	Inf	-Inf	3	Horizontal	198	1.98
6405MHz	Pass	PK	5.8314G	57.67	88.20	-30.53	3	Horizontal	198	1.98
6405MHz	Pass	PK	6.4122G	111.11	Inf	-Inf	3	Horizontal	198	1.98
6405MHz	Pass	AV	12.80976G	42.17	68.20	-26.03	3	Vertical	5	1.75
6405MHz	Pass	PK	12.81984G	55.10	88.20	-33.10	3	Vertical	5	1.75
6405MHz	Pass	AV	12.81396G	42.20	68.20	-26.00	3	Horizontal	219	1.50
6405MHz	Pass	PK	12.84G	54.67	88.20	-33.53	3	Horizontal	219	1.50
6565MHz	Pass	AV	6.5602G	89.03	Inf	-Inf	3	Vertical	52	2.85
6565MHz	Pass	AV	7.1626G	49.56	68.20	-18.64	3	Vertical	52	2.85
6565MHz	Pass	PK	6.5698G	99.53	Inf	-Inf	3	Vertical	52	2.85
6565MHz	Pass	PK	7.1554G	60.64	88.20	-27.56	3	Vertical	52	2.85
6565MHz	Pass	AV	6.5626G	100.40	Inf	-Inf	3	Horizontal	197	1.97
6565MHz	Pass	AV	7.165G	49.52	68.20	-18.68	3	Horizontal	197	1.97
6565MHz	Pass	PK	6.5626G	111.31	Inf	-Inf	3	Horizontal	197	1.97
6565MHz	Pass	PK	7.1266G	60.86	88.20	-27.34	3	Horizontal	197	1.97
6565MHz	Pass	AV	13.10372G	42.54	68.20	-25.66	3	Vertical	271	1.50



RSE TX above 1GHz Non-Beamforming Radio 0

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6565MHz	Pass	PK	13.10072G	54.90	88.20	-33.30	3	Vertical	271	1.50
6565MHz	Pass	AV	13.10204G	42.56	68.20	-25.64	3	Horizontal	214	1.50
6565MHz	Pass	PK	13.14536G	55.18	88.20	-33.02	3	Horizontal	214	1.50
6685MHz	Pass	AV	6.681G	90.43	Inf	-Inf	3	Vertical	73	2.97
6685MHz	Pass	AV	7.185G	49.64	68.20	-18.56	3	Vertical	73	2.97
6685MHz	Pass	PK	6.671G	101.53	Inf	-Inf	3	Vertical	73	2.97
6685MHz	Pass	PK	7.169G	61.56	88.20	-26.64	3	Vertical	73	2.97
6685MHz	Pass	AV	6.687G	100.43	Inf	-Inf	3	Horizontal	194	1.68
6685MHz	Pass	AV	7.179G	49.60	68.20	-18.60	3	Horizontal	194	1.68
6685MHz	Pass	PK	6.699G	110.86	Inf	-Inf	3	Horizontal	194	1.68
6685MHz	Pass	PK	7.177G	61.48	88.20	-26.72	3	Horizontal	194	1.68
6685MHz	Pass	AV	13.37324G	42.51	54.00	-11.49	3	Vertical	78	2.77
6685MHz	Pass	PK	13.37564G	55.66	74.00	-18.34	3	Vertical	78	2.77
6685MHz	Pass	AV	13.37276G	42.59	54.00	-11.41	3	Horizontal	250	1.59
6685MHz	Pass	PK	13.39892G	54.98	74.00	-19.02	3	Horizontal	250	1.59
6845MHz	Pass	AV	6.8338G	84.79	Inf	-Inf	3	Vertical	349	1.71
6845MHz	Pass	AV	7.1894G	49.76	68.20	-18.44	3	Vertical	349	1.71
6845MHz	Pass	PK	6.8352G	96.60	Inf	-Inf	3	Vertical	349	1.71
6845MHz	Pass	PK	7.1894G	62.12	88.20	-26.08	3	Vertical	349	1.71
6845MHz	Pass	AV	6.838G	99.59	Inf	-Inf	3	Horizontal	193	1.73
6845MHz	Pass	AV	7.195G	49.76	68.20	-18.44	3	Horizontal	193	1.73
6845MHz	Pass	PK	6.8478G	111.18	Inf	-Inf	3	Horizontal	193	1.73
6845MHz	Pass	PK	7.1866G	61.59	88.20	-26.61	3	Horizontal	193	1.73
6845MHz	Pass	AV	13.68832G	42.66	68.20	-25.54	3	Vertical	164	1.50
6845MHz	Pass	PK	13.69672G	55.28	88.20	-32.92	3	Vertical	164	1.50
6845MHz	Pass	AV	13.68628G	42.69	68.20	-25.51	3	Horizontal	332	1.50
6845MHz	Pass	PK	13.68724G	55.44	88.20	-32.76	3	Horizontal	332	1.50
802.11ax HEW80_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	46.01	68.20	-22.19	3	Vertical	48	2.31
5985MHz	Pass	AV	5.99G	84.14	Inf	-Inf	3	Vertical	48	2.31
5985MHz	Pass	PK	5.84G	57.80	88.20	-30.40	3	Vertical	48	2.31
5985MHz	Pass	PK	5.971G	96.31	Inf	-Inf	3	Vertical	48	2.31
5985MHz	Pass	AV	5.925G	50.11	68.20	-18.09	3	Horizontal	11	1.73
5985MHz	Pass	AV	5.998G	95.05	Inf	-Inf	3	Horizontal	11	1.73
5985MHz	Pass	PK	5.925G	62.87	88.20	-25.33	3	Horizontal	11	1.73
5985MHz	Pass	PK	5.998G	106.30	Inf	-Inf	3	Horizontal	11	1.73
5985MHz	Pass	AV	12.02352G	41.10	54.00	-12.90	3	Vertical	32	1.50
5985MHz	Pass	PK	11.92968G	53.97	74.00	-20.03	3	Vertical	32	1.50
5985MHz	Pass	AV	12.024G	41.02	54.00	-12.98	3	Horizontal	293	1.54
5985MHz	Pass	PK	11.92536G	53.61	74.00	-20.39	3	Horizontal	293	1.54
6225MHz	Pass	AV	5.919G	45.95	68.20	-22.25	3	Vertical	350	1.70
6225MHz	Pass	AV	6.225G	85.11	Inf	-Inf	3	Vertical	350	1.70
6225MHz	Pass	PK	5.873G	57.70	88.20	-30.50	3	Vertical	350	1.70
6225MHz	Pass	PK	6.227G	97.07	Inf	-Inf	3	Vertical	350	1.70
6225MHz	Pass	AV	5.919G	45.88	68.20	-22.32	3	Horizontal	203	1.98
6225MHz	Pass	AV	6.217G	96.37	Inf	-Inf	3	Horizontal	203	1.98
6225MHz	Pass	PK	5.765G	57.85	88.20	-30.35	3	Horizontal	203	1.98
6225MHz	Pass	PK	6.227G	108.04	Inf	-Inf	3	Horizontal	203	1.98
6225MHz	Pass	AV	12.4584G	41.09	54.00	-12.91	3	Vertical	82	1.50
6225MHz	Pass	PK	12.48744G	54.35	74.00	-19.65	3	Vertical	82	1.50
6225MHz	Pass	AV	12.45432G	41.11	54.00	-12.89	3	Horizontal	223	1.60
6225MHz	Pass	PK	12.50688G	53.98	74.00	-20.02	3	Horizontal	223	1.60
6385MHz	Pass	AV	5.905G	45.91	68.20	-22.29	3	Vertical	68	3.00
6385MHz	Pass	AV	6.397G	88.84	Inf	-Inf	3	Vertical	68	3.00
6385MHz	Pass	PK	5.9122G	57.47	88.20	-30.73	3	Vertical	68	3.00
6385MHz	Pass	PK	6.3682G	100.80	Inf	-Inf	3	Vertical	68	3.00
6385MHz	Pass	AV	5.9218G	45.86	68.20	-22.34	3	Horizontal	197	1.76
6385MHz	Pass	AV	6.3802G	97.09	Inf	-Inf	3	Horizontal	197	1.76
6385MHz	Pass	PK	5.8474G	57.60	88.20	-30.60	3	Horizontal	197	1.76
6385MHz	Pass	PK	6.3994G	108.03	Inf	-Inf	3	Horizontal	197	1.76
6385MHz	Pass	AV	12.81776G	42.10	68.20	-26.10	3	Vertical	133	1.50
6385MHz	Pass	PK	12.79952G	54.37	88.20	-33.83	3	Vertical	133	1.50



RSE TX above 1GHz Non-Beamforming Radio 0


Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6385MHz	Pass	AV	12.81272G	42.22	68.20	-25.98	3	Horizontal	262	1.50
6385MHz	Pass	PK	12.818G	54.97	88.20	-33.23	3	Horizontal	262	1.50
6625MHz	Pass	AV	6.6082G	86.02	Inf	-Inf	3	Vertical	58	1.50
6625MHz	Pass	AV	7.2226G	50.01	68.20	-18.19	3	Vertical	58	1.50
6625MHz	Pass	PK	6.6394G	96.55	Inf	-Inf	3	Vertical	58	1.50
6625MHz	Pass	PK	7.2106G	62.80	88.20	-25.40	3	Vertical	58	1.50
6625MHz	Pass	AV	6.6178G	97.54	Inf	-Inf	3	Horizontal	194	1.75
6625MHz	Pass	AV	7.225G	50.00	68.20	-18.20	3	Horizontal	194	1.75
6625MHz	Pass	PK	6.6178G	108.54	Inf	-Inf	3	Horizontal	194	1.75
6625MHz	Pass	PK	7.177G	61.84	88.20	-26.36	3	Horizontal	194	1.75
6625MHz	Pass	AV	13.2296G	42.65	68.20	-25.55	3	Vertical	354	1.50
6625MHz	Pass	PK	13.27112G	55.11	74.00	-18.89	3	Vertical	354	1.50
6625MHz	Pass	AV	13.22912G	42.54	68.20	-25.66	3	Horizontal	13	1.85
6625MHz	Pass	PK	13.23584G	55.04	88.20	-33.16	3	Horizontal	13	1.85
6705MHz	Pass	AV	6.701G	87.63	Inf	-Inf	3	Vertical	74	2.95
6705MHz	Pass	AV	7.201G	49.90	68.20	-18.30	3	Vertical	74	2.95
6705MHz	Pass	PK	6.721G	99.03	Inf	-Inf	3	Vertical	74	2.95
6705MHz	Pass	PK	7.155G	61.75	88.20	-26.45	3	Vertical	74	2.95
6705MHz	Pass	AV	6.709G	98.01	Inf	-Inf	3	Horizontal	194	1.78
6705MHz	Pass	AV	7.199G	49.93	68.20	-18.27	3	Horizontal	194	1.78
6705MHz	Pass	PK	6.687G	108.53	Inf	-Inf	3	Horizontal	194	1.78
6705MHz	Pass	PK	7.201G	61.58	88.20	-26.62	3	Horizontal	194	1.78
6705MHz	Pass	AV	13.42056G	42.72	68.20	-25.48	3	Vertical	136	2.56
6705MHz	Pass	PK	13.45704G	55.27	88.20	-32.93	3	Vertical	136	2.56
6705MHz	Pass	AV	13.41888G	42.77	68.20	-25.43	3	Horizontal	114	1.50
6705MHz	Pass	PK	13.41288G	55.05	88.20	-33.15	3	Horizontal	114	1.50
6785MHz	Pass	AV	6.7948G	87.58	Inf	-Inf	3	Vertical	56	2.92
6785MHz	Pass	AV	7.1266G	49.12	68.20	-19.08	3	Vertical	56	2.92
6785MHz	Pass	PK	6.7934G	99.94	Inf	-Inf	3	Vertical	56	2.92
6785MHz	Pass	PK	7.1322G	60.62	88.20	-27.58	3	Vertical	56	2.92
6785MHz	Pass	AV	6.7892G	97.44	Inf	-Inf	3	Horizontal	194	1.66
6785MHz	Pass	AV	7.1322G	49.06	68.20	-19.14	3	Horizontal	194	1.66
6785MHz	Pass	PK	6.7794G	108.63	Inf	-Inf	3	Horizontal	194	1.66
6785MHz	Pass	PK	7.1322G	60.22	88.20	-27.98	3	Horizontal	194	1.66
6785MHz	Pass	AV	13.54768G	42.91	68.20	-25.29	3	Vertical	95	2.20
6785MHz	Pass	PK	13.54288G	55.41	88.20	-32.79	3	Vertical	95	2.20
6785MHz	Pass	AV	13.55488G	42.96	68.20	-25.24	3	Horizontal	313	2.36
6785MHz	Pass	PK	13.58344G	55.41	88.20	-32.79	3	Horizontal	313	2.36
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.91G	46.07	68.20	-22.13	3	Vertical	49	2.39
6025MHz	Pass	AV	6.01G	81.06	Inf	-Inf	3	Vertical	49	2.39
6025MHz	Pass	PK	5.776G	58.09	88.20	-30.11	3	Vertical	49	2.39
6025MHz	Pass	PK	6.01G	91.64	Inf	-Inf	3	Vertical	49	2.39
6025MHz	Pass	AV	5.917G	48.48	68.20	-19.72	3	Horizontal	10	1.67
6025MHz	Pass	AV	6.02G	92.08	Inf	-Inf	3	Horizontal	10	1.67
6025MHz	Pass	PK	5.921G	60.62	88.20	-27.58	3	Horizontal	10	1.67
6025MHz	Pass	PK	6.019G	103.51	Inf	-Inf	3	Horizontal	10	1.67
6025MHz	Pass	AV	12.16424G	41.35	54.00	-12.65	3	Vertical	134	1.88
6025MHz	Pass	PK	12.02024G	53.65	74.00	-20.35	3	Vertical	134	1.88
6025MHz	Pass	AV	12.16376G	41.20	54.00	-12.80	3	Horizontal	322	1.79
6025MHz	Pass	PK	12.11384G	53.99	74.00	-20.01	3	Horizontal	322	1.79
6185MHz	Pass	AV	5.9162G	45.87	68.20	-22.33	3	Vertical	349	1.56
6185MHz	Pass	AV	6.2154G	82.12	Inf	-Inf	3	Vertical	349	1.56
6185MHz	Pass	PK	5.905G	57.90	88.20	-30.30	3	Vertical	349	1.56
6185MHz	Pass	PK	6.2154G	92.98	Inf	-Inf	3	Vertical	349	1.56
6185MHz	Pass	AV	5.913G	46.00	68.20	-22.20	3	Horizontal	202	1.88
6185MHz	Pass	AV	6.2058G	93.39	Inf	-Inf	3	Horizontal	202	1.88
6185MHz	Pass	PK	5.8938G	57.52	88.20	-30.68	3	Horizontal	202	1.88
6185MHz	Pass	PK	6.1962G	105.23	Inf	-Inf	3	Horizontal	202	1.88
6185MHz	Pass	AV	12.45256G	41.17	54.00	-12.83	3	Vertical	246	2.85
6185MHz	Pass	PK	12.36376G	53.48	74.00	-20.52	3	Vertical	246	2.85
6185MHz	Pass	AV	12.44872G	41.06	54.00	-12.94	3	Horizontal	47	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.40216G	53.42	74.00	-20.58	3	Horizontal	47	1.50
6345MHz	Pass	AV	5.9106G	45.87	68.20	-22.33	3	Vertical	73	2.97
6345MHz	Pass	AV	6.2946G	84.75	Inf	-Inf	3	Vertical	73	2.97
6345MHz	Pass	PK	5.8938G	58.15	88.20	-30.05	3	Vertical	73	2.97
6345MHz	Pass	PK	6.2946G	96.00	Inf	-Inf	3	Vertical	73	2.97
6345MHz	Pass	AV	5.9226G	45.86	68.20	-22.34	3	Horizontal	198	1.78
6345MHz	Pass	AV	6.3618G	94.13	Inf	-Inf	3	Horizontal	198	1.78
6345MHz	Pass	PK	5.9202G	57.54	88.20	-30.66	3	Horizontal	198	1.78
6345MHz	Pass	PK	6.3306G	105.46	Inf	-Inf	3	Horizontal	198	1.78
6345MHz	Pass	AV	12.81G	42.05	68.20	-26.15	3	Vertical	137	1.50
6345MHz	Pass	PK	12.80472G	54.91	88.20	-33.29	3	Vertical	137	1.50
6345MHz	Pass	AV	12.81G	41.99	68.20	-26.21	3	Horizontal	308	3.00
6345MHz	Pass	PK	12.74808G	54.57	88.20	-33.63	3	Horizontal	308	3.00
6665MHz	Pass	AV	6.6386G	83.13	Inf	-Inf	3	Vertical	58	1.40
6665MHz	Pass	AV	7.2128G	50.00	68.20	-18.20	3	Vertical	58	1.40
6665MHz	Pass	PK	6.6408G	94.56	Inf	-Inf	3	Vertical	58	1.40
6665MHz	Pass	PK	7.2106G	61.67	88.20	-26.53	3	Vertical	58	1.40
6665MHz	Pass	AV	6.6386G	93.91	Inf	-Inf	3	Horizontal	195	1.56
6665MHz	Pass	AV	7.215G	49.98	68.20	-18.22	3	Horizontal	195	1.56
6665MHz	Pass	PK	6.6298G	104.88	Inf	-Inf	3	Horizontal	195	1.56
6665MHz	Pass	PK	7.1622G	61.44	88.20	-26.76	3	Horizontal	195	1.56
6665MHz	Pass	AV	13.41736G	42.65	68.20	-25.55	3	Vertical	360	1.50
6665MHz	Pass	PK	13.41928G	55.20	88.20	-33.00	3	Vertical	360	1.50
6665MHz	Pass	AV	13.4188G	42.65	68.20	-25.55	3	Horizontal	104	1.50
6665MHz	Pass	PK	13.21624G	57.09	88.20	-31.11	3	Horizontal	104	1.50


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.91G	46.07	68.20	-22.13	-4.13	3	Vertical	49	2.39	50.20	34.50	7.32	45.95
AV	6.01G	81.06	Inf	-Inf	-4.15	3	Vertical	49	2.39	85.21	34.46	7.36	45.97
PK	5.776G	58.09	88.20	-30.11	-4.44	3	Vertical	49	2.39	62.53	34.20	7.29	45.93
PK	6.01G	91.64	Inf	-Inf	-4.15	3	Vertical	49	2.39	95.79	34.46	7.36	45.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.917G	48.48	68.20	-19.72	-4.12	3	Horizontal	10	1.67	52.60	34.50	7.33	45.95
AV	6.02G	92.08	Inf	-Inf	-4.18	3	Horizontal	10	1.67	96.26	34.42	7.37	45.97
PK	5.921G	60.62	88.20	-27.58	-4.12	3	Horizontal	10	1.67	64.74	34.50	7.33	45.95
PK	6.019G	103.51	Inf	-Inf	-4.18	3	Horizontal	10	1.67	107.69	34.42	7.37	45.97


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	53.28M	34.28	40.00	-5.72	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz_Adapter	Pass	PK	53.28M	34.28	40.00	-5.72	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	169.68M	34.04	43.50	-9.46	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	464.56M	31.07	46.00	-14.93	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	660.5M	29.81	46.00	-16.19	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	769.14M	28.78	46.00	-17.22	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	961.2M	36.18	54.00	-17.82	3	Vertical	360	1.00
6105MHz_Adapter	Pass	PK	53.28M	31.41	40.00	-8.59	3	Horizontal	0	1.00
6105MHz_Adapter	Pass	PK	142.52M	29.80	43.50	-13.70	3	Horizontal	0	1.00
6105MHz_Adapter	Pass	PK	187.14M	31.01	43.50	-12.49	3	Horizontal	0	1.00
6105MHz_Adapter	Pass	PK	466.5M	31.44	46.00	-14.56	3	Horizontal	0	1.00
6105MHz_Adapter	Pass	PK	656.62M	35.55	46.00	-10.45	3	Horizontal	0	1.00
6105MHz_Adapter	Pass	PK	961.2M	36.62	54.00	-17.38	3	Horizontal	0	1.00
6105MHz_PoE	Pass	PK	113.42M	25.08	43.50	-18.42	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	192.96M	26.96	43.50	-16.54	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	392.78M	30.31	46.00	-15.69	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	474.26M	31.53	46.00	-14.47	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	718.7M	31.52	46.00	-14.48	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	961.2M	38.60	54.00	-15.40	3	Vertical	0	1.00
6105MHz_PoE	Pass	PK	117.3M	28.97	43.50	-14.53	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	255.04M	25.88	46.00	-20.12	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	433.52M	39.75	46.00	-6.25	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	656.62M	36.41	46.00	-9.59	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	899.12M	36.28	46.00	-9.72	3	Horizontal	360	1.00
6105MHz_PoE	Pass	PK	961.2M	38.18	54.00	-15.82	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_Adapter



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.39338G	51.26	54.00	-2.74	3	Horizontal	68	1.58
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.9248G	63.95	68.20	-4.25	3	Horizontal	12	1.99
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.925G	65.22	68.20	-2.98	3	Horizontal	195	1.78
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.68744G	50.65	54.00	-3.35	3	Vertical	333	2.17
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.16424G	45.66	54.00	-8.34	3	Vertical	8	2.42
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39388G	47.87	54.00	-6.13	3	Horizontal	70	1.39
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.36244G	51.59	54.00	-2.41	3	Horizontal	71	1.39
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.26128G	49.79	54.00	-4.21	3	Horizontal	70	1.49
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.32168G	47.79	54.00	-6.21	3	Horizontal	71	1.41

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9208G	52.39	68.20	-15.81	3	Vertical	336	1.65
5955MHz	Pass	AV	5.949G	98.96	Inf	-Inf	3	Vertical	336	1.65
5955MHz	Pass	PK	5.9214G	65.87	88.20	-22.33	3	Vertical	336	1.65
5955MHz	Pass	PK	5.9496G	110.16	Inf	-Inf	3	Vertical	336	1.65
5955MHz	Pass	AV	5.919G	56.42	68.20	-11.78	3	Horizontal	192	1.88
5955MHz	Pass	AV	5.958G	104.49	Inf	-Inf	3	Horizontal	192	1.88
5955MHz	Pass	PK	5.9178G	71.53	88.20	-16.67	3	Horizontal	192	1.88
5955MHz	Pass	PK	5.9586G	116.12	Inf	-Inf	3	Horizontal	192	1.88
5955MHz	Pass	AV	11.91708G	49.28	54.00	-4.72	3	Vertical	21	1.36
5955MHz	Pass	PK	11.91816G	61.46	74.00	-12.54	3	Vertical	21	1.36
5955MHz	Pass	AV	11.91072G	47.30	54.00	-6.70	3	Horizontal	63	1.35
5955MHz	Pass	PK	11.91072G	60.03	74.00	-13.97	3	Horizontal	63	1.35
6195MHz	Pass	AV	12.38826G	50.54	54.00	-3.46	3	Vertical	30	1.50
6195MHz	Pass	PK	12.3871G	62.95	74.00	-11.05	3	Vertical	30	1.50
6195MHz	Pass	AV	12.39338G	51.26	54.00	-2.74	3	Horizontal	68	1.58
6195MHz	Pass	PK	12.39236G	64.41	74.00	-9.59	3	Horizontal	68	1.58
6415MHz	Pass	AV	12.82934G	55.26	68.20	-12.94	3	Vertical	32	1.50
6415MHz	Pass	PK	12.83062G	66.73	88.20	-21.47	3	Vertical	32	1.50
6415MHz	Pass	AV	12.82972G	53.96	68.20	-14.24	3	Horizontal	305	1.16
6415MHz	Pass	PK	12.8302G	66.10	88.20	-22.10	3	Horizontal	305	1.16
6535MHz	Pass	AV	13.06626G	51.79	68.20	-16.41	3	Vertical	51	1.87
6535MHz	Pass	PK	13.06538G	63.61	88.20	-24.59	3	Vertical	51	1.87
6535MHz	Pass	AV	13.06994G	51.77	68.20	-16.43	3	Horizontal	303	1.50
6535MHz	Pass	PK	13.06916G	62.70	88.20	-25.50	3	Horizontal	303	1.50
6695MHz	Pass	AV	13.38968G	47.48	54.00	-6.52	3	Vertical	307	1.50
6695MHz	Pass	PK	13.39016G	59.51	74.00	-14.49	3	Vertical	307	1.50
6695MHz	Pass	AV	13.39388G	47.87	54.00	-6.13	3	Horizontal	70	1.39
6695MHz	Pass	PK	13.39394G	60.97	74.00	-13.03	3	Horizontal	70	1.39
6855MHz	Pass	AV	13.70976G	46.98	68.20	-21.22	3	Vertical	311	1.73
6855MHz	Pass	PK	13.70896G	58.66	88.20	-29.54	3	Vertical	311	1.73
6855MHz	Pass	AV	13.7051G	45.13	68.20	-23.07	3	Horizontal	73	1.57
6855MHz	Pass	PK	13.71044G	56.83	88.20	-31.37	3	Horizontal	73	1.57
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9188G	61.98	68.20	-6.22	3	Vertical	341	1.70
5965MHz	Pass	AV	5.98G	99.21	Inf	-Inf	3	Vertical	341	1.70
5965MHz	Pass	PK	5.9185G	77.80	88.20	-10.40	3	Vertical	341	1.70
5965MHz	Pass	PK	5.9797G	110.41	Inf	-Inf	3	Vertical	341	1.70
5965MHz	Pass	AV	5.9248G	63.95	68.20	-4.25	3	Horizontal	12	1.99
5965MHz	Pass	AV	5.9686G	102.02	Inf	-Inf	3	Horizontal	12	1.99
5965MHz	Pass	PK	5.9248G	76.81	88.20	-11.39	3	Horizontal	12	1.99
5965MHz	Pass	PK	5.9689G	113.48	Inf	-Inf	3	Horizontal	12	1.99
5965MHz	Pass	AV	11.93788G	48.16	54.00	-5.84	3	Vertical	24	1.50
5965MHz	Pass	PK	11.938G	59.94	74.00	-14.06	3	Vertical	24	1.50
5965MHz	Pass	AV	11.93812G	47.93	54.00	-6.07	3	Horizontal	73	1.62
5965MHz	Pass	PK	11.93916G	59.11	74.00	-14.89	3	Horizontal	73	1.62
6205MHz	Pass	AV	12.40368G	49.48	54.00	-4.52	3	Vertical	327	1.50
6205MHz	Pass	PK	12.40396G	62.10	74.00	-11.90	3	Vertical	327	1.50
6205MHz	Pass	AV	12.40524G	48.61	54.00	-5.39	3	Horizontal	320	1.00
6205MHz	Pass	PK	12.40532G	59.89	74.00	-14.11	3	Horizontal	320	1.00
6405MHz	Pass	AV	12.80752G	55.89	68.20	-12.31	3	Vertical	331	2.89
6405MHz	Pass	PK	12.80908G	68.10	88.20	-20.10	3	Vertical	331	2.89
6405MHz	Pass	AV	12.80944G	51.70	68.20	-16.50	3	Horizontal	303	1.30
6405MHz	Pass	PK	12.8094G	63.89	88.20	-24.31	3	Horizontal	303	1.30
6565MHz	Pass	AV	13.1238G	50.60	68.20	-17.60	3	Vertical	48	3.00
6565MHz	Pass	PK	13.12288G	62.70	88.20	-25.50	3	Vertical	48	3.00
6565MHz	Pass	AV	13.12912G	48.84	68.20	-19.36	3	Horizontal	40	1.50
6565MHz	Pass	PK	13.12896G	60.75	88.20	-27.45	3	Horizontal	40	1.50
6685MHz	Pass	AV	13.3622G	50.01	54.00	-3.99	3	Vertical	360	2.47
6685MHz	Pass	PK	13.36364G	62.15	74.00	-11.85	3	Vertical	360	2.47
6685MHz	Pass	AV	13.36244G	51.59	54.00	-2.41	3	Horizontal	71	1.39


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6885MHz	Pass	PK	13.36228G	63.53	74.00	-10.47	3	Horizontal	71	1.39
6845MHz	Pass	AV	13.683G	46.53	68.20	-21.67	3	Vertical	13	1.50
6845MHz	Pass	PK	13.68392G	58.56	88.20	-29.64	3	Vertical	13	1.50
6845MHz	Pass	AV	13.68364G	46.13	68.20	-22.07	3	Horizontal	74	1.57
6845MHz	Pass	PK	13.68388G	58.04	88.20	-30.16	3	Horizontal	74	1.57
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.919G	60.72	68.20	-7.48	3	Vertical	339	1.71
5985MHz	Pass	AV	5.98G	95.61	Inf	-Inf	3	Vertical	339	1.71
5985MHz	Pass	PK	5.92G	72.10	88.20	-16.10	3	Vertical	339	1.71
5985MHz	Pass	PK	5.9795G	106.04	Inf	-Inf	3	Vertical	339	1.71
5985MHz	Pass	AV	5.925G	65.22	68.20	-2.98	3	Horizontal	195	1.78
5985MHz	Pass	AV	6.007G	101.61	Inf	-Inf	3	Horizontal	195	1.78
5985MHz	Pass	PK	5.9245G	75.81	88.20	-12.39	3	Horizontal	195	1.78
5985MHz	Pass	PK	6.007G	112.69	Inf	-Inf	3	Horizontal	195	1.78
5985MHz	Pass	AV	11.98488G	45.82	54.00	-8.18	3	Vertical	309	1.50
5985MHz	Pass	PK	11.98488G	56.76	74.00	-17.24	3	Vertical	309	1.50
5985MHz	Pass	AV	11.97752G	46.09	54.00	-7.91	3	Horizontal	76	1.60
5985MHz	Pass	PK	11.97712G	57.32	74.00	-16.68	3	Horizontal	76	1.60
6225MHz	Pass	AV	12.44808G	47.44	54.00	-6.56	3	Vertical	31	1.50
6225MHz	Pass	PK	12.44664G	58.70	74.00	-15.30	3	Vertical	31	1.50
6225MHz	Pass	AV	12.44504G	47.02	54.00	-6.98	3	Horizontal	320	1.43
6225MHz	Pass	PK	12.4652G	59.22	74.00	-14.78	3	Horizontal	320	1.43
6385MHz	Pass	AV	12.76848G	52.54	68.20	-15.66	3	Vertical	334	2.06
6385MHz	Pass	PK	12.76944G	63.39	88.20	-24.81	3	Vertical	334	2.06
6385MHz	Pass	AV	12.76344G	49.80	68.20	-18.40	3	Horizontal	305	1.48
6385MHz	Pass	PK	12.76432G	62.89	88.20	-25.31	3	Horizontal	305	1.48
6625MHz	Pass	AV	13.24152G	47.17	68.20	-21.03	3	Vertical	357	1.56
6625MHz	Pass	PK	13.25968G	58.76	74.00	-15.24	3	Vertical	357	1.56
6625MHz	Pass	AV	13.26128G	49.79	54.00	-4.21	3	Horizontal	70	1.49
6625MHz	Pass	PK	13.26136G	62.06	74.00	-11.94	3	Horizontal	70	1.49
6705MHz	Pass	AV	13.42216G	46.30	68.20	-21.90	3	Vertical	12	1.47
6705MHz	Pass	PK	13.42192G	57.19	88.20	-31.01	3	Vertical	12	1.47
6705MHz	Pass	AV	13.40168G	47.96	68.20	-20.24	3	Horizontal	70	1.39
6705MHz	Pass	PK	13.40144G	58.83	88.20	-29.37	3	Horizontal	70	1.39
6785MHz	Pass	AV	13.56224G	46.03	68.20	-22.17	3	Vertical	13	1.50
6785MHz	Pass	PK	13.56184G	55.91	88.20	-32.29	3	Vertical	13	1.50
6785MHz	Pass	AV	13.56272G	45.73	68.20	-22.47	3	Horizontal	356	1.61
6785MHz	Pass	PK	13.56304G	57.26	88.20	-30.94	3	Horizontal	356	1.61
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9185G	53.87	68.20	-14.33	3	Vertical	340	1.70
6025MHz	Pass	AV	5.98G	91.66	Inf	-Inf	3	Vertical	340	1.70
6025MHz	Pass	PK	5.919G	65.03	88.20	-23.17	3	Vertical	340	1.70
6025MHz	Pass	PK	5.98G	102.31	Inf	-Inf	3	Vertical	340	1.70
6025MHz	Pass	AV	5.909G	56.81	68.20	-11.39	3	Horizontal	209	1.66
6025MHz	Pass	AV	6.0885G	99.35	Inf	-Inf	3	Horizontal	209	1.66
6025MHz	Pass	PK	5.909G	69.84	88.20	-18.36	3	Horizontal	209	1.66
6025MHz	Pass	PK	6.088G	110.62	Inf	-Inf	3	Horizontal	209	1.66
6025MHz	Pass	AV	12.06392G	45.79	54.00	-8.21	3	Vertical	308	2.32
6025MHz	Pass	PK	12.08104G	55.94	74.00	-18.06	3	Vertical	308	2.32
6025MHz	Pass	AV	12.06392G	44.94	54.00	-9.06	3	Horizontal	295	1.50
6025MHz	Pass	PK	12.06344G	55.06	74.00	-18.94	3	Horizontal	295	1.50
6185MHz	Pass	AV	12.36312G	45.65	54.00	-8.35	3	Vertical	325	1.54
6185MHz	Pass	PK	12.38264G	56.07	74.00	-17.93	3	Vertical	325	1.54
6185MHz	Pass	AV	12.366G	45.44	54.00	-8.56	3	Horizontal	319	1.47
6185MHz	Pass	PK	12.36488G	56.15	74.00	-17.85	3	Horizontal	319	1.47
6345MHz	Pass	AV	12.68744G	50.65	54.00	-3.35	3	Vertical	333	2.17
6345MHz	Pass	PK	12.68664G	61.06	74.00	-12.94	3	Vertical	333	2.17
6345MHz	Pass	AV	12.71016G	47.56	68.20	-20.64	3	Horizontal	25	1.00
6345MHz	Pass	PK	12.6892G	57.34	74.00	-16.66	3	Horizontal	25	1.00
6665MHz	Pass	AV	13.32184G	45.31	54.00	-8.69	3	Vertical	39	1.64
6665MHz	Pass	PK	13.32072G	56.32	74.00	-17.68	3	Vertical	39	1.64
6665MHz	Pass	AV	13.32168G	47.79	54.00	-6.21	3	Horizontal	71	1.41



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.34088G	59.61	74.00	-14.39	3	Horizontal	71	1.41
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	48.85	68.20	-19.35	3	Vertical	341	1.69
6105MHz	Pass	AV	5.98G	87.79	Inf	-Inf	3	Vertical	341	1.69
6105MHz	Pass	PK	5.919G	59.56	88.20	-28.64	3	Vertical	341	1.69
6105MHz	Pass	PK	5.98G	98.16	Inf	-Inf	3	Vertical	341	1.69
6105MHz	Pass	AV	5.909G	54.27	68.20	-13.93	3	Horizontal	209	1.69
6105MHz	Pass	AV	6.108G	96.51	Inf	-Inf	3	Horizontal	209	1.69
6105MHz	Pass	PK	5.908G	65.37	88.20	-22.83	3	Horizontal	209	1.69
6105MHz	Pass	PK	6.129G	107.20	Inf	-Inf	3	Horizontal	209	1.69
6105MHz	Pass	AV	12.16424G	45.66	54.00	-8.34	3	Vertical	8	2.42
6105MHz	Pass	PK	12.14312G	55.84	74.00	-18.16	3	Vertical	8	2.42
6105MHz	Pass	AV	12.16392G	44.13	54.00	-9.87	3	Horizontal	12	1.50
6105MHz	Pass	PK	12.1636G	54.84	74.00	-19.16	3	Horizontal	12	1.50
6265MHz	Pass	AV	12.561G	44.71	54.00	-9.29	3	Vertical	323	1.50
6265MHz	Pass	PK	12.5612G	58.82	74.00	-15.18	3	Vertical	323	1.50
6265MHz	Pass	AV	12.5442G	44.54	54.00	-9.46	3	Horizontal	360	1.50
6265MHz	Pass	PK	12.5464G	58.19	74.00	-15.81	3	Horizontal	360	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9188G	61.98	68.20	-6.22	-4.12	3	Vertical	341	1.70	66.10	34.50	7.33	45.95
AV	5.98G	99.21	Inf	-Inf	-4.12	3	Vertical	341	1.70	103.33	34.50	7.35	45.97
PK	5.9185G	77.80	88.20	-10.40	-4.12	3	Vertical	341	1.70	81.92	34.50	7.33	45.95
PK	5.9797G	110.41	Inf	-Inf	-4.12	3	Vertical	341	1.70	114.53	34.50	7.35	45.97

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	63.95	68.20	-4.25	-4.12	3	Horizontal	12	1.99	68.07	34.50	7.33	45.95
AV	5.9686G	102.02	Inf	-Inf	-4.11	3	Horizontal	12	1.99	106.13	34.50	7.35	45.96
PK	5.9248G	76.81	88.20	-11.39	-4.12	3	Horizontal	12	1.99	80.93	34.50	7.33	45.95
PK	5.9689G	113.48	Inf	-Inf	-4.11	3	Horizontal	12	1.99	117.59	34.50	7.35	45.96


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.919G	60.72	68.20	-7.48	-4.12	3	Vertical	339	1.71	64.84	34.50	7.33	45.95
AV	5.98G	95.61	Inf	-Inf	-4.12	3	Vertical	339	1.71	99.73	34.50	7.35	45.97
PK	5.92G	72.10	88.20	-16.10	-4.12	3	Vertical	339	1.71	76.22	34.50	7.33	45.95
PK	5.9795G	106.04	Inf	-Inf	-4.12	3	Vertical	339	1.71	110.16	34.50	7.35	45.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	65.22	68.20	-2.98	-4.12	3	Horizontal	195	1.78	69.34	34.50	7.33	45.95
AV	6.007G	101.61	Inf	-Inf	-4.14	3	Horizontal	195	1.78	105.75	34.47	7.36	45.97
PK	5.9245G	75.81	88.20	-12.39	-4.12	3	Horizontal	195	1.78	79.93	34.50	7.33	45.95
PK	6.007G	112.69	Inf	-Inf	-4.14	3	Horizontal	195	1.78	116.83	34.47	7.36	45.97


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	48.85	68.20	-19.35	-4.12	3	Vertical	341	1.69	52.97	34.50	7.33	45.95
AV	5.98G	87.79	Inf	-Inf	-4.12	3	Vertical	341	1.69	91.91	34.50	7.35	45.97
PK	5.919G	59.56	88.20	-28.64	-4.12	3	Vertical	341	1.69	63.68	34.50	7.33	45.95
PK	5.98G	98.16	Inf	-Inf	-4.12	3	Vertical	341	1.69	102.28	34.50	7.35	45.97

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	54.27	68.20	-13.93	-4.13	3	Horizontal	209	1.69	58.40	34.50	7.32	45.95
AV	6.108G	96.51	Inf	-Inf	-4.26	3	Horizontal	209	1.69	100.77	34.32	7.40	45.98
PK	5.908G	65.37	88.20	-22.83	-4.13	3	Horizontal	209	1.69	69.50	34.50	7.32	45.95
PK	6.129G	107.20	Inf	-Inf	-4.21	3	Horizontal	209	1.69	111.41	34.36	7.41	45.98


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	11.96648G	45.91	54.00	-8.09	3	Vertical	39	1.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	AV	12.06408G	46.29	54.00	-7.71	3	Vertical	308	2.01
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	AV	12.2036G	45.57	54.00	-8.43	3	Vertical	39	2.44
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	13.2623G	42.87	54.00	-11.13	3	Vertical	213	1.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	13.33894G	42.86	54.00	-11.14	3	Horizontal	161	2.74

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	51.76	68.20	-16.44	3	Vertical	336	1.50
5985MHz	Pass	AV	6.021G	90.96	Inf	-Inf	3	Vertical	336	1.50
5985MHz	Pass	PK	5.92G	66.25	88.20	-21.95	3	Vertical	336	1.50
5985MHz	Pass	PK	5.98G	102.35	Inf	-Inf	3	Vertical	336	1.50
5985MHz	Pass	AV	5.9095G	52.57	68.20	-15.63	3	Horizontal	199	1.82
5985MHz	Pass	AV	6.008G	100.74	Inf	-Inf	3	Horizontal	199	1.82
5985MHz	Pass	PK	5.9105G	67.22	88.20	-20.98	3	Horizontal	199	1.82
5985MHz	Pass	PK	6.0075G	112.06	Inf	-Inf	3	Horizontal	199	1.82
5985MHz	Pass	AV	11.98504G	45.15	54.00	-8.85	3	Vertical	307	1.50
5985MHz	Pass	PK	11.9844G	56.61	74.00	-17.39	3	Vertical	307	1.50
5985MHz	Pass	AV	11.9844G	45.17	54.00	-8.83	3	Horizontal	27	1.50
5985MHz	Pass	PK	11.98488G	56.17	74.00	-17.83	3	Horizontal	27	1.50
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.8995G	46.24	68.20	-21.96	3	Vertical	339	1.53
5985MHz	Pass	AV	6.021G	90.72	Inf	-Inf	3	Vertical	339	1.53
5985MHz	Pass	PK	5.899G	61.93	88.20	-26.27	3	Vertical	339	1.53
5985MHz	Pass	PK	6.021G	100.89	Inf	-Inf	3	Vertical	339	1.53
5985MHz	Pass	AV	5.8965G	48.68	68.20	-19.52	3	Horizontal	206	1.50
5985MHz	Pass	AV	6.0105G	100.61	Inf	-Inf	3	Horizontal	206	1.50
5985MHz	Pass	PK	5.91G	64.72	88.20	-23.48	3	Horizontal	206	1.50
5985MHz	Pass	PK	6.0115G	110.59	Inf	-Inf	3	Horizontal	206	1.50
5985MHz	Pass	AV	11.96648G	45.91	54.00	-8.09	3	Vertical	39	1.00
5985MHz	Pass	PK	11.9664G	57.20	74.00	-16.80	3	Vertical	39	1.00
5985MHz	Pass	AV	11.96552G	45.67	54.00	-8.33	3	Horizontal	27	1.50
5985MHz	Pass	PK	11.96456G	56.45	74.00	-17.55	3	Horizontal	27	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	PK	13.24442G	54.29	88.20	-33.91	3	Vertical	328	2.81
6625MHz	Pass	AV	13.26494G	42.77	54.00	-11.23	3	Vertical	328	2.81
6625MHz	Pass	PK	13.2578G	54.52	74.00	-19.48	3	Horizontal	21	1.37
6625MHz	Pass	AV	13.2617G	42.77	54.00	-11.23	3	Horizontal	21	1.37
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	PK	13.26056G	54.72	74.00	-19.28	3	Vertical	213	1.09
6625MHz	Pass	AV	13.2623G	42.87	54.00	-11.13	3	Vertical	213	1.09
6625MHz	Pass	PK	13.24958G	55.37	88.20	-32.83	3	Horizontal	127	2.03
6625MHz	Pass	AV	13.259G	42.72	54.00	-11.28	3	Horizontal	127	2.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	45.46	68.20	-22.74	3	Vertical	335	1.36
6025MHz	Pass	AV	6.1035G	86.29	Inf	-Inf	3	Vertical	335	1.36
6025MHz	Pass	PK	5.9135G	56.84	88.20	-31.36	3	Vertical	335	1.36
6025MHz	Pass	PK	6.1015G	97.29	Inf	-Inf	3	Vertical	335	1.36
6025MHz	Pass	AV	5.925G	51.25	68.20	-16.95	3	Horizontal	195	1.76
6025MHz	Pass	AV	6.087G	98.20	Inf	-Inf	3	Horizontal	195	1.76
6025MHz	Pass	PK	5.908G	65.88	88.20	-22.32	3	Horizontal	195	1.76
6025MHz	Pass	PK	6.0665G	108.83	Inf	-Inf	3	Horizontal	195	1.76
6025MHz	Pass	AV	12.12168G	45.86	54.00	-8.14	3	Vertical	30	1.50
6025MHz	Pass	PK	12.12168G	57.63	74.00	-16.37	3	Vertical	30	1.50
6025MHz	Pass	AV	12.12392G	44.95	54.00	-9.05	3	Horizontal	12	1.50
6025MHz	Pass	PK	12.12488G	55.97	74.00	-18.03	3	Horizontal	12	1.50
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	46.12	68.20	-22.08	3	Vertical	335	1.37
6025MHz	Pass	AV	6.103G	87.58	Inf	-Inf	3	Vertical	335	1.37
6025MHz	Pass	PK	5.9145G	62.33	88.20	-25.87	3	Vertical	335	1.37
6025MHz	Pass	PK	6.104G	98.28	Inf	-Inf	3	Vertical	335	1.37
6025MHz	Pass	AV	5.9085G	50.44	68.20	-17.76	3	Horizontal	208	1.68
6025MHz	Pass	AV	6.089G	99.33	Inf	-Inf	3	Horizontal	208	1.68
6025MHz	Pass	PK	5.9095G	69.49	88.20	-18.71	3	Horizontal	208	1.68
6025MHz	Pass	PK	6.0885G	109.80	Inf	-Inf	3	Horizontal	208	1.68
6025MHz	Pass	AV	12.06344G	45.22	54.00	-8.78	3	Vertical	308	2.02
6025MHz	Pass	PK	12.08392G	56.54	74.00	-17.46	3	Vertical	308	2.02
6025MHz	Pass	AV	12.1252G	45.15	54.00	-8.85	3	Horizontal	312	1.04

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	PK	12.06504G	56.29	74.00	-17.71	3	Horizontal	312	1.04
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	45.09	68.20	-23.11	3	Vertical	334	1.37
6025MHz	Pass	AV	6.1025G	88.50	Inf	-Inf	3	Vertical	334	1.37
6025MHz	Pass	PK	5.824G	56.19	88.20	-32.01	3	Vertical	334	1.37
6025MHz	Pass	PK	6.1035G	99.82	Inf	-Inf	3	Vertical	334	1.37
6025MHz	Pass	AV	5.925G	48.40	68.20	-19.80	3	Horizontal	196	1.77
6025MHz	Pass	AV	6.086G	99.66	Inf	-Inf	3	Horizontal	196	1.77
6025MHz	Pass	PK	5.925G	64.07	88.20	-24.13	3	Horizontal	196	1.77
6025MHz	Pass	PK	6.0855G	110.77	Inf	-Inf	3	Horizontal	196	1.77
6025MHz	Pass	AV	12.06408G	46.29	54.00	-7.71	3	Vertical	308	2.01
6025MHz	Pass	PK	12.06504G	58.27	74.00	-15.73	3	Vertical	308	2.01
6025MHz	Pass	AV	12.06568G	44.16	54.00	-9.84	3	Horizontal	301	1.50
6025MHz	Pass	PK	12.06472G	55.73	74.00	-18.27	3	Horizontal	301	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	13.33714G	55.31	74.00	-18.69	3	Vertical	280	1.67
6665MHz	Pass	AV	13.3279G	42.77	54.00	-11.23	3	Vertical	280	1.67
6665MHz	Pass	PK	13.3378G	54.03	74.00	-19.97	3	Horizontal	161	2.74
6665MHz	Pass	AV	13.33894G	42.86	54.00	-11.14	3	Horizontal	161	2.74
802.11be EHT160_Nss1,(MCS0),RU726+RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	13.31686G	54.65	74.00	-19.35	3	Vertical	6	1.18
6665MHz	Pass	AV	13.32886G	42.80	54.00	-11.20	3	Vertical	6	1.18
6665MHz	Pass	PK	13.33258G	54.92	74.00	-19.08	3	Horizontal	35	1.85
6665MHz	Pass	AV	13.33096G	42.78	54.00	-11.22	3	Horizontal	35	1.85
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	13.32676G	54.92	74.00	-19.08	3	Vertical	281	1.13
6665MHz	Pass	AV	13.32904G	42.84	54.00	-11.16	3	Vertical	281	1.13
6665MHz	Pass	PK	13.33246G	54.42	74.00	-19.58	3	Horizontal	326	2.13
6665MHz	Pass	AV	13.33642G	42.84	54.00	-11.16	3	Horizontal	326	2.13
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	45.03	68.20	-23.17	3	Vertical	335	1.37
6105MHz	Pass	AV	6.103G	83.53	Inf	-Inf	3	Vertical	335	1.37
6105MHz	Pass	PK	5.925G	56.51	88.20	-31.69	3	Vertical	335	1.37
6105MHz	Pass	PK	6.102G	94.84	Inf	-Inf	3	Vertical	335	1.37
6105MHz	Pass	AV	5.909G	49.69	68.20	-18.51	3	Horizontal	208	1.64
6105MHz	Pass	AV	6.109G	95.52	Inf	-Inf	3	Horizontal	208	1.64
6105MHz	Pass	PK	5.908G	64.32	88.20	-23.88	3	Horizontal	208	1.64
6105MHz	Pass	PK	6.168G	106.00	Inf	-Inf	3	Horizontal	208	1.64
6105MHz	Pass	AV	12.16328G	43.39	54.00	-10.61	3	Vertical	12	1.48
6105MHz	Pass	PK	12.1636G	54.65	74.00	-19.35	3	Vertical	12	1.48
6105MHz	Pass	AV	12.16328G	42.80	54.00	-11.20	3	Horizontal	342	1.50
6105MHz	Pass	PK	12.162G	54.26	74.00	-19.74	3	Horizontal	342	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	45.00	68.20	-23.20	3	Vertical	334	1.25
6105MHz	Pass	AV	6.123G	84.38	Inf	-Inf	3	Vertical	334	1.25
6105MHz	Pass	PK	5.925G	56.65	88.20	-31.55	3	Vertical	334	1.25
6105MHz	Pass	PK	6.124G	94.63	Inf	-Inf	3	Vertical	334	1.25
6105MHz	Pass	AV	5.91G	49.29	68.20	-18.91	3	Horizontal	207	1.62
6105MHz	Pass	AV	6.11G	96.47	Inf	-Inf	3	Horizontal	207	1.62
6105MHz	Pass	PK	5.891G	62.46	88.20	-25.74	3	Horizontal	207	1.62
6105MHz	Pass	PK	6.109G	107.40	Inf	-Inf	3	Horizontal	207	1.62
6105MHz	Pass	AV	12.26376G	45.40	54.00	-8.60	3	Vertical	37	2.46
6105MHz	Pass	PK	12.16232G	56.79	74.00	-17.21	3	Vertical	37	2.46
6105MHz	Pass	AV	12.18344G	43.32	54.00	-10.68	3	Horizontal	12	1.48
6105MHz	Pass	PK	12.16328G	56.27	74.00	-17.73	3	Horizontal	12	1.48
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	45.11	68.20	-23.09	3	Vertical	335	1.38
6105MHz	Pass	AV	6.103G	84.59	Inf	-Inf	3	Vertical	335	1.38
6105MHz	Pass	PK	5.922G	56.13	88.20	-32.07	3	Vertical	335	1.38
6105MHz	Pass	PK	6.103G	96.05	Inf	-Inf	3	Vertical	335	1.38
6105MHz	Pass	AV	5.925G	48.78	68.20	-19.42	3	Horizontal	161	1.75
6105MHz	Pass	AV	6.168G	95.96	Inf	-Inf	3	Horizontal	161	1.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.907G	67.00	88.20	-21.20	3	Horizontal	161	1.75
6105MHz	Pass	PK	6.148G	107.16	Inf	-Inf	3	Horizontal	161	1.75
6105MHz	Pass	AV	12.14088G	44.79	54.00	-9.21	3	Vertical	31	1.47
6105MHz	Pass	PK	12.16008G	56.01	74.00	-17.99	3	Vertical	31	1.47
6105MHz	Pass	AV	12.14472G	43.74	54.00	-10.26	3	Horizontal	340	1.50
6105MHz	Pass	PK	12.14376G	55.49	74.00	-18.51	3	Horizontal	340	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.917G	44.24	68.20	-23.96	3	Vertical	52	2.08
6105MHz	Pass	AV	6.246G	87.63	Inf	-Inf	3	Vertical	52	2.08
6105MHz	Pass	PK	5.906G	56.06	88.20	-32.14	3	Vertical	52	2.08
6105MHz	Pass	PK	6.246G	97.27	Inf	-Inf	3	Vertical	52	2.08
6105MHz	Pass	AV	5.925G	48.24	68.20	-19.96	3	Horizontal	161	1.59
6105MHz	Pass	AV	6.249G	96.85	Inf	-Inf	3	Horizontal	161	1.59
6105MHz	Pass	PK	5.925G	62.39	88.20	-25.81	3	Horizontal	161	1.59
6105MHz	Pass	PK	6.249G	107.92	Inf	-Inf	3	Horizontal	161	1.59
6105MHz	Pass	AV	12.2036G	45.57	54.00	-8.43	3	Vertical	39	2.44
6105MHz	Pass	PK	12.2228G	56.08	74.00	-17.92	3	Vertical	39	2.44
6105MHz	Pass	AV	12.2228G	43.42	54.00	-10.58	3	Horizontal	13	2.35
6105MHz	Pass	PK	12.22248G	53.55	74.00	-20.45	3	Horizontal	13	2.35

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8965G	48.68	68.20	-19.52	-4.14	3	Horizontal	206	1.50	52.82	34.49	7.32	45.95
AV	6.0105G	100.61	Inf	-Inf	-4.15	3	Horizontal	206	1.50	104.76	34.46	7.36	45.97
PK	5.91G	64.72	88.20	-23.48	-4.13	3	Horizontal	206	1.50	68.85	34.50	7.32	45.95
PK	6.0115G	110.59	Inf	-Inf	-4.16	3	Horizontal	206	1.50	114.75	34.45	7.36	45.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8995G	46.24	68.20	-21.96	-4.13	3	Vertical	339	1.53	50.37	34.50	7.32	45.95
AV	6.021G	90.72	Inf	-Inf	-4.18	3	Vertical	339	1.53	94.90	34.42	7.37	45.97
PK	5.899G	61.93	88.20	-26.27	-4.13	3	Vertical	339	1.53	66.06	34.50	7.32	45.95
PK	6.021G	100.89	Inf	-Inf	-4.18	3	Vertical	339	1.53	105.07	34.42	7.37	45.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	11.96552G	45.67	54.00	-8.33	6.73	3	Horizontal	27	1.50	38.94	38.86	10.64	42.77				
PK	11.96456G	56.45	74.00	-17.55	6.73	3	Horizontal	27	1.50	49.72	38.86	10.64	42.77				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	11.96648G	45.91	54.00	-8.09	6.74	3	Vertical	39	1.00	39.17	38.87	10.64	42.77				
PK	11.96664G	57.20	74.00	-16.80	6.74	3	Vertical	39	1.00	50.46	38.87	10.64	42.77				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.40	68.20	-19.80	-4.12	3	Horizontal	196	1.77	52.52	34.50	7.33	45.95
AV	6.086G	99.66	Inf	-Inf	-4.29	3	Horizontal	196	1.77	103.95	34.30	7.39	45.98
PK	5.925G	64.07	88.20	-24.13	-4.12	3	Horizontal	196	1.77	68.19	34.50	7.33	45.95
PK	6.0855G	110.77	Inf	-Inf	-4.29	3	Horizontal	196	1.77	115.06	34.30	7.39	45.98

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	45.09	68.20	-23.11	-4.12	3	Vertical	334	1.37	49.21	34.50	7.33	45.95
AV	6.1025G	88.50	Inf	-Inf	-4.28	3	Vertical	334	1.37	92.78	34.30	7.40	45.98
PK	5.824G	56.19	88.20	-32.01	-4.34	3	Vertical	334	1.37	60.53	34.30	7.29	45.93
PK	6.1035G	99.82	Inf	-Inf	-4.27	3	Vertical	334	1.37	104.09	34.31	7.40	45.98

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	12.06568G	44.16	54.00	-9.84	6.98	3	Horizontal	301	1.50	37.18	39.06	10.69	42.77				
PK	12.06472G	55.73	74.00	-18.27	6.98	3	Horizontal	301	1.50	48.75	39.06	10.69	42.77				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	12.06408G	46.29	54.00	-7.71	6.98	3	Vertical	308	2.01	39.31	39.06	10.69	42.77				
PK	12.06504G	58.27	74.00	-15.73	6.98	3	Vertical	308	2.01	51.29	39.06	10.69	42.77				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	48.24	68.20	-19.96	-4.12	3	Horizontal	161	1.59	52.36	34.50	7.33	45.95
AV	6.249G	96.85	Inf	-Inf	-3.93	3	Horizontal	161	1.59	100.78	34.59	7.46	45.98
PK	5.925G	62.39	88.20	-25.81	-4.12	3	Horizontal	161	1.59	66.51	34.50	7.33	45.95
PK	6.249G	107.92	Inf	-Inf	-3.93	3	Horizontal	161	1.59	111.85	34.59	7.46	45.98

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	44.24	68.20	-23.96	-4.12	3	Vertical	52	2.08	48.36	34.50	7.33	45.95
AV	6.246G	87.63	Inf	-Inf	-3.94	3	Vertical	52	2.08	91.57	34.58	7.46	45.98
PK	5.906G	56.06	88.20	-32.14	-4.13	3	Vertical	52	2.08	60.19	34.50	7.32	45.95
PK	6.246G	97.27	Inf	-Inf	-3.94	3	Vertical	52	2.08	101.21	34.58	7.46	45.98

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	12.2228G	43.42	54.00	-10.58	7.17	3	Horizontal	13	2.35	36.25	39.15	10.75	42.73				
PK	12.22248G	53.55	74.00	-20.45	7.18	3	Horizontal	13	2.35	46.37	39.16	10.75	42.73				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	12.2036G	45.57	54.00	-8.43	7.19	3	Vertical	39	2.44	38.38	39.19	10.74	42.74				
PK	12.2228G	56.08	74.00	-17.92	7.17	3	Vertical	39	2.44	48.91	39.15	10.75	42.73				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	13.26056G	54.72	74.00	-19.28	8.32	3	Vertical	213	1.09	46.40	39.72	11.17	42.57				
AV	13.2623G	42.87	54.00	-11.13	8.32	3	Vertical	213	1.09	34.55	39.72	11.17	42.57				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
PK	13.24958G	55.37	88.20	-32.83	8.31	3	Horizontal	127	2.03	47.06	39.70	11.17	42.56				
AV	13.259G	42.72	54.00	-11.28	8.32	3	Horizontal	127	2.03	34.40	39.72	11.17	42.57				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	13.33714G	55.31	74.00	-18.69	8.49	3	Vertical	280	1.67	46.82	39.87	11.20	42.58				
AV	13.3279G	42.77	54.00	-11.23	8.48	3	Vertical	280	1.67	34.29	39.86	11.20	42.58				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	13.3378G	54.03	74.00	-19.97	8.50	3	Horizontal	161	2.74	45.53	39.88	11.20	42.58				
AV	13.33894G	42.86	54.00	-11.14	8.50	3	Horizontal	161	2.74	34.36	39.88	11.20	42.58				



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	AV	11.9836G	49.23	54.00	-4.77	3	Vertical	48	2.75
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	Pass	AV	5.925G	61.03	68.20	-7.17	3	Horizontal	8	1.71
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	Pass	AV	12.20344G	46.36	54.00	-7.64	3	Vertical	37	2.30
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	AV	13.26074G	41.91	54.00	-12.09	3	Horizontal	164	2.79
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	Pass	AV	13.327G	42.31	54.00	-11.69	3	Horizontal	316	2.01

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	53.27	68.20	-14.93	3	Vertical	336	1.49
5985MHz	Pass	AV	6.021G	92.21	Inf	-Inf	3	Vertical	336	1.49
5985MHz	Pass	PK	5.921G	69.95	88.20	-18.25	3	Vertical	336	1.49
5985MHz	Pass	PK	6.021G	104.28	Inf	-Inf	3	Vertical	336	1.49
5985MHz	Pass	AV	5.925G	57.96	68.20	-10.24	3	Horizontal	9	1.70
5985MHz	Pass	AV	6.008G	102.16	Inf	-Inf	3	Horizontal	9	1.70
5985MHz	Pass	PK	5.925G	69.76	88.20	-18.44	3	Horizontal	9	1.70
5985MHz	Pass	PK	6.008G	114.12	Inf	-Inf	3	Horizontal	9	1.70
5985MHz	Pass	AV	11.9836G	49.23	54.00	-4.77	3	Vertical	48	2.75
5985MHz	Pass	PK	11.984G	61.29	74.00	-12.71	3	Vertical	48	2.75
5985MHz	Pass	AV	11.98456G	47.08	54.00	-6.92	3	Horizontal	311	1.43
5985MHz	Pass	PK	11.98472G	59.37	74.00	-14.63	3	Horizontal	311	1.43
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	56.60	68.20	-11.60	3	Vertical	336	1.49
5985MHz	Pass	AV	6.021G	91.86	Inf	-Inf	3	Vertical	336	1.49
5985MHz	Pass	PK	5.92G	71.61	88.20	-16.59	3	Vertical	336	1.49
5985MHz	Pass	PK	6.021G	103.38	Inf	-Inf	3	Vertical	336	1.49
5985MHz	Pass	AV	5.925G	60.49	68.20	-7.71	3	Horizontal	192	1.80
5985MHz	Pass	AV	6.008G	101.98	Inf	-Inf	3	Horizontal	192	1.80
5985MHz	Pass	PK	5.925G	73.85	88.20	-14.35	3	Horizontal	192	1.80
5985MHz	Pass	PK	6.007G	112.63	Inf	-Inf	3	Horizontal	192	1.80
5985MHz	Pass	AV	11.96688G	46.55	54.00	-7.45	3	Vertical	328	2.89
5985MHz	Pass	PK	11.96528G	58.24	74.00	-15.76	3	Vertical	328	2.89
5985MHz	Pass	AV	11.96424G	45.36	54.00	-8.64	3	Horizontal	311	1.50
5985MHz	Pass	PK	11.96488G	57.78	74.00	-16.22	3	Horizontal	311	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	58.64	68.20	-9.56	3	Vertical	336	1.50
5985MHz	Pass	AV	6.021G	91.84	Inf	-Inf	3	Vertical	336	1.50
5985MHz	Pass	PK	5.92G	72.77	88.20	-15.43	3	Vertical	336	1.50
5985MHz	Pass	PK	6.021G	103.79	Inf	-Inf	3	Vertical	336	1.50
5985MHz	Pass	AV	5.925G	61.40	68.20	-6.80	3	Horizontal	192	1.75
5985MHz	Pass	AV	6.008G	101.78	Inf	-Inf	3	Horizontal	192	1.75
5985MHz	Pass	PK	5.908G	76.26	88.20	-11.94	3	Horizontal	192	1.75
5985MHz	Pass	PK	6.008G	112.37	Inf	-Inf	3	Horizontal	192	1.75
5985MHz	Pass	AV	11.9848G	47.62	54.00	-6.38	3	Vertical	327	2.29
5985MHz	Pass	PK	11.9856G	60.32	74.00	-13.68	3	Vertical	327	2.29
5985MHz	Pass	AV	11.98456G	46.21	54.00	-7.79	3	Horizontal	310	1.50
5985MHz	Pass	PK	11.98472G	58.60	74.00	-15.40	3	Horizontal	310	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	56.01	68.20	-12.19	3	Vertical	338	1.69
5985MHz	Pass	AV	5.98G	91.84	Inf	-Inf	3	Vertical	338	1.69
5985MHz	Pass	PK	5.92G	71.41	88.20	-16.79	3	Vertical	338	1.69
5985MHz	Pass	PK	5.98G	103.77	Inf	-Inf	3	Vertical	338	1.69
5985MHz	Pass	AV	5.925G	58.89	68.20	-9.31	3	Horizontal	0	1.50
5985MHz	Pass	AV	5.987G	98.14	Inf	-Inf	3	Horizontal	0	1.50
5985MHz	Pass	PK	5.925G	71.17	88.20	-17.03	3	Horizontal	0	1.50
5985MHz	Pass	PK	5.988G	108.37	Inf	-Inf	3	Horizontal	0	1.50
5985MHz	Pass	AV	11.96624G	47.23	54.00	-6.77	3	Vertical	327	2.95
5985MHz	Pass	PK	11.966G	59.50	74.00	-14.50	3	Vertical	327	2.95
5985MHz	Pass	AV	11.96416G	46.00	54.00	-8.00	3	Horizontal	311	1.50
5985MHz	Pass	PK	11.96472G	58.51	74.00	-15.49	3	Horizontal	311	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6625MHz	Pass	PK	13.25648G	54.36	74.00	-19.64	3	Vertical	200	2.97
6625MHz	Pass	AV	13.26044G	41.89	54.00	-12.11	3	Vertical	200	2.97
6625MHz	Pass	PK	13.26044G	54.36	74.00	-19.64	3	Horizontal	164	2.79
6625MHz	Pass	AV	13.26074G	41.91	54.00	-12.09	3	Horizontal	164	2.79
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	54.99	68.20	-13.21	3	Vertical	337	1.70
6025MHz	Pass	AV	5.98G	88.71	Inf	-Inf	3	Vertical	337	1.70
6025MHz	Pass	PK	5.92G	71.46	88.20	-16.74	3	Vertical	337	1.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	PK	5.98G	99.93	Inf	-Inf	3	Vertical	337	1.70
6025MHz	Pass	AV	5.909G	56.55	68.20	-11.65	3	Horizontal	206	1.76
6025MHz	Pass	AV	6.089G	99.67	Inf	-Inf	3	Horizontal	206	1.76
6025MHz	Pass	PK	5.909G	70.28	88.20	-17.92	3	Horizontal	206	1.76
6025MHz	Pass	PK	6.09G	111.00	Inf	-Inf	3	Horizontal	206	1.76
6025MHz	Pass	AV	12.06408G	45.68	54.00	-8.32	3	Vertical	322	2.76
6025MHz	Pass	PK	12.07896G	58.87	74.00	-15.13	3	Vertical	322	2.76
6025MHz	Pass	AV	12.0636G	44.82	54.00	-9.18	3	Horizontal	295	1.41
6025MHz	Pass	PK	12.06664G	57.53	74.00	-16.47	3	Horizontal	295	1.41
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	54.91	68.20	-13.29	3	Vertical	336	1.50
6025MHz	Pass	AV	6.021G	88.19	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	PK	5.921G	71.82	88.20	-16.38	3	Vertical	336	1.50
6025MHz	Pass	PK	6.021G	99.52	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	AV	5.909G	56.61	68.20	-11.59	3	Horizontal	206	1.67
6025MHz	Pass	AV	6.089G	99.62	Inf	-Inf	3	Horizontal	206	1.67
6025MHz	Pass	PK	5.91G	70.06	88.20	-18.14	3	Horizontal	206	1.67
6025MHz	Pass	PK	6.088G	110.26	Inf	-Inf	3	Horizontal	206	1.67
6025MHz	Pass	AV	12.08424G	45.43	54.00	-8.57	3	Vertical	327	1.36
6025MHz	Pass	PK	12.06376G	59.01	74.00	-14.99	3	Vertical	327	1.36
6025MHz	Pass	AV	12.0844G	44.62	54.00	-9.38	3	Horizontal	291	1.33
6025MHz	Pass	PK	12.08408G	56.67	74.00	-17.33	3	Horizontal	291	1.33
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	55.27	68.20	-12.93	3	Vertical	336	1.50
6025MHz	Pass	AV	6.021G	88.19	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	PK	5.921G	71.77	88.20	-16.43	3	Vertical	336	1.50
6025MHz	Pass	PK	5.979G	99.76	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	AV	5.91G	57.85	68.20	-10.35	3	Horizontal	205	1.74
6025MHz	Pass	AV	6.09G	99.57	Inf	-Inf	3	Horizontal	205	1.74
6025MHz	Pass	PK	5.91G	71.96	88.20	-16.24	3	Horizontal	205	1.74
6025MHz	Pass	PK	6.09G	111.77	Inf	-Inf	3	Horizontal	205	1.74
6025MHz	Pass	AV	12.06488G	45.24	54.00	-8.76	3	Vertical	327	2.25
6025MHz	Pass	PK	12.0628G	58.14	74.00	-15.86	3	Vertical	327	2.25
6025MHz	Pass	AV	12.06424G	43.88	54.00	-10.12	3	Horizontal	312	1.50
6025MHz	Pass	PK	12.04456G	55.87	74.00	-18.13	3	Horizontal	312	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	55.88	68.20	-12.32	3	Vertical	337	1.68
6025MHz	Pass	AV	5.98G	88.96	Inf	-Inf	3	Vertical	337	1.68
6025MHz	Pass	PK	5.921G	72.54	88.20	-15.66	3	Vertical	337	1.68
6025MHz	Pass	PK	5.981G	100.46	Inf	-Inf	3	Vertical	337	1.68
6025MHz	Pass	AV	5.91G	57.39	68.20	-10.81	3	Horizontal	206	1.77
6025MHz	Pass	AV	6.089G	99.56	Inf	-Inf	3	Horizontal	206	1.77
6025MHz	Pass	PK	5.909G	71.01	88.20	-17.19	3	Horizontal	206	1.77
6025MHz	Pass	PK	6.07G	110.13	Inf	-Inf	3	Horizontal	206	1.77
6025MHz	Pass	AV	12.06504G	44.98	54.00	-9.02	3	Vertical	327	2.25
6025MHz	Pass	PK	12.06344G	58.43	74.00	-15.57	3	Vertical	327	2.25
6025MHz	Pass	AV	12.06472G	44.11	54.00	-9.89	3	Horizontal	310	1.48
6025MHz	Pass	PK	12.026G	56.90	74.00	-17.10	3	Horizontal	310	1.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	53.83	68.20	-14.37	3	Vertical	336	1.49
6025MHz	Pass	AV	6.021G	87.87	Inf	-Inf	3	Vertical	336	1.49
6025MHz	Pass	PK	5.919G	67.53	88.20	-20.67	3	Vertical	336	1.49
6025MHz	Pass	PK	6G	99.25	Inf	-Inf	3	Vertical	336	1.49
6025MHz	Pass	AV	5.91G	56.96	68.20	-11.24	3	Horizontal	205	1.75
6025MHz	Pass	AV	6.09G	99.33	Inf	-Inf	3	Horizontal	205	1.75
6025MHz	Pass	PK	5.911G	70.71	88.20	-17.49	3	Horizontal	205	1.75
6025MHz	Pass	PK	6.09G	109.63	Inf	-Inf	3	Horizontal	205	1.75
6025MHz	Pass	AV	12.0644G	45.02	54.00	-8.98	3	Vertical	328	1.40
6025MHz	Pass	PK	12.02472G	56.70	74.00	-17.30	3	Vertical	328	1.40
6025MHz	Pass	AV	12.06472G	44.43	54.00	-9.57	3	Horizontal	310	1.47
6025MHz	Pass	PK	12.086G	56.58	74.00	-17.42	3	Horizontal	310	1.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	5.92G	56.21	68.20	-11.99	3	Vertical	336	1.50
6025MHz	Pass	AV	6.021G	88.21	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	PK	5.901G	72.76	88.20	-15.44	3	Vertical	336	1.50
6025MHz	Pass	PK	6G	99.97	Inf	-Inf	3	Vertical	336	1.50
6025MHz	Pass	AV	5.91G	58.90	68.20	-9.30	3	Horizontal	205	1.77
6025MHz	Pass	AV	6.09G	99.59	Inf	-Inf	3	Horizontal	205	1.77
6025MHz	Pass	PK	5.91G	73.38	88.20	-14.82	3	Horizontal	205	1.77
6025MHz	Pass	PK	6.089G	110.77	Inf	-Inf	3	Horizontal	205	1.77
6025MHz	Pass	AV	12.06424G	44.83	54.00	-9.17	3	Vertical	327	1.39
6025MHz	Pass	PK	12.08504G	56.35	74.00	-17.65	3	Vertical	327	1.39
6025MHz	Pass	AV	12.06456G	44.17	54.00	-9.83	3	Horizontal	310	1.48
6025MHz	Pass	PK	12.06568G	56.84	74.00	-17.16	3	Horizontal	310	1.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	55.17	68.20	-13.03	3	Vertical	336	1.47
6025MHz	Pass	AV	5.98G	88.44	Inf	-Inf	3	Vertical	336	1.47
6025MHz	Pass	PK	5.901G	73.53	88.20	-14.67	3	Vertical	336	1.47
6025MHz	Pass	PK	5.98G	100.23	Inf	-Inf	3	Vertical	336	1.47
6025MHz	Pass	AV	5.91G	58.63	68.20	-9.57	3	Horizontal	205	1.78
6025MHz	Pass	AV	6.09G	99.36	Inf	-Inf	3	Horizontal	205	1.78
6025MHz	Pass	PK	5.91G	71.68	88.20	-16.52	3	Horizontal	205	1.78
6025MHz	Pass	PK	6.09G	110.47	Inf	-Inf	3	Horizontal	205	1.78
6025MHz	Pass	AV	12.0652G	45.02	54.00	-8.98	3	Vertical	328	2.26
6025MHz	Pass	PK	12.06456G	57.07	74.00	-16.93	3	Vertical	328	2.26
6025MHz	Pass	AV	12.06472G	44.47	54.00	-9.53	3	Horizontal	311	1.45
6025MHz	Pass	PK	12.08392G	57.08	74.00	-16.92	3	Horizontal	311	1.45
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	56.21	68.20	-11.99	3	Vertical	338	1.69
6025MHz	Pass	AV	5.98G	88.73	Inf	-Inf	3	Vertical	338	1.69
6025MHz	Pass	PK	5.921G	72.92	88.20	-15.28	3	Vertical	338	1.69
6025MHz	Pass	PK	5.98G	99.53	Inf	-Inf	3	Vertical	338	1.69
6025MHz	Pass	AV	5.925G	61.03	68.20	-7.17	3	Horizontal	8	1.71
6025MHz	Pass	AV	6.068G	99.04	Inf	-Inf	3	Horizontal	8	1.71
6025MHz	Pass	PK	5.913G	73.48	88.20	-14.72	3	Horizontal	8	1.71
6025MHz	Pass	PK	6.048G	110.39	Inf	-Inf	3	Horizontal	8	1.71
6025MHz	Pass	AV	12.02488G	45.19	54.00	-8.81	3	Vertical	328	2.28
6025MHz	Pass	PK	12.06552G	58.04	74.00	-15.96	3	Vertical	328	2.28
6025MHz	Pass	AV	12.06472G	44.48	54.00	-9.52	3	Horizontal	310	1.47
6025MHz	Pass	PK	12.06584G	57.25	74.00	-16.75	3	Horizontal	310	1.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	49.52	68.20	-18.68	3	Vertical	336	1.49
6025MHz	Pass	AV	6.02G	87.80	Inf	-Inf	3	Vertical	336	1.49
6025MHz	Pass	PK	5.92G	68.67	88.20	-19.53	3	Vertical	336	1.49
6025MHz	Pass	PK	6.021G	99.24	Inf	-Inf	3	Vertical	336	1.49
6025MHz	Pass	AV	5.91G	51.46	68.20	-16.74	3	Horizontal	206	1.66
6025MHz	Pass	AV	6.089G	99.31	Inf	-Inf	3	Horizontal	206	1.66
6025MHz	Pass	PK	5.908G	68.30	88.20	-19.90	3	Horizontal	206	1.66
6025MHz	Pass	PK	6.089G	109.93	Inf	-Inf	3	Horizontal	206	1.66
6025MHz	Pass	AV	12.08488G	45.93	54.00	-8.07	3	Vertical	328	1.37
6025MHz	Pass	PK	12.06392G	58.67	74.00	-15.33	3	Vertical	328	1.37
6025MHz	Pass	AV	12.0852G	45.25	54.00	-8.75	3	Horizontal	310	1.43
6025MHz	Pass	PK	12.08456G	57.45	74.00	-16.55	3	Horizontal	310	1.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	51.80	68.20	-16.40	3	Vertical	337	1.68
6025MHz	Pass	AV	5.98G	88.70	Inf	-Inf	3	Vertical	337	1.68
6025MHz	Pass	PK	5.901G	70.53	88.20	-17.67	3	Vertical	337	1.68
6025MHz	Pass	PK	5.981G	100.41	Inf	-Inf	3	Vertical	337	1.68
6025MHz	Pass	AV	5.91G	54.04	68.20	-14.16	3	Horizontal	205	1.78
6025MHz	Pass	AV	6.09G	99.21	Inf	-Inf	3	Horizontal	205	1.78
6025MHz	Pass	PK	5.911G	73.50	88.20	-14.70	3	Horizontal	205	1.78
6025MHz	Pass	PK	6.07G	110.20	Inf	-Inf	3	Horizontal	205	1.78
6025MHz	Pass	AV	12.06456G	44.23	54.00	-9.77	3	Vertical	327	2.25
6025MHz	Pass	PK	12.08632G	55.61	74.00	-18.39	3	Vertical	327	2.25



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.06488G	43.51	54.00	-10.49	3	Horizontal	311	1.40
6025MHz	Pass	PK	12.06504G	55.99	74.00	-18.01	3	Horizontal	311	1.40
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	53.22	68.20	-14.98	3	Vertical	335	1.50
6025MHz	Pass	AV	6.021G	88.02	Inf	-Inf	3	Vertical	335	1.50
6025MHz	Pass	PK	5.921G	71.39	88.20	-16.81	3	Vertical	335	1.50
6025MHz	Pass	PK	6.02G	99.64	Inf	-Inf	3	Vertical	335	1.50
6025MHz	Pass	AV	5.909G	56.18	68.20	-12.02	3	Horizontal	206	1.69
6025MHz	Pass	AV	6.089G	99.91	Inf	-Inf	3	Horizontal	206	1.69
6025MHz	Pass	PK	5.909G	73.75	88.20	-14.45	3	Horizontal	206	1.69
6025MHz	Pass	PK	6.069G	110.94	Inf	-Inf	3	Horizontal	206	1.69
6025MHz	Pass	AV	12.08984G	44.44	54.00	-9.56	3	Vertical	30	2.34
6025MHz	Pass	PK	12.08952G	56.22	74.00	-17.78	3	Vertical	30	2.34
6025MHz	Pass	AV	12.06488G	43.92	54.00	-10.08	3	Horizontal	310	1.47
6025MHz	Pass	PK	12.06488G	55.90	74.00	-18.10	3	Horizontal	310	1.47
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	54.80	68.20	-13.40	3	Vertical	336	1.69
6025MHz	Pass	AV	5.98G	88.57	Inf	-Inf	3	Vertical	336	1.69
6025MHz	Pass	PK	5.92G	68.03	88.20	-20.17	3	Vertical	336	1.69
6025MHz	Pass	PK	5.979G	100.47	Inf	-Inf	3	Vertical	336	1.69
6025MHz	Pass	AV	5.925G	59.42	68.20	-8.78	3	Horizontal	8	1.74
6025MHz	Pass	AV	6.048G	99.06	Inf	-Inf	3	Horizontal	8	1.74
6025MHz	Pass	PK	5.925G	72.14	88.20	-16.06	3	Horizontal	8	1.74
6025MHz	Pass	PK	6.048G	109.67	Inf	-Inf	3	Horizontal	8	1.74
6025MHz	Pass	AV	12.02472G	45.54	54.00	-8.46	3	Vertical	327	2.30
6025MHz	Pass	PK	12.02456G	58.12	74.00	-15.88	3	Vertical	327	2.30
6025MHz	Pass	AV	12.0244G	44.43	54.00	-9.57	3	Horizontal	310	1.48
6025MHz	Pass	PK	12.01816G	56.17	74.00	-17.83	3	Horizontal	310	1.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	13.34308G	54.22	74.00	-19.78	3	Vertical	164	1.80
6665MHz	Pass	AV	13.32532G	42.21	54.00	-11.79	3	Vertical	164	1.80
6665MHz	Pass	PK	13.33078G	54.14	74.00	-19.86	3	Horizontal	316	2.01
6665MHz	Pass	AV	13.327G	42.31	54.00	-11.69	3	Horizontal	316	2.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	13.33912G	53.79	74.00	-20.21	3	Vertical	288	2.86
6665MHz	Pass	AV	13.32898G	42.24	54.00	-11.76	3	Vertical	288	2.86
6665MHz	Pass	PK	13.33264G	53.74	74.00	-20.26	3	Horizontal	322	1.15
6665MHz	Pass	AV	13.3267G	42.28	54.00	-11.72	3	Horizontal	322	1.15
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.911G	45.02	68.20	-23.18	3	Vertical	54	2.14
6105MHz	Pass	AV	6.205G	87.62	Inf	-Inf	3	Vertical	54	2.14
6105MHz	Pass	PK	5.917G	56.06	88.20	-32.14	3	Vertical	54	2.14
6105MHz	Pass	PK	6.207G	98.24	Inf	-Inf	3	Vertical	54	2.14
6105MHz	Pass	AV	5.911G	52.18	68.20	-16.02	3	Horizontal	206	1.50
6105MHz	Pass	AV	6.131G	95.39	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	PK	5.911G	65.94	88.20	-22.26	3	Horizontal	206	1.50
6105MHz	Pass	PK	6.251G	105.71	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	AV	12.20228G	45.15	54.00	-8.85	3	Vertical	53	1.92
6105MHz	Pass	PK	12.20216G	57.05	74.00	-16.95	3	Vertical	53	1.92
6105MHz	Pass	AV	12.2036G	44.60	54.00	-9.40	3	Horizontal	29	1.59
6105MHz	Pass	PK	12.20316G	55.87	74.00	-18.13	3	Horizontal	29	1.59
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.911G	45.94	68.20	-22.26	3	Vertical	54	2.06
6105MHz	Pass	AV	6.205G	86.81	Inf	-Inf	3	Vertical	54	2.06
6105MHz	Pass	PK	5.911G	58.23	88.20	-29.97	3	Vertical	54	2.06
6105MHz	Pass	PK	6.165G	97.53	Inf	-Inf	3	Vertical	54	2.06
6105MHz	Pass	AV	5.909G	53.10	68.20	-15.10	3	Horizontal	207	1.70
6105MHz	Pass	AV	6.129G	95.76	Inf	-Inf	3	Horizontal	207	1.70
6105MHz	Pass	PK	5.909G	64.26	88.20	-23.94	3	Horizontal	207	1.70
6105MHz	Pass	PK	6.131G	106.74	Inf	-Inf	3	Horizontal	207	1.70
6105MHz	Pass	AV	12.20388G	45.17	54.00	-8.83	3	Vertical	6	2.34
6105MHz	Pass	PK	12.20436G	56.99	74.00	-17.01	3	Vertical	6	2.34



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.2036G	44.62	54.00	-9.38	3	Horizontal	28	1.56
6105MHz	Pass	PK	12.20416G	56.79	74.00	-17.21	3	Horizontal	28	1.56
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	45.62	68.20	-22.58	3	Vertical	54	2.06
6105MHz	Pass	AV	6.205G	87.45	Inf	-Inf	3	Vertical	54	2.06
6105MHz	Pass	PK	5.909G	57.08	88.20	-31.12	3	Vertical	54	2.06
6105MHz	Pass	PK	6.207G	97.18	Inf	-Inf	3	Vertical	54	2.06
6105MHz	Pass	AV	5.909G	52.74	68.20	-15.46	3	Horizontal	208	1.71
6105MHz	Pass	AV	6.129G	96.53	Inf	-Inf	3	Horizontal	208	1.71
6105MHz	Pass	PK	5.849G	67.58	88.20	-20.62	3	Horizontal	208	1.71
6105MHz	Pass	PK	6.107G	107.83	Inf	-Inf	3	Horizontal	208	1.71
6105MHz	Pass	AV	12.20372G	45.05	54.00	-8.95	3	Vertical	52	1.50
6105MHz	Pass	PK	12.20324G	56.43	74.00	-17.57	3	Vertical	52	1.50
6105MHz	Pass	AV	12.20428G	44.90	54.00	-9.10	3	Horizontal	28	1.56
6105MHz	Pass	PK	12.20264G	56.35	74.00	-17.65	3	Horizontal	28	1.56
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	46.86	68.20	-21.34	3	Vertical	70	3.00
6105MHz	Pass	AV	6.117G	88.43	Inf	-Inf	3	Vertical	70	3.00
6105MHz	Pass	PK	5.915G	58.62	88.20	-29.58	3	Vertical	70	3.00
6105MHz	Pass	PK	6.115G	98.76	Inf	-Inf	3	Vertical	70	3.00
6105MHz	Pass	AV	5.911G	53.03	68.20	-15.17	3	Horizontal	206	1.50
6105MHz	Pass	AV	6.131G	95.51	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	PK	5.851G	65.32	88.20	-22.88	3	Horizontal	206	1.50
6105MHz	Pass	PK	6.191G	107.20	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	AV	12.20248G	44.86	54.00	-9.14	3	Vertical	53	1.91
6105MHz	Pass	PK	12.20256G	56.57	74.00	-17.43	3	Vertical	53	1.91
6105MHz	Pass	AV	12.20384G	44.62	54.00	-9.38	3	Horizontal	28	1.58
6105MHz	Pass	PK	12.20364G	56.21	74.00	-17.79	3	Horizontal	28	1.58
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	46.10	68.20	-22.10	3	Vertical	334	1.38
6105MHz	Pass	AV	6.103G	84.70	Inf	-Inf	3	Vertical	334	1.38
6105MHz	Pass	PK	5.925G	56.93	88.20	-31.27	3	Vertical	334	1.38
6105MHz	Pass	PK	6.103G	95.15	Inf	-Inf	3	Vertical	334	1.38
6105MHz	Pass	AV	5.925G	53.79	68.20	-14.41	3	Horizontal	203	1.77
6105MHz	Pass	AV	6.085G	95.48	Inf	-Inf	3	Horizontal	203	1.77
6105MHz	Pass	PK	5.925G	65.05	88.20	-23.15	3	Horizontal	203	1.77
6105MHz	Pass	PK	6.085G	108.00	Inf	-Inf	3	Horizontal	203	1.77
6105MHz	Pass	AV	12.20368G	44.74	54.00	-9.26	3	Vertical	52	1.50
6105MHz	Pass	PK	12.20196G	57.11	74.00	-16.89	3	Vertical	52	1.50
6105MHz	Pass	AV	12.20424G	44.51	54.00	-9.49	3	Horizontal	28	1.66
6105MHz	Pass	PK	12.20396G	56.62	74.00	-17.38	3	Horizontal	28	1.66
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.911G	45.57	68.20	-22.63	3	Vertical	54	2.13
6105MHz	Pass	AV	6.205G	87.49	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	PK	5.911G	56.95	88.20	-31.25	3	Vertical	54	2.13
6105MHz	Pass	PK	6.247G	98.71	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	AV	5.925G	55.82	68.20	-12.38	3	Horizontal	195	1.75
6105MHz	Pass	AV	6.107G	96.27	Inf	-Inf	3	Horizontal	195	1.75
6105MHz	Pass	PK	5.925G	68.10	88.20	-20.10	3	Horizontal	195	1.75
6105MHz	Pass	PK	6.087G	106.89	Inf	-Inf	3	Horizontal	195	1.75
6105MHz	Pass	AV	12.20484G	45.55	54.00	-8.45	3	Vertical	7	2.35
6105MHz	Pass	PK	12.2036G	57.81	74.00	-16.19	3	Vertical	7	2.35
6105MHz	Pass	AV	12.20424G	44.28	54.00	-9.72	3	Horizontal	29	1.66
6105MHz	Pass	PK	12.20432G	56.08	74.00	-17.92	3	Horizontal	29	1.66
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.917G	48.17	68.20	-20.03	3	Vertical	54	2.13
6105MHz	Pass	AV	6.247G	88.95	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	PK	5.911G	60.43	88.20	-27.77	3	Vertical	54	2.13
6105MHz	Pass	PK	6.247G	100.20	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	AV	5.911G	52.83	68.20	-15.37	3	Horizontal	206	1.50
6105MHz	Pass	AV	6.131G	95.63	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	PK	5.917G	64.20	88.20	-24.00	3	Horizontal	206	1.50



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	6.129G	107.08	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	AV	12.20204G	45.16	54.00	-8.84	3	Vertical	53	1.87
6105MHz	Pass	PK	12.2028G	56.25	74.00	-17.75	3	Vertical	53	1.87
6105MHz	Pass	AV	12.2038G	44.49	54.00	-9.51	3	Horizontal	29	1.55
6105MHz	Pass	PK	12.20152G	56.42	74.00	-17.58	3	Horizontal	29	1.55
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	45.74	68.20	-22.46	3	Vertical	334	1.25
6105MHz	Pass	AV	6.123G	84.20	Inf	-Inf	3	Vertical	334	1.25
6105MHz	Pass	PK	5.919G	56.82	88.20	-31.38	3	Vertical	334	1.25
6105MHz	Pass	PK	6.123G	95.12	Inf	-Inf	3	Vertical	334	1.25
6105MHz	Pass	AV	5.925G	53.33	68.20	-14.87	3	Horizontal	203	1.70
6105MHz	Pass	AV	6.125G	95.88	Inf	-Inf	3	Horizontal	203	1.70
6105MHz	Pass	PK	5.907G	63.97	88.20	-24.23	3	Horizontal	203	1.70
6105MHz	Pass	PK	6.165G	106.98	Inf	-Inf	3	Horizontal	203	1.70
6105MHz	Pass	AV	12.20468G	45.59	54.00	-8.41	3	Vertical	7	2.33
6105MHz	Pass	PK	12.20392G	57.61	74.00	-16.39	3	Vertical	7	2.33
6105MHz	Pass	AV	12.20364G	45.16	54.00	-8.84	3	Horizontal	28	1.57
6105MHz	Pass	PK	12.20228G	56.94	74.00	-17.06	3	Horizontal	28	1.57
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	46.33	68.20	-21.87	3	Vertical	70	2.83
6105MHz	Pass	AV	6.097G	88.90	Inf	-Inf	3	Vertical	70	2.83
6105MHz	Pass	PK	5.911G	59.23	88.20	-28.97	3	Vertical	70	2.83
6105MHz	Pass	PK	6.117G	99.92	Inf	-Inf	3	Vertical	70	2.83
6105MHz	Pass	AV	5.909G	52.21	68.20	-15.99	3	Horizontal	207	1.64
6105MHz	Pass	AV	6.109G	96.77	Inf	-Inf	3	Horizontal	207	1.64
6105MHz	Pass	PK	5.871G	65.43	88.20	-22.77	3	Horizontal	207	1.64
6105MHz	Pass	PK	6.129G	107.10	Inf	-Inf	3	Horizontal	207	1.64
6105MHz	Pass	AV	12.20392G	44.69	54.00	-9.31	3	Vertical	52	1.55
6105MHz	Pass	PK	12.20336G	56.98	74.00	-17.02	3	Vertical	52	1.55
6105MHz	Pass	AV	12.20448G	44.18	54.00	-9.82	3	Horizontal	29	1.50
6105MHz	Pass	PK	12.20584G	55.12	74.00	-18.88	3	Horizontal	29	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	46.03	68.20	-22.17	3	Vertical	71	2.95
6105MHz	Pass	AV	6.117G	89.13	Inf	-Inf	3	Vertical	71	2.95
6105MHz	Pass	PK	5.923G	58.77	88.20	-29.43	3	Vertical	71	2.95
6105MHz	Pass	PK	6.117G	98.98	Inf	-Inf	3	Vertical	71	2.95
6105MHz	Pass	AV	5.911G	51.89	68.20	-16.31	3	Horizontal	206	1.50
6105MHz	Pass	AV	6.131G	95.54	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	PK	5.911G	65.33	88.20	-22.87	3	Horizontal	206	1.50
6105MHz	Pass	PK	6.109G	105.69	Inf	-Inf	3	Horizontal	206	1.50
6105MHz	Pass	AV	12.20292G	44.13	54.00	-9.87	3	Vertical	52	1.49
6105MHz	Pass	PK	12.20368G	56.43	74.00	-17.57	3	Vertical	52	1.49
6105MHz	Pass	AV	12.20376G	43.52	54.00	-10.48	3	Horizontal	27	1.55
6105MHz	Pass	PK	12.20444G	54.42	74.00	-19.58	3	Horizontal	27	1.55
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	45.62	68.20	-22.58	3	Vertical	336	1.38
6105MHz	Pass	AV	6.103G	84.42	Inf	-Inf	3	Vertical	336	1.38
6105MHz	Pass	PK	5.923G	58.42	88.20	-29.78	3	Vertical	336	1.38
6105MHz	Pass	PK	6.103G	94.54	Inf	-Inf	3	Vertical	336	1.38
6105MHz	Pass	AV	5.909G	52.69	68.20	-15.51	3	Horizontal	207	1.68
6105MHz	Pass	AV	6.091G	95.96	Inf	-Inf	3	Horizontal	207	1.68
6105MHz	Pass	PK	5.891G	67.77	88.20	-20.43	3	Horizontal	207	1.68
6105MHz	Pass	PK	6.089G	107.53	Inf	-Inf	3	Horizontal	207	1.68
6105MHz	Pass	AV	12.20212G	44.12	54.00	-9.88	3	Vertical	53	1.92
6105MHz	Pass	PK	12.2022G	56.15	74.00	-17.85	3	Vertical	53	1.92
6105MHz	Pass	AV	12.20364G	43.90	54.00	-10.10	3	Horizontal	28	1.54
6105MHz	Pass	PK	12.20328G	56.50	74.00	-17.50	3	Horizontal	28	1.54
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.58	68.20	-20.62	3	Vertical	336	1.49
6105MHz	Pass	AV	6.021G	84.08	Inf	-Inf	3	Vertical	336	1.49
6105MHz	Pass	PK	5.919G	64.94	88.20	-23.26	3	Vertical	336	1.49
6105MHz	Pass	PK	6.021G	95.30	Inf	-Inf	3	Vertical	336	1.49



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	5.909G	51.95	68.20	-16.25	3	Horizontal	205	1.76
6105MHz	Pass	AV	6.109G	96.32	Inf	-Inf	3	Horizontal	205	1.76
6105MHz	Pass	PK	5.911G	71.20	88.20	-17.00	3	Horizontal	205	1.76
6105MHz	Pass	PK	6.131G	108.41	Inf	-Inf	3	Horizontal	205	1.76
6105MHz	Pass	AV	12.20196G	44.53	54.00	-9.47	3	Vertical	52	1.94
6105MHz	Pass	PK	12.2008G	56.02	74.00	-17.98	3	Vertical	52	1.94
6105MHz	Pass	AV	12.20304G	43.70	54.00	-10.30	3	Horizontal	27	1.58
6105MHz	Pass	PK	12.20328G	55.60	74.00	-18.40	3	Horizontal	27	1.58
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	46.79	68.20	-21.41	3	Vertical	337	1.50
6105MHz	Pass	AV	5.999G	83.97	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	PK	5.921G	61.48	88.20	-26.72	3	Vertical	337	1.50
6105MHz	Pass	PK	5.999G	95.02	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	AV	5.909G	50.31	68.20	-17.89	3	Horizontal	205	1.79
6105MHz	Pass	AV	6.111G	96.42	Inf	-Inf	3	Horizontal	205	1.79
6105MHz	Pass	PK	5.911G	67.19	88.20	-21.01	3	Horizontal	205	1.79
6105MHz	Pass	PK	6.149G	107.53	Inf	-Inf	3	Horizontal	205	1.79
6105MHz	Pass	AV	12.20264G	44.96	54.00	-9.04	3	Vertical	52	1.49
6105MHz	Pass	PK	12.20304G	56.45	74.00	-17.55	3	Vertical	52	1.49
6105MHz	Pass	AV	12.20384G	44.72	54.00	-9.28	3	Horizontal	28	1.61
6105MHz	Pass	PK	12.2032G	56.45	74.00	-17.55	3	Horizontal	28	1.61
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.05	68.20	-21.15	3	Vertical	337	1.67
6105MHz	Pass	AV	5.979G	84.59	Inf	-Inf	3	Vertical	337	1.67
6105MHz	Pass	PK	5.919G	59.54	88.20	-28.66	3	Vertical	337	1.67
6105MHz	Pass	PK	5.981G	95.12	Inf	-Inf	3	Vertical	337	1.67
6105MHz	Pass	AV	5.909G	49.46	68.20	-18.74	3	Horizontal	206	1.72
6105MHz	Pass	AV	6.129G	96.40	Inf	-Inf	3	Horizontal	206	1.72
6105MHz	Pass	PK	5.911G	66.98	88.20	-21.22	3	Horizontal	206	1.72
6105MHz	Pass	PK	6.129G	107.31	Inf	-Inf	3	Horizontal	206	1.72
6105MHz	Pass	AV	12.20516G	45.76	54.00	-8.24	3	Vertical	7	2.36
6105MHz	Pass	PK	12.20208G	57.28	74.00	-16.72	3	Vertical	7	2.36
6105MHz	Pass	AV	12.20388G	44.53	54.00	-9.47	3	Horizontal	28	1.50
6105MHz	Pass	PK	12.20408G	56.07	74.00	-17.93	3	Horizontal	28	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.08	68.20	-21.12	3	Vertical	336	1.50
6105MHz	Pass	AV	5.979G	83.93	Inf	-Inf	3	Vertical	336	1.50
6105MHz	Pass	PK	5.919G	60.47	88.20	-27.73	3	Vertical	336	1.50
6105MHz	Pass	PK	5.979G	95.63	Inf	-Inf	3	Vertical	336	1.50
6105MHz	Pass	AV	5.911G	50.23	68.20	-17.97	3	Horizontal	205	1.72
6105MHz	Pass	AV	6.129G	96.36	Inf	-Inf	3	Horizontal	205	1.72
6105MHz	Pass	PK	5.911G	69.80	88.20	-18.40	3	Horizontal	205	1.72
6105MHz	Pass	PK	6.111G	107.01	Inf	-Inf	3	Horizontal	205	1.72
6105MHz	Pass	AV	12.204G	44.32	54.00	-9.68	3	Vertical	7	2.36
6105MHz	Pass	PK	12.20476G	56.25	74.00	-17.75	3	Vertical	7	2.36
6105MHz	Pass	AV	12.20364G	43.33	54.00	-10.67	3	Horizontal	27	1.57
6105MHz	Pass	PK	12.20484G	55.03	74.00	-18.97	3	Horizontal	27	1.57
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.27	68.20	-20.93	3	Vertical	337	1.68
6105MHz	Pass	AV	5.979G	84.67	Inf	-Inf	3	Vertical	337	1.68
6105MHz	Pass	PK	5.921G	58.73	88.20	-29.47	3	Vertical	337	1.68
6105MHz	Pass	PK	5.979G	95.72	Inf	-Inf	3	Vertical	337	1.68
6105MHz	Pass	AV	5.909G	50.20	68.20	-18.00	3	Horizontal	205	1.71
6105MHz	Pass	AV	6.129G	96.31	Inf	-Inf	3	Horizontal	205	1.71
6105MHz	Pass	PK	5.911G	62.23	88.20	-25.97	3	Horizontal	205	1.71
6105MHz	Pass	PK	6.111G	107.23	Inf	-Inf	3	Horizontal	205	1.71
6105MHz	Pass	AV	12.2032G	43.77	54.00	-10.23	3	Vertical	52	1.50
6105MHz	Pass	PK	12.20596G	56.34	74.00	-17.66	3	Vertical	52	1.50
6105MHz	Pass	AV	12.2036G	43.50	54.00	-10.50	3	Horizontal	28	1.50
6105MHz	Pass	PK	12.20356G	54.88	74.00	-19.12	3	Horizontal	28	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.43	68.20	-20.77	3	Vertical	336	1.57



RSE TX above 1GHz
Non-Beamforming_Radio 2 Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	5.979G	84.18	Inf	-Inf	3	Vertical	336	1.57
6105MHz	Pass	PK	5.921G	59.01	88.20	-29.19	3	Vertical	336	1.57
6105MHz	Pass	PK	5.979G	94.54	Inf	-Inf	3	Vertical	336	1.57
6105MHz	Pass	AV	5.925G	49.96	68.20	-18.24	3	Horizontal	160	1.71
6105MHz	Pass	AV	6.147G	95.41	Inf	-Inf	3	Horizontal	160	1.71
6105MHz	Pass	PK	5.915G	61.99	88.20	-26.21	3	Horizontal	160	1.71
6105MHz	Pass	PK	6.167G	107.35	Inf	-Inf	3	Horizontal	160	1.71
6105MHz	Pass	AV	12.1853G	44.46	54.00	-9.54	3	Vertical	7	2.22
6105MHz	Pass	PK	12.1852G	55.41	74.00	-18.59	3	Vertical	7	2.22
6105MHz	Pass	AV	12.20396G	43.52	54.00	-10.48	3	Horizontal	28	1.55
6105MHz	Pass	PK	12.20372G	54.56	74.00	-19.44	3	Horizontal	28	1.55
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	47.49	68.20	-20.71	3	Vertical	337	1.50
6105MHz	Pass	AV	5.979G	83.89	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	PK	5.923G	59.12	88.20	-29.08	3	Vertical	337	1.50
6105MHz	Pass	PK	6.021G	96.33	Inf	-Inf	3	Vertical	337	1.50
6105MHz	Pass	AV	5.909G	50.18	68.20	-18.02	3	Horizontal	206	1.74
6105MHz	Pass	AV	6.129G	96.58	Inf	-Inf	3	Horizontal	206	1.74
6105MHz	Pass	PK	5.849G	63.42	88.20	-24.78	3	Horizontal	206	1.74
6105MHz	Pass	PK	6.129G	107.70	Inf	-Inf	3	Horizontal	206	1.74
6105MHz	Pass	AV	12.2056G	44.15	54.00	-9.85	3	Vertical	8	2.28
6105MHz	Pass	PK	12.20472G	56.14	74.00	-17.86	3	Vertical	8	2.28
6105MHz	Pass	AV	12.20368G	43.52	54.00	-10.48	3	Horizontal	28	1.50
6105MHz	Pass	PK	12.20396G	55.00	74.00	-19.00	3	Horizontal	28	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	45.91	68.20	-22.29	3	Vertical	44	1.57
6105MHz	Pass	AV	6.245G	84.46	Inf	-Inf	3	Vertical	44	1.57
6105MHz	Pass	PK	5.921G	57.86	88.20	-30.34	3	Vertical	44	1.57
6105MHz	Pass	PK	6.245G	95.77	Inf	-Inf	3	Vertical	44	1.57
6105MHz	Pass	AV	5.925G	47.59	68.20	-20.61	3	Horizontal	206	1.85
6105MHz	Pass	AV	6.109G	96.46	Inf	-Inf	3	Horizontal	206	1.85
6105MHz	Pass	PK	5.909G	61.79	88.20	-26.41	3	Horizontal	206	1.85
6105MHz	Pass	PK	6.149G	107.17	Inf	-Inf	3	Horizontal	206	1.85
6105MHz	Pass	AV	12.20472G	44.24	54.00	-9.76	3	Vertical	6	2.31
6105MHz	Pass	PK	12.20508G	56.12	74.00	-17.88	3	Vertical	6	2.31
6105MHz	Pass	AV	12.20352G	43.40	54.00	-10.60	3	Horizontal	29	1.62
6105MHz	Pass	PK	12.20316G	54.76	74.00	-19.24	3	Horizontal	29	1.62
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	45.95	68.20	-22.25	3	Vertical	43	1.57
6105MHz	Pass	AV	6.245G	84.24	Inf	-Inf	3	Vertical	43	1.57
6105MHz	Pass	PK	5.805G	58.21	88.20	-29.99	3	Vertical	43	1.57
6105MHz	Pass	PK	6.245G	95.67	Inf	-Inf	3	Vertical	43	1.57
6105MHz	Pass	AV	5.909G	48.99	68.20	-19.21	3	Horizontal	206	1.73
6105MHz	Pass	AV	6.129G	96.45	Inf	-Inf	3	Horizontal	206	1.73
6105MHz	Pass	PK	5.889G	62.42	88.20	-25.78	3	Horizontal	206	1.73
6105MHz	Pass	PK	6.127G	107.26	Inf	-Inf	3	Horizontal	206	1.73
6105MHz	Pass	AV	12.20368G	43.90	54.00	-10.10	3	Vertical	52	1.50
6105MHz	Pass	PK	12.20272G	55.25	74.00	-18.75	3	Vertical	52	1.50
6105MHz	Pass	AV	12.20372G	43.49	54.00	-10.51	3	Horizontal	28	1.64
6105MHz	Pass	PK	12.20284G	54.91	74.00	-19.09	3	Horizontal	28	1.64
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	45.95	68.20	-22.25	3	Vertical	44	1.38
6105MHz	Pass	AV	6.245G	84.34	Inf	-Inf	3	Vertical	44	1.38
6105MHz	Pass	PK	5.907G	57.85	88.20	-30.35	3	Vertical	44	1.38
6105MHz	Pass	PK	6.245G	94.64	Inf	-Inf	3	Vertical	44	1.38
6105MHz	Pass	AV	5.925G	49.29	68.20	-18.91	3	Horizontal	159	1.50
6105MHz	Pass	AV	6.249G	95.65	Inf	-Inf	3	Horizontal	159	1.50
6105MHz	Pass	PK	5.907G	63.10	88.20	-25.10	3	Horizontal	159	1.50
6105MHz	Pass	PK	6.249G	106.88	Inf	-Inf	3	Horizontal	159	1.50
6105MHz	Pass	AV	12.20228G	43.40	54.00	-10.60	3	Vertical	54	1.96
6105MHz	Pass	PK	12.20196G	55.31	74.00	-18.69	3	Vertical	54	1.96
6105MHz	Pass	AV	12.20308G	43.32	54.00	-10.68	3	Horizontal	28	1.50



RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	12.2042G	55.50	74.00	-18.50	3	Horizontal	28	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.917G	46.01	68.20	-22.19	3	Vertical	43	1.57
6105MHz	Pass	AV	6.245G	84.42	Inf	-Inf	3	Vertical	43	1.57
6105MHz	Pass	PK	5.869G	58.18	88.20	-30.02	3	Vertical	43	1.57
6105MHz	Pass	PK	6.245G	96.02	Inf	-Inf	3	Vertical	43	1.57
6105MHz	Pass	AV	5.909G	50.57	68.20	-17.63	3	Horizontal	205	1.75
6105MHz	Pass	AV	6.109G	96.32	Inf	-Inf	3	Horizontal	205	1.75
6105MHz	Pass	PK	5.909G	66.56	88.20	-21.64	3	Horizontal	205	1.75
6105MHz	Pass	PK	6.091G	107.17	Inf	-Inf	3	Horizontal	205	1.75
6105MHz	Pass	AV	12.20152G	44.04	54.00	-9.96	3	Vertical	53	1.95
6105MHz	Pass	PK	12.20188G	55.24	74.00	-18.76	3	Vertical	53	1.95
6105MHz	Pass	AV	12.20276G	43.93	54.00	-10.07	3	Horizontal	28	1.56
6105MHz	Pass	PK	12.20328G	55.13	74.00	-18.87	3	Horizontal	28	1.56
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	46.03	68.20	-22.17	3	Vertical	43	1.44
6105MHz	Pass	AV	6.263G	84.49	Inf	-Inf	3	Vertical	43	1.44
6105MHz	Pass	PK	5.915G	57.85	88.20	-30.35	3	Vertical	43	1.44
6105MHz	Pass	PK	6.245G	94.32	Inf	-Inf	3	Vertical	43	1.44
6105MHz	Pass	AV	5.909G	49.91	68.20	-18.29	3	Horizontal	206	1.76
6105MHz	Pass	AV	6.129G	96.35	Inf	-Inf	3	Horizontal	206	1.76
6105MHz	Pass	PK	5.909G	65.74	88.20	-22.46	3	Horizontal	206	1.76
6105MHz	Pass	PK	6.129G	107.53	Inf	-Inf	3	Horizontal	206	1.76
6105MHz	Pass	AV	12.20344G	46.36	54.00	-7.64	3	Vertical	37	2.30
6105MHz	Pass	PK	12.2026G	57.40	74.00	-16.60	3	Vertical	37	2.30
6105MHz	Pass	AV	12.20388G	44.92	54.00	-9.08	3	Horizontal	28	1.58
6105MHz	Pass	PK	12.20344G	56.26	74.00	-17.74	3	Horizontal	28	1.58
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	45.88	68.20	-22.32	3	Vertical	334	2.94
6105MHz	Pass	AV	6.119G	83.70	Inf	-Inf	3	Vertical	334	2.94
6105MHz	Pass	PK	5.829G	58.40	88.20	-29.80	3	Vertical	334	2.94
6105MHz	Pass	PK	6.119G	95.53	Inf	-Inf	3	Vertical	334	2.94
6105MHz	Pass	AV	5.925G	48.46	68.20	-19.74	3	Horizontal	207	1.73
6105MHz	Pass	AV	6.127G	96.02	Inf	-Inf	3	Horizontal	207	1.73
6105MHz	Pass	PK	5.907G	60.53	88.20	-27.67	3	Horizontal	207	1.73
6105MHz	Pass	PK	6.107G	106.81	Inf	-Inf	3	Horizontal	207	1.73
6105MHz	Pass	AV	12.20524G	45.84	54.00	-8.16	3	Vertical	7	2.34
6105MHz	Pass	PK	12.20624G	57.49	74.00	-16.51	3	Vertical	7	2.34
6105MHz	Pass	AV	12.20328G	44.60	54.00	-9.40	3	Horizontal	29	1.59
6105MHz	Pass	PK	12.204G	55.81	74.00	-18.19	3	Horizontal	29	1.59




RSE TX above 1GHz Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	53.27	68.20	-14.93	-4.12	3	Vertical	336	1.49	57.39	34.50	7.33	45.95
AV	6.021G	92.21	Inf	-Inf	-4.18	3	Vertical	336	1.49	96.39	34.42	7.37	45.97
PK	5.921G	69.95	88.20	-18.25	-4.12	3	Vertical	336	1.49	74.07	34.50	7.33	45.95
PK	6.021G	104.28	Inf	-Inf	-4.18	3	Vertical	336	1.49	108.46	34.42	7.37	45.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	57.96	68.20	-10.24	-4.12	3	Horizontal	9	1.70	62.08	34.50	7.33	45.95
AV	6.008G	102.16	Inf	-Inf	-4.14	3	Horizontal	9	1.70	106.30	34.47	7.36	45.97
PK	5.925G	69.76	88.20	-18.44	-4.12	3	Horizontal	9	1.70	73.88	34.50	7.33	45.95
PK	6.008G	114.12	Inf	-Inf	-4.14	3	Horizontal	9	1.70	118.26	34.47	7.36	45.97




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	56.21	68.20	-11.99	-4.12	3	Vertical	338	1.69	60.33	34.50	7.33	45.95
AV	5.98G	88.73	Inf	-Inf	-4.12	3	Vertical	338	1.69	92.85	34.50	7.35	45.97
PK	5.921G	72.92	88.20	-15.28	-4.12	3	Vertical	338	1.69	77.04	34.50	7.33	45.95
PK	5.98G	99.53	Inf	-Inf	-4.12	3	Vertical	338	1.69	103.65	34.50	7.35	45.97

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	61.03	68.20	-7.17	-4.12	3	Horizontal	8	1.71	65.15	34.50	7.33	45.95
AV	6.068G	99.04	Inf	-Inf	-4.29	3	Horizontal	8	1.71	103.33	34.30	7.38	45.97
PK	5.913G	73.48	88.20	-14.72	-4.12	3	Horizontal	8	1.71	77.60	34.50	7.33	45.95
PK	6.048G	110.39	Inf	-Inf	-4.28	3	Horizontal	8	1.71	114.67	34.31	7.38	45.97


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.923G	46.03	68.20	-22.17	-4.12	3	Vertical	43	1.44	50.15	34.50	7.33	45.95				
AV	6.263G	84.49	Inf	-Inf	-3.89	3	Vertical	43	1.44	88.38	34.63	7.47	45.99				
PK	5.915G	57.85	88.20	-30.35	-4.12	3	Vertical	43	1.44	61.97	34.50	7.33	45.95				
PK	6.245G	94.32	Inf	-Inf	-3.95	3	Vertical	43	1.44	98.27	34.57	7.46	45.98				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.909G	49.91	68.20	-18.29	-4.13	3	Horizontal	206	1.76	54.04	34.50	7.32	45.95				
AV	6.129G	96.35	Inf	-Inf	-4.21	3	Horizontal	206	1.76	100.56	34.36	7.41	45.98				
PK	5.909G	65.74	88.20	-22.46	-4.13	3	Horizontal	206	1.76	69.87	34.50	7.32	45.95				
PK	6.129G	107.53	Inf	-Inf	-4.21	3	Horizontal	206	1.76	111.74	34.36	7.41	45.98				


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

6105MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2_Channel Puncturing

Appendix E.10


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6665MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82402G	46.80	54.00	-7.20	Horizontal
Mode 2	Pass	AV	4.82398G	43.86	54.00	-10.14	Horizontal
Mode 3	Pass	AV	4.82407G	43.59	54.00	-10.41	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82404G	45.49	54.00	-8.51	3	Vertical	50	1.01
Mode 1	Pass	AV	4.87186G	29.24	54.00	-24.76	3	Vertical	101	2.77
Mode 1	Pass	AV	4.87904G	34.88	54.00	-19.12	3	Vertical	55	1.50
Mode 1	Pass	AV	11.57216G	43.19	54.00	-10.81	3	Vertical	65	1.42
Mode 1	Pass	AV	11.93714G	42.17	54.00	-11.83	3	Vertical	23	1.21
Mode 1	Pass	AV	17.3562G	41.03	68.20	-27.17	3	Vertical	302	1.41
Mode 1	Pass	PK	4.82401G	50.06	74.00	-23.94	3	Vertical	50	1.01
Mode 1	Pass	PK	4.87554G	42.84	74.00	-31.16	3	Vertical	101	2.77
Mode 1	Pass	PK	4.8807G	46.81	74.00	-27.19	3	Vertical	55	1.50
Mode 1	Pass	PK	11.57168G	57.26	74.00	-16.74	3	Vertical	65	1.42
Mode 1	Pass	PK	11.93732G	56.10	74.00	-17.90	3	Vertical	23	1.21
Mode 1	Pass	PK	17.35608G	54.50	88.20	-33.70	3	Vertical	302	1.41
Mode 1	Pass	AV	4.82402G	46.80	54.00	-7.20	3	Horizontal	360	1.00
Mode 1	Pass	AV	4.86685G	34.12	54.00	-19.88	3	Horizontal	1	2.03
Mode 1	Pass	AV	4.88093G	32.86	54.00	-21.14	3	Horizontal	23	1.27
Mode 1	Pass	AV	11.56712G	43.02	54.00	-10.98	3	Horizontal	309	1.44
Mode 1	Pass	AV	11.9396G	41.16	54.00	-12.84	3	Horizontal	70	1.63
Mode 1	Pass	AV	17.35002G	41.21	68.20	-26.99	3	Horizontal	347	1.50
Mode 1	Pass	PK	4.82399G	50.39	74.00	-23.61	3	Horizontal	360	1.00
Mode 1	Pass	PK	4.86585G	49.28	74.00	-24.72	3	Horizontal	1	2.03
Mode 1	Pass	PK	4.88093G	45.62	74.00	-28.38	3	Horizontal	23	1.27
Mode 1	Pass	PK	11.56532G	56.32	74.00	-17.68	3	Horizontal	309	1.44
Mode 1	Pass	PK	11.9399G	54.43	74.00	-19.57	3	Horizontal	70	1.63
Mode 1	Pass	PK	17.37042G	55.86	88.20	-32.34	3	Horizontal	347	1.50
Mode 2	Pass	AV	4.82403G	42.17	54.00	-11.83	3	Vertical	356	1.65
Mode 2	Pass	AV	4.88095G	33.69	54.00	-20.31	3	Vertical	54	1.50
Mode 2	Pass	AV	11.14044G	38.39	54.00	-15.61	3	Vertical	164	1.50
Mode 2	Pass	AV	11.57222G	42.82	54.00	-11.18	3	Vertical	64	1.50
Mode 2	Pass	AV	11.93732G	42.29	54.00	-11.71	3	Vertical	20	1.24
Mode 2	Pass	AV	16.75878G	39.93	68.20	-28.27	3	Vertical	337	1.50
Mode 2	Pass	AV	17.3553G	40.78	68.20	-27.42	3	Vertical	300	1.50
Mode 2	Pass	PK	4.82371G	48.71	74.00	-25.29	3	Vertical	356	1.65
Mode 2	Pass	PK	4.88101G	46.09	74.00	-27.91	3	Vertical	54	1.50
Mode 2	Pass	PK	11.13006G	52.33	74.00	-21.67	3	Vertical	164	1.50
Mode 2	Pass	PK	11.58074G	56.91	74.00	-17.09	3	Vertical	64	1.50
Mode 2	Pass	PK	11.93684G	55.92	74.00	-18.08	3	Vertical	20	1.24
Mode 2	Pass	PK	16.71624G	53.57	88.20	-34.63	3	Vertical	337	1.50
Mode 2	Pass	PK	17.36658G	54.71	88.20	-33.49	3	Vertical	300	1.50
Mode 2	Pass	AV	4.82398G	43.86	54.00	-10.14	3	Horizontal	357	1.50
Mode 2	Pass	AV	4.8809G	32.42	54.00	-21.58	3	Horizontal	24	1.00
Mode 2	Pass	AV	11.14464G	38.45	54.00	-15.55	3	Horizontal	46	1.90
Mode 2	Pass	AV	11.56718G	42.42	54.00	-11.58	3	Horizontal	310	1.50
Mode 2	Pass	AV	11.93894G	41.28	54.00	-12.72	3	Horizontal	68	1.60
Mode 2	Pass	AV	16.75734G	39.97	68.20	-28.23	3	Horizontal	282	1.50
Mode 2	Pass	AV	17.34954G	41.19	68.20	-27.01	3	Horizontal	348	1.50
Mode 2	Pass	PK	4.82402G	49.87	74.00	-24.13	3	Horizontal	357	1.50
Mode 2	Pass	PK	4.8808G	44.91	74.00	-29.09	3	Horizontal	24	1.00
Mode 2	Pass	PK	11.1558G	52.53	74.00	-21.47	3	Horizontal	46	1.90
Mode 2	Pass	PK	11.56802G	54.90	74.00	-19.10	3	Horizontal	310	1.50
Mode 2	Pass	PK	11.93882G	55.11	74.00	-18.89	3	Horizontal	68	1.60


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	16.7886G	53.12	88.20	-35.08	3	Horizontal	282	1.50
Mode 2	Pass	PK	17.34954G	54.32	88.20	-33.88	3	Horizontal	348	1.50
Mode 3	Pass	AV	4.82399G	41.75	54.00	-12.25	3	Vertical	357	1.64
Mode 3	Pass	AV	4.88092G	33.91	54.00	-20.09	3	Vertical	54	1.50
Mode 3	Pass	AV	11.57207G	42.73	54.00	-11.27	3	Vertical	64	1.44
Mode 3	Pass	AV	11.93711G	42.62	54.00	-11.38	3	Vertical	18	1.33
Mode 3	Pass	AV	12.84272G	39.46	68.20	-28.74	3	Vertical	111	1.50
Mode 3	Pass	AV	17.35515G	41.01	68.20	-27.19	3	Vertical	302	1.50
Mode 3	Pass	PK	4.82391G	48.47	74.00	-25.53	3	Vertical	357	1.64
Mode 3	Pass	PK	4.88089G	46.72	74.00	-27.28	3	Vertical	54	1.50
Mode 3	Pass	PK	11.57273G	57.17	74.00	-16.83	3	Vertical	64	1.44
Mode 3	Pass	PK	11.93726G	56.50	74.00	-17.50	3	Vertical	18	1.33
Mode 3	Pass	PK	12.82256G	53.74	88.20	-34.46	3	Vertical	111	1.50
Mode 3	Pass	PK	17.35455G	55.07	88.20	-33.13	3	Vertical	302	1.50
Mode 3	Pass	AV	4.82407G	43.59	54.00	-10.41	3	Horizontal	357	1.50
Mode 3	Pass	AV	4.88087G	32.30	54.00	-21.70	3	Horizontal	24	1.14
Mode 3	Pass	AV	11.56673G	41.79	54.00	-12.21	3	Horizontal	311	1.50
Mode 3	Pass	AV	11.93939G	41.04	54.00	-12.96	3	Horizontal	69	1.56
Mode 3	Pass	AV	12.84422G	39.53	68.20	-28.67	3	Horizontal	360	1.23
Mode 3	Pass	AV	17.35878G	41.72	68.20	-26.48	3	Horizontal	319	2.97
Mode 3	Pass	PK	4.82398G	49.75	74.00	-24.25	3	Horizontal	357	1.50
Mode 3	Pass	PK	4.88119G	45.10	74.00	-28.90	3	Horizontal	24	1.14
Mode 3	Pass	PK	11.56655G	56.05	74.00	-17.95	3	Horizontal	311	1.50
Mode 3	Pass	PK	11.94017G	54.40	74.00	-19.60	3	Horizontal	69	1.56
Mode 3	Pass	PK	12.82799G	53.54	88.20	-34.66	3	Horizontal	360	1.23
Mode 3	Pass	PK	17.35959G	55.77	88.20	-32.43	3	Horizontal	319	2.97

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82404G	45.49	54.00	-8.51	0.54	3	Vertical	50	1.01	44.95	32.64	5.30	37.40
AV	4.87186G	29.24	54.00	-24.76	0.78	3	Vertical	101	2.77	28.46	32.80	5.32	37.34
AV	4.87904G	34.88	54.00	-19.12	0.79	3	Vertical	55	1.50	34.09	32.80	5.33	37.34
AV	11.57216G	43.19	54.00	-10.81	9.80	3	Vertical	65	1.42	33.39	39.11	8.61	37.92
AV	11.93714G	42.17	54.00	-11.83	10.11	3	Vertical	23	1.21	32.06	39.27	8.78	37.94
AV	17.3562G	41.03	68.20	-27.17	10.53	3	Vertical	302	1.41	30.50	38.01	10.62	38.10
PK	4.82401G	50.06	74.00	-23.94	0.54	3	Vertical	50	1.01	49.52	32.64	5.30	37.40
PK	4.87554G	42.84	74.00	-31.16	0.78	3	Vertical	101	2.77	42.06	32.80	5.32	37.34
PK	4.8807G	46.81	74.00	-27.19	0.80	3	Vertical	55	1.50	46.01	32.80	5.33	37.33
PK	11.57168G	57.26	74.00	-16.74	9.80	3	Vertical	65	1.42	47.46	39.11	8.61	37.92
PK	11.93732G	56.10	74.00	-17.90	10.11	3	Vertical	23	1.21	45.99	39.27	8.78	37.94
PK	17.35608G	54.50	88.20	-33.70	10.53	3	Vertical	302	1.41	43.97	38.01	10.62	38.10

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82402G	46.80	54.00	-7.20	0.54	3	Horizontal	360	1.00	46.26	32.64	5.30	37.40
AV	4.86685G	34.12	54.00	-19.88	0.77	3	Horizontal	1	2.03	33.35	32.80	5.32	37.35
AV	4.88093G	32.86	54.00	-21.14	0.80	3	Horizontal	23	1.27	32.06	32.80	5.33	37.33
AV	11.56712G	43.02	54.00	-10.98	9.82	3	Horizontal	309	1.44	33.20	39.13	8.61	37.92
AV	11.9396G	41.16	54.00	-12.84	10.12	3	Horizontal	70	1.63	31.04	39.28	8.78	37.94
AV	17.35002G	41.21	68.20	-26.99	10.52	3	Horizontal	347	1.50	30.69	38.00	10.62	38.10
PK	4.82399G	50.39	74.00	-23.61	0.54	3	Horizontal	360	1.00	49.85	32.64	5.30	37.40
PK	4.86585G	49.28	74.00	-24.72	0.77	3	Horizontal	1	2.03	48.51	32.80	5.32	37.35
PK	4.88093G	45.62	74.00	-28.38	0.80	3	Horizontal	23	1.27	44.82	32.80	5.33	37.33
PK	11.56532G	56.32	74.00	-17.68	9.83	3	Horizontal	309	1.44	46.49	39.14	8.61	37.92
PK	11.9399G	54.43	74.00	-19.57	10.12	3	Horizontal	70	1.63	44.31	39.28	8.78	37.94
PK	17.37042G	55.86	88.20	-32.34	10.57	3	Horizontal	347	1.50	45.29	38.04	10.62	38.09

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82403G	42.17	54.00	-11.83	0.54	3	Vertical	356	1.65	41.63	32.64	5.30	37.40
AV	4.88095G	33.69	54.00	-20.31	0.80	3	Vertical	54	1.50	32.89	32.80	5.33	37.33
AV	11.14044G	38.39	54.00	-15.61	9.91	3	Vertical	164	1.50	28.48	39.18	8.41	37.68
AV	11.57222G	42.82	54.00	-11.18	9.80	3	Vertical	64	1.50	33.02	39.11	8.61	37.92
AV	11.93732G	42.29	54.00	-11.71	10.11	3	Vertical	20	1.24	32.18	39.27	8.78	37.94
AV	16.75878G	39.93	68.20	-28.27	9.98	3	Vertical	337	1.50	29.95	37.80	10.44	38.26
AV	17.3553G	40.78	68.20	-27.42	10.53	3	Vertical	300	1.50	30.25	38.01	10.62	38.10
PK	4.82371G	48.71	74.00	-25.29	0.54	3	Vertical	356	1.65	48.17	32.64	5.30	37.40
PK	4.88101G	46.09	74.00	-27.91	0.80	3	Vertical	54	1.50	45.29	32.80	5.33	37.33
PK	11.13006G	52.33	74.00	-21.67	9.88	3	Vertical	164	1.50	42.45	39.16	8.40	37.68
PK	11.58074G	56.91	74.00	-17.09	9.77	3	Vertical	64	1.50	47.14	39.08	8.61	37.92
PK	11.93684G	55.92	74.00	-18.08	10.11	3	Vertical	20	1.24	45.81	39.27	8.78	37.94
PK	16.71624G	53.57	88.20	-34.63	10.11	3	Vertical	337	1.50	43.46	37.94	10.42	38.25
PK	17.36658G	54.71	88.20	-33.49	10.56	3	Vertical	300	1.50	44.15	38.03	10.62	38.09

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	43.86	54.00	-10.14	0.54	3	Horizontal	357	1.50	43.32	32.64	5.30	37.40
AV	4.8809G	32.42	54.00	-21.58	0.80	3	Horizontal	24	1.00	31.62	32.80	5.33	37.33
AV	11.14464G	38.45	54.00	-15.55	9.91	3	Horizontal	46	1.90	28.54	39.19	8.41	37.69
AV	11.56718G	42.42	54.00	-11.58	9.82	3	Horizontal	310	1.50	32.60	39.13	8.61	37.92
AV	11.93894G	41.28	54.00	-12.72	10.12	3	Horizontal	68	1.60	31.16	39.28	8.78	37.94
AV	16.75734G	39.97	68.20	-28.23	9.98	3	Horizontal	282	1.50	29.99	37.80	10.44	38.26
AV	17.34954G	41.19	68.20	-27.01	10.51	3	Horizontal	348	1.50	30.68	38.00	10.61	38.10
PK	4.82402G	49.87	74.00	-24.13	0.54	3	Horizontal	357	1.50	49.33	32.64	5.30	37.40
PK	4.8808G	44.91	74.00	-29.09	0.80	3	Horizontal	24	1.00	44.11	32.80	5.33	37.33
PK	11.1558G	52.53	74.00	-21.47	9.91	3	Horizontal	46	1.90	42.62	39.19	8.41	37.69
PK	11.56802G	54.90	74.00	-19.10	9.82	3	Horizontal	310	1.50	45.08	39.13	8.61	37.92
PK	11.93882G	55.11	74.00	-18.89	10.12	3	Horizontal	68	1.60	44.99	39.28	8.78	37.94
PK	16.7886G	53.12	88.20	-35.08	9.99	3	Horizontal	282	1.50	43.13	37.80	10.45	38.26
PK	17.34954G	54.32	88.20	-33.88	10.51	3	Horizontal	348	1.50	43.81	38.00	10.61	38.10

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82399G	41.75	54.00	-12.25	0.54	3	Vertical	357	1.64	41.21	32.64	5.30	37.40
AV	4.88092G	33.91	54.00	-20.09	0.80	3	Vertical	54	1.50	33.11	32.80	5.33	37.33
AV	11.57207G	42.73	54.00	-11.27	9.80	3	Vertical	64	1.44	32.93	39.11	8.61	37.92
AV	11.93711G	42.62	54.00	-11.38	10.11	3	Vertical	18	1.33	32.51	39.27	8.78	37.94
AV	12.84272G	39.46	68.20	-28.74	10.49	3	Vertical	111	1.50	28.97	39.87	9.08	38.46
AV	17.35515G	41.01	68.20	-27.19	10.53	3	Vertical	302	1.50	30.48	38.01	10.62	38.10
PK	4.82391G	48.47	74.00	-25.53	0.54	3	Vertical	357	1.64	47.93	32.64	5.30	37.40
PK	4.88089G	46.72	74.00	-27.28	0.80	3	Vertical	54	1.50	45.92	32.80	5.33	37.33
PK	11.57273G	57.17	74.00	-16.83	9.80	3	Vertical	64	1.44	47.37	39.11	8.61	37.92
PK	11.93726G	56.50	74.00	-17.50	10.11	3	Vertical	18	1.33	46.39	39.27	8.78	37.94
PK	12.82256G	53.74	88.20	-34.46	10.41	3	Vertical	111	1.50	43.33	39.79	9.07	38.45
PK	17.35455G	55.07	88.20	-33.13	10.53	3	Vertical	302	1.50	44.54	38.01	10.62	38.10

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82407G	43.59	54.00	-10.41	0.54	3	Horizontal	357	1.50	43.05	32.64	5.30	37.40
AV	4.88087G	32.30	54.00	-21.70	0.80	3	Horizontal	24	1.14	31.50	32.80	5.33	37.33
AV	11.56673G	41.79	54.00	-12.21	9.82	3	Horizontal	311	1.50	31.97	39.13	8.61	37.92
AV	11.93939G	41.04	54.00	-12.96	10.12	3	Horizontal	69	1.56	30.92	39.28	8.78	37.94
AV	12.84422G	39.53	68.20	-28.67	10.50	3	Horizontal	360	1.23	29.03	39.88	9.08	38.46
AV	17.35878G	41.72	68.20	-26.48	10.55	3	Horizontal	319	2.97	31.17	38.02	10.62	38.09
PK	4.82398G	49.75	74.00	-24.25	0.54	3	Horizontal	357	1.50	49.21	32.64	5.30	37.40
PK	4.88119G	45.10	74.00	-28.90	0.80	3	Horizontal	24	1.14	44.30	32.80	5.33	37.33
PK	11.56655G	56.05	74.00	-17.95	9.82	3	Horizontal	311	1.50	46.23	39.13	8.61	37.92
PK	11.94017G	54.40	74.00	-19.60	10.12	3	Horizontal	69	1.56	44.28	39.28	8.78	37.94
PK	12.82799G	53.54	88.20	-34.66	10.43	3	Horizontal	360	1.23	43.11	39.81	9.07	38.45
PK	17.35959G	55.77	88.20	-32.43	10.55	3	Horizontal	319	2.97	45.22	38.02	10.62	38.09