


6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

17/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

17/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

17/01/2024




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

17/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

17/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

17/01/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

17/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3813G	-11.41	6.4264G	-46.59	-31.42	-15.17	1
6.374G	-11.20	6.4266G	-46.27	-31.20	-15.07	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

17/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4625G	-11.97	6.3359G	-65.72	-51.97	-13.75	1
6.4579G	-11.00	6.5063G	-45.26	-31.03	-14.23	2

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

17/01/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

17/01/2024




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

17/01/2024




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

17/01/2024



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

17/01/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15481G	-8.73	6.432G	-63.56	-48.73	-14.83	1
6.22119G	-8.62	5.786G	-62.59	-48.62	-13.97	2

Port 1 

Port 2 

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

17/01/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3536G	-8.87	6.4272G	-42.63	-28.87	-13.76	1
6.37679G	-8.76	6.4274G	-42.65	-28.76	-13.89	2

Port 1 


Port 2 

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

17/01/2024




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

17/01/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8082G	-8.39	6.5776G	-63.32	-48.39	-14.93	1
6.85459G	-8.93	6.5736G	-62.84	-48.93	-13.91	2

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

17/01/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95281G	-8.28	6.7318G	-63.33	-48.28	-15.05	1
6.95521G	-8.52	6.6964G	-63.19	-48.52	-14.67	2



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	49.4M	33.92	40.00	-6.08	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	31.94M	29.14	40.00	-10.86	3	Vertical	0	1.00
6185MHz	Pass	PK	41.64M	27.39	40.00	-12.61	3	Vertical	0	1.00
6185MHz	Pass	PK	70.74M	25.09	40.00	-14.91	3	Vertical	0	1.00
6185MHz	Pass	PK	148.34M	31.17	43.50	-12.33	3	Vertical	0	1.00
6185MHz	Pass	PK	192.96M	28.09	43.50	-15.41	3	Vertical	0	1.00
6185MHz	Pass	PK	1G	35.32	54.00	-18.68	3	Vertical	0	1.00
6185MHz	Pass	PK	105.66M	28.94	43.50	-14.56	3	Horizontal	360	1.00
6185MHz	Pass	PK	148.34M	30.82	43.50	-12.68	3	Horizontal	360	1.00
6185MHz	Pass	PK	194.9M	28.64	43.50	-14.86	3	Horizontal	360	1.00
6185MHz	Pass	PK	301.6M	26.22	46.00	-19.78	3	Horizontal	360	1.00
6185MHz	Pass	PK	916.58M	32.31	46.00	-13.69	3	Horizontal	360	1.00
6185MHz	Pass	PK	1G	33.69	54.00	-20.31	3	Horizontal	360	1.00
6185MHz	Pass	PK	49.4M	33.92	40.00	-6.08	3	Vertical	0	1.00
6185MHz	Pass	PK	165.8M	27.62	43.50	-15.88	3	Vertical	0	1.00
6185MHz	Pass	PK	189.08M	27.42	43.50	-16.08	3	Vertical	0	1.00
6185MHz	Pass	PK	497.54M	32.87	46.00	-13.13	3	Vertical	0	1.00
6185MHz	Pass	PK	889.42M	36.68	46.00	-9.32	3	Vertical	0	1.00
6185MHz	Pass	QP	31.94M	33.37	40.00	-6.63	3	Vertical	129	1.00
6185MHz	Pass	PK	103.72M	30.90	43.50	-12.60	3	Horizontal	360	1.00
6185MHz	Pass	PK	132.82M	33.42	43.50	-10.08	3	Horizontal	360	1.00
6185MHz	Pass	PK	340.4M	24.80	46.00	-21.20	3	Horizontal	360	1.00
6185MHz	Pass	PK	489.78M	29.00	46.00	-17.00	3	Horizontal	360	1.00
6185MHz	Pass	PK	515M	29.19	46.00	-16.81	3	Horizontal	360	1.00
6185MHz	Pass	PK	1G	39.75	54.00	-14.25	3	Horizontal	360	1.00


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_Adapter




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_Adapter




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_PoE



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.39388G	38.49	54.00	-15.51	3	Vertical	250	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.92884G	38.74	54.00	-15.26	3	Horizontal	151	2.79
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	11.97972G	38.84	54.00	-15.16	3	Vertical	9	1.49
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.68972G	39.17	54.00	-14.83	3	Vertical	343	2.00
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.94036G	39.57	68.20	-28.63	3	Horizontal	0	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.88612G	39.83	68.20	-28.37	3	Horizontal	76	2.29
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.92588G	39.89	68.20	-28.31	3	Vertical	103	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.0096G	39.46	68.20	-28.74	3	Horizontal	2	1.37
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.38756G	40.11	54.00	-13.89	3	Horizontal	0	1.82
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36292G	40.34	54.00	-13.66	3	Horizontal	214	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25836G	40.06	54.00	-13.94	3	Horizontal	210	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.32922G	40.46	54.00	-13.54	3	Horizontal	14	1.68
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.2438G	49.09	68.20	-19.11	3	Vertical	28	2.62
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.232G	49.01	68.20	-19.19	3	Vertical	28	2.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1732G	48.60	68.20	-19.60	3	Vertical	26	2.54
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.221G	48.98	68.20	-19.22	3	Vertical	23	2.46

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.91G	44.41	68.20	-23.79	3	Vertical	37	2.24
5955MHz	Pass	AV	5.9538G	85.83	Inf	-Inf	3	Vertical	37	2.24
5955MHz	Pass	PK	5.8824G	58.00	88.20	-30.20	3	Vertical	37	2.24
5955MHz	Pass	PK	5.9526G	99.16	Inf	-Inf	3	Vertical	37	2.24
5955MHz	Pass	AV	5.9196G	44.36	68.20	-23.84	3	Horizontal	11	2.71
5955MHz	Pass	AV	5.9568G	84.51	Inf	-Inf	3	Horizontal	11	2.71
5955MHz	Pass	PK	5.8542G	57.86	88.20	-30.34	3	Horizontal	11	2.71
5955MHz	Pass	PK	5.9568G	96.50	Inf	-Inf	3	Horizontal	11	2.71
5955MHz	Pass	AV	11.91488G	38.28	54.00	-15.72	3	Vertical	333	2.56
5955MHz	Pass	PK	11.91004G	51.49	74.00	-22.51	3	Vertical	333	2.56
5955MHz	Pass	AV	11.91416G	38.27	54.00	-15.73	3	Horizontal	227	2.21
5955MHz	Pass	PK	11.913G	51.60	74.00	-22.40	3	Horizontal	227	2.21
6195MHz	Pass	AV	12.39388G	38.49	54.00	-15.51	3	Vertical	250	1.50
6195MHz	Pass	PK	12.39512G	51.05	74.00	-22.95	3	Vertical	250	1.50
6195MHz	Pass	AV	12.39568G	38.47	54.00	-15.53	3	Horizontal	309	1.50
6195MHz	Pass	PK	12.38296G	51.98	74.00	-22.02	3	Horizontal	309	1.50
6415MHz	Pass	AV	12.8396G	39.32	68.20	-28.88	3	Vertical	146	1.86
6415MHz	Pass	PK	12.83968G	53.20	88.20	-35.00	3	Vertical	146	1.86
6415MHz	Pass	AV	12.83976G	39.28	68.20	-28.92	3	Horizontal	137	1.54
6415MHz	Pass	PK	12.83264G	52.22	88.20	-35.98	3	Horizontal	137	1.54
6435MHz	Pass	AV	12.8798G	39.30	68.20	-28.90	3	Vertical	213	2.56
6435MHz	Pass	PK	12.87948G	52.35	88.20	-35.85	3	Vertical	213	2.56
6435MHz	Pass	AV	12.87752G	39.45	68.20	-28.75	3	Horizontal	209	1.84
6435MHz	Pass	PK	12.879G	52.10	88.20	-36.10	3	Horizontal	209	1.84
6475MHz	Pass	AV	12.95112G	39.51	68.20	-28.69	3	Vertical	360	1.50
6475MHz	Pass	PK	12.95556G	52.97	88.20	-35.23	3	Vertical	360	1.50
6475MHz	Pass	AV	12.94036G	39.57	68.20	-28.63	3	Horizontal	0	1.50
6475MHz	Pass	PK	12.94676G	52.60	88.20	-35.60	3	Horizontal	0	1.50
6515MHz	Pass	AV	13.02224G	39.04	68.20	-29.16	3	Vertical	29	1.50
6515MHz	Pass	PK	13.0256G	52.68	88.20	-35.52	3	Vertical	29	1.50
6515MHz	Pass	AV	13.023G	39.05	68.20	-29.15	3	Horizontal	261	1.50
6515MHz	Pass	PK	13.02764G	51.54	88.20	-36.66	3	Horizontal	261	1.50
6535MHz	Pass	AV	13.06396G	39.20	68.20	-29.00	3	Vertical	303	2.66
6535MHz	Pass	PK	13.06952G	51.97	88.20	-36.23	3	Vertical	303	2.66
6535MHz	Pass	AV	13.06384G	39.27	68.20	-28.93	3	Horizontal	330	1.70
6535MHz	Pass	PK	13.06748G	52.47	88.20	-35.73	3	Horizontal	330	1.70
6695MHz	Pass	AV	13.38396G	40.08	54.00	-13.92	3	Vertical	115	1.96
6695MHz	Pass	PK	13.38304G	52.84	74.00	-21.16	3	Vertical	115	1.96
6695MHz	Pass	AV	13.38756G	40.11	54.00	-13.89	3	Horizontal	0	1.82
6695MHz	Pass	PK	13.38012G	52.94	74.00	-21.06	3	Horizontal	0	1.82
6875MHz	Pass	AV	13.75908G	40.43	68.20	-27.77	3	Vertical	82	1.50
6875MHz	Pass	PK	13.75884G	53.32	88.20	-34.88	3	Vertical	82	1.50
6875MHz	Pass	AV	13.75896G	40.44	68.20	-27.76	3	Horizontal	0	1.00
6875MHz	Pass	PK	13.75664G	53.27	88.20	-34.93	3	Horizontal	0	1.00
6895MHz	Pass	AV	13.79732G	40.29	68.20	-27.91	3	Vertical	175	1.06
6895MHz	Pass	PK	13.7952G	53.25	88.20	-34.95	3	Vertical	175	1.06
6895MHz	Pass	AV	13.79528G	40.25	68.20	-27.95	3	Horizontal	332	1.50
6895MHz	Pass	PK	13.7996G	53.05	88.20	-35.15	3	Horizontal	332	1.50
6995MHz	Pass	AV	13.98448G	40.95	68.20	-27.25	3	Vertical	129	1.50
6995MHz	Pass	PK	13.99388G	53.41	88.20	-34.79	3	Vertical	129	1.50
6995MHz	Pass	AV	13.98556G	40.97	68.20	-27.23	3	Horizontal	360	1.50
6995MHz	Pass	PK	13.99992G	53.78	88.20	-34.42	3	Horizontal	360	1.50
7095MHz	Pass	AV	7.0932G	88.12	Inf	-Inf	3	Vertical	28	2.62
7095MHz	Pass	AV	7.2438G	49.09	68.20	-19.11	3	Vertical	28	2.62
7095MHz	Pass	PK	7.0938G	100.30	Inf	-Inf	3	Vertical	28	2.62
7095MHz	Pass	PK	7.245G	61.89	88.20	-26.31	3	Vertical	28	2.62
7095MHz	Pass	AV	7.0962G	84.87	Inf	-Inf	3	Horizontal	244	2.08
7095MHz	Pass	AV	7.2432G	49.05	68.20	-19.15	3	Horizontal	244	2.08
7095MHz	Pass	PK	7.098G	96.95	Inf	-Inf	3	Horizontal	244	2.08
7095MHz	Pass	PK	7.2372G	63.11	88.20	-25.09	3	Horizontal	244	2.08


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18996G	41.60	68.20	-26.60	3	Vertical	327	1.38
7095MHz	Pass	PK	14.18136G	55.79	88.20	-32.41	3	Vertical	327	1.38
7095MHz	Pass	AV	14.18488G	41.54	68.20	-26.66	3	Horizontal	360	1.50
7095MHz	Pass	PK	14.19764G	54.01	88.20	-34.19	3	Horizontal	360	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9038G	44.39	68.20	-23.81	3	Vertical	36	2.10
5965MHz	Pass	AV	5.9638G	85.69	Inf	-Inf	3	Vertical	36	2.10
5965MHz	Pass	PK	5.9182G	58.18	88.20	-30.02	3	Vertical	36	2.10
5965MHz	Pass	PK	5.9752G	98.03	Inf	-Inf	3	Vertical	36	2.10
5965MHz	Pass	AV	5.9038G	44.35	68.20	-23.85	3	Horizontal	12	2.62
5965MHz	Pass	AV	5.968G	83.90	Inf	-Inf	3	Horizontal	12	2.62
5965MHz	Pass	PK	5.9056G	58.52	88.20	-29.68	3	Horizontal	12	2.62
5965MHz	Pass	PK	5.9572G	96.27	Inf	-Inf	3	Horizontal	12	2.62
5965MHz	Pass	AV	11.9286G	38.57	54.00	-15.43	3	Vertical	136	1.82
5965MHz	Pass	PK	11.923G	51.65	74.00	-22.35	3	Vertical	136	1.82
5965MHz	Pass	AV	11.92884G	38.74	54.00	-15.26	3	Horizontal	151	2.79
5965MHz	Pass	PK	11.92668G	50.83	74.00	-23.17	3	Horizontal	151	2.79
6205MHz	Pass	AV	12.41672G	38.70	54.00	-15.30	3	Vertical	292	1.50
6205MHz	Pass	PK	12.4002G	51.04	74.00	-22.96	3	Vertical	292	1.50
6205MHz	Pass	AV	12.41688G	38.69	54.00	-15.31	3	Horizontal	65	1.50
6205MHz	Pass	PK	12.41732G	52.11	74.00	-21.89	3	Horizontal	65	1.50
6405MHz	Pass	AV	12.8076G	39.43	68.20	-28.77	3	Vertical	151	2.15
6405MHz	Pass	PK	12.80984G	51.33	88.20	-36.87	3	Vertical	151	2.15
6405MHz	Pass	AV	12.803G	39.41	68.20	-28.79	3	Horizontal	360	1.50
6405MHz	Pass	PK	12.81844G	52.65	88.20	-35.55	3	Horizontal	360	1.50
6445MHz	Pass	AV	12.88792G	39.69	68.20	-28.51	3	Vertical	110	2.82
6445MHz	Pass	PK	12.89876G	52.83	88.20	-35.37	3	Vertical	110	2.82
6445MHz	Pass	AV	12.88612G	39.83	68.20	-28.37	3	Horizontal	76	2.29
6445MHz	Pass	PK	12.89684G	52.89	88.20	-35.31	3	Horizontal	76	2.29
6485MHz	Pass	AV	12.96488G	39.59	68.20	-28.61	3	Vertical	275	2.85
6485MHz	Pass	PK	12.96904G	53.09	88.20	-35.11	3	Vertical	275	2.85
6485MHz	Pass	AV	12.96652G	39.61	68.20	-28.59	3	Horizontal	271	2.57
6485MHz	Pass	PK	12.96932G	51.95	88.20	-36.25	3	Horizontal	271	2.57
6525MHz	Pass	AV	13.05708G	39.31	68.20	-28.89	3	Vertical	0	1.50
6525MHz	Pass	PK	13.04908G	52.35	88.20	-35.85	3	Vertical	0	1.50
6525MHz	Pass	AV	13.05952G	39.34	68.20	-28.86	3	Horizontal	107	1.50
6525MHz	Pass	PK	13.05508G	51.57	88.20	-36.63	3	Horizontal	107	1.50
6565MHz	Pass	AV	13.1258G	39.56	68.20	-28.64	3	Vertical	205	1.44
6565MHz	Pass	PK	13.13872G	52.22	88.20	-35.98	3	Vertical	205	1.44
6565MHz	Pass	AV	13.13724G	39.56	68.20	-28.64	3	Horizontal	146	2.23
6565MHz	Pass	PK	13.12896G	53.77	88.20	-34.43	3	Horizontal	146	2.23
6685MHz	Pass	AV	13.36712G	40.25	54.00	-13.75	3	Vertical	310	1.50
6685MHz	Pass	PK	13.36736G	52.94	74.00	-21.06	3	Vertical	310	1.50
6685MHz	Pass	AV	13.36292G	40.34	54.00	-13.66	3	Horizontal	214	1.50
6685MHz	Pass	PK	13.37324G	52.62	74.00	-21.38	3	Horizontal	214	1.50
6885MHz	Pass	AV	13.7618G	40.44	68.20	-27.76	3	Vertical	260	1.00
6885MHz	Pass	PK	13.76748G	54.68	88.20	-33.52	3	Vertical	260	1.00
6885MHz	Pass	AV	13.76056G	40.43	68.20	-27.77	3	Horizontal	343	1.50
6885MHz	Pass	PK	13.76388G	53.32	88.20	-34.88	3	Horizontal	343	1.50
6925MHz	Pass	AV	13.84824G	40.83	68.20	-27.37	3	Vertical	247	1.50
6925MHz	Pass	PK	13.84664G	52.98	88.20	-35.22	3	Vertical	247	1.50
6925MHz	Pass	AV	13.84416G	40.65	68.20	-27.55	3	Horizontal	292	3.00
6925MHz	Pass	PK	13.8402G	53.27	88.20	-34.93	3	Horizontal	292	3.00
7005MHz	Pass	AV	14.0194G	41.16	68.20	-27.04	3	Vertical	232	1.50
7005MHz	Pass	PK	14.0162G	53.61	88.20	-34.59	3	Vertical	232	1.50
7005MHz	Pass	AV	14.01692G	41.10	68.20	-27.10	3	Horizontal	314	1.13
7005MHz	Pass	PK	14.01292G	54.05	88.20	-34.15	3	Horizontal	314	1.13
7085MHz	Pass	AV	7.0838G	87.84	Inf	-Inf	3	Vertical	28	2.50
7085MHz	Pass	AV	7.232G	49.01	68.20	-19.19	3	Vertical	28	2.50
7085MHz	Pass	PK	7.0832G	100.69	Inf	-Inf	3	Vertical	28	2.50
7085MHz	Pass	PK	7.1504G	62.09	88.20	-26.11	3	Vertical	28	2.50
7085MHz	Pass	AV	7.0772G	84.93	Inf	-Inf	3	Horizontal	244	2.33

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.232G	48.92	68.20	-19.28	3	Horizontal	244	2.33
7085MHz	Pass	PK	7.0874G	97.35	Inf	-Inf	3	Horizontal	244	2.33
7085MHz	Pass	PK	7.1762G	63.06	88.20	-25.14	3	Horizontal	244	2.33
7085MHz	Pass	AV	14.16048G	41.77	68.20	-26.43	3	Vertical	104	1.50
7085MHz	Pass	PK	14.17796G	55.03	88.20	-33.17	3	Vertical	104	1.50
7085MHz	Pass	AV	14.17884G	41.70	68.20	-26.50	3	Horizontal	139	1.50
7085MHz	Pass	PK	14.17468G	54.72	88.20	-33.48	3	Horizontal	139	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.907G	44.68	68.20	-23.52	3	Vertical	31	2.01
5985MHz	Pass	AV	5.994G	85.49	Inf	-Inf	3	Vertical	31	2.01
5985MHz	Pass	PK	5.91G	57.99	88.20	-30.21	3	Vertical	31	2.01
5985MHz	Pass	PK	5.974G	99.16	Inf	-Inf	3	Vertical	31	2.01
5985MHz	Pass	AV	5.916G	44.64	68.20	-23.56	3	Horizontal	195	2.92
5985MHz	Pass	AV	5.998G	82.80	Inf	-Inf	3	Horizontal	195	2.92
5985MHz	Pass	PK	5.742G	58.13	88.20	-30.07	3	Horizontal	195	2.92
5985MHz	Pass	PK	5.999G	95.83	Inf	-Inf	3	Horizontal	195	2.92
5985MHz	Pass	AV	11.97972G	38.84	54.00	-15.16	3	Vertical	9	1.49
5985MHz	Pass	PK	11.97592G	51.20	74.00	-22.80	3	Vertical	9	1.49
5985MHz	Pass	AV	11.97804G	38.75	54.00	-15.25	3	Horizontal	224	1.24
5985MHz	Pass	PK	11.96408G	51.97	74.00	-22.03	3	Horizontal	224	1.24
6225MHz	Pass	AV	12.44696G	38.72	54.00	-15.28	3	Vertical	350	2.59
6225MHz	Pass	PK	12.45144G	50.97	74.00	-23.03	3	Vertical	350	2.59
6225MHz	Pass	AV	12.4492G	38.52	54.00	-15.48	3	Horizontal	360	2.79
6225MHz	Pass	PK	12.44712G	52.24	74.00	-21.76	3	Horizontal	360	2.79
6385MHz	Pass	AV	12.77588G	39.43	68.20	-28.77	3	Vertical	79	2.99
6385MHz	Pass	PK	12.76372G	52.88	88.20	-35.32	3	Vertical	79	2.99
6385MHz	Pass	AV	12.7638G	39.44	68.20	-28.76	3	Horizontal	214	1.50
6385MHz	Pass	PK	12.7756G	52.20	88.20	-36.00	3	Horizontal	214	1.50
6465MHz	Pass	AV	12.92588G	39.89	68.20	-28.31	3	Vertical	103	1.50
6465MHz	Pass	PK	12.92548G	52.75	88.20	-35.45	3	Vertical	103	1.50
6465MHz	Pass	AV	12.92544G	39.88	68.20	-28.32	3	Horizontal	0	2.66
6465MHz	Pass	PK	12.93424G	52.65	88.20	-35.55	3	Horizontal	0	2.66
6545MHz	Pass	AV	13.09744G	39.21	68.20	-28.99	3	Vertical	0	3.00
6545MHz	Pass	PK	13.0914G	51.48	88.20	-36.72	3	Vertical	0	3.00
6545MHz	Pass	AV	13.09816G	39.13	68.20	-29.07	3	Horizontal	298	1.50
6545MHz	Pass	PK	13.09892G	51.63	88.20	-36.57	3	Horizontal	298	1.50
6625MHz	Pass	AV	13.25896G	39.97	54.00	-14.03	3	Vertical	0	1.50
6625MHz	Pass	PK	13.2556G	54.41	74.00	-19.59	3	Vertical	0	1.50
6625MHz	Pass	AV	13.25836G	40.06	54.00	-13.94	3	Horizontal	210	1.50
6625MHz	Pass	PK	13.24636G	52.34	88.20	-35.86	3	Horizontal	210	1.50
6705MHz	Pass	AV	13.40096G	40.06	68.20	-28.14	3	Vertical	25	1.50
6705MHz	Pass	PK	13.40076G	52.14	88.20	-36.06	3	Vertical	25	1.50
6705MHz	Pass	AV	13.4192G	40.08	68.20	-28.12	3	Horizontal	280	1.50
6705MHz	Pass	PK	13.40844G	53.30	88.20	-34.90	3	Horizontal	280	1.50
6785MHz	Pass	AV	13.579G	40.53	68.20	-27.67	3	Vertical	0	1.50
6785MHz	Pass	PK	13.56576G	53.47	88.20	-34.73	3	Vertical	0	1.50
6785MHz	Pass	AV	13.57928G	40.49	68.20	-27.71	3	Horizontal	179	1.50
6785MHz	Pass	PK	13.5736G	53.33	88.20	-34.87	3	Horizontal	179	1.50
6865MHz	Pass	AV	13.72168G	40.49	68.20	-27.71	3	Vertical	347	1.50
6865MHz	Pass	PK	13.72248G	52.74	88.20	-35.46	3	Vertical	347	1.50
6865MHz	Pass	AV	13.72008G	40.44	68.20	-27.76	3	Horizontal	50	1.28
6865MHz	Pass	PK	13.7364G	53.70	88.20	-34.50	3	Horizontal	50	1.28
6945MHz	Pass	AV	13.89972G	40.86	68.20	-27.34	3	Vertical	226	2.69
6945MHz	Pass	PK	13.881G	53.40	88.20	-34.80	3	Vertical	226	2.69
6945MHz	Pass	AV	13.89832G	40.81	68.20	-27.39	3	Horizontal	61	1.50
6945MHz	Pass	PK	13.88656G	53.56	88.20	-34.64	3	Horizontal	61	1.50
7025MHz	Pass	AV	7.0118G	87.35	Inf	-Inf	3	Vertical	26	2.54
7025MHz	Pass	AV	7.1732G	48.60	68.20	-19.60	3	Vertical	26	2.54
7025MHz	Pass	PK	7.0112G	100.25	Inf	-Inf	3	Vertical	26	2.54
7025MHz	Pass	PK	7.1672G	61.81	88.20	-26.39	3	Vertical	26	2.54
7025MHz	Pass	AV	7.0166G	83.83	Inf	-Inf	3	Horizontal	245	2.10
7025MHz	Pass	AV	7.1666G	48.42	68.20	-19.78	3	Horizontal	245	2.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0166G	96.38	Inf	-Inf	3	Horizontal	245	2.10
7025MHz	Pass	PK	7.1384G	62.07	88.20	-26.13	3	Horizontal	245	2.10
7025MHz	Pass	AV	14.058G	41.19	68.20	-27.01	3	Vertical	112	1.50
7025MHz	Pass	PK	14.05988G	54.00	88.20	-34.20	3	Vertical	112	1.50
7025MHz	Pass	AV	14.05572G	41.14	68.20	-27.06	3	Horizontal	180	1.50
7025MHz	Pass	PK	14.05484G	54.02	88.20	-34.18	3	Horizontal	180	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	44.74	68.20	-23.46	3	Vertical	34	2.09
6025MHz	Pass	AV	6.056G	86.14	Inf	-Inf	3	Vertical	34	2.09
6025MHz	Pass	PK	5.835G	57.63	88.20	-30.57	3	Vertical	34	2.09
6025MHz	Pass	PK	6.046G	98.32	Inf	-Inf	3	Vertical	34	2.09
6025MHz	Pass	AV	5.919G	44.72	68.20	-23.48	3	Horizontal	195	2.93
6025MHz	Pass	AV	5.998G	82.83	Inf	-Inf	3	Horizontal	195	2.93
6025MHz	Pass	PK	5.923G	58.11	88.20	-30.09	3	Horizontal	195	2.93
6025MHz	Pass	PK	6.047G	95.01	Inf	-Inf	3	Horizontal	195	2.93
6025MHz	Pass	AV	12.04928G	38.59	54.00	-15.41	3	Vertical	133	2.87
6025MHz	Pass	PK	12.05042G	52.37	74.00	-21.63	3	Vertical	133	2.87
6025MHz	Pass	AV	12.0496G	38.55	54.00	-15.45	3	Horizontal	211	1.85
6025MHz	Pass	PK	12.05076G	52.27	74.00	-21.73	3	Horizontal	211	1.85
6185MHz	Pass	AV	12.36988G	38.55	54.00	-15.45	3	Vertical	292	1.34
6185MHz	Pass	PK	12.36947G	51.19	74.00	-22.81	3	Vertical	292	1.34
6185MHz	Pass	AV	12.37052G	38.59	54.00	-15.41	3	Horizontal	192	1.83
6185MHz	Pass	PK	12.3699G	51.08	74.00	-22.92	3	Horizontal	192	1.83
6345MHz	Pass	AV	12.68972G	39.17	54.00	-14.83	3	Vertical	343	2.00
6345MHz	Pass	PK	12.68902G	51.62	74.00	-22.38	3	Vertical	343	2.00
6345MHz	Pass	AV	12.69014G	39.13	54.00	-14.87	3	Horizontal	257	1.25
6345MHz	Pass	PK	12.69015G	52.05	74.00	-21.95	3	Horizontal	257	1.25
6505MHz	Pass	AV	13.00924G	39.42	68.20	-28.78	3	Vertical	355	2.58
6505MHz	Pass	PK	13.01073G	52.12	88.20	-36.08	3	Vertical	355	2.58
6505MHz	Pass	AV	13.0096G	39.46	68.20	-28.74	3	Horizontal	2	1.37
6505MHz	Pass	PK	13.01032G	51.53	88.20	-36.67	3	Horizontal	2	1.37
6665MHz	Pass	AV	13.32944G	40.39	54.00	-13.61	3	Vertical	74	1.89
6665MHz	Pass	PK	13.33014G	52.78	74.00	-21.22	3	Vertical	74	1.89
6665MHz	Pass	AV	13.32922G	40.46	54.00	-13.54	3	Horizontal	14	1.68
6665MHz	Pass	PK	13.32901G	52.85	74.00	-21.15	3	Horizontal	14	1.68
6825MHz	Pass	AV	13.64966G	40.76	68.20	-27.44	3	Vertical	339	2.45
6825MHz	Pass	PK	13.64951G	53.48	88.20	-34.72	3	Vertical	339	2.45
6825MHz	Pass	AV	13.65039G	40.84	68.20	-27.36	3	Horizontal	137	2.11
6825MHz	Pass	PK	13.65084G	53.02	88.20	-35.18	3	Horizontal	137	2.11
6985MHz	Pass	AV	6.95G	87.24	Inf	-Inf	3	Vertical	23	2.46
6985MHz	Pass	AV	7.221G	48.98	68.20	-19.22	3	Vertical	23	2.46
6985MHz	Pass	PK	6.928G	99.68	Inf	-Inf	3	Vertical	23	2.46
6985MHz	Pass	PK	7.22G	62.60	88.20	-25.60	3	Vertical	23	2.46
6985MHz	Pass	AV	6.947G	83.64	Inf	-Inf	3	Horizontal	243	2.44
6985MHz	Pass	AV	7.221G	48.95	68.20	-19.25	3	Horizontal	243	2.44
6985MHz	Pass	PK	6.948G	95.79	Inf	-Inf	3	Horizontal	243	2.44
6985MHz	Pass	PK	7.189G	61.71	88.20	-26.49	3	Horizontal	243	2.44
6985MHz	Pass	AV	13.9693G	41.09	68.20	-27.11	3	Vertical	287	1.47
6985MHz	Pass	PK	13.97092G	53.81	88.20	-34.39	3	Vertical	287	1.47
6985MHz	Pass	AV	13.96907G	41.09	68.20	-27.11	3	Horizontal	21	2.56
6985MHz	Pass	PK	13.97048G	54.31	88.20	-33.89	3	Horizontal	21	2.56


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9038G	44.39	68.20	-23.81	3.33	3	Vertical	36	2.10	41.06	34.50	5.87	37.04
AV	5.9638G	85.69	Inf	-Inf	3.40	3	Vertical	36	2.10	82.29	34.50	5.90	37.00
PK	5.9182G	58.18	88.20	-30.02	3.35	3	Vertical	36	2.10	54.83	34.50	5.88	37.03
PK	5.9752G	98.03	Inf	-Inf	3.42	3	Vertical	36	2.10	94.61	34.50	5.91	36.99

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9038G	44.35	68.20	-23.85	3.33	3	Horizontal	12	2.62	41.02	34.50	5.87	37.04
AV	5.968G	83.90	Inf	-Inf	3.41	3	Horizontal	12	2.62	80.49	34.50	5.90	36.99
PK	5.9056G	58.52	88.20	-29.68	3.33	3	Horizontal	12	2.62	55.19	34.50	5.87	37.04
PK	5.9752G	96.27	Inf	-Inf	3.40	3	Horizontal	12	2.62	92.87	34.50	5.90	37.00


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.907G	44.68	68.20	-23.52	3.33	3	Vertical	31	2.01	41.35	34.50	5.87	37.04
AV	5.994G	85.49	Inf	-Inf	3.45	3	Vertical	31	2.01	82.04	34.50	5.92	36.97
PK	5.91G	57.99	88.20	-30.21	3.33	3	Vertical	31	2.01	54.66	34.50	5.87	37.04
PK	5.974G	99.16	Inf	-Inf	3.42	3	Vertical	31	2.01	95.74	34.50	5.91	36.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.916G	44.64	68.20	-23.56	3.34	3	Horizontal	195	2.92	41.30	34.50	5.87	37.03
AV	5.998G	82.80	Inf	-Inf	3.45	3	Horizontal	195	2.92	79.35	34.50	5.92	36.97
PK	5.742G	58.13	88.20	-30.07	2.59	3	Horizontal	195	2.92	55.54	33.97	5.78	37.16
PK	5.999G	95.83	Inf	-Inf	3.45	3	Horizontal	195	2.92	92.38	34.50	5.92	36.97


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0932G	88.12	Inf	-Inf	6.55	3	Vertical	28	2.62	81.57	36.67	6.48	36.60
AV	7.2438G	49.09	68.20	-19.11	7.27	3	Vertical	28	2.62	41.82	37.28	6.55	36.56
PK	7.0938G	100.30	Inf	-Inf	6.56	3	Vertical	28	2.62	93.74	36.68	6.48	36.60
PK	7.245G	61.89	88.20	-26.31	7.27	3	Vertical	28	2.62	54.62	37.28	6.55	36.56

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0962G	84.87	Inf	-Inf	6.56	3	Horizontal	244	2.08	78.31	36.68	6.48	36.60
AV	7.2432G	49.05	68.20	-19.15	7.26	3	Horizontal	244	2.08	41.79	37.27	6.55	36.56
PK	7.098G	96.95	Inf	-Inf	6.57	3	Horizontal	244	2.08	90.38	36.69	6.48	36.60
PK	7.2372G	63.11	88.20	-25.09	7.24	3	Horizontal	244	2.08	55.87	37.25	6.55	36.56


6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TX



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0838G	87.84	Inf	-Inf	6.50	3	Vertical	28	2.50	81.34	36.64	6.47	36.61
AV	7.232G	49.01	68.20	-19.19	7.21	3	Vertical	28	2.50	41.80	37.23	6.55	36.57
PK	7.0832G	100.69	Inf	-Inf	6.49	3	Vertical	28	2.50	94.20	36.63	6.47	36.61
PK	7.1504G	62.09	88.20	-26.11	6.92	3	Vertical	28	2.50	55.17	37.00	6.51	36.59

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0772G	84.93	Inf	-Inf	6.47	3	Horizontal	244	2.33	78.46	36.61	6.47	36.61
AV	7.232G	48.92	68.20	-19.28	7.21	3	Horizontal	244	2.33	41.71	37.23	6.55	36.57
PK	7.0874G	97.35	Inf	-Inf	6.51	3	Horizontal	244	2.33	90.84	36.65	6.47	36.61
PK	7.1762G	63.06	88.20	-25.14	6.99	3	Horizontal	244	2.33	56.07	37.05	6.52	36.58


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0118G	87.35	Inf	-Inf	6.08	3	Vertical	26	2.54	81.27	36.27	6.44	36.63
AV	7.1732G	48.60	68.20	-19.60	6.99	3	Vertical	26	2.54	41.61	37.05	6.52	36.58
PK	7.0112G	100.25	Inf	-Inf	6.08	3	Vertical	26	2.54	94.17	36.27	6.44	36.63
PK	7.1672G	61.81	88.20	-26.39	6.96	3	Vertical	26	2.54	54.85	37.03	6.51	36.58

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0166G	83.83	Inf	-Inf	6.11	3	Horizontal	245	2.10	77.72	36.30	6.44	36.63
AV	7.1666G	48.42	68.20	-19.78	6.96	3	Horizontal	245	2.10	41.46	37.03	6.51	36.58
PK	7.0166G	96.38	Inf	-Inf	6.11	3	Horizontal	245	2.10	90.27	36.30	6.44	36.63
PK	7.1384G	62.07	88.20	-26.13	6.84	3	Horizontal	245	2.10	55.23	36.93	6.50	36.59


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.963973G	-13.68	5.9665G	-42.86	-33.84	-9.02	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.422196G	-10.01	6.42725G	-38.20	-29.31	-8.89	3
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.41249G	-6.97	6.4289G	-33.82	-26.97	-6.85	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.10098G	-4.21	6.2766G	-50.29	-44.21	-6.08	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.20657G	-0.83	6.6146G	-46.96	-40.88	-6.08	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.443248G	-13.79	6.447G	-44.04	-33.29	-10.75	3
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.473053G	-9.45	6.5072G	-37.51	-29.46	-8.05	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.42911G	-6.47	6.4208G	-32.76	-26.53	-6.23	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.5018G	-3.82	6.2454G	-51.41	-43.82	-7.59	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.47903G	-1.56	6.0694G	-48.19	-41.55	-6.64	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.883373G	-12.54	6.88675G	-42.22	-32.54	-9.68	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.889049G	-8.72	6.8628G	-37.47	-28.82	-8.65	3
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.66961G	-5.70	6.6616G	-32.01	-25.71	-6.30	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.75182G	-3.14	6.573G	-48.57	-42.94	-5.63	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.75384G	-1.54	6.3882G	-45.93	-41.54	-4.39	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.090401G	-12.50	7.10705G	-43.26	-32.54	-10.72	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	7.089949G	-9.14	7.10765G	-38.67	-29.20	-9.47	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.91441G	-5.83	6.9006G	-33.42	-25.86	-7.56	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.9896G	-3.79	6.7286G	-50.41	-43.79	-6.62	4

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962873G	-13.65	5.9671G	-45.65	-33.67	-11.98	1
5955MHz	Pass	5.952126G	-13.81	5.966875G	-45.19	-33.51	-11.68	2
5955MHz	Pass	5.963973G	-13.68	5.9665G	-42.86	-33.84	-9.02	3
5955MHz	Pass	5.963048G	-13.22	5.96725G	-45.57	-33.42	-12.15	4
6195MHz	Pass	6.203198G	-13.54	6.2073G	-47.41	-33.62	-13.79	1
6195MHz	Pass	6.203698G	-13.75	6.182825G	-46.61	-33.76	-12.85	2
6195MHz	Pass	6.202348G	-13.69	6.2067G	-44.78	-33.69	-11.09	3
6195MHz	Pass	6.203648G	-13.33	6.2072G	-45.45	-32.93	-12.52	4
6415MHz	Pass	6.424148G	-13.61	6.4267G	-44.30	-33.61	-10.69	1
6415MHz	Pass	6.408052G	-12.95	6.4271G	-45.57	-33.01	-12.56	2
6415MHz	Pass	6.405777G	-13.98	6.427325G	-47.88	-33.38	-14.50	3
6415MHz	Pass	6.406127G	-13.71	6.402925G	-46.07	-33.88	-12.19	4
6435MHz	Pass	6.430851G	-13.22	6.446875G	-43.69	-32.32	-11.37	1
6435MHz	Pass	6.428427G	-13.23	6.44745G	-47.53	-33.28	-14.25	2
6435MHz	Pass	6.443248G	-13.79	6.447G	-44.04	-33.29	-10.75	3
6435MHz	Pass	6.426302G	-13.18	6.447425G	-47.22	-33.23	-13.99	4
6475MHz	Pass	6.469826G	-13.27	6.487375G	-46.58	-33.35	-13.23	1
6475MHz	Pass	6.467027G	-12.80	6.4874G	-47.44	-32.81	-14.63	2
6475MHz	Pass	6.482348G	-13.55	6.462775G	-46.82	-33.57	-13.25	3
6475MHz	Pass	6.466227G	-13.37	6.48725G	-45.52	-33.55	-11.97	4
6515MHz	Pass	6.521223G	-13.42	6.527025G	-44.81	-32.82	-11.99	1
6515MHz	Pass	6.506227G	-13.42	6.5271G	-45.78	-33.48	-12.30	2
6515MHz	Pass	6.512451G	-13.97	6.5272G	-46.97	-33.57	-13.40	3
6515MHz	Pass	6.506252G	-13.48	6.52725G	-46.40	-33.55	-12.85	4
6535MHz	Pass	6.53595G	-12.86	6.547225G	-45.69	-32.86	-12.83	1
6535MHz	Pass	6.544198G	-12.76	6.547225G	-45.92	-32.76	-13.16	2
6535MHz	Pass	6.541223G	-13.12	6.547225G	-46.23	-33.24	-12.99	3
6535MHz	Pass	6.544148G	-12.48	6.54735G	-46.48	-32.50	-13.98	4
6695MHz	Pass	6.689501G	-13.27	6.70715G	-46.01	-33.30	-12.71	1
6695MHz	Pass	6.687177G	-12.65	6.7077G	-48.23	-32.72	-15.51	2
6695MHz	Pass	6.688377G	-13.15	6.706725G	-43.28	-33.20	-10.08	3
6695MHz	Pass	6.687677G	-13.28	6.68295G	-45.45	-33.18	-12.27	4
6875MHz	Pass	6.880849G	-13.42	6.8869G	-44.32	-33.43	-10.89	1
6875MHz	Pass	6.867527G	-12.35	6.863175G	-42.76	-32.15	-10.61	2
6875MHz	Pass	6.873725G	-13.19	6.88695G	-44.50	-33.19	-11.31	3
6875MHz	Pass	6.883373G	-12.54	6.88675G	-42.22	-32.54	-9.68	4
6895MHz	Pass	6.887102G	-12.74	6.90765G	-46.96	-32.88	-14.08	1
6895MHz	Pass	6.889326G	-12.07	6.882825G	-44.19	-32.08	-12.11	2
6895MHz	Pass	6.887027G	-12.60	6.907075G	-45.25	-32.50	-12.75	3
6895MHz	Pass	6.902298G	-12.19	6.907225G	-44.30	-32.24	-12.06	4
6995MHz	Pass	6.986277G	-12.95	7.00725G	-45.74	-33.11	-12.63	1
6995MHz	Pass	6.987377G	-12.12	6.982725G	-45.75	-31.02	-14.73	2
6995MHz	Pass	6.993675G	-12.98	6.982975G	-45.19	-33.02	-12.17	3
6995MHz	Pass	6.985702G	-12.97	7.006975G	-45.07	-32.99	-12.08	4
7095MHz	Pass	7.086602G	-12.62	7.106975G	-44.26	-32.69	-11.57	1
7095MHz	Pass	7.090401G	-12.50	7.10705G	-43.26	-32.54	-10.72	2
7095MHz	Pass	7.093325G	-13.12	7.106975G	-43.47	-32.62	-10.85	3
7095MHz	Pass	7.103298G	-12.33	7.1073G	-45.37	-32.23	-13.14	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969249G	-9.76	5.9886G	-43.69	-29.78	-13.91	1
5965MHz	Pass	5.983595G	-9.31	5.98745G	-38.89	-29.33	-9.56	2
5965MHz	Pass	5.982346G	-9.46	5.9878G	-40.79	-29.51	-11.28	3
5965MHz	Pass	5.972348G	-9.45	5.98745G	-39.81	-29.45	-10.36	4
6205MHz	Pass	6.210699G	-9.24	6.1821G	-40.83	-29.24	-11.59	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6205MHz	Pass	6.197952G	-8.87	6.22855G	-41.89	-28.97	-12.92	2
6205MHz	Pass	6.214848G	-9.39	6.18205G	-41.31	-29.39	-11.92	3
6205MHz	Pass	6.20435G	-9.19	6.18205G	-41.68	-29.19	-12.49	4
6405MHz	Pass	6.423195G	-9.71	6.42755G	-38.91	-28.41	-10.50	1
6405MHz	Pass	6.421846G	-9.36	6.3819G	-40.95	-29.40	-11.55	2
6405MHz	Pass	6.422196G	-10.01	6.42725G	-38.20	-29.31	-8.89	3
6405MHz	Pass	6.4037G	-9.70	6.4275G	-39.66	-29.72	-9.94	4
6445MHz	Pass	6.447449G	-9.27	6.42235G	-39.94	-29.31	-10.63	1
6445MHz	Pass	6.462746G	-9.39	6.4677G	-39.47	-29.44	-10.03	2
6445MHz	Pass	6.462796G	-9.66	6.422G	-41.54	-29.70	-11.84	3
6445MHz	Pass	6.442551G	-9.23	6.4673G	-39.29	-29.26	-10.03	4
6485MHz	Pass	6.473053G	-9.45	6.5072G	-37.51	-29.46	-8.05	1
6485MHz	Pass	6.493098G	-9.22	6.5075G	-38.23	-29.28	-8.95	2
6485MHz	Pass	6.474553G	-9.49	6.46195G	-41.30	-29.53	-11.77	3
6485MHz	Pass	6.469954G	-9.45	6.4627G	-39.29	-29.50	-9.79	4
6525MHz	Pass	6.530299G	-9.30	6.5478G	-40.00	-29.39	-10.61	1
6525MHz	Pass	6.529249G	-9.28	6.54825G	-40.70	-29.42	-11.28	2
6525MHz	Pass	6.540646G	-9.59	6.5474G	-39.51	-29.64	-9.87	3
6525MHz	Pass	6.512353G	-9.49	6.50285G	-39.17	-29.52	-9.65	4
6565MHz	Pass	6.546805G	-8.46	6.5878G	-40.06	-28.47	-11.59	1
6565MHz	Pass	6.551903G	-8.31	6.5874G	-39.11	-28.31	-10.80	2
6565MHz	Pass	6.548554G	-8.63	6.58805G	-40.09	-28.71	-11.38	3
6565MHz	Pass	6.550754G	-8.62	6.5429G	-37.62	-28.22	-9.40	4
6685MHz	Pass	6.670104G	-8.37	6.7081G	-40.53	-28.43	-12.10	1
6685MHz	Pass	6.679301G	-8.20	6.70755G	-37.94	-28.22	-9.72	2
6685MHz	Pass	6.666755G	-8.47	6.708G	-40.74	-28.47	-12.27	3
6685MHz	Pass	6.675752G	-8.35	6.6623G	-39.25	-27.85	-11.40	4
6885MHz	Pass	6.874753G	-8.71	6.9073G	-38.79	-28.74	-10.05	1
6885MHz	Pass	6.866805G	-8.11	6.86225G	-38.59	-28.12	-10.47	2
6885MHz	Pass	6.889049G	-8.72	6.8628G	-37.47	-28.82	-8.65	3
6885MHz	Pass	6.872003G	-8.60	6.8627G	-38.15	-28.61	-9.54	4
6925MHz	Pass	6.911053G	-9.10	6.94825G	-40.56	-29.11	-11.45	1
6925MHz	Pass	6.922401G	-8.15	6.9025G	-38.07	-28.32	-9.75	2
6925MHz	Pass	6.92675G	-8.51	6.94775G	-39.63	-28.54	-11.09	3
6925MHz	Pass	6.913853G	-8.79	6.94775G	-39.65	-28.82	-10.83	4
7005MHz	Pass	6.988854G	-9.10	6.98275G	-39.28	-29.17	-10.11	1
7005MHz	Pass	6.987704G	-8.08	6.9822G	-38.84	-28.13	-10.71	2
7005MHz	Pass	6.988754G	-8.53	6.98245G	-39.16	-28.59	-10.57	3
7005MHz	Pass	6.991703G	-9.26	6.98165G	-42.10	-29.44	-12.66	4
7085MHz	Pass	7.070104G	-8.33	7.10795G	-39.76	-28.35	-11.41	1
7085MHz	Pass	7.079751G	-8.23	7.10815G	-40.99	-28.25	-12.74	2
7085MHz	Pass	7.0857G	-8.62	7.10805G	-40.50	-28.72	-11.78	3
7085MHz	Pass	7.089949G	-9.14	7.10765G	-38.67	-29.20	-9.47	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0033G	-7.03	6.0301G	-35.23	-27.09	-8.14	1
5985MHz	Pass	6.01459G	-6.94	6.0297G	-35.16	-26.99	-8.17	2
5985MHz	Pass	6.01099G	-7.35	5.9411G	-35.46	-27.35	-8.11	3
5985MHz	Pass	5.969G	-7.00	6.0309G	-37.09	-27.00	-10.09	4
6225MHz	Pass	6.2132G	-6.78	6.2704G	-35.27	-26.81	-8.46	1
6225MHz	Pass	6.26089G	-6.50	6.1794G	-35.72	-26.51	-9.21	2
6225MHz	Pass	6.2143G	-7.15	6.2716G	-37.37	-27.20	-10.17	3
6225MHz	Pass	6.19701G	-6.66	6.2698G	-34.92	-26.73	-8.19	4
6385MHz	Pass	6.41249G	-6.97	6.4289G	-33.82	-26.97	-6.85	1
6385MHz	Pass	6.36031G	-6.88	6.3387G	-36.81	-26.92	-9.89	2
6385MHz	Pass	6.41569G	-7.16	6.4298G	-34.61	-27.21	-7.40	3
6385MHz	Pass	6.35591G	-6.88	6.3392G	-35.67	-26.89	-8.78	4



Mask_Non-Beamforming_Radio 2_Full RU

Appendix E.4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.42911G	-6.47	6.4208G	-32.76	-26.53	-6.23	1
6465MHz	Pass	6.4543G	-6.38	6.5098G	-34.57	-26.38	-8.19	2
6465MHz	Pass	6.4665G	-6.65	6.511G	-36.33	-26.69	-9.64	3
6465MHz	Pass	6.4755G	-6.78	6.4193G	-35.54	-26.91	-8.63	4
6545MHz	Pass	6.5309G	-6.87	6.5004G	-34.39	-26.94	-7.45	1
6545MHz	Pass	6.536G	-6.70	6.5001G	-34.57	-26.70	-7.87	2
6545MHz	Pass	6.5387G	-6.67	6.4992G	-35.62	-26.68	-8.94	3
6545MHz	Pass	6.5533G	-6.38	6.4991G	-35.66	-26.40	-9.26	4
6625MHz	Pass	6.6155G	-5.83	6.5806G	-33.39	-25.84	-7.55	1
6625MHz	Pass	6.6192G	-5.85	6.6696G	-34.10	-25.88	-8.22	2
6625MHz	Pass	6.6097G	-5.78	6.5798G	-33.93	-25.80	-8.13	3
6625MHz	Pass	6.60011G	-5.75	6.5795G	-35.29	-25.76	-9.53	4
6705MHz	Pass	6.6881G	-6.20	6.6601G	-34.68	-26.26	-8.42	1
6705MHz	Pass	6.66961G	-5.70	6.6616G	-32.01	-25.71	-6.30	2
6705MHz	Pass	6.66771G	-5.63	6.6602G	-33.48	-25.63	-7.85	3
6705MHz	Pass	6.67591G	-6.26	6.6598G	-34.32	-26.38	-7.94	4
6785MHz	Pass	6.75211G	-5.63	6.6514G	-55.49	-45.63	-9.86	1
6785MHz	Pass	6.75271G	-5.39	6.74G	-33.95	-25.39	-8.56	2
6785MHz	Pass	6.76281G	-5.69	6.7397G	-34.91	-25.75	-9.16	3
6785MHz	Pass	6.75421G	-5.58	6.6467G	-55.27	-45.58	-9.69	4
6865MHz	Pass	6.82761G	-7.00	6.8194G	-36.03	-27.01	-9.02	1
6865MHz	Pass	6.8766G	-5.73	6.8197G	-34.83	-25.74	-9.09	2
6865MHz	Pass	6.84491G	-6.03	6.8206G	-34.17	-26.04	-8.13	3
6865MHz	Pass	6.8766G	-5.93	6.731G	-55.02	-45.50	-9.52	4
6945MHz	Pass	6.9427G	-5.81	6.8073G	-55.66	-45.81	-9.85	1
6945MHz	Pass	6.91191G	-5.31	6.8067G	-54.95	-45.31	-9.64	2
6945MHz	Pass	6.90701G	-5.85	6.9894G	-33.72	-25.86	-7.86	3
6945MHz	Pass	6.91441G	-5.83	6.9006G	-33.42	-25.86	-7.56	4
7025MHz	Pass	6.99571G	-6.14	6.9796G	-35.61	-26.17	-9.44	1
7025MHz	Pass	6.99181G	-5.50	6.9803G	-33.88	-25.51	-8.37	2
7025MHz	Pass	6.98721G	-5.82	6.9793G	-35.44	-25.87	-9.57	3
7025MHz	Pass	6.99321G	-6.11	6.9792G	-35.42	-26.24	-9.18	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09818G	-4.85	6.2804G	-52.31	-44.85	-7.46	1
6025MHz	Pass	6.10098G	-4.21	6.2766G	-50.29	-44.21	-6.08	2
6025MHz	Pass	6.09438G	-4.79	6.2764G	-51.52	-44.41	-7.11	3
6025MHz	Pass	5.98941G	-4.85	6.279G	-52.18	-44.84	-7.34	4
6185MHz	Pass	6.20979G	-4.22	6.4478G	-52.17	-44.22	-7.95	1
6185MHz	Pass	6.1986G	-4.01	6.4418G	-50.75	-43.83	-6.92	2
6185MHz	Pass	6.21139G	-3.60	6.4474G	-51.50	-43.60	-7.90	3
6185MHz	Pass	6.198G	-4.06	6.441G	-51.00	-44.06	-6.94	4
6345MHz	Pass	6.349G	-4.34	6.6052G	-52.09	-44.34	-7.75	1
6345MHz	Pass	6.3588G	-3.97	6.601G	-51.07	-43.97	-7.10	2
6345MHz	Pass	6.3348G	-4.42	6.6018G	-51.37	-44.42	-6.95	3
6345MHz	Pass	6.26862G	-3.94	6.0936G	-50.74	-43.74	-7.00	4
6505MHz	Pass	6.4864G	-4.23	6.254G	-51.92	-44.23	-7.69	1
6505MHz	Pass	6.5018G	-3.82	6.2454G	-51.41	-43.82	-7.59	2
6505MHz	Pass	6.47261G	-4.16	6.247G	-52.31	-44.16	-8.15	3
6505MHz	Pass	6.43422G	-3.71	6.2478G	-51.34	-43.71	-7.63	4
6665MHz	Pass	6.59082G	-3.19	6.4096G	-50.48	-43.09	-7.39	1
6665MHz	Pass	6.59422G	-3.19	6.412G	-50.29	-43.19	-7.10	2
6665MHz	Pass	6.59722G	-3.43	6.412G	-50.34	-43.18	-7.16	3
6665MHz	Pass	6.59402G	-2.78	6.412G	-49.72	-42.62	-7.10	4
6825MHz	Pass	6.75982G	-3.23	6.559G	-49.60	-43.23	-6.37	1
6825MHz	Pass	6.75102G	-2.72	6.5624G	-49.06	-42.72	-6.34	2
6825MHz	Pass	6.74962G	-3.12	6.5656G	-49.87	-43.12	-6.75	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.75182G	-3.14	6.573G	-48.57	-42.94	-5.63	4
6985MHz	Pass	6.91082G	-3.88	6.7254G	-50.52	-43.88	-6.64	1
6985MHz	Pass	6.91322G	-2.82	6.728G	-49.50	-42.82	-6.68	2
6985MHz	Pass	6.92501G	-3.41	6.7242G	-50.62	-43.41	-7.21	3
6985MHz	Pass	6.9896G	-3.79	6.7286G	-50.41	-43.79	-6.62	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20657G	-1.64	6.6186G	-48.11	-41.62	-6.49	1
6105MHz	Pass	6.20657G	-0.83	6.6146G	-46.96	-40.88	-6.08	2
6105MHz	Pass	6.20897G	-1.50	6.609G	-47.71	-41.52	-6.19	3
6105MHz	Pass	6.13019G	-1.47	6.621G	-47.57	-41.47	-6.10	4
6265MHz	Pass	6.20462G	-2.23	6.7686G	-49.07	-42.00	-7.07	1
6265MHz	Pass	6.19902G	-1.68	6.7742G	-48.93	-41.66	-7.27	2
6265MHz	Pass	6.21181G	-2.13	6.7734G	-49.27	-42.15	-7.12	3
6265MHz	Pass	6.21301G	-1.66	6.7758G	-48.99	-41.67	-7.32	4
6425MHz	Pass	6.4314G	-2.27	6.9326G	-50.09	-42.27	-7.82	1
6425MHz	Pass	6.4138G	-1.91	6.935G	-50.17	-41.66	-8.51	2
6425MHz	Pass	6.47859G	-2.49	6.9314G	-50.20	-42.36	-7.84	3
6425MHz	Pass	6.4198G	-2.17	6.931G	-49.49	-41.99	-7.50	4
6585MHz	Pass	6.53821G	-1.84	6.0746G	-49.34	-41.84	-7.50	1
6585MHz	Pass	6.44104G	-1.24	6.0778G	-49.32	-41.24	-8.08	2
6585MHz	Pass	6.55261G	-1.61	6.0734G	-49.37	-41.61	-7.76	3
6585MHz	Pass	6.47903G	-1.56	6.0694G	-48.19	-41.55	-6.64	4
6745MHz	Pass	6.60503G	-1.04	6.2258G	-47.20	-41.05	-6.15	1
6745MHz	Pass	6.59864G	-0.03	6.2378G	-46.63	-40.03	-6.60	2
6745MHz	Pass	6.60543G	-0.83	6.235G	-47.28	-40.82	-6.46	3
6745MHz	Pass	6.59184G	-0.76	6.2218G	-46.13	-40.76	-5.37	4
6905MHz	Pass	6.75864G	-1.31	6.3914G	-46.27	-41.33	-4.94	1
6905MHz	Pass	6.75144G	0.01	6.4006G	-45.05	-39.99	-5.06	2
6905MHz	Pass	6.75624G	-1.43	6.3914G	-46.46	-41.41	-5.05	3
6905MHz	Pass	6.75384G	-1.54	6.3882G	-45.93	-41.54	-4.39	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

05/11/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962873G	-13.65	5.9671G	-45.65	-33.67	-11.98	1
5.952126G	-13.81	5.966875G	-45.19	-33.51	-11.68	2
5.963973G	-13.68	5.9665G	-42.86	-33.84	-9.02	3
5.963048G	-13.22	5.96725G	-45.57	-33.42	-12.15	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

05/11/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423195G	-9.71	6.42755G	-38.91	-28.41	-10.50	1
6.421846G	-9.36	6.3819G	-40.95	-29.40	-11.55	2
6.422196G	-10.01	6.42725G	-38.20	-29.31	-8.89	3
6.4037G	-9.70	6.4275G	-39.66	-29.72	-9.94	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

05/11/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41249G	-6.97	6.4289G	-33.82	-26.97	-6.85	1
6.36031G	-6.88	6.3387G	-36.81	-26.92	-9.89	2
6.41569G	-7.16	6.4298G	-34.61	-27.21	-7.40	3
6.35591G	-6.88	6.3392G	-35.67	-26.89	-8.78	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

05/11/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09818G	-4.85	6.2804G	-52.31	-44.85	-7.46	1
6.10098G	-4.21	6.2766G	-50.29	-44.21	-6.08	2
6.09438G	-4.79	6.2764G	-51.52	-44.41	-7.11	3
5.98941G	-4.85	6.279G	-52.18	-44.84	-7.34	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20657G	-1.64	6.6186G	-48.11	-41.62	-6.49	1
6.20657G	-0.83	6.6146G	-46.96	-40.88	-6.08	2
6.20897G	-1.50	6.609G	-47.71	-41.52	-6.19	3
6.13019G	-1.47	6.621G	-47.57	-41.47	-6.10	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.430851G	-13.22	6.446875G	-43.69	-32.32	-11.37	1
6.428427G	-13.23	6.44745G	-47.53	-33.28	-14.25	2
6.443248G	-13.79	6.447G	-44.04	-33.29	-10.75	3
6.426302G	-13.18	6.447425G	-47.22	-33.23	-13.99	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

05/11/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

05/11/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4864G	-4.23	6.254G	-51.92	-44.23	-7.69	1
6.5018G	-3.82	6.2454G	-51.41	-43.82	-7.59	2
6.47261G	-4.16	6.247G	-52.31	-44.16	-8.15	3
6.43422G	-3.71	6.2478G	-51.34	-43.71	-7.63	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53821G	-1.84	6.0746G	-49.34	-41.84	-7.50	1
6.44104G	-1.24	6.0778G	-49.32	-41.24	-8.08	2
6.55261G	-1.61	6.0734G	-49.37	-41.61	-7.76	3
6.47903G	-1.56	6.0694G	-48.19	-41.55	-6.64	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.880849G	-13.42	6.8869G	-44.32	-33.43	-10.89	1
6.867527G	-12.35	6.863175G	-42.76	-32.15	-10.61	2
6.873725G	-13.19	6.88695G	-44.50	-33.19	-11.31	3
6.883373G	-12.54	6.88675G	-42.22	-32.54	-9.68	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

05/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.874753G	-8.71	6.9073G	-38.79	-28.74	-10.05	1
6.866805G	-8.11	6.86225G	-38.59	-28.12	-10.47	2
6.889049G	-8.72	6.8628G	-37.47	-28.82	-8.65	3
6.872003G	-8.60	6.8627G	-38.15	-28.61	-9.54	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

05/11/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6881G	-6.20	6.6601G	-34.68	-26.26	-8.42	1
6.66961G	-5.70	6.6616G	-32.01	-25.71	-6.30	2
6.66771G	-5.63	6.6602G	-33.48	-25.63	-7.85	3
6.67591G	-6.26	6.6598G	-34.32	-26.38	-7.94	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

05/11/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75982G	-3.23	6.559G	-49.60	-43.23	-6.37	1
6.75102G	-2.72	6.5624G	-49.06	-42.72	-6.34	2
6.74962G	-3.12	6.5656G	-49.87	-43.12	-6.75	3
6.75182G	-3.14	6.573G	-48.57	-42.94	-5.63	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75864G	-1.31	6.3914G	-46.27	-41.33	-4.94	1
6.75144G	0.01	6.4006G	-45.05	-39.99	-5.06	2
6.75624G	-1.43	6.3914G	-46.46	-41.41	-5.05	3
6.75384G	-1.54	6.3882G	-45.93	-41.54	-4.39	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.086602G	-12.62	7.106975G	-44.26	-32.69	-11.57	1
7.090401G	-12.50	7.10705G	-43.26	-32.54	-10.72	2
7.093325G	-13.12	7.106975G	-43.47	-32.62	-10.85	3
7.103298G	-12.33	7.1073G	-45.37	-32.23	-13.14	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

05/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

05/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

05/11/2024





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	31.94M	31.72	40.00	-8.28	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	31.94M	31.72	40.00	-8.28	3	Vertical	360	1.00
6105MHz	Pass	PK	70.74M	23.83	40.00	-16.17	3	Vertical	360	1.00
6105MHz	Pass	PK	127M	27.35	43.50	-16.15	3	Vertical	360	1.00
6105MHz	Pass	PK	171.62M	27.30	43.50	-16.20	3	Vertical	360	1.00
6105MHz	Pass	PK	231.76M	23.33	46.00	-22.67	3	Vertical	360	1.00
6105MHz	Pass	PK	445.16M	26.91	46.00	-19.09	3	Vertical	360	1.00
6105MHz	Pass	PK	31.94M	28.02	40.00	-11.98	3	Horizontal	0	1.00
6105MHz	Pass	PK	117.3M	26.14	43.50	-17.36	3	Horizontal	0	1.00
6105MHz	Pass	PK	138.64M	28.06	43.50	-15.44	3	Horizontal	0	1.00
6105MHz	Pass	PK	175.5M	28.60	43.50	-14.90	3	Horizontal	0	1.00
6105MHz	Pass	PK	233.7M	23.79	46.00	-22.21	3	Horizontal	0	1.00
6105MHz	Pass	PK	361.74M	24.70	46.00	-21.30	3	Horizontal	0	1.00
6105MHz	Pass	PK	31.94M	31.61	40.00	-8.39	3	Vertical	0	1.00
6105MHz	Pass	PK	53.28M	27.70	40.00	-12.30	3	Vertical	0	1.00
6105MHz	Pass	PK	90.14M	26.30	43.50	-17.20	3	Vertical	0	1.00
6105MHz	Pass	PK	260.86M	20.24	46.00	-25.76	3	Vertical	0	1.00
6105MHz	Pass	PK	369.5M	25.42	46.00	-20.58	3	Vertical	0	1.00
6105MHz	Pass	PK	441.28M	28.49	46.00	-17.51	3	Vertical	0	1.00
6105MHz	Pass	PK	30M	25.28	40.00	-14.72	3	Horizontal	360	1.00
6105MHz	Pass	PK	90.14M	30.15	43.50	-13.35	3	Horizontal	360	1.00
6105MHz	Pass	PK	119.24M	20.91	43.50	-22.59	3	Horizontal	360	1.00
6105MHz	Pass	PK	198.78M	19.16	43.50	-24.34	3	Horizontal	360	1.00
6105MHz	Pass	PK	400.54M	30.30	46.00	-15.70	3	Horizontal	360	1.00
6105MHz	Pass	PK	516.94M	27.12	46.00	-18.88	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	31.72	40.00	-8.28	-4.49	3	Vertical	360	1.00	36.21	22.46	0.43	27.38
PK	70.74M	23.83	40.00	-16.17	-15.28	3	Vertical	360	1.00	39.11	11.41	0.63	27.32
PK	127M	27.35	43.50	-16.15	-9.34	3	Vertical	360	1.00	36.69	16.97	0.85	27.16
PK	171.62M	27.30	43.50	-16.20	-11.20	3	Vertical	360	1.00	38.50	14.77	1.00	26.97
PK	231.76M	23.33	46.00	-22.67	-10.16	3	Vertical	360	1.00	33.49	15.38	1.17	26.71
PK	445.16M	26.91	46.00	-19.09	-4.55	3	Vertical	360	1.00	31.46	21.74	1.59	27.88

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.02	40.00	-11.98	-4.49	3	Horizontal	0	1.00	32.51	22.46	0.43	27.38
PK	117.3M	26.14	43.50	-17.36	-9.43	3	Horizontal	0	1.00	35.57	16.95	0.82	27.20
PK	138.64M	28.06	43.50	-15.44	-9.95	3	Horizontal	0	1.00	38.01	16.26	0.90	27.11
PK	175.5M	28.60	43.50	-14.90	-11.40	3	Horizontal	0	1.00	40.00	14.54	1.01	26.95
PK	233.7M	23.79	46.00	-22.21	-9.88	3	Horizontal	0	1.00	33.67	15.65	1.17	26.70
PK	361.74M	24.70	46.00	-21.30	-5.92	3	Horizontal	0	1.00	30.62	19.74	1.45	27.11

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.9226G	38.15	54.00	-15.85	3	Vertical	299	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	11.95184G	38.36	54.00	-15.64	3	Vertical	179	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	11.98752G	38.77	54.00	-15.23	3	Vertical	151	2.25
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.07016G	39.21	54.00	-14.79	3	Vertical	24	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.6084G	39.29	54.00	-14.71	3	Vertical	306	1.56
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.03096G	39.29	68.20	-28.91	3	Horizontal	45	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.0704G	39.28	68.20	-28.92	3	Vertical	249	1.80
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.10312G	39.75	68.20	-28.45	3	Horizontal	161	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.9708G	39.54	68.20	-28.66	3	Vertical	244	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.24872G	40.18	68.20	-28.02	3	Horizontal	217	1.78
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	13.39804G	55.02	74.00	-18.98	3	Vertical	152	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.39364G	39.96	54.00	-14.04	3	Vertical	118	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.554G	40.85	68.20	-27.35	3	Vertical	24	2.25
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.30888G	40.18	54.00	-13.82	3	Vertical	291	1.50
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.277G	49.08	54.00	-4.92	3	Horizontal	0	1.45
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.2426G	53.56	68.20	-14.64	3	Horizontal	352	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.2326G	53.50	68.20	-14.70	3	Horizontal	349	1.37
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1726G	52.74	68.20	-15.46	3	Vertical	352	2.25
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.228G	53.85	68.20	-14.35	3	Horizontal	0	1.55

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9148G	48.43	68.20	-19.77	3	Vertical	322	1.68
5955MHz	Pass	AV	5.9628G	94.08	Inf	-Inf	3	Vertical	322	1.68
5955MHz	Pass	PK	5.8878G	62.46	88.20	-25.74	3	Vertical	322	1.68
5955MHz	Pass	PK	5.9628G	107.66	Inf	-Inf	3	Vertical	322	1.68
5955MHz	Pass	AV	5.925G	48.41	68.20	-19.79	3	Horizontal	339	2.67
5955MHz	Pass	AV	5.9622G	94.71	Inf	-Inf	3	Horizontal	339	2.67
5955MHz	Pass	PK	5.9238G	62.88	88.20	-25.32	3	Horizontal	339	2.67
5955MHz	Pass	PK	5.9622G	107.99	Inf	-Inf	3	Horizontal	339	2.67
5955MHz	Pass	AV	11.9226G	38.15	54.00	-15.85	3	Vertical	299	1.50
5955MHz	Pass	PK	11.92362G	52.16	74.00	-21.84	3	Vertical	299	1.50
5955MHz	Pass	AV	11.92278G	38.14	54.00	-15.86	3	Horizontal	194	1.50
5955MHz	Pass	PK	11.92404G	52.62	74.00	-21.38	3	Horizontal	194	1.50
6195MHz	Pass	AV	12.37626G	37.95	54.00	-16.05	3	Vertical	21	1.50
6195MHz	Pass	PK	12.37584G	52.78	74.00	-21.22	3	Vertical	21	1.50
6195MHz	Pass	AV	12.37566G	37.96	54.00	-16.04	3	Horizontal	344	1.57
6195MHz	Pass	PK	12.3894G	52.61	74.00	-21.39	3	Horizontal	344	1.57
6415MHz	Pass	AV	12.83258G	39.25	68.20	-28.95	3	Vertical	229	1.50
6415MHz	Pass	PK	12.82934G	53.82	88.20	-34.38	3	Vertical	229	1.50
6415MHz	Pass	AV	12.8309G	39.24	68.20	-28.96	3	Horizontal	184	1.50
6415MHz	Pass	PK	12.83828G	53.94	88.20	-34.26	3	Horizontal	184	1.50
6435MHz	Pass	AV	12.86382G	39.27	68.20	-28.93	3	Vertical	22	2.82
6435MHz	Pass	PK	12.85854G	53.91	88.20	-34.29	3	Vertical	22	2.82
6435MHz	Pass	AV	12.86034G	39.24	68.20	-28.96	3	Horizontal	35	1.50
6435MHz	Pass	PK	12.86154G	53.68	88.20	-34.52	3	Horizontal	35	1.50
6475MHz	Pass	AV	12.93674G	39.23	68.20	-28.97	3	Vertical	289	2.56
6475MHz	Pass	PK	12.94946G	53.74	88.20	-34.46	3	Vertical	289	2.56
6475MHz	Pass	AV	12.9386G	39.28	68.20	-28.92	3	Horizontal	129	1.50
6475MHz	Pass	PK	12.956G	54.17	88.20	-34.03	3	Horizontal	129	1.50
6515MHz	Pass	AV	13.03396G	39.28	68.20	-28.92	3	Vertical	207	1.50
6515MHz	Pass	PK	13.02298G	53.82	88.20	-34.38	3	Vertical	207	1.50
6515MHz	Pass	AV	13.03096G	39.29	68.20	-28.91	3	Horizontal	45	1.50
6515MHz	Pass	PK	13.03534G	53.76	88.20	-34.44	3	Horizontal	45	1.50
6535MHz	Pass	AV	13.08494G	39.31	68.20	-28.89	3	Vertical	199	1.50
6535MHz	Pass	PK	13.08332G	53.83	88.20	-34.37	3	Vertical	199	1.50
6535MHz	Pass	AV	13.08296G	39.31	68.20	-28.89	3	Horizontal	345	1.74
6535MHz	Pass	PK	13.08164G	53.95	88.20	-34.25	3	Horizontal	345	1.74
6695MHz	Pass	AV	13.40488G	39.99	68.20	-28.21	3	Vertical	152	1.50
6695MHz	Pass	PK	13.39804G	55.02	74.00	-18.98	3	Vertical	152	1.50
6695MHz	Pass	AV	13.40404G	40.02	68.20	-28.18	3	Horizontal	38	1.50
6695MHz	Pass	PK	13.39498G	54.56	74.00	-19.44	3	Horizontal	38	1.50
6875MHz	Pass	AV	13.75336G	40.43	68.20	-27.77	3	Vertical	214	1.50
6875MHz	Pass	PK	13.7596G	55.19	88.20	-33.01	3	Vertical	214	1.50
6875MHz	Pass	AV	13.75534G	40.46	68.20	-27.74	3	Horizontal	119	2.94
6875MHz	Pass	PK	13.76068G	55.16	88.20	-33.04	3	Horizontal	119	2.94
6895MHz	Pass	AV	13.78598G	40.52	68.20	-27.68	3	Vertical	287	2.68
6895MHz	Pass	PK	13.7969G	55.20	88.20	-33.00	3	Vertical	287	2.68
6895MHz	Pass	AV	13.78466G	40.50	68.20	-27.70	3	Horizontal	230	1.98
6895MHz	Pass	PK	13.7828G	55.70	88.20	-32.50	3	Horizontal	230	1.98
6995MHz	Pass	AV	13.97674G	41.13	68.20	-27.07	3	Vertical	127	1.50
6995MHz	Pass	PK	13.9753G	56.02	88.20	-32.18	3	Vertical	127	1.50
6995MHz	Pass	AV	13.9771G	41.20	68.20	-27.00	3	Horizontal	231	1.26
6995MHz	Pass	PK	13.98238G	55.92	88.20	-32.28	3	Horizontal	231	1.26
7095MHz	Pass	AV	7.086G	96.60	Inf	-Inf	3	Vertical	351	1.76
7095MHz	Pass	AV	7.2444G	53.54	68.20	-14.66	3	Vertical	351	1.76
7095MHz	Pass	PK	7.086G	108.37	Inf	-Inf	3	Vertical	351	1.76
7095MHz	Pass	PK	7.2438G	67.32	88.20	-20.88	3	Vertical	351	1.76
7095MHz	Pass	AV	7.0998G	97.75	Inf	-Inf	3	Horizontal	352	1.50
7095MHz	Pass	AV	7.2426G	53.56	68.20	-14.64	3	Horizontal	352	1.50
7095MHz	Pass	PK	7.0998G	110.78	Inf	-Inf	3	Horizontal	352	1.50
7095MHz	Pass	PK	7.2408G	67.15	88.20	-21.05	3	Horizontal	352	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18712G	41.90	68.20	-26.30	3	Vertical	0	2.86
7095MHz	Pass	PK	14.1855G	56.55	88.20	-31.65	3	Vertical	0	2.86
7095MHz	Pass	AV	14.18556G	41.88	68.20	-26.32	3	Horizontal	335	1.50
7095MHz	Pass	PK	14.17872G	56.26	88.20	-31.94	3	Horizontal	335	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	48.49	68.20	-19.71	3	Vertical	23	1.52
5965MHz	Pass	AV	5.974G	94.22	Inf	-Inf	3	Vertical	23	1.52
5965MHz	Pass	PK	5.9212G	62.17	88.20	-26.03	3	Vertical	23	1.52
5965MHz	Pass	PK	5.9548G	107.80	Inf	-Inf	3	Vertical	23	1.52
5965MHz	Pass	AV	5.9248G	48.44	68.20	-19.76	3	Horizontal	340	2.67
5965MHz	Pass	AV	5.9722G	94.97	Inf	-Inf	3	Horizontal	340	2.67
5965MHz	Pass	PK	5.9236G	62.43	88.20	-25.77	3	Horizontal	340	2.67
5965MHz	Pass	PK	5.9716G	107.89	Inf	-Inf	3	Horizontal	340	2.67
5965MHz	Pass	AV	11.95184G	38.36	54.00	-15.64	3	Vertical	179	1.50
5965MHz	Pass	PK	11.95292G	53.19	74.00	-20.81	3	Vertical	179	1.50
5965MHz	Pass	AV	11.95676G	38.31	54.00	-15.69	3	Horizontal	273	1.62
5965MHz	Pass	PK	11.92016G	52.50	74.00	-21.50	3	Horizontal	273	1.62
6205MHz	Pass	AV	12.38012G	37.93	54.00	-16.07	3	Vertical	285	1.38
6205MHz	Pass	PK	12.40364G	52.30	74.00	-21.70	3	Vertical	285	1.38
6205MHz	Pass	AV	12.38156G	37.92	54.00	-16.08	3	Horizontal	340	2.75
6205MHz	Pass	PK	12.4376G	52.87	74.00	-21.13	3	Horizontal	340	2.75
6405MHz	Pass	AV	12.79668G	39.25	68.20	-28.95	3	Vertical	285	2.39
6405MHz	Pass	PK	12.82896G	54.22	88.20	-33.98	3	Vertical	285	2.39
6405MHz	Pass	AV	12.78732G	39.29	68.20	-28.91	3	Horizontal	0	2.14
6405MHz	Pass	PK	12.78936G	54.25	88.20	-33.95	3	Horizontal	0	2.14
6445MHz	Pass	AV	12.89816G	39.26	68.20	-28.94	3	Vertical	162	1.71
6445MHz	Pass	PK	12.8762G	54.22	88.20	-33.98	3	Vertical	162	1.71
6445MHz	Pass	AV	12.89324G	39.26	68.20	-28.94	3	Horizontal	87	1.50
6445MHz	Pass	PK	12.8612G	53.71	88.20	-34.49	3	Horizontal	87	1.50
6485MHz	Pass	AV	12.94396G	39.24	68.20	-28.96	3	Vertical	39	1.50
6485MHz	Pass	PK	12.99076G	54.25	88.20	-33.95	3	Vertical	39	1.50
6485MHz	Pass	AV	12.94084G	39.20	68.20	-29.00	3	Horizontal	281	1.50
6485MHz	Pass	PK	12.9778G	54.25	88.20	-33.95	3	Horizontal	281	1.50
6525MHz	Pass	AV	13.0704G	39.28	68.20	-28.92	3	Vertical	249	1.80
6525MHz	Pass	PK	13.041G	54.31	88.20	-33.89	3	Vertical	249	1.80
6525MHz	Pass	AV	13.07952G	39.25	68.20	-28.95	3	Horizontal	142	1.24
6525MHz	Pass	PK	13.04292G	54.48	88.20	-33.72	3	Horizontal	142	1.24
6565MHz	Pass	AV	13.15016G	39.69	68.20	-28.51	3	Vertical	23	1.50
6565MHz	Pass	PK	13.13312G	54.23	88.20	-33.97	3	Vertical	23	1.50
6565MHz	Pass	AV	13.15232G	39.69	68.20	-28.51	3	Horizontal	111	1.65
6565MHz	Pass	PK	13.12352G	54.39	88.20	-33.81	3	Horizontal	111	1.65
6685MHz	Pass	AV	13.39364G	39.96	54.00	-14.04	3	Vertical	118	1.50
6685MHz	Pass	PK	13.39484G	55.59	74.00	-18.41	3	Vertical	118	1.50
6685MHz	Pass	AV	13.4G	39.95	54.00	-14.05	3	Horizontal	360	1.50
6685MHz	Pass	PK	13.39184G	54.52	74.00	-19.48	3	Horizontal	360	1.50
6885MHz	Pass	AV	13.78632G	40.53	68.20	-27.67	3	Vertical	59	2.64
6885MHz	Pass	PK	13.74804G	55.02	88.20	-33.18	3	Vertical	59	2.64
6885MHz	Pass	AV	13.78572G	40.53	68.20	-27.67	3	Horizontal	277	2.64
6885MHz	Pass	PK	13.78356G	55.46	88.20	-32.74	3	Horizontal	277	2.64
6925MHz	Pass	AV	13.87976G	40.66	68.20	-27.54	3	Vertical	43	1.50
6925MHz	Pass	PK	13.8356G	55.20	88.20	-33.00	3	Vertical	43	1.50
6925MHz	Pass	AV	13.87928G	40.65	68.20	-27.55	3	Horizontal	176	2.65
6925MHz	Pass	PK	13.8758G	55.32	88.20	-32.88	3	Horizontal	176	2.65
7005MHz	Pass	AV	14.04G	41.55	68.20	-26.65	3	Vertical	238	1.40
7005MHz	Pass	PK	14.0274G	55.96	88.20	-32.24	3	Vertical	238	1.40
7005MHz	Pass	AV	14.03916G	41.55	68.20	-26.65	3	Horizontal	318	1.50
7005MHz	Pass	PK	13.99356G	56.69	88.20	-31.51	3	Horizontal	318	1.50
7085MHz	Pass	AV	7.0682G	96.73	Inf	-Inf	3	Vertical	346	2.32
7085MHz	Pass	AV	7.2344G	53.48	68.20	-14.72	3	Vertical	346	2.32
7085MHz	Pass	PK	7.067G	109.00	Inf	-Inf	3	Vertical	346	2.32
7085MHz	Pass	PK	7.2056G	67.26	88.20	-20.94	3	Vertical	346	2.32
7085MHz	Pass	AV	7.0712G	97.80	Inf	-Inf	3	Horizontal	349	1.37


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.2326G	53.50	68.20	-14.70	3	Horizontal	349	1.37
7085MHz	Pass	PK	7.0904G	111.12	Inf	-Inf	3	Horizontal	349	1.37
7085MHz	Pass	PK	7.2248G	67.10	88.20	-21.10	3	Horizontal	349	1.37
7085MHz	Pass	AV	14.1418G	41.94	68.20	-26.26	3	Vertical	53	1.50
7085MHz	Pass	PK	14.14852G	55.89	88.20	-32.31	3	Vertical	53	1.50
7085MHz	Pass	AV	14.15104G	41.96	68.20	-26.24	3	Horizontal	199	1.71
7085MHz	Pass	PK	14.14264G	56.06	88.20	-32.14	3	Horizontal	199	1.71
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.917G	48.55	68.20	-19.65	3	Vertical	20	1.48
5985MHz	Pass	AV	6.015G	94.74	Inf	-Inf	3	Vertical	20	1.48
5985MHz	Pass	PK	5.91G	62.97	88.20	-25.23	3	Vertical	20	1.48
5985MHz	Pass	PK	5.974G	107.21	Inf	-Inf	3	Vertical	20	1.48
5985MHz	Pass	AV	5.912G	48.58	68.20	-19.62	3	Horizontal	341	2.54
5985MHz	Pass	AV	6.012G	94.71	Inf	-Inf	3	Horizontal	341	2.54
5985MHz	Pass	PK	5.894G	62.19	88.20	-26.01	3	Horizontal	341	2.54
5985MHz	Pass	PK	6.012G	108.64	Inf	-Inf	3	Horizontal	341	2.54
5985MHz	Pass	AV	11.98752G	38.77	54.00	-15.23	3	Vertical	151	2.25
5985MHz	Pass	PK	11.98832G	52.99	74.00	-21.01	3	Vertical	151	2.25
5985MHz	Pass	AV	11.98904G	38.77	54.00	-15.23	3	Horizontal	20	1.22
5985MHz	Pass	PK	11.98512G	53.15	74.00	-20.85	3	Horizontal	20	1.22
6225MHz	Pass	AV	12.46232G	38.27	54.00	-15.73	3	Vertical	134	1.50
6225MHz	Pass	PK	12.44456G	52.23	74.00	-21.77	3	Vertical	134	1.50
6225MHz	Pass	AV	12.45792G	38.39	54.00	-15.61	3	Horizontal	227	1.50
6225MHz	Pass	PK	12.43896G	52.40	74.00	-21.60	3	Horizontal	227	1.50
6385MHz	Pass	AV	12.77168G	39.42	68.20	-28.78	3	Vertical	101	1.50
6385MHz	Pass	PK	12.75232G	53.90	88.20	-34.30	3	Vertical	101	1.50
6385MHz	Pass	AV	12.77152G	39.47	68.20	-28.73	3	Horizontal	297	2.36
6385MHz	Pass	PK	12.77296G	54.31	88.20	-33.89	3	Horizontal	297	2.36
6465MHz	Pass	AV	12.92144G	39.46	68.20	-28.74	3	Vertical	211	1.50
6465MHz	Pass	PK	12.94608G	54.31	88.20	-33.89	3	Vertical	211	1.50
6465MHz	Pass	AV	12.91184G	39.47	68.20	-28.73	3	Horizontal	179	1.50
6465MHz	Pass	PK	12.92936G	54.01	88.20	-34.19	3	Horizontal	179	1.50
6545MHz	Pass	AV	13.10328G	39.72	68.20	-28.48	3	Vertical	305	1.50
6545MHz	Pass	PK	13.09624G	53.63	88.20	-34.57	3	Vertical	305	1.50
6545MHz	Pass	AV	13.10312G	39.75	68.20	-28.45	3	Horizontal	161	1.50
6545MHz	Pass	PK	13.1008G	54.32	88.20	-33.88	3	Horizontal	161	1.50
6625MHz	Pass	AV	13.24528G	40.06	68.20	-28.14	3	Vertical	243	1.15
6625MHz	Pass	PK	13.23912G	54.66	88.20	-33.54	3	Vertical	243	1.15
6625MHz	Pass	AV	13.23952G	40.08	68.20	-28.12	3	Horizontal	354	1.97
6625MHz	Pass	PK	13.248G	54.42	88.20	-33.78	3	Horizontal	354	1.97
6705MHz	Pass	AV	13.42992G	40.32	68.20	-27.88	3	Vertical	230	2.00
6705MHz	Pass	PK	13.414G	54.49	88.20	-33.71	3	Vertical	230	2.00
6705MHz	Pass	AV	13.4144G	40.29	68.20	-27.91	3	Horizontal	211	1.75
6705MHz	Pass	PK	13.41504G	55.10	88.20	-33.10	3	Horizontal	211	1.75
6785MHz	Pass	AV	13.554G	40.85	68.20	-27.35	3	Vertical	24	2.25
6785MHz	Pass	PK	13.5664G	55.20	88.20	-33.00	3	Vertical	24	2.25
6785MHz	Pass	AV	13.55728G	40.82	68.20	-27.38	3	Horizontal	239	1.50
6785MHz	Pass	PK	13.55368G	55.15	88.20	-33.05	3	Horizontal	239	1.50
6865MHz	Pass	AV	13.732G	40.63	68.20	-27.57	3	Vertical	34	2.81
6865MHz	Pass	PK	13.71328G	55.71	88.20	-32.49	3	Vertical	34	2.81
6865MHz	Pass	AV	13.72736G	40.61	68.20	-27.59	3	Horizontal	8	2.97
6865MHz	Pass	PK	13.72824G	55.11	88.20	-33.09	3	Horizontal	8	2.97
6945MHz	Pass	AV	13.8884G	40.86	68.20	-27.34	3	Vertical	214	1.29
6945MHz	Pass	PK	13.87736G	55.29	88.20	-32.91	3	Vertical	214	1.29
6945MHz	Pass	AV	13.8876G	40.84	68.20	-27.36	3	Horizontal	340	1.62
6945MHz	Pass	PK	13.88896G	55.13	88.20	-33.07	3	Horizontal	340	1.62
7025MHz	Pass	AV	6.9872G	95.92	Inf	-Inf	3	Vertical	352	2.25
7025MHz	Pass	AV	7.1726G	52.74	68.20	-15.46	3	Vertical	352	2.25
7025MHz	Pass	PK	6.9872G	108.43	Inf	-Inf	3	Vertical	352	2.25
7025MHz	Pass	PK	7.1252G	66.35	88.20	-21.85	3	Vertical	352	2.25
7025MHz	Pass	AV	6.9878G	96.52	Inf	-Inf	3	Horizontal	360	1.63
7025MHz	Pass	AV	7.175G	52.72	68.20	-15.48	3	Horizontal	360	1.63

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	6.9866G	109.72	Inf	-Inf	3	Horizontal	360	1.63
7025MHz	Pass	PK	7.1468G	66.48	88.20	-21.72	3	Horizontal	360	1.63
7025MHz	Pass	AV	14.0652G	41.93	68.20	-26.27	3	Vertical	261	1.50
7025MHz	Pass	PK	14.05352G	56.23	88.20	-31.97	3	Vertical	261	1.50
7025MHz	Pass	AV	14.06488G	41.96	68.20	-26.24	3	Horizontal	227	1.50
7025MHz	Pass	PK	14.06152G	56.56	88.20	-31.64	3	Horizontal	227	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.913G	49.62	68.20	-18.58	3	Vertical	25	1.65
6025MHz	Pass	AV	6.052G	95.16	Inf	-Inf	3	Vertical	25	1.65
6025MHz	Pass	PK	5.925G	62.86	88.20	-25.34	3	Vertical	25	1.65
6025MHz	Pass	PK	6.092G	108.24	Inf	-Inf	3	Vertical	25	1.65
6025MHz	Pass	AV	5.924G	49.87	68.20	-18.33	3	Horizontal	336	1.77
6025MHz	Pass	AV	6.103G	94.51	Inf	-Inf	3	Horizontal	336	1.77
6025MHz	Pass	PK	5.903G	62.96	88.20	-25.24	3	Horizontal	336	1.77
6025MHz	Pass	PK	6.044G	107.90	Inf	-Inf	3	Horizontal	336	1.77
6025MHz	Pass	AV	12.07016G	39.21	54.00	-14.79	3	Vertical	24	1.50
6025MHz	Pass	PK	12.03512G	53.08	74.00	-20.92	3	Vertical	24	1.50
6025MHz	Pass	AV	12.05G	39.13	54.00	-14.87	3	Horizontal	318	2.01
6025MHz	Pass	PK	12.02792G	54.10	74.00	-19.90	3	Horizontal	318	2.01
6185MHz	Pass	AV	12.25672G	38.31	54.00	-15.69	3	Vertical	88	1.70
6185MHz	Pass	PK	12.25541G	53.15	74.00	-20.85	3	Vertical	88	1.70
6185MHz	Pass	AV	12.47144G	38.28	54.00	-15.72	3	Horizontal	0	1.50
6185MHz	Pass	PK	12.48712G	52.85	74.00	-21.15	3	Horizontal	0	1.50
6345MHz	Pass	AV	12.61848G	39.18	54.00	-14.82	3	Vertical	282	1.50
6345MHz	Pass	PK	12.64872G	54.39	74.00	-19.61	3	Vertical	282	1.50
6345MHz	Pass	AV	12.77352G	39.24	68.20	-28.96	3	Horizontal	142	1.25
6345MHz	Pass	PK	12.65256G	54.06	74.00	-19.94	3	Horizontal	142	1.25
6505MHz	Pass	AV	12.9708G	39.54	68.20	-28.66	3	Vertical	244	1.50
6505MHz	Pass	PK	13.01032G	53.67	88.20	-34.53	3	Vertical	244	1.50
6505MHz	Pass	AV	12.97416G	39.44	68.20	-28.76	3	Horizontal	150	1.50
6505MHz	Pass	PK	12.99736G	54.94	88.20	-33.26	3	Horizontal	150	1.50
6665MHz	Pass	AV	13.30888G	40.18	54.00	-13.82	3	Vertical	291	1.50
6665MHz	Pass	PK	13.34104G	54.35	74.00	-19.65	3	Vertical	291	1.50
6665MHz	Pass	AV	13.3108G	40.16	54.00	-13.84	3	Horizontal	41	1.50
6665MHz	Pass	PK	13.3244G	54.81	74.00	-19.19	3	Horizontal	41	1.50
6825MHz	Pass	AV	13.63272G	40.60	68.20	-27.60	3	Vertical	92	2.72
6825MHz	Pass	PK	13.66968G	55.11	88.20	-33.09	3	Vertical	92	2.72
6825MHz	Pass	AV	13.68232G	40.58	68.20	-27.62	3	Horizontal	111	1.50
6825MHz	Pass	PK	13.62856G	55.11	88.20	-33.09	3	Horizontal	111	1.50
6985MHz	Pass	AV	6.908G	96.06	Inf	-Inf	3	Vertical	348	2.23
6985MHz	Pass	AV	7.229G	53.63	68.20	-14.57	3	Vertical	348	2.23
6985MHz	Pass	PK	6.908G	109.70	Inf	-Inf	3	Vertical	348	2.23
6985MHz	Pass	PK	7.144G	66.86	88.20	-21.34	3	Vertical	348	2.23
6985MHz	Pass	AV	6.908G	96.68	Inf	-Inf	3	Horizontal	0	1.55
6985MHz	Pass	AV	7.228G	53.85	68.20	-14.35	3	Horizontal	0	1.55
6985MHz	Pass	PK	6.909G	109.88	Inf	-Inf	3	Horizontal	0	1.55
6985MHz	Pass	PK	7.233G	67.10	88.20	-21.10	3	Horizontal	0	1.55
6985MHz	Pass	AV	14.00936G	41.46	68.20	-26.74	3	Vertical	39	1.50
6985MHz	Pass	PK	13.95144G	55.48	88.20	-32.72	3	Vertical	39	1.50
6985MHz	Pass	AV	14.0076G	41.46	68.20	-26.74	3	Horizontal	121	2.09
6985MHz	Pass	PK	14.00088G	55.73	88.20	-32.47	3	Horizontal	121	2.09
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	49.24	68.20	-18.96	3	Vertical	23	1.70
6105MHz	Pass	AV	6.193G	94.17	Inf	-Inf	3	Vertical	23	1.70
6105MHz	Pass	PK	5.919G	66.21	88.20	-21.99	3	Vertical	23	1.70
6105MHz	Pass	PK	6.113G	107.08	Inf	-Inf	3	Vertical	23	1.70
6105MHz	Pass	AV	5.913G	49.57	68.20	-18.63	3	Horizontal	342	2.53
6105MHz	Pass	AV	6.131G	94.23	Inf	-Inf	3	Horizontal	342	2.53
6105MHz	Pass	PK	5.905G	64.70	88.20	-23.50	3	Horizontal	342	2.53
6105MHz	Pass	PK	6.153G	106.81	Inf	-Inf	3	Horizontal	342	2.53
6105MHz	Pass	AV	12.13256G	38.97	54.00	-15.03	3	Vertical	260	1.60
6105MHz	Pass	PK	12.16424G	53.18	74.00	-20.82	3	Vertical	260	1.60

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.13448G	38.97	54.00	-15.03	3	Horizontal	360	1.50
6105MHz	Pass	PK	12.13576G	54.48	74.00	-19.52	3	Horizontal	360	1.50
6265MHz	Pass	AV	12.6084G	39.29	54.00	-14.71	3	Vertical	306	1.56
6265MHz	Pass	PK	12.59944G	53.40	74.00	-20.60	3	Vertical	306	1.56
6265MHz	Pass	AV	12.60328G	39.24	54.00	-14.76	3	Horizontal	191	1.01
6265MHz	Pass	PK	12.554G	53.71	74.00	-20.29	3	Horizontal	191	1.01
6425MHz	Pass	AV	12.91912G	39.52	68.20	-28.68	3	Vertical	206	2.95
6425MHz	Pass	PK	12.8532G	53.68	88.20	-34.52	3	Vertical	206	2.95
6425MHz	Pass	AV	12.8964G	39.54	68.20	-28.66	3	Horizontal	10	1.50
6425MHz	Pass	PK	12.8372G	53.91	88.20	-34.29	3	Horizontal	10	1.50
6585MHz	Pass	AV	13.1892G	40.01	68.20	-28.19	3	Vertical	87	1.46
6585MHz	Pass	PK	13.18312G	54.72	88.20	-33.48	3	Vertical	87	1.46
6585MHz	Pass	AV	13.24872G	40.18	68.20	-28.02	3	Horizontal	217	1.78
6585MHz	Pass	PK	13.18376G	54.42	88.20	-33.78	3	Horizontal	217	1.78
6745MHz	Pass	AV	13.55784G	40.87	68.20	-27.33	3	Vertical	360	2.60
6745MHz	Pass	PK	13.46376G	55.10	88.20	-33.10	3	Vertical	360	2.60
6745MHz	Pass	AV	13.5412G	40.80	68.20	-27.40	3	Horizontal	272	1.50
6745MHz	Pass	PK	13.41864G	55.52	88.20	-32.68	3	Horizontal	272	1.50
6905MHz	Pass	AV	6.749G	95.28	Inf	-Inf	3	Vertical	14	2.15
6905MHz	Pass	AV	7.301G	48.73	54.00	-5.27	3	Vertical	14	2.15
6905MHz	Pass	PK	6.789G	106.83	Inf	-Inf	3	Vertical	14	2.15
6905MHz	Pass	PK	7.361G	62.37	74.00	-11.63	3	Vertical	14	2.15
6905MHz	Pass	AV	6.751G	94.93	Inf	-Inf	3	Horizontal	0	1.45
6905MHz	Pass	AV	7.277G	49.08	54.00	-4.92	3	Horizontal	0	1.45
6905MHz	Pass	PK	6.791G	107.76	Inf	-Inf	3	Horizontal	0	1.45
6905MHz	Pass	PK	7.321G	62.28	74.00	-11.72	3	Horizontal	0	1.45
6905MHz	Pass	AV	13.88808G	40.82	68.20	-27.38	3	Vertical	248	1.18
6905MHz	Pass	PK	13.74056G	55.45	88.20	-32.75	3	Vertical	248	1.18
6905MHz	Pass	AV	13.88936G	40.87	68.20	-27.33	3	Horizontal	115	1.67
6905MHz	Pass	PK	13.82568G	55.00	88.20	-33.20	3	Horizontal	115	1.67


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9242G	48.49	68.20	-19.71	1.89	3	Vertical	23	1.52	46.60	34.55	5.18	37.84
AV	5.974G	94.22	Inf	-Inf	1.95	3	Vertical	23	1.52	92.27	34.50	5.25	37.80
PK	5.9212G	62.17	88.20	-26.03	1.88	3	Vertical	23	1.52	60.29	34.56	5.17	37.85
PK	5.9548G	107.80	Inf	-Inf	1.90	3	Vertical	23	1.52	105.90	34.50	5.22	37.82

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	48.44	68.20	-19.76	1.89	3	Horizontal	340	2.67	46.55	34.55	5.18	37.84
AV	5.9722G	94.97	Inf	-Inf	1.95	3	Horizontal	340	2.67	93.02	34.50	5.25	37.80
PK	5.9236G	62.43	88.20	-25.77	1.89	3	Horizontal	340	2.67	60.54	34.55	5.18	37.84
PK	5.9716G	107.89	Inf	-Inf	1.95	3	Horizontal	340	2.67	105.94	34.50	5.25	37.80


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	48.55	68.20	-19.65	1.89	3	Vertical	20	1.48	46.66	34.57	5.17	37.85
AV	6.015G	94.74	Inf	-Inf	2.03	3	Vertical	20	1.48	92.71	34.50	5.30	37.77
PK	5.91G	62.97	88.20	-25.23	1.88	3	Vertical	20	1.48	61.09	34.58	5.16	37.86
PK	5.974G	107.21	Inf	-Inf	1.95	3	Vertical	20	1.48	105.26	34.50	5.25	37.80

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	48.58	68.20	-19.62	1.89	3	Horizontal	341	2.54	46.69	34.58	5.16	37.85
AV	6.012G	94.71	Inf	-Inf	2.02	3	Horizontal	341	2.54	92.69	34.50	5.29	37.77
PK	5.894G	62.19	88.20	-26.01	1.84	3	Horizontal	341	2.54	60.35	34.58	5.13	37.87
PK	6.012G	108.64	Inf	-Inf	2.02	3	Horizontal	341	2.54	106.62	34.50	5.29	37.77


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.913G	49.62	68.20	-18.58	1.88	3	Vertical	25	1.65	47.74	34.57	5.16	37.85
AV	6.052G	95.16	Inf	-Inf	2.06	3	Vertical	25	1.65	93.10	34.50	5.31	37.75
PK	5.925G	62.86	88.20	-25.34	1.89	3	Vertical	25	1.65	60.97	34.55	5.18	37.84
PK	6.092G	108.24	Inf	-Inf	2.02	3	Vertical	25	1.65	106.22	34.42	5.32	37.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	49.87	68.20	-18.33	1.89	3	Horizontal	336	1.77	47.98	34.55	5.18	37.84
AV	6.103G	94.51	Inf	-Inf	2.02	3	Horizontal	336	1.77	92.49	34.41	5.33	37.72
PK	5.903G	62.96	88.20	-25.24	1.87	3	Horizontal	336	1.77	61.09	34.59	5.14	37.86
PK	6.044G	107.90	Inf	-Inf	2.06	3	Horizontal	336	1.77	105.84	34.50	5.31	37.75


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.086G	96.60	Inf	-Inf	5.32	3	Vertical	351	1.76	91.28	36.72	5.86	37.26
AV	7.2444G	53.54	68.20	-14.66	6.26	3	Vertical	351	1.76	47.28	37.39	5.93	37.06
PK	7.086G	108.37	Inf	-Inf	5.32	3	Vertical	351	1.76	103.05	36.72	5.86	37.26
PK	7.2438G	67.32	88.20	-20.88	6.26	3	Vertical	351	1.76	61.06	37.39	5.93	37.06

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0998G	97.75	Inf	-Inf	5.42	3	Horizontal	352	1.50	92.33	36.80	5.86	37.24
AV	7.2426G	53.56	68.20	-14.64	6.25	3	Horizontal	352	1.50	47.31	37.39	5.92	37.06
PK	7.0998G	110.78	Inf	-Inf	5.42	3	Horizontal	352	1.50	105.36	36.80	5.86	37.24
PK	7.2408G	67.15	88.20	-21.05	6.24	3	Horizontal	352	1.50	60.91	37.38	5.92	37.06


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0682G	96.73	Inf	-Inf	5.18	3	Vertical	346	2.32	91.55	36.61	5.85	37.28
AV	7.2344G	53.48	68.20	-14.72	6.22	3	Vertical	346	2.32	47.26	37.37	5.92	37.07
PK	7.067G	109.00	Inf	-Inf	5.17	3	Vertical	346	2.32	103.83	36.60	5.85	37.28
PK	7.2056G	67.26	88.20	-20.94	6.09	3	Vertical	346	2.32	61.17	37.31	5.89	37.11

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0712G	97.80	Inf	-Inf	5.20	3	Horizontal	349	1.37	92.60	36.63	5.85	37.28
AV	7.2326G	53.50	68.20	-14.70	6.21	3	Horizontal	349	1.37	47.29	37.37	5.91	37.07
PK	7.0904G	111.12	Inf	-Inf	5.35	3	Horizontal	349	1.37	105.77	36.74	5.86	37.25
PK	7.2248G	67.10	88.20	-21.10	6.18	3	Horizontal	349	1.37	60.92	37.35	5.91	37.08


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9872G	95.92	Inf	-Inf	4.70	3	Vertical	352	2.25	91.22	36.23	5.84	37.37
AV	7.1726G	52.74	68.20	-15.46	5.91	3	Vertical	352	2.25	46.83	37.19	5.87	37.15
PK	6.9872G	108.43	Inf	-Inf	4.70	3	Vertical	352	2.25	103.73	36.23	5.84	37.37
PK	7.1252G	66.35	88.20	-21.85	5.61	3	Vertical	352	2.25	60.74	36.95	5.87	37.21

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9878G	96.52	Inf	-Inf	4.69	3	Horizontal	360	1.63	91.83	36.22	5.84	37.37
AV	7.175G	52.72	68.20	-15.48	5.92	3	Horizontal	360	1.63	46.80	37.20	5.87	37.15
PK	6.9866G	109.72	Inf	-Inf	4.70	3	Horizontal	360	1.63	105.02	36.23	5.84	37.37
PK	7.1468G	66.48	88.20	-21.72	5.77	3	Horizontal	360	1.63	60.71	37.08	5.87	37.18


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.908G	96.06	Inf	-Inf	4.72	3	Vertical	348	2.23	91.34	36.30	5.81	37.39
AV	7.229G	53.63	68.20	-14.57	6.19	3	Vertical	348	2.23	47.44	37.36	5.91	37.08
PK	6.908G	109.70	Inf	-Inf	4.72	3	Vertical	348	2.23	104.98	36.30	5.81	37.39
PK	7.144G	66.86	88.20	-21.34	5.74	3	Vertical	348	2.23	61.12	37.06	5.87	37.19

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.908G	96.68	Inf	-Inf	4.72	3	Horizontal	0	1.55	91.96	36.30	5.81	37.39
AV	7.228G	53.85	68.20	-14.35	6.19	3	Horizontal	0	1.55	47.66	37.36	5.91	37.08
PK	6.908G	109.88	Inf	-Inf	4.72	3	Horizontal	0	1.55	105.16	36.30	5.81	37.39
PK	7.233G	67.10	88.20	-21.10	6.21	3	Horizontal	0	1.55	60.89	37.37	5.91	37.07


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.19411G	-8.56	6.0937G	-59.77	-48.56	-11.21	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.28961G	-3.98	6.067G	-50.33	-43.98	-6.35	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	6.39781G	-4.82	5.9314G	-50.85	-43.34	-7.51	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	6.43461G	-7.95	6.3013G	-60.37	-47.95	-12.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.53699G	-4.02	6.2502G	-50.74	-43.93	-6.81	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	6.43064G	-4.36	6.0386G	-50.13	-44.36	-5.77	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	6.67181G	-6.13	6.5531G	-55.65	-46.13	-9.52	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.75882G	-3.25	6.5662G	-49.49	-43.25	-6.24	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	6.75264G	-3.75	6.2934G	-48.80	-43.75	-5.05	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	6.96769G	-6.67	6.7929G	-56.65	-46.67	-9.98	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.93821G	-3.62	6.7288G	-50.56	-43.54	-7.02	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01139G	-8.12	6.1442G	-61.67	-48.12	-13.55	1
5985MHz	Pass	6.01719G	-7.83	6.1207G	-59.94	-47.83	-12.11	2
5985MHz	Pass	6.01819G	-8.19	6.1725G	-60.32	-48.19	-12.13	3
5985MHz	Pass	6.01629G	-8.37	6.12G	-60.73	-48.37	-12.36	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.96131G	-8.04	6.1438G	-62.66	-48.04	-14.62	1
5985MHz	Pass	6.01139G	-7.70	6.1593G	-61.68	-47.70	-13.98	2
5985MHz	Pass	6.01219G	-7.84	6.1711G	-61.28	-47.84	-13.44	3
5985MHz	Pass	6.00969G	-8.18	6.1645G	-61.79	-48.18	-13.61	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.25699G	-8.47	6.3542G	-60.22	-47.53	-12.69	1
6225MHz	Pass	6.25799G	-8.47	6.3662G	-62.63	-48.47	-14.16	2
6225MHz	Pass	6.19611G	-8.47	6.3656G	-60.69	-48.47	-12.22	3
6225MHz	Pass	6.19411G	-8.56	6.0937G	-59.77	-48.56	-11.21	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.20161G	-8.80	6.3745G	-63.53	-48.80	-14.73	1
6225MHz	Pass	6.25799G	-8.96	6.3829G	-63.29	-48.96	-14.33	2
6225MHz	Pass	6.18841G	-9.22	6.4145G	-62.27	-49.22	-13.05	3
6225MHz	Pass	6.19331G	-8.61	6.0465G	-62.19	-48.61	-13.58	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.36351G	-8.99	6.5208G	-61.23	-48.99	-12.24	1
6385MHz	Pass	6.41809G	-8.99	6.5279G	-63.13	-48.99	-14.14	2
6385MHz	Pass	6.40959G	-9.31	6.2538G	-60.82	-49.31	-11.51	3
6385MHz	Pass	6.3711G	-9.50	6.2553G	-59.75	-48.26	-11.49	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.36001G	-8.51	6.5283G	-62.53	-48.51	-14.02	1
6385MHz	Pass	6.41569G	-8.33	6.548G	-63.38	-48.33	-15.05	2
6385MHz	Pass	6.36391G	-8.74	6.2052G	-62.04	-48.74	-13.30	3
6385MHz	Pass	6.34871G	-8.70	6.1992G	-61.53	-48.70	-12.83	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.49009G	-7.35	6.6051G	-61.40	-47.35	-14.05	1
6465MHz	Pass	6.4557G	-6.99	6.299G	-61.05	-46.99	-14.06	2
6465MHz	Pass	6.48669G	-7.40	6.2816G	-60.09	-47.40	-12.69	3
6465MHz	Pass	6.49089G	-7.34	6.2769G	-60.02	-47.34	-12.68	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.42771G	-7.47	6.324G	-61.95	-47.47	-14.48	1
6465MHz	Pass	6.49249G	-7.35	6.3182G	-63.37	-47.35	-16.02	2
6465MHz	Pass	6.43431G	-7.70	6.2803G	-61.62	-47.70	-13.92	3
6465MHz	Pass	6.43461G	-7.95	6.3013G	-60.37	-47.95	-12.42	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.52391G	-7.31	6.3746G	-61.21	-47.31	-13.90	1
6545MHz	Pass	6.52261G	-6.84	6.3898G	-61.01	-46.84	-14.17	2
6545MHz	Pass	6.51921G	-7.19	6.3669G	-60.42	-47.19	-13.23	3
6545MHz	Pass	6.5339G	-7.14	6.3865G	-60.05	-47.14	-12.91	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50911G	-8.02	6.5006G	-42.32	-28.05	-14.27	1
6545MHz	Pass	6.51231G	-7.35	6.4994G	-42.97	-27.42	-15.55	2
6545MHz	Pass	6.52081G	-7.85	6.3645G	-61.56	-47.85	-13.71	3
6545MHz	Pass	6.50791G	-7.32	6.3605G	-60.70	-47.32	-13.38	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6212G	-6.34	6.4514G	-60.88	-46.34	-14.54	1
6625MHz	Pass	6.59051G	-6.36	6.4921G	-60.26	-46.36	-13.90	2
6625MHz	Pass	6.59881G	-6.72	6.469G	-59.86	-46.72	-13.14	3
6625MHz	Pass	6.59051G	-6.38	6.4656G	-59.29	-46.38	-12.91	4



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.59381G	-6.69	6.4511G	-61.77	-46.69	-15.08	1
6625MHz	Pass	6.59271G	-6.44	6.4763G	-59.39	-46.44	-12.95	2
6625MHz	Pass	6.59831G	-6.94	6.475G	-58.64	-46.94	-11.70	3
6625MHz	Pass	6.59271G	-6.97	6.4338G	-60.16	-46.97	-13.19	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.67971G	-5.88	6.5278G	-60.43	-45.88	-14.55	1
6705MHz	Pass	6.66841G	-5.66	6.5147G	-59.48	-45.66	-13.82	2
6705MHz	Pass	6.67371G	-6.17	6.5279G	-58.81	-46.17	-12.64	3
6705MHz	Pass	6.67341G	-6.39	6.5277G	-58.48	-46.39	-12.09	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.67181G	-6.37	6.5282G	-61.03	-46.37	-14.66	1
6705MHz	Pass	6.67181G	-6.13	6.5531G	-55.65	-46.13	-9.52	2
6705MHz	Pass	6.66711G	-6.65	6.5135G	-59.29	-46.65	-12.64	3
6705MHz	Pass	6.67741G	-6.59	6.5239G	-59.41	-46.59	-12.82	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.75191G	-5.44	6.6048G	-59.64	-45.44	-14.20	1
6785MHz	Pass	6.75191G	-5.61	6.6483G	-56.28	-45.61	-10.67	2
6785MHz	Pass	6.76051G	-5.80	6.6095G	-58.07	-45.80	-12.27	3
6785MHz	Pass	6.75371G	-5.45	6.6069G	-58.14	-45.45	-12.69	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.76281G	-5.99	6.6339G	-57.05	-45.99	-11.06	1
6785MHz	Pass	6.74731G	-5.43	6.6344G	-59.92	-45.43	-14.49	2
6785MHz	Pass	6.76251G	-6.46	6.5999G	-59.36	-46.46	-12.90	3
6785MHz	Pass	6.75681G	-6.32	6.5986G	-58.86	-46.32	-12.54	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.848G	-7.00	6.683G	-60.94	-47.00	-13.94	1
6865MHz	Pass	6.82801G	-6.18	6.6762G	-59.53	-46.18	-13.35	2
6865MHz	Pass	6.88699G	-6.60	6.6737G	-58.81	-46.60	-12.21	3
6865MHz	Pass	6.89259G	-6.64	6.6878G	-58.93	-46.64	-12.29	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83671G	-7.37	6.7056G	-60.29	-47.37	-12.92	1
6865MHz	Pass	6.82781G	-6.68	6.7134G	-57.57	-46.68	-10.89	2
6865MHz	Pass	6.83961G	-6.96	6.6738G	-59.80	-46.96	-12.84	3
6865MHz	Pass	6.83581G	-6.65	6.6734G	-59.43	-46.65	-12.78	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9271G	-6.41	6.7583G	-60.79	-46.41	-14.38	1
6945MHz	Pass	6.91211G	-5.77	6.7825G	-58.69	-45.77	-12.92	2
6945MHz	Pass	6.9271G	-5.13	6.7585G	-57.84	-45.13	-12.71	3
6945MHz	Pass	6.92021G	-5.82	6.7887G	-58.91	-45.82	-13.09	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.91911G	-6.74	6.7582G	-61.35	-46.74	-14.61	1
6945MHz	Pass	6.92001G	-6.05	6.7965G	-60.57	-46.05	-14.52	2
6945MHz	Pass	6.96769G	-6.67	6.7929G	-56.65	-46.67	-9.98	3
6945MHz	Pass	6.90981G	-6.63	6.7532G	-59.88	-46.63	-13.25	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98811G	-6.57	6.8351G	-61.20	-46.57	-14.63	1
7025MHz	Pass	6.98751G	-6.49	6.8417G	-60.61	-46.49	-14.12	2
7025MHz	Pass	6.98731G	-6.79	6.8353G	-59.44	-46.79	-12.65	3
7025MHz	Pass	6.99201G	-6.68	6.8336G	-59.51	-46.68	-12.83	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98991G	-6.63	6.8351G	-61.57	-46.63	-14.94	1
7025MHz	Pass	6.98991G	-6.39	6.8867G	-61.19	-46.39	-14.80	2
7025MHz	Pass	6.99851G	-6.74	6.8379G	-59.83	-46.74	-13.09	3
7025MHz	Pass	6.99331G	-6.65	6.846G	-60.38	-46.65	-13.73	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.04939G	-5.20	6.2936G	-53.83	-45.20	-8.63	1
6025MHz	Pass	6.07739G	-4.66	6.2798G	-52.28	-44.66	-7.62	2
6025MHz	Pass	6.09078G	-5.33	6.2782G	-52.54	-45.20	-7.34	3
6025MHz	Pass	6.09038G	-4.99	6.287G	-53.37	-44.99	-8.38	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.042G	-5.54	6.2842G	-55.76	-45.54	-10.22	1
6025MHz	Pass	6.09618G	-5.20	6.282G	-53.41	-45.20	-8.21	2
6025MHz	Pass	6.0422G	-5.78	6.2844G	-54.33	-45.78	-8.55	3
6025MHz	Pass	6.09018G	-6.01	6.2826G	-55.70	-46.01	-9.69	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06899G	-4.75	6.318G	-54.32	-44.75	-9.57	1
6025MHz	Pass	6.07419G	-4.51	6.3048G	-52.90	-44.51	-8.39	2
6025MHz	Pass	6.07719G	-5.49	6.2898G	-53.63	-45.49	-8.14	3
6025MHz	Pass	6.07099G	-5.45	6.2886G	-55.00	-45.45	-9.55	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.21159G	-4.72	6.4516G	-53.35	-44.72	-8.63	1
6185MHz	Pass	6.25098G	-4.33	6.4442G	-51.55	-44.33	-7.22	2
6185MHz	Pass	6.13041G	-4.98	6.4444G	-51.84	-44.80	-7.04	3
6185MHz	Pass	6.11342G	-4.54	5.9318G	-53.08	-44.54	-8.54	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.1928G	-4.78	6.4568G	-54.69	-44.78	-9.91	1
6185MHz	Pass	6.25538G	-4.58	6.447G	-53.41	-44.58	-8.83	2
6185MHz	Pass	6.1914G	-4.85	6.4572G	-52.78	-44.85	-7.93	3
6185MHz	Pass	6.15701G	-4.92	6.4578G	-54.63	-44.92	-9.71	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.25778G	-4.06	6.466G	-52.72	-44.06	-8.66	1
6185MHz	Pass	6.23439G	-4.17	6.464G	-51.95	-44.17	-7.78	2
6185MHz	Pass	6.23139G	-4.15	6.4674G	-52.58	-44.15	-8.43	3
6185MHz	Pass	6.11542G	-4.42	5.9202G	-53.67	-44.42	-9.25	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39339G	-4.35	6.6138G	-53.15	-44.35	-8.80	1
6345MHz	Pass	6.39019G	-4.50	6.6096G	-52.75	-44.50	-8.25	2
6345MHz	Pass	6.29201G	-3.64	6.6002G	-50.54	-43.64	-6.90	3
6345MHz	Pass	6.28961G	-3.98	6.067G	-50.33	-43.98	-6.35	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.28881G	-4.83	6.6098G	-54.65	-44.83	-9.82	1
6345MHz	Pass	6.3598G	-4.79	6.6094G	-53.93	-44.79	-9.14	2
6345MHz	Pass	6.41958G	-4.71	6.6062G	-52.63	-44.71	-7.92	3
6345MHz	Pass	6.29741G	-4.58	5.9606G	-52.40	-44.58	-7.82	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39299G	-4.21	6.0666G	-53.57	-44.21	-9.36	1
6345MHz	Pass	6.27162G	-4.40	6.6274G	-52.81	-44.40	-8.41	2
6345MHz	Pass	6.40219G	-4.50	6.6084G	-52.35	-44.50	-7.85	3
6345MHz	Pass	6.27802G	-4.29	6.0846G	-51.46	-44.29	-7.17	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.53639G	-3.98	6.2438G	-53.20	-43.98	-9.22	1
6505MHz	Pass	6.45121G	-4.10	6.234G	-53.11	-44.10	-9.01	2
6505MHz	Pass	6.5184G	-4.13	6.2428G	-52.76	-44.13	-8.63	3
6505MHz	Pass	6.53699G	-4.02	6.2502G	-50.74	-43.93	-6.81	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.514G	-4.53	6.2398G	-54.55	-44.53	-10.02	1
6505MHz	Pass	6.519G	-4.76	6.2382G	-54.29	-44.76	-9.53	2
6505MHz	Pass	6.44202G	-5.12	6.7696G	-54.36	-45.12	-9.24	3
6505MHz	Pass	6.46261G	-4.52	6.1224G	-51.98	-44.52	-7.46	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.54759G	-4.42	6.218G	-53.21	-44.42	-8.79	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.55259G	-4.08	6.224G	-52.34	-44.08	-8.26	2
6505MHz	Pass	6.55959G	-4.49	6.226G	-52.91	-44.49	-8.42	3
6505MHz	Pass	6.45401G	-3.93	6.2406G	-51.41	-43.93	-7.48	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61861G	-3.58	6.4074G	-53.03	-43.58	-9.45	1
6665MHz	Pass	6.60921G	-3.72	6.412G	-51.86	-43.72	-8.14	2
6665MHz	Pass	6.62161G	-3.28	6.4032G	-51.36	-43.28	-8.08	3
6665MHz	Pass	6.58982G	-3.56	6.4098G	-50.79	-43.56	-7.23	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61961G	-3.84	6.4008G	-54.12	-43.84	-10.28	1
6665MHz	Pass	6.59442G	-3.69	6.401G	-53.55	-43.69	-9.86	2
6665MHz	Pass	6.59762G	-3.83	6.4004G	-53.26	-43.83	-9.43	3
6665MHz	Pass	6.59702G	-3.88	6.2806G	-52.82	-43.88	-8.94	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.59802G	-3.67	6.3756G	-53.14	-43.67	-9.47	1
6665MHz	Pass	6.61281G	-3.32	6.3886G	-51.19	-43.32	-7.87	2
6665MHz	Pass	6.60202G	-3.39	6.3998G	-52.43	-43.39	-9.04	3
6665MHz	Pass	6.61081G	-3.65	6.4008G	-51.24	-43.65	-7.59	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75262G	-3.70	6.5682G	-51.21	-43.52	-7.69	1
6825MHz	Pass	6.74962G	-3.04	6.5604G	-49.51	-43.04	-6.47	2
6825MHz	Pass	6.77861G	-3.73	6.5574G	-50.63	-43.73	-6.90	3
6825MHz	Pass	6.75882G	-3.25	6.5662G	-49.49	-43.25	-6.24	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75922G	-3.14	6.5562G	-52.37	-43.14	-9.23	1
6825MHz	Pass	6.76022G	-3.32	6.5652G	-51.34	-43.32	-8.02	2
6825MHz	Pass	6.76881G	-3.68	6.5366G	-52.01	-43.68	-8.33	3
6825MHz	Pass	6.75522G	-3.43	6.5284G	-51.57	-43.43	-8.14	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75762G	-3.56	6.5396G	-52.00	-43.56	-8.44	1
6825MHz	Pass	6.77261G	-3.10	6.5478G	-49.96	-43.10	-6.86	2
6825MHz	Pass	6.78121G	-3.95	6.5452G	-51.27	-43.95	-7.32	3
6825MHz	Pass	6.77661G	-3.83	6.5406G	-51.50	-43.83	-7.67	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.94121G	-3.57	6.7288G	-51.07	-43.49	-7.58	1
6985MHz	Pass	6.93821G	-3.62	6.7288G	-50.56	-43.54	-7.02	2
6985MHz	Pass	6.94061G	-3.70	6.734G	-50.79	-43.08	-7.71	3
6985MHz	Pass	6.91502G	-3.80	6.7274G	-50.97	-43.80	-7.17	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92701G	-4.09	6.7268G	-53.88	-44.09	-9.79	1
6985MHz	Pass	6.92062G	-3.51	6.7202G	-52.16	-43.51	-8.65	2
6985MHz	Pass	6.94821G	-3.45	6.72G	-52.79	-43.45	-9.34	3
6985MHz	Pass	6.91362G	-3.85	6.6012G	-51.09	-43.85	-7.24	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92262G	-4.57	6.6952G	-52.61	-44.57	-8.04	1
6985MHz	Pass	6.91982G	-3.98	6.7002G	-51.36	-43.98	-7.38	2
6985MHz	Pass	6.90822G	-3.64	6.7006G	-50.92	-43.64	-7.28	3
6985MHz	Pass	6.93001G	-4.00	6.6014G	-51.69	-44.00	-7.69	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07301G	-4.13	6.621G	-55.75	-44.13	-11.62	1
6105MHz	Pass	6.1126G	-3.89	6.6142G	-54.87	-43.89	-10.98	2
6105MHz	Pass	6.17338G	-4.37	6.613G	-54.76	-44.37	-10.39	3
6105MHz	Pass	6.0886G	-4.28	6.619G	-53.86	-44.28	-9.58	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12819G	-3.74	6.6206G	-55.05	-43.74	-11.31	1
6105MHz	Pass	6.25736G	-3.69	6.623G	-53.85	-43.69	-10.16	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.15259G	-4.22	6.6078G	-53.61	-44.21	-9.40	3
6105MHz	Pass	6.05661G	-3.48	6.6214G	-52.37	-43.48	-8.89	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.15019G	-4.25	6.6266G	-55.91	-44.25	-11.66	1
6105MHz	Pass	6.16938G	-3.93	6.6202G	-55.19	-43.93	-11.26	2
6105MHz	Pass	6.17458G	-4.34	6.6118G	-55.26	-44.34	-10.92	3
6105MHz	Pass	6.07221G	-4.48	6.6318G	-53.80	-44.48	-9.32	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.20098G	-4.03	6.7386G	-52.92	-44.03	-8.89	1
6105MHz	Pass	6.23697G	-3.69	6.7142G	-52.47	-43.69	-8.78	2
6105MHz	Pass	6.23417G	-4.05	6.7198G	-53.23	-44.05	-9.18	3
6105MHz	Pass	5.99703G	-4.33	6.719G	-52.30	-44.33	-7.97	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2534G	-4.62	6.7778G	-57.11	-44.62	-12.49	1
6265MHz	Pass	6.261G	-4.74	6.7866G	-58.01	-44.74	-13.27	2
6265MHz	Pass	6.2526G	-4.84	6.773G	-56.41	-44.84	-11.57	3
6265MHz	Pass	6.11624G	-4.39	6.7898G	-54.24	-44.39	-9.85	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2806G	-5.03	6.775G	-56.76	-45.03	-11.73	1
6265MHz	Pass	6.2718G	-4.99	6.7734G	-56.94	-44.91	-12.03	2
6265MHz	Pass	6.2726G	-4.76	6.7746G	-55.50	-44.76	-10.74	3
6265MHz	Pass	6.18942G	-4.36	6.7758G	-53.27	-44.36	-8.91	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.12703G	-4.78	6.7794G	-57.14	-44.78	-12.36	1
6265MHz	Pass	6.2494G	-4.25	6.7802G	-58.01	-44.25	-13.76	2
6265MHz	Pass	6.21301G	-4.66	6.7722G	-56.72	-44.66	-12.06	3
6265MHz	Pass	6.13943G	-4.39	6.7802G	-54.08	-44.39	-9.69	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.15063G	-4.64	6.8618G	-55.44	-44.64	-10.80	1
6265MHz	Pass	6.39537G	-4.40	6.8714G	-54.59	-44.40	-10.19	2
6265MHz	Pass	6.40257G	-4.74	6.8698G	-54.67	-44.74	-9.93	3
6265MHz	Pass	6.12543G	-3.51	6.8562G	-52.78	-43.51	-9.27	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40101G	-4.68	6.9462G	-57.85	-44.68	-13.17	1
6425MHz	Pass	6.45299G	-4.43	5.9342G	-56.79	-43.20	-13.59	2
6425MHz	Pass	6.47979G	-4.35	5.9278G	-55.48	-43.48	-12.00	3
6425MHz	Pass	6.39781G	-4.82	5.9314G	-50.85	-43.34	-7.51	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.58096G	-4.78	6.9454G	-57.09	-44.78	-12.31	1
6425MHz	Pass	6.4306G	-4.65	6.9334G	-57.56	-44.65	-12.91	2
6425MHz	Pass	6.51698G	-4.42	6.9354G	-55.79	-44.42	-11.37	3
6425MHz	Pass	6.4382G	-4.57	5.9114G	-52.61	-44.49	-8.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.48778G	-5.14	6.943G	-57.82	-45.14	-12.68	1
6425MHz	Pass	6.40101G	-4.89	6.9942G	-58.83	-44.89	-13.94	2
6425MHz	Pass	6.40221G	-4.70	5.9314G	-55.60	-43.58	-12.02	3
6425MHz	Pass	6.28144G	-5.12	5.9194G	-52.48	-44.48	-8.00	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.55057G	-4.88	6.989G	-56.45	-44.88	-11.57	1
6425MHz	Pass	6.33782G	-4.30	6.9998G	-55.79	-44.30	-11.49	2
6425MHz	Pass	6.51618G	-4.47	6.989G	-55.36	-44.47	-10.89	3
6425MHz	Pass	6.27184G	-4.19	6.9918G	-53.86	-44.19	-9.67	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53181G	-4.53	6.0774G	-55.11	-44.53	-10.58	1
6585MHz	Pass	6.43584G	-4.03	6.0794G	-54.98	-44.03	-10.95	2
6585MHz	Pass	6.52022G	-4.71	6.0682G	-54.02	-44.71	-9.31	3



Mask_Non-Beamforming_Radio 2_Multi-RU

Appendix E.7


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.43064G	-4.36	6.0386G	-50.13	-44.36	-5.77	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53821G	-4.85	6.0598G	-56.50	-44.85	-11.65	1
6585MHz	Pass	6.52861G	-3.95	6.0786G	-56.32	-43.95	-12.37	2
6585MHz	Pass	6.51782G	-4.92	6.0734G	-55.38	-44.92	-10.46	3
6585MHz	Pass	6.51702G	-3.65	6.071G	-50.15	-43.65	-6.50	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.54141G	-4.07	6.0782G	-55.35	-44.06	-11.29	1
6585MHz	Pass	6.5766G	-3.97	6.0734G	-54.74	-43.97	-10.77	2
6585MHz	Pass	6.53941G	-4.23	6.0774G	-53.81	-44.23	-9.58	3
6585MHz	Pass	6.48982G	-4.06	6.0382G	-49.97	-44.06	-5.91	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.46983G	-4.42	6.007G	-55.64	-44.42	-11.22	1
6585MHz	Pass	6.48223G	-4.22	6.0778G	-55.87	-44.22	-11.65	2
6585MHz	Pass	6.50062G	-4.65	6.0338G	-54.86	-44.65	-10.21	3
6585MHz	Pass	6.43344G	-4.02	5.997G	-50.41	-44.02	-6.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59984G	-3.15	6.2358G	-52.87	-43.15	-9.72	1
6745MHz	Pass	6.59784G	-2.66	6.2418G	-52.06	-42.59	-9.47	2
6745MHz	Pass	6.65142G	-3.63	6.2362G	-51.83	-43.63	-8.20	3
6745MHz	Pass	6.60304G	-3.43	6.1942G	-50.02	-43.43	-6.59	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.67142G	-3.17	6.2386G	-54.15	-43.04	-11.11	1
6745MHz	Pass	6.69061G	-2.95	6.2386G	-53.91	-42.95	-10.96	2
6745MHz	Pass	6.68142G	-3.70	6.2282G	-52.86	-43.70	-9.16	3
6745MHz	Pass	6.67262G	-3.55	6.233G	-50.67	-43.55	-7.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60104G	-3.19	6.2342G	-53.68	-43.19	-10.49	1
6745MHz	Pass	6.59104G	-3.00	6.235G	-52.68	-43.00	-9.68	2
6745MHz	Pass	6.62023G	-3.61	6.2354G	-52.10	-43.61	-8.49	3
6745MHz	Pass	6.65502G	-3.85	6.195G	-50.26	-43.85	-6.41	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60424G	-3.42	6.119G	-52.37	-43.42	-8.95	1
6745MHz	Pass	6.59704G	-3.18	6.153G	-52.82	-43.18	-9.64	2
6745MHz	Pass	6.65142G	-3.76	6.1454G	-51.99	-43.76	-8.23	3
6745MHz	Pass	6.61103G	-3.89	6.1314G	-50.08	-43.89	-6.19	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76064G	-3.74	6.3914G	-52.79	-43.74	-9.05	1
6905MHz	Pass	6.75264G	-2.85	6.3926G	-51.12	-42.85	-8.27	2
6905MHz	Pass	6.76184G	-3.59	6.3894G	-50.56	-43.59	-6.97	3
6905MHz	Pass	6.74944G	-3.50	6.3854G	-49.36	-43.50	-5.86	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.86021G	-3.84	6.3754G	-53.82	-43.84	-9.98	1
6905MHz	Pass	6.84062G	-3.23	6.3966G	-52.09	-43.23	-8.86	2
6905MHz	Pass	6.85021G	-3.54	6.3866G	-52.04	-43.54	-8.50	3
6905MHz	Pass	6.83622G	-3.83	6.3922G	-50.23	-43.83	-6.40	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76863G	-3.72	6.3746G	-53.23	-43.72	-9.51	1
6905MHz	Pass	6.75664G	-2.85	6.4034G	-51.30	-42.66	-8.64	2
6905MHz	Pass	6.75384G	-3.53	6.3914G	-51.23	-43.53	-7.70	3
6905MHz	Pass	6.75184G	-3.71	6.3686G	-49.98	-43.71	-6.27	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75024G	-3.42	6.3162G	-50.49	-43.42	-7.07	1
6905MHz	Pass	6.76104G	-2.75	6.2934G	-50.29	-42.75	-7.54	2
6905MHz	Pass	6.76224G	-3.78	6.311G	-50.20	-43.78	-6.42	3
6905MHz	Pass	6.75264G	-3.75	6.2934G	-48.80	-43.75	-5.05	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

6225MHz_TX

28/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25699G	-8.47	6.3542G	-60.22	-47.53	-12.69	1
6.25799G	-8.47	6.3662G	-62.63	-48.47	-14.16	2
6.19611G	-8.47	6.3656G	-60.69	-48.47	-12.22	3
6.19411G	-8.56	6.0937G	-59.77	-48.56	-11.21	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6345MHz_TX

28/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39339G	-4.35	6.6138G	-53.15	-44.35	-8.80	1
6.39019G	-4.50	6.6096G	-52.75	-44.50	-8.25	2
6.29201G	-3.64	6.6002G	-50.54	-43.64	-6.90	3
6.28961G	-3.98	6.067G	-50.33	-43.98	-6.35	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6425MHz_TX

28/11/2024

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40101G	-4.68	6.9462G	-57.85	-44.68	-13.17	1
6.45299G	-4.43	5.9342G	-56.79	-43.20	-13.59	2
6.47979G	-4.35	5.9278G	-55.48	-43.48	-12.00	3
6.39781G	-4.82	5.9314G	-50.85	-43.34	-7.51	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

6465MHz_TX

28/11/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42771G	-7.47	6.324G	-61.95	-47.47	-14.48	1
6.49249G	-7.35	6.3182G	-63.37	-47.35	-16.02	2
6.43431G	-7.70	6.2803G	-61.62	-47.70	-13.92	3
6.43461G	-7.95	6.3013G	-60.37	-47.95	-12.42	4


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6505MHz_TX

28/11/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53639G	-3.98	6.2438G	-53.20	-43.98	-9.22	1
6.45121G	-4.10	6.234G	-53.11	-44.10	-9.01	2
6.5184G	-4.13	6.2428G	-52.76	-44.13	-8.63	3
6.53699G	-4.02	6.2502G	-50.74	-43.93	-6.81	4


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6585MHz_TX

28/11/2024

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53181G	-4.53	6.0774G	-55.11	-44.53	-10.58	1
6.43584G	-4.03	6.0794G	-54.98	-44.03	-10.95	2
6.52022G	-4.71	6.0682G	-54.02	-44.71	-9.31	3
6.43064G	-4.36	6.0386G	-50.13	-44.36	-5.77	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

6705MHz_TX

28/11/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6825MHz_TX

28/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6905MHz_TX

28/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

6945MHz_TX

28/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

MASK

6985MHz_TX

28/11/2024



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	11.93912G	43.00	54.00	-11.00	3	Horizontal	334	1.66
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	AV	12.026G	43.63	54.00	-10.37	3	Vertical	190	2.81
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	12.20412G	43.19	54.00	-10.81	3	Horizontal	95	1.38
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	7.1738G	54.63	68.20	-13.57	3	Vertical	350	2.27
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	7.208G	55.53	68.20	-12.67	3	Horizontal	360	1.49
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	7.259G	52.57	54.00	-1.43	3	Horizontal	8	1.57

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.913G	50.65	68.20	-17.55	3	Vertical	24	1.50
5985MHz	Pass	AV	6.013G	94.25	Inf	-Inf	3	Vertical	24	1.50
5985MHz	Pass	PK	5.913G	63.26	88.20	-24.94	3	Vertical	24	1.50
5985MHz	Pass	PK	6.013G	104.41	Inf	-Inf	3	Vertical	24	1.50
5985MHz	Pass	AV	5.911G	50.59	68.20	-17.61	3	Horizontal	340	1.50
5985MHz	Pass	AV	6.022G	94.64	Inf	-Inf	3	Horizontal	340	1.50
5985MHz	Pass	PK	5.868G	63.88	88.20	-24.32	3	Horizontal	340	1.50
5985MHz	Pass	PK	6.022G	106.41	Inf	-Inf	3	Horizontal	340	1.50
5985MHz	Pass	AV	11.93832G	42.95	54.00	-11.05	3	Vertical	273	1.50
5985MHz	Pass	PK	11.93576G	55.44	74.00	-18.56	3	Vertical	273	1.50
5985MHz	Pass	AV	11.93912G	43.00	54.00	-11.00	3	Horizontal	334	1.66
5985MHz	Pass	PK	12.00312G	54.75	74.00	-19.25	3	Horizontal	334	1.66
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9872G	96.72	Inf	-Inf	3	Vertical	349	2.29
7025MHz	Pass	AV	7.175G	54.03	68.20	-14.17	3	Vertical	349	2.29
7025MHz	Pass	PK	6.9878G	109.11	Inf	-Inf	3	Vertical	349	2.29
7025MHz	Pass	PK	7.1456G	66.63	88.20	-21.57	3	Vertical	349	2.29
7025MHz	Pass	AV	7.0082G	96.90	Inf	-Inf	3	Horizontal	357	1.50
7025MHz	Pass	AV	7.175G	54.00	68.20	-14.20	3	Horizontal	357	1.50
7025MHz	Pass	PK	6.9884G	108.56	Inf	-Inf	3	Horizontal	357	1.50
7025MHz	Pass	PK	7.1552G	66.07	88.20	-22.13	3	Horizontal	357	1.50
7025MHz	Pass	AV	14.0588G	45.07	68.20	-23.13	3	Vertical	11	1.50
7025MHz	Pass	PK	14.03208G	56.53	88.20	-31.67	3	Vertical	11	1.50
7025MHz	Pass	AV	14.05816G	45.08	68.20	-23.12	3	Horizontal	1	1.11
7025MHz	Pass	PK	14.01256G	56.88	88.20	-31.32	3	Horizontal	1	1.11
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9866G	98.00	Inf	-Inf	3	Vertical	350	2.27
7025MHz	Pass	AV	7.1738G	54.63	68.20	-13.57	3	Vertical	350	2.27
7025MHz	Pass	PK	6.9872G	109.54	Inf	-Inf	3	Vertical	350	2.27
7025MHz	Pass	PK	7.1714G	66.89	88.20	-21.31	3	Vertical	350	2.27
7025MHz	Pass	AV	6.9884G	98.06	Inf	-Inf	3	Horizontal	356	1.50
7025MHz	Pass	AV	7.1648G	54.51	68.20	-13.69	3	Horizontal	356	1.50
7025MHz	Pass	PK	7.0478G	108.39	Inf	-Inf	3	Horizontal	356	1.50
7025MHz	Pass	PK	7.169G	66.12	88.20	-22.08	3	Horizontal	356	1.50
7025MHz	Pass	AV	14.06056G	45.07	68.20	-23.13	3	Vertical	318	1.50
7025MHz	Pass	PK	14.02184G	57.46	88.20	-30.74	3	Vertical	318	1.50
7025MHz	Pass	AV	14.06216G	45.03	68.20	-23.17	3	Horizontal	187	1.50
7025MHz	Pass	PK	14.07336G	58.71	88.20	-29.49	3	Horizontal	187	1.50
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	51.35	68.20	-16.85	3	Vertical	23	2.29
6025MHz	Pass	AV	6.043G	95.56	Inf	-Inf	3	Vertical	23	2.29
6025MHz	Pass	PK	5.91G	62.72	88.20	-25.48	3	Vertical	23	2.29
6025MHz	Pass	PK	6.103G	105.75	Inf	-Inf	3	Vertical	23	2.29
6025MHz	Pass	AV	5.923G	51.62	68.20	-16.58	3	Horizontal	341	1.58
6025MHz	Pass	AV	6.042G	95.28	Inf	-Inf	3	Horizontal	341	1.58
6025MHz	Pass	PK	5.924G	64.13	88.20	-24.07	3	Horizontal	341	1.58
6025MHz	Pass	PK	6.041G	106.10	Inf	-Inf	3	Horizontal	341	1.58
6025MHz	Pass	AV	12.0676G	43.25	54.00	-10.75	3	Vertical	196	1.50
6025MHz	Pass	PK	12.07432G	55.42	74.00	-18.58	3	Vertical	196	1.50
6025MHz	Pass	AV	12.06424G	43.11	54.00	-10.89	3	Horizontal	69	1.50
6025MHz	Pass	PK	12.02888G	55.33	74.00	-18.67	3	Horizontal	69	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.909G	51.32	68.20	-16.88	3	Vertical	21	1.50
6025MHz	Pass	AV	6.073G	95.35	Inf	-Inf	3	Vertical	21	1.50
6025MHz	Pass	PK	5.869G	62.88	88.20	-25.32	3	Vertical	21	1.50
6025MHz	Pass	PK	6.093G	106.49	Inf	-Inf	3	Vertical	21	1.50
6025MHz	Pass	AV	5.9G	51.23	68.20	-16.97	3	Horizontal	338	2.40
6025MHz	Pass	AV	6.072G	96.31	Inf	-Inf	3	Horizontal	338	2.40
6025MHz	Pass	PK	5.896G	63.02	88.20	-25.18	3	Horizontal	338	2.40
6025MHz	Pass	PK	5.971G	106.39	Inf	-Inf	3	Horizontal	338	2.40

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.026G	43.63	54.00	-10.37	3	Vertical	190	2.81
6025MHz	Pass	PK	12.05144G	55.01	74.00	-18.99	3	Vertical	190	2.81
6025MHz	Pass	AV	12.05096G	43.59	54.00	-10.41	3	Horizontal	56	2.09
6025MHz	Pass	PK	12.08424G	55.99	74.00	-18.01	3	Horizontal	56	2.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX										
6985MHz	Pass	AV	6.928G	98.17	Inf	-Inf	3	Vertical	348	2.21
6985MHz	Pass	AV	7.148G	55.39	68.20	-12.81	3	Vertical	348	2.21
6985MHz	Pass	PK	6.927G	110.69	Inf	-Inf	3	Vertical	348	2.21
6985MHz	Pass	PK	7.168G	66.73	88.20	-21.47	3	Vertical	348	2.21
6985MHz	Pass	AV	6.928G	97.97	Inf	-Inf	3	Horizontal	360	1.49
6985MHz	Pass	AV	7.208G	55.53	68.20	-12.67	3	Horizontal	360	1.49
6985MHz	Pass	PK	6.927G	108.76	Inf	-Inf	3	Horizontal	360	1.49
6985MHz	Pass	PK	7.13G	67.12	88.20	-21.08	3	Horizontal	360	1.49
6985MHz	Pass	AV	13.9308G	45.05	68.20	-23.15	3	Vertical	25	1.51
6985MHz	Pass	PK	13.95896G	56.99	88.20	-31.21	3	Vertical	25	1.51
6985MHz	Pass	AV	13.93832G	45.00	68.20	-23.20	3	Horizontal	95	1.47
6985MHz	Pass	PK	13.93144G	57.84	88.20	-30.36	3	Horizontal	95	1.47
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX										
6985MHz	Pass	AV	6.928G	98.11	Inf	-Inf	3	Vertical	350	2.26
6985MHz	Pass	AV	7.205G	55.17	68.20	-13.03	3	Vertical	350	2.26
6985MHz	Pass	PK	6.928G	108.60	Inf	-Inf	3	Vertical	350	2.26
6985MHz	Pass	PK	7.215G	67.17	88.20	-21.03	3	Vertical	350	2.26
6985MHz	Pass	AV	6.928G	98.22	Inf	-Inf	3	Horizontal	360	1.46
6985MHz	Pass	AV	7.228G	55.05	68.20	-13.15	3	Horizontal	360	1.46
6985MHz	Pass	PK	6.928G	110.78	Inf	-Inf	3	Horizontal	360	1.46
6985MHz	Pass	PK	7.223G	67.27	88.20	-20.93	3	Horizontal	360	1.46
6985MHz	Pass	AV	14.00984G	44.77	68.20	-23.43	3	Vertical	175	1.50
6985MHz	Pass	PK	13.9908G	57.13	88.20	-31.07	3	Vertical	175	1.50
6985MHz	Pass	AV	14.00936G	44.82	68.20	-23.38	3	Horizontal	0	1.50
6985MHz	Pass	PK	13.95848G	57.45	88.20	-30.75	3	Horizontal	0	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX										
6985MHz	Pass	AV	6.927G	97.90	Inf	-Inf	3	Vertical	350	2.25
6985MHz	Pass	AV	7.167G	55.37	68.20	-12.83	3	Vertical	350	2.25
6985MHz	Pass	PK	6.928G	108.73	Inf	-Inf	3	Vertical	350	2.25
6985MHz	Pass	PK	7.22G	67.32	88.20	-20.88	3	Vertical	350	2.25
6985MHz	Pass	AV	6.928G	98.02	Inf	-Inf	3	Horizontal	360	1.54
6985MHz	Pass	AV	7.231G	55.49	68.20	-12.71	3	Horizontal	360	1.54
6985MHz	Pass	PK	6.909G	108.43	Inf	-Inf	3	Horizontal	360	1.54
6985MHz	Pass	PK	7.188G	66.90	88.20	-21.30	3	Horizontal	360	1.54
6985MHz	Pass	AV	14.04904G	45.22	68.20	-22.98	3	Vertical	98	1.50
6985MHz	Pass	PK	13.9476G	56.79	88.20	-31.41	3	Vertical	98	1.50
6985MHz	Pass	AV	14.01704G	45.21	68.20	-22.99	3	Horizontal	260	1.50
6985MHz	Pass	PK	13.90856G	57.44	88.20	-30.76	3	Horizontal	260	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX										
6105MHz	Pass	AV	5.917G	52.71	68.20	-15.49	3	Vertical	20	1.50
6105MHz	Pass	AV	6.153G	94.30	Inf	-Inf	3	Vertical	20	1.50
6105MHz	Pass	PK	5.917G	66.41	88.20	-21.79	3	Vertical	20	1.50
6105MHz	Pass	PK	6.173G	104.40	Inf	-Inf	3	Vertical	20	1.50
6105MHz	Pass	AV	5.913G	52.99	68.20	-15.21	3	Horizontal	338	2.41
6105MHz	Pass	AV	6.133G	95.64	Inf	-Inf	3	Horizontal	338	2.41
6105MHz	Pass	PK	5.913G	65.74	88.20	-22.46	3	Horizontal	338	2.41
6105MHz	Pass	PK	5.951G	105.90	Inf	-Inf	3	Horizontal	338	2.41
6105MHz	Pass	AV	12.20352G	43.15	54.00	-10.85	3	Vertical	51	1.50
6105MHz	Pass	PK	12.19212G	54.94	74.00	-19.06	3	Vertical	51	1.50
6105MHz	Pass	AV	12.20412G	43.19	54.00	-10.81	3	Horizontal	95	1.38
6105MHz	Pass	PK	12.2196G	55.80	74.00	-18.20	3	Horizontal	95	1.38
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX										
6105MHz	Pass	AV	5.925G	51.36	68.20	-16.84	3	Vertical	24	1.78
6105MHz	Pass	AV	6.151G	94.64	Inf	-Inf	3	Vertical	24	1.78
6105MHz	Pass	PK	5.869G	63.24	88.20	-24.96	3	Vertical	24	1.78
6105MHz	Pass	PK	6.153G	104.38	Inf	-Inf	3	Vertical	24	1.78
6105MHz	Pass	AV	5.913G	51.47	68.20	-16.73	3	Horizontal	338	2.39


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	6.151G	94.37	Inf	-Inf	3	Horizontal	338	2.39
6105MHz	Pass	PK	5.919G	63.45	88.20	-24.75	3	Horizontal	338	2.39
6105MHz	Pass	PK	6.073G	105.41	Inf	-Inf	3	Horizontal	338	2.39
6105MHz	Pass	AV	12.20196G	42.83	54.00	-11.17	3	Vertical	339	1.18
6105MHz	Pass	PK	12.22608G	54.83	74.00	-19.17	3	Vertical	339	1.18
6105MHz	Pass	AV	12.1818G	42.84	54.00	-11.16	3	Horizontal	330	2.38
6105MHz	Pass	PK	12.19308G	54.91	74.00	-19.09	3	Horizontal	330	2.38
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	51.14	68.20	-17.06	3	Vertical	21	1.64
6105MHz	Pass	AV	6.193G	95.35	Inf	-Inf	3	Vertical	21	1.64
6105MHz	Pass	PK	5.915G	62.95	88.20	-25.25	3	Vertical	21	1.64
6105MHz	Pass	PK	6.193G	105.91	Inf	-Inf	3	Vertical	21	1.64
6105MHz	Pass	AV	5.925G	51.22	68.20	-16.98	3	Horizontal	329	1.50
6105MHz	Pass	AV	6.205G	94.32	Inf	-Inf	3	Horizontal	329	1.50
6105MHz	Pass	PK	5.721G	62.50	88.20	-25.70	3	Horizontal	329	1.50
6105MHz	Pass	PK	6.243G	104.86	Inf	-Inf	3	Horizontal	329	1.50
6105MHz	Pass	AV	12.07496G	42.84	54.00	-11.16	3	Vertical	130	2.77
6105MHz	Pass	PK	12.11208G	54.52	74.00	-19.48	3	Vertical	130	2.77
6105MHz	Pass	AV	12.05704G	42.84	54.00	-11.16	3	Horizontal	218	1.50
6105MHz	Pass	PK	12.08904G	55.36	74.00	-18.64	3	Horizontal	218	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.757G	95.11	Inf	-Inf	3	Vertical	18	1.42
6905MHz	Pass	AV	7.135G	52.99	68.20	-15.21	3	Vertical	18	1.42
6905MHz	Pass	AV	7.267G	52.29	54.00	-1.71	3	Vertical	18	1.42
6905MHz	Pass	PK	6.777G	105.50	Inf	-Inf	3	Vertical	18	1.42
6905MHz	Pass	PK	7.137G	65.08	88.20	-23.12	3	Vertical	18	1.42
6905MHz	Pass	PK	7.365G	64.23	74.00	-9.77	3	Vertical	18	1.42
6905MHz	Pass	AV	6.747G	97.43	Inf	-Inf	3	Horizontal	8	1.57
6905MHz	Pass	AV	7.125G	53.67	68.20	-14.53	3	Horizontal	8	1.57
6905MHz	Pass	AV	7.259G	52.57	54.00	-1.43	3	Horizontal	8	1.57
6905MHz	Pass	PK	6.767G	107.47	Inf	-Inf	3	Horizontal	8	1.57
6905MHz	Pass	PK	7.125G	71.36	88.20	-16.84	3	Horizontal	8	1.57
6905MHz	Pass	PK	7.297G	64.09	74.00	-9.91	3	Horizontal	8	1.57
6905MHz	Pass	AV	13.93096G	44.97	68.20	-23.23	3	Vertical	49	1.50
6905MHz	Pass	PK	13.90984G	57.71	88.20	-30.49	3	Vertical	49	1.50
6905MHz	Pass	AV	13.7992G	44.93	68.20	-23.27	3	Horizontal	107	1.46
6905MHz	Pass	PK	13.81936G	57.54	88.20	-30.66	3	Horizontal	107	1.46
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.847G	96.34	Inf	-Inf	3	Vertical	350	2.25
6905MHz	Pass	AV	7.127G	53.00	68.20	-15.20	3	Vertical	350	2.25
6905MHz	Pass	AV	7.265G	52.00	54.00	-2.00	3	Vertical	350	2.25
6905MHz	Pass	PK	6.907G	106.28	Inf	-Inf	3	Vertical	350	2.25
6905MHz	Pass	PK	7.187G	66.12	88.20	-22.08	3	Vertical	350	2.25
6905MHz	Pass	PK	7.265G	63.53	74.00	-10.47	3	Vertical	350	2.25
6905MHz	Pass	AV	6.847G	96.87	Inf	-Inf	3	Horizontal	0	1.38
6905MHz	Pass	AV	7.129G	53.00	68.20	-15.20	3	Horizontal	0	1.38
6905MHz	Pass	AV	7.25G	52.03	54.00	-1.97	3	Horizontal	0	1.38
6905MHz	Pass	PK	6.849G	108.17	Inf	-Inf	3	Horizontal	0	1.38
6905MHz	Pass	PK	7.209G	65.61	88.20	-22.59	3	Horizontal	0	1.38
6905MHz	Pass	PK	7.319G	63.52	74.00	-10.48	3	Horizontal	0	1.38
6905MHz	Pass	AV	13.69928G	44.67	68.20	-23.53	3	Vertical	163	1.50
6905MHz	Pass	PK	13.7076G	57.48	88.20	-30.72	3	Vertical	163	1.50
6905MHz	Pass	AV	13.71016G	44.75	68.20	-23.45	3	Horizontal	78	2.46
6905MHz	Pass	PK	13.77736G	56.65	88.20	-31.55	3	Horizontal	78	2.46
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.747G	95.78	Inf	-Inf	3	Vertical	355	2.22
6905MHz	Pass	AV	7.245G	51.95	68.20	-16.25	3	Vertical	355	2.22
6905MHz	Pass	AV	7.273G	51.96	54.00	-2.04	3	Vertical	355	2.22
6905MHz	Pass	PK	6.767G	107.61	Inf	-Inf	3	Vertical	355	2.22
6905MHz	Pass	PK	7.247G	63.61	88.20	-24.59	3	Vertical	355	2.22
6905MHz	Pass	PK	7.365G	64.01	74.00	-9.99	3	Vertical	355	2.22
6905MHz	Pass	AV	6.747G	97.17	Inf	-Inf	3	Horizontal	6	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.213G	52.15	68.20	-16.05	3	Horizontal	6	1.50
6905MHz	Pass	AV	7.273G	52.28	54.00	-1.72	3	Horizontal	6	1.50
6905MHz	Pass	PK	6.807G	107.20	Inf	-Inf	3	Horizontal	6	1.50
6905MHz	Pass	PK	7.225G	63.87	88.20	-24.33	3	Horizontal	6	1.50
6905MHz	Pass	PK	7.295G	64.79	74.00	-9.21	3	Horizontal	6	1.50
6905MHz	Pass	AV	13.78564G	44.38	68.20	-23.82	3	Vertical	103	1.50
6905MHz	Pass	PK	13.80784G	56.95	88.20	-31.25	3	Vertical	103	1.50
6905MHz	Pass	AV	13.78336G	44.35	68.20	-23.85	3	Horizontal	326	1.50
6905MHz	Pass	PK	13.7968G	56.83	88.20	-31.37	3	Horizontal	326	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.757G	95.11	Inf	-Inf	9.93	3	Vertical	18	1.42	85.18	36.11	9.06	35.24
AV	7.135G	52.99	68.20	-15.21	10.97	3	Vertical	18	1.42	42.02	36.81	9.41	35.25
AV	7.267G	52.29	54.00	-1.71	11.38	3	Vertical	18	1.42	40.91	37.17	9.46	35.25
PK	6.777G	105.50	Inf	-Inf	9.98	3	Vertical	18	1.42	95.52	36.15	9.07	35.24
PK	7.137G	65.08	88.20	-23.12	10.98	3	Vertical	18	1.42	54.10	36.82	9.41	35.25
PK	7.365G	64.23	74.00	-9.77	11.12	3	Vertical	18	1.42	53.11	36.91	9.46	35.25

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.747G	97.43	Inf	-Inf	9.92	3	Horizontal	8	1.57	87.51	36.11	9.05	35.24
AV	7.125G	53.67	68.20	-14.53	10.90	3	Horizontal	8	1.57	42.77	36.75	9.40	35.25
AV	7.259G	52.57	54.00	-1.43	11.39	3	Horizontal	8	1.57	41.18	37.18	9.46	35.25
PK	6.767G	107.47	Inf	-Inf	9.95	3	Horizontal	8	1.57	97.52	36.13	9.06	35.24
PK	7.125G	71.36	88.20	-16.84	10.90	3	Horizontal	8	1.57	60.46	36.75	9.40	35.25
PK	7.297G	64.09	74.00	-9.91	11.32	3	Horizontal	8	1.57	52.77	37.11	9.46	35.25


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	6.00659G	-7.67	6.117G	-58.26	-47.67	-10.59	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	6.37919G	-3.93	6.0858G	-49.84	-43.93	-5.91	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	Pass	6.12779G	-4.10	6.6154G	-50.15	-44.07	-6.08	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	6.5311G	-7.22	6.3747G	-59.64	-47.22	-12.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	6.43482G	-3.81	6.2538G	-49.38	-43.22	-6.16	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	Pass	6.43624G	-3.92	6.0582G	-48.62	-43.92	-4.70	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	6.67951G	-6.65	6.5279G	-58.71	-46.65	-12.06	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	6.76002G	-2.67	6.5712G	-47.98	-42.08	-5.90	2
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	Pass	6.74944G	-3.44	6.377G	-47.28	-43.44	-3.84	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	6.96969G	-5.39	6.7606G	-57.72	-45.39	-12.33	3
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	Pass	6.94321G	-3.35	6.7244G	-48.57	-43.35	-5.22	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9937G	-7.50	6.1138G	-60.82	-46.80	-14.02	1
5985MHz	Pass	6.01799G	-7.60	6.1665G	-59.52	-47.60	-11.92	2
5985MHz	Pass	6.00619G	-7.88	6.1643G	-60.13	-47.88	-12.25	3
5985MHz	Pass	5.971G	-7.93	6.1632G	-60.66	-47.93	-12.73	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.0034G	-7.31	6.1268G	-59.99	-47.31	-12.68	1
5985MHz	Pass	6.01619G	-7.42	6.1201G	-58.60	-47.42	-11.18	2
5985MHz	Pass	5.9894G	-7.76	6.1596G	-59.97	-47.76	-12.21	3
5985MHz	Pass	6.01239G	-8.04	6.1443G	-60.62	-48.04	-12.58	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01449G	-7.58	6.1194G	-60.39	-47.58	-12.81	1
5985MHz	Pass	6.01749G	-7.40	6.1148G	-58.26	-47.25	-11.01	2
5985MHz	Pass	6.00659G	-7.67	6.117G	-58.26	-47.67	-10.59	3
5985MHz	Pass	5.9764G	-8.00	6.1343G	-60.58	-48.00	-12.58	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9903G	-7.51	6.1184G	-62.00	-47.51	-14.49	1
5985MHz	Pass	6.0029G	-7.45	6.1188G	-60.44	-47.45	-12.99	2
5985MHz	Pass	5.9817G	-7.80	6.1161G	-60.08	-47.80	-12.28	3
5985MHz	Pass	5.9699G	-7.87	6.1318G	-60.57	-47.87	-12.70	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2092G	-7.37	6.3743G	-61.30	-47.37	-13.93	1
6225MHz	Pass	6.2134G	-7.10	6.3808G	-60.76	-47.10	-13.66	2
6225MHz	Pass	6.2113G	-7.51	6.3909G	-60.13	-47.51	-12.62	3
6225MHz	Pass	6.2127G	-7.22	6.0819G	-59.75	-47.22	-12.53	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.26099G	-7.43	6.4065G	-60.96	-47.43	-13.53	1
6225MHz	Pass	6.2377G	-6.83	6.3909G	-60.75	-46.83	-13.92	2
6225MHz	Pass	6.24619G	-7.39	6.4042G	-60.39	-47.39	-13.00	3
6225MHz	Pass	6.19011G	-7.12	6.0467G	-59.65	-47.12	-12.53	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2176G	-7.17	6.3745G	-60.61	-47.17	-13.44	1
6225MHz	Pass	6.25459G	-6.97	6.4074G	-60.64	-46.97	-13.67	2
6225MHz	Pass	6.25219G	-7.34	6.4165G	-60.34	-47.34	-13.00	3
6225MHz	Pass	6.19281G	-7.27	6.0578G	-59.61	-47.27	-12.34	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6225MHz	Pass	6.2072G	-7.09	6.3742G	-61.10	-47.09	-14.01	1
6225MHz	Pass	6.2441G	-6.98	6.4175G	-60.97	-46.98	-13.99	2
6225MHz	Pass	6.2154G	-7.30	6.3743G	-60.29	-47.30	-12.99	3
6225MHz	Pass	6.19261G	-7.14	6.066G	-59.48	-47.14	-12.34	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.3831G	-7.56	6.5281G	-60.23	-47.56	-12.67	1
6385MHz	Pass	6.3813G	-7.25	6.528G	-61.14	-47.25	-13.89	2
6385MHz	Pass	6.41929G	-7.40	6.215G	-60.18	-47.40	-12.78	3
6385MHz	Pass	6.41639G	-7.48	6.22G	-59.47	-47.48	-11.99	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.41739G	-7.35	6.5281G	-60.54	-47.35	-13.19	1
6385MHz	Pass	6.4001G	-7.18	6.2299G	-61.08	-47.18	-13.90	2
6385MHz	Pass	6.42139G	-7.52	6.2012G	-60.18	-47.52	-12.66	3
6385MHz	Pass	6.35401G	-7.46	6.1995G	-59.86	-47.46	-12.40	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.35051G	-7.46	6.5282G	-60.83	-47.46	-13.37	1
6385MHz	Pass	6.41869G	-7.15	6.243G	-61.16	-47.15	-14.01	2
6385MHz	Pass	6.3805G	-7.48	6.2273G	-60.07	-47.48	-12.59	3
6385MHz	Pass	6.41319G	-7.67	6.2062G	-59.65	-47.67	-11.98	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6385MHz	Pass	6.36371G	-7.31	6.5282G	-60.49	-47.31	-13.18	1
6385MHz	Pass	6.3794G	-7.02	6.2286G	-61.12	-47.02	-14.10	2
6385MHz	Pass	6.3784G	-7.33	6.2084G	-59.94	-47.33	-12.61	3
6385MHz	Pass	6.3871G	-7.55	6.2165G	-59.78	-47.55	-12.23	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.48789G	-6.87	6.6052G	-61.24	-46.87	-14.37	1
6465MHz	Pass	6.4574G	-6.20	6.3129G	-60.98	-46.20	-14.78	2
6465MHz	Pass	6.4817G	-6.86	6.6129G	-60.44	-46.86	-13.58	3
6465MHz	Pass	6.4743G	-6.86	6.3132G	-60.11	-46.86	-13.25	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.48719G	-6.99	6.3311G	-61.35	-46.99	-14.36	1
6465MHz	Pass	6.49479G	-6.38	6.3286G	-61.11	-46.38	-14.73	2
6465MHz	Pass	6.4786G	-7.05	6.2798G	-60.28	-47.05	-13.23	3
6465MHz	Pass	6.4707G	-6.83	6.2887G	-59.98	-46.83	-13.15	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.42961G	-7.03	6.6048G	-61.20	-47.03	-14.17	1
6465MHz	Pass	6.43541G	-6.23	6.3318G	-60.97	-46.23	-14.74	2
6465MHz	Pass	6.50239G	-6.93	6.2778G	-60.00	-46.93	-13.07	3
6465MHz	Pass	6.4529G	-6.90	6.2811G	-59.54	-46.90	-12.64	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6465MHz	Pass	6.4472G	-7.02	6.6048G	-61.15	-47.02	-14.13	1
6465MHz	Pass	6.43161G	-6.46	6.606G	-61.34	-46.46	-14.88	2
6465MHz	Pass	6.43971G	-6.66	6.3014G	-60.13	-46.66	-13.47	3
6465MHz	Pass	6.43821G	-6.91	6.3264G	-59.97	-46.91	-13.06	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5295G	-7.15	6.3743G	-60.91	-47.15	-13.76	1
6545MHz	Pass	6.5332G	-6.67	6.4047G	-60.78	-46.67	-14.11	2
6545MHz	Pass	6.5371G	-7.63	6.3764G	-60.17	-47.63	-12.54	3
6545MHz	Pass	6.5311G	-7.22	6.3747G	-59.64	-47.22	-12.42	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50831G	-7.24	6.3746G	-60.71	-47.24	-13.47	1
6545MHz	Pass	6.51531G	-6.40	6.4084G	-60.70	-46.40	-14.30	2
6545MHz	Pass	6.5472G	-7.38	6.3595G	-59.95	-47.38	-12.57	3
6545MHz	Pass	6.51271G	-7.00	6.4017G	-59.83	-47.00	-12.83	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.5348G	-7.08	6.3752G	-61.13	-47.08	-14.05	1
6545MHz	Pass	6.5368G	-6.82	6.4041G	-60.79	-46.82	-13.97	2
6545MHz	Pass	6.52171G	-7.50	6.3538G	-60.09	-47.50	-12.59	3
6545MHz	Pass	6.51401G	-7.12	6.3798G	-59.94	-47.12	-12.82	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6545MHz	Pass	6.50831G	-7.26	6.3743G	-60.79	-47.26	-13.53	1
6545MHz	Pass	6.533G	-6.77	6.3804G	-60.71	-46.77	-13.94	2
6545MHz	Pass	6.52131G	-7.43	6.4066G	-60.24	-47.43	-12.81	3
6545MHz	Pass	6.50891G	-7.14	6.381G	-59.86	-47.14	-12.72	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6087G	-5.99	6.6696G	-39.81	-26.04	-13.77	1
6625MHz	Pass	6.6224G	-5.56	6.4875G	-60.11	-45.56	-14.55	2
6625MHz	Pass	6.6111G	-6.01	6.459G	-59.32	-46.01	-13.31	3
6625MHz	Pass	6.6064G	-5.83	6.4603G	-59.00	-45.83	-13.17	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.60331G	-5.88	6.5804G	-39.92	-25.93	-13.99	1
6625MHz	Pass	6.59491G	-5.70	6.4397G	-59.95	-45.70	-14.25	2
6625MHz	Pass	6.60231G	-6.03	6.4337G	-59.25	-46.03	-13.22	3
6625MHz	Pass	6.59371G	-5.84	6.4404G	-58.96	-45.84	-13.12	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6625MHz	Pass	6.59611G	-5.73	6.4925G	-61.12	-45.73	-15.39	1
6625MHz	Pass	6.59281G	-5.58	6.4927G	-59.63	-45.58	-14.05	2
6625MHz	Pass	6.6099G	-6.09	6.4374G	-59.42	-46.09	-13.33	3
6625MHz	Pass	6.59461G	-6.07	6.4443G	-58.82	-46.07	-12.75	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.60131G	-5.94	6.4515G	-60.94	-45.94	-15.00	1
6625MHz	Pass	6.59881G	-6.09	6.4904G	-59.72	-46.09	-13.63	2
6625MHz	Pass	6.59171G	-6.41	6.4736G	-59.46	-46.41	-13.05	3
6625MHz	Pass	6.59581G	-6.13	6.4499G	-59.27	-46.13	-13.14	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.6926G	-6.16	6.5281G	-60.41	-46.16	-14.25	1
6705MHz	Pass	6.6915G	-6.30	6.568G	-59.96	-46.30	-13.66	2
6705MHz	Pass	6.7107G	-6.57	6.5589G	-59.53	-46.57	-12.96	3
6705MHz	Pass	6.6941G	-6.66	6.5423G	-59.06	-46.66	-12.40	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.68201G	-6.12	6.5282G	-59.86	-46.12	-13.74	1
6705MHz	Pass	6.66721G	-5.96	6.554G	-59.10	-45.96	-13.14	2
6705MHz	Pass	6.67371G	-6.59	6.5127G	-58.88	-46.59	-12.29	3
6705MHz	Pass	6.66961G	-6.66	6.5205G	-58.79	-46.66	-12.13	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.67491G	-6.13	6.5277G	-60.29	-46.13	-14.16	1
6705MHz	Pass	6.66881G	-6.15	6.517G	-59.62	-46.15	-13.47	2
6705MHz	Pass	6.6875G	-6.55	6.5186G	-59.06	-46.55	-12.51	3
6705MHz	Pass	6.67951G	-6.65	6.5279G	-58.71	-46.65	-12.06	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6705MHz	Pass	6.7G	-6.35	6.5281G	-60.40	-46.35	-14.05	1
6705MHz	Pass	6.68291G	-6.12	6.5135G	-59.94	-46.12	-13.82	2
6705MHz	Pass	6.68381G	-6.49	6.5202G	-59.03	-46.49	-12.54	3
6705MHz	Pass	6.67231G	-6.52	6.5489G	-58.90	-46.52	-12.38	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.7667G	-5.89	6.6049G	-60.14	-45.89	-14.25	1
6785MHz	Pass	6.7691G	-5.73	6.6345G	-57.90	-45.73	-12.17	2
6785MHz	Pass	6.7812G	-6.33	6.621G	-58.60	-46.33	-12.27	3
6785MHz	Pass	6.7755G	-5.95	6.6156G	-58.57	-45.95	-12.62	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.75301G	-5.87	6.6048G	-60.13	-45.87	-14.26	1
6785MHz	Pass	6.74741G	-5.62	6.6528G	-58.79	-45.62	-13.17	2
6785MHz	Pass	6.74851G	-6.05	6.6498G	-58.49	-46.05	-12.44	3
6785MHz	Pass	6.75021G	-5.92	6.5953G	-58.11	-45.92	-12.19	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.74851G	-6.06	6.6044G	-59.87	-46.06	-13.81	1
6785MHz	Pass	6.75641G	-5.57	6.6532G	-58.90	-45.52	-13.38	2
6785MHz	Pass	6.75171G	-6.10	6.5982G	-58.64	-46.10	-12.54	3
6785MHz	Pass	6.74881G	-5.67	6.6047G	-58.46	-45.67	-12.79	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6785MHz	Pass	6.76351G	-5.85	6.6049G	-60.07	-45.85	-14.22	1
6785MHz	Pass	6.75431G	-5.64	6.6191G	-59.30	-45.64	-13.66	2
6785MHz	Pass	6.74801G	-5.98	6.6279G	-58.60	-45.98	-12.62	3
6785MHz	Pass	6.76361G	-5.93	6.5965G	-58.43	-45.93	-12.50	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.88659G	-7.17	6.681G	-60.91	-47.17	-13.74	1
6865MHz	Pass	6.8462G	-6.38	6.7169G	-59.60	-46.38	-13.22	2
6865MHz	Pass	6.8487G	-6.37	6.7013G	-58.61	-46.37	-12.24	3
6865MHz	Pass	6.8499G	-6.43	6.7143G	-58.91	-46.43	-12.48	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.82691G	-6.56	6.6931G	-60.63	-46.56	-14.07	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6865MHz	Pass	6.83731G	-5.98	6.7262G	-59.59	-45.98	-13.61	2
6865MHz	Pass	6.83041G	-6.23	6.6841G	-58.55	-46.23	-12.32	3
6865MHz	Pass	6.83021G	-6.37	6.6885G	-58.67	-46.37	-12.30	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83941G	-6.97	6.6779G	-60.50	-46.97	-13.53	1
6865MHz	Pass	6.84101G	-6.06	6.6752G	-59.63	-46.06	-13.57	2
6865MHz	Pass	6.83871G	-6.29	6.6969G	-58.62	-46.29	-12.33	3
6865MHz	Pass	6.82871G	-6.29	6.6979G	-58.67	-46.29	-12.38	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6865MHz	Pass	6.83531G	-6.74	6.678G	-60.81	-46.74	-14.07	1
6865MHz	Pass	6.84111G	-5.96	6.7053G	-59.50	-45.96	-13.54	2
6865MHz	Pass	6.84231G	-6.17	6.6878G	-58.52	-46.17	-12.35	3
6865MHz	Pass	6.83741G	-6.28	6.6886G	-58.96	-46.28	-12.68	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.927G	-5.77	6.7549G	-61.10	-45.77	-15.33	1
6945MHz	Pass	6.9636G	-5.55	6.7451G	-59.33	-45.55	-13.78	2
6945MHz	Pass	6.9475G	-5.30	6.7728G	-58.30	-45.30	-13.00	3
6945MHz	Pass	6.9409G	-5.45	6.7774G	-58.98	-45.45	-13.53	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9539G	-5.99	6.7583G	-60.98	-45.99	-14.99	1
6945MHz	Pass	6.91551G	-5.48	6.7997G	-58.57	-45.48	-13.09	2
6945MHz	Pass	6.9476G	-5.27	6.7529G	-57.61	-45.27	-12.34	3
6945MHz	Pass	6.9607G	-5.66	6.7589G	-58.52	-45.66	-12.86	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9336G	-6.05	6.7586G	-60.80	-46.05	-14.75	1
6945MHz	Pass	6.91271G	-5.40	6.7686G	-58.21	-45.40	-12.81	2
6945MHz	Pass	6.96969G	-5.39	6.7606G	-57.72	-45.39	-12.33	3
6945MHz	Pass	6.9351G	-5.57	6.7581G	-58.64	-45.57	-13.07	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6945MHz	Pass	6.9327G	-6.00	6.7581G	-60.86	-46.00	-14.86	1
6945MHz	Pass	6.939G	-5.51	6.7512G	-59.25	-45.51	-13.74	2
6945MHz	Pass	6.9473G	-4.74	6.7587G	-57.87	-44.74	-13.13	3
6945MHz	Pass	6.92061G	-5.48	6.7587G	-58.81	-45.48	-13.33	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.0155G	-6.46	6.8351G	-60.40	-46.46	-13.94	1
7025MHz	Pass	7.0092G	-6.07	6.8564G	-60.34	-46.07	-14.27	2
7025MHz	Pass	7.0061G	-5.88	6.8531G	-58.86	-45.88	-12.98	3
7025MHz	Pass	7.0181G	-6.24	6.8753G	-59.69	-46.24	-13.45	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.00271G	-5.81	6.8872G	-59.48	-45.81	-13.67	1
7025MHz	Pass	7.00111G	-5.68	6.8321G	-60.17	-45.68	-14.49	2
7025MHz	Pass	6.98791G	-6.03	6.8355G	-58.67	-46.03	-12.64	3
7025MHz	Pass	6.99921G	-5.89	6.841G	-58.85	-45.89	-12.96	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	7.00261G	-5.84	6.8842G	-60.05	-45.84	-14.21	1
7025MHz	Pass	7.00121G	-5.06	6.8355G	-60.34	-45.06	-15.28	2
7025MHz	Pass	7.0073G	-5.70	6.8355G	-58.86	-45.70	-13.16	3
7025MHz	Pass	6.99511G	-5.77	6.8391G	-59.21	-45.77	-13.44	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99841G	-5.78	6.8816G	-59.70	-45.78	-13.92	1
7025MHz	Pass	6.98731G	-5.63	6.8457G	-60.23	-45.63	-14.60	2
7025MHz	Pass	6.98811G	-5.82	6.837G	-58.96	-45.82	-13.14	3
7025MHz	Pass	6.99091G	-5.55	6.8873G	-59.21	-45.55	-13.66	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06919G	-4.72	6.2788G	-55.07	-44.68	-10.39	1
6025MHz	Pass	6.09658G	-4.37	6.2772G	-53.53	-44.37	-9.16	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.09818G	-5.14	6.2784G	-52.94	-45.04	-7.90	3
6025MHz	Pass	6.07159G	-4.77	6.2814G	-54.16	-44.77	-9.39	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04899G	-4.77	6.2822G	-53.56	-44.77	-8.79	1
6025MHz	Pass	6.07299G	-4.57	6.2854G	-53.27	-44.57	-8.70	2
6025MHz	Pass	6.06159G	-5.11	6.2958G	-53.16	-45.11	-8.05	3
6025MHz	Pass	6.07199G	-4.78	6.2978G	-54.20	-44.78	-9.42	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06259G	-4.78	6.2818G	-53.43	-44.78	-8.65	1
6025MHz	Pass	6.07439G	-4.12	6.2806G	-52.43	-44.12	-8.31	2
6025MHz	Pass	6.09918G	-4.93	6.2864G	-52.50	-44.93	-7.57	3
6025MHz	Pass	6.09298G	-4.79	6.2852G	-53.48	-44.79	-8.69	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06779G	-4.78	6.2824G	-53.73	-44.78	-8.95	1
6025MHz	Pass	6.07539G	-4.52	6.2822G	-52.23	-44.52	-7.71	2
6025MHz	Pass	6.08019G	-5.11	6.28G	-52.34	-45.11	-7.23	3
6025MHz	Pass	6.07019G	-4.80	6.2836G	-53.43	-44.80	-8.63	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06959G	-4.92	6.28G	-53.87	-44.92	-8.95	1
6025MHz	Pass	6.09358G	-4.58	6.28G	-51.93	-44.52	-7.41	2
6025MHz	Pass	6.07379G	-5.08	6.2832G	-52.43	-45.08	-7.35	3
6025MHz	Pass	6.05899G	-5.07	6.2838G	-53.55	-45.07	-8.48	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06879G	-4.99	6.2832G	-54.24	-44.99	-9.25	1
6025MHz	Pass	6.07319G	-4.45	6.2804G	-52.30	-44.45	-7.85	2
6025MHz	Pass	6.09658G	-5.10	6.2818G	-52.64	-45.10	-7.54	3
6025MHz	Pass	6.07019G	-5.07	6.2798G	-53.63	-44.98	-8.65	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08998G	-4.96	6.2848G	-54.68	-44.96	-9.72	1
6025MHz	Pass	6.09418G	-4.71	6.2824G	-52.61	-44.71	-7.90	2
6025MHz	Pass	6.06039G	-5.13	6.2826G	-52.88	-45.13	-7.75	3
6025MHz	Pass	6.05599G	-4.99	6.2822G	-54.04	-44.99	-9.05	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06979G	-4.90	6.2878G	-55.32	-44.90	-10.42	1
6025MHz	Pass	6.05799G	-4.61	6.2812G	-53.37	-44.61	-8.76	2
6025MHz	Pass	6.07699G	-5.08	6.281G	-53.53	-45.07	-8.46	3
6025MHz	Pass	6.07339G	-4.83	6.2814G	-54.74	-44.83	-9.91	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06759G	-4.55	6.2814G	-56.91	-44.50	-12.41	1
6025MHz	Pass	6.07439G	-4.45	6.2836G	-55.04	-44.45	-10.59	2
6025MHz	Pass	6.05779G	-4.90	6.2946G	-54.58	-44.90	-9.68	3
6025MHz	Pass	6.04799G	-4.73	6.306G	-55.95	-44.73	-11.22	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06199G	-4.64	6.2864G	-54.04	-44.64	-9.40	1
6025MHz	Pass	6.08099G	-4.41	6.2812G	-52.08	-44.41	-7.67	2
6025MHz	Pass	6.06059G	-4.93	6.2844G	-52.49	-44.93	-7.56	3
6025MHz	Pass	6.07259G	-4.76	6.2816G	-53.65	-44.76	-8.89	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07119G	-4.78	6.2834G	-54.43	-44.78	-9.65	1
6025MHz	Pass	6.07159G	-4.41	6.282G	-52.29	-44.41	-7.88	2
6025MHz	Pass	6.06879G	-5.03	6.2824G	-52.73	-45.03	-7.70	3
6025MHz	Pass	5.96861G	-4.86	6.2806G	-53.80	-44.86	-8.94	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06079G	-4.95	6.2852G	-56.92	-44.95	-11.97	1
6025MHz	Pass	6.06099G	-4.63	6.2814G	-54.54	-44.58	-9.96	2
6025MHz	Pass	6.06179G	-5.20	6.2804G	-54.23	-45.10	-9.13	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.05499G	-5.11	6.2506G	-51.14	-40.91	-10.23	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.199G	-4.55	6.449G	-54.83	-44.55	-10.28	1
6185MHz	Pass	6.23239G	-4.24	6.4444G	-53.82	-44.24	-9.58	2
6185MHz	Pass	6.21699G	-4.50	6.4484G	-53.13	-44.50	-8.63	3
6185MHz	Pass	6.13181G	-4.60	5.9378G	-52.96	-44.37	-8.59	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.21579G	-4.53	6.4452G	-53.73	-44.19	-9.54	1
6185MHz	Pass	6.1808G	-4.18	6.4432G	-52.43	-44.18	-8.25	2
6185MHz	Pass	6.23599G	-4.64	6.4552G	-51.98	-44.64	-7.34	3
6185MHz	Pass	6.21179G	-4.77	6.4566G	-53.41	-44.77	-8.64	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2038G	-4.54	6.4484G	-53.55	-44.54	-9.01	1
6185MHz	Pass	6.22099G	-4.00	6.4414G	-51.78	-43.77	-8.01	2
6185MHz	Pass	6.25318G	-4.52	6.4464G	-51.75	-44.52	-7.23	3
6185MHz	Pass	6.12701G	-4.58	6.4412G	-52.75	-44.41	-8.34	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.20539G	-4.54	6.4512G	-53.14	-44.54	-8.60	1
6185MHz	Pass	6.22179G	-4.15	6.45G	-51.64	-44.15	-7.49	2
6185MHz	Pass	6.1948G	-4.42	6.4572G	-51.70	-44.42	-7.28	3
6185MHz	Pass	6.12941G	-4.51	6.4468G	-52.77	-44.51	-8.26	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.22119G	-4.47	6.4476G	-53.40	-44.46	-8.94	1
6185MHz	Pass	6.23919G	-4.11	6.447G	-51.63	-44.11	-7.52	2
6185MHz	Pass	6.23139G	-4.55	6.4498G	-51.56	-44.55	-7.01	3
6185MHz	Pass	6.12681G	-4.58	6.4508G	-52.87	-44.58	-8.29	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.172G	-4.42	6.4466G	-53.18	-44.27	-8.91	1
6185MHz	Pass	6.24279G	-4.09	6.4556G	-51.67	-44.09	-7.58	2
6185MHz	Pass	6.1712G	-4.67	6.4426G	-51.32	-44.24	-7.08	3
6185MHz	Pass	6.13601G	-4.38	6.4434G	-53.06	-44.34	-8.72	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.181G	-4.53	6.4482G	-54.13	-44.53	-9.60	1
6185MHz	Pass	6.25118G	-4.07	6.449G	-52.52	-44.07	-8.45	2
6185MHz	Pass	6.25438G	-4.49	6.4472G	-52.00	-44.49	-7.51	3
6185MHz	Pass	6.15861G	-4.55	6.4452G	-53.36	-44.55	-8.81	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.16381G	-4.35	6.4504G	-55.24	-44.35	-10.89	1
6185MHz	Pass	6.23339G	-4.03	6.441G	-53.38	-43.74	-9.64	2
6185MHz	Pass	6.21039G	-4.49	6.4454G	-52.38	-44.45	-7.93	3
6185MHz	Pass	6.13561G	-4.63	5.9272G	-54.19	-44.50	-9.69	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.2032G	-4.32	6.4482G	-57.32	-44.32	-13.00	1
6185MHz	Pass	6.2G	-4.12	6.4418G	-54.43	-43.94	-10.49	2
6185MHz	Pass	6.1924G	-4.39	6.465G	-53.76	-44.39	-9.37	3
6185MHz	Pass	6.15641G	-4.70	5.9264G	-54.38	-44.68	-9.70	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.21819G	-4.37	6.452G	-53.44	-44.37	-9.07	1
6185MHz	Pass	6.21899G	-3.88	6.4438G	-51.78	-43.88	-7.90	2
6185MHz	Pass	6.21279G	-4.15	6.4476G	-51.64	-44.15	-7.49	3
6185MHz	Pass	6.13381G	-4.49	6.4508G	-53.01	-44.49	-8.52	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.23099G	-4.32	6.4474G	-53.54	-44.28	-9.26	1
6185MHz	Pass	6.23819G	-3.85	6.443G	-51.89	-43.84	-8.05	2
6185MHz	Pass	6.23299G	-4.32	6.4588G	-51.55	-44.32	-7.23	3
6185MHz	Pass	6.12641G	-4.39	6.4578G	-53.21	-44.39	-8.82	4



Mask Non-Beamforming Radio 2 Channel Puncturing

Appendix E.9

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6185MHz	Pass	6.21219G	-4.22	6.4588G	-55.99	-44.22	-11.77	1
6185MHz	Pass	6.22239G	-3.81	6.4448G	-54.44	-43.81	-10.63	2
6185MHz	Pass	6.22079G	-4.37	6.4606G	-52.84	-44.37	-8.47	3
6185MHz	Pass	6.1776G	-4.47	6.4486G	-55.09	-44.47	-10.62	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.331G	-4.39	6.0804G	-54.70	-44.39	-10.31	1
6345MHz	Pass	6.362G	-4.27	6.5982G	-54.00	-44.05	-9.95	2
6345MHz	Pass	6.38179G	-4.12	6.6008G	-52.04	-44.12	-7.92	3
6345MHz	Pass	6.29801G	-4.38	6.086G	-51.28	-44.38	-6.90	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.36519G	-4.40	6.0908G	-53.64	-44.40	-9.24	1
6345MHz	Pass	6.39459G	-4.33	6.5998G	-52.96	-44.33	-8.63	2
6345MHz	Pass	6.38079G	-3.85	6.602G	-51.00	-43.70	-7.30	3
6345MHz	Pass	6.37639G	-4.09	6.0942G	-50.18	-43.81	-6.37	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39559G	-4.36	6.0912G	-53.26	-44.36	-8.90	1
6345MHz	Pass	6.3564G	-4.20	6.5996G	-52.60	-44.18	-8.42	2
6345MHz	Pass	6.39559G	-4.03	6.6058G	-50.84	-44.03	-6.81	3
6345MHz	Pass	6.27002G	-4.23	6.0834G	-50.36	-44.23	-6.13	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.38979G	-4.36	6.0904G	-52.20	-43.61	-8.59	1
6345MHz	Pass	6.39699G	-4.35	6.1022G	-50.35	-42.66	-7.69	2
6345MHz	Pass	6.38999G	-3.97	6.605G	-50.72	-43.97	-6.75	3
6345MHz	Pass	6.37919G	-3.93	6.0858G	-49.84	-43.93	-5.91	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.31881G	-4.25	6.0818G	-53.23	-44.25	-8.98	1
6345MHz	Pass	6.39699G	-4.33	6.6066G	-52.63	-44.33	-8.30	2
6345MHz	Pass	6.37179G	-3.89	6.6086G	-50.80	-43.89	-6.91	3
6345MHz	Pass	6.27982G	-4.13	6.0898G	-50.29	-43.82	-6.47	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.3396G	-4.13	6.605G	-53.36	-44.12	-9.24	1
6345MHz	Pass	6.3576G	-4.36	6.6026G	-52.41	-44.36	-8.05	2
6345MHz	Pass	6.39919G	-3.66	6.6112G	-50.80	-43.66	-7.14	3
6345MHz	Pass	6.31041G	-3.99	6.0874G	-50.70	-43.99	-6.71	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.32301G	-4.21	6.0856G	-53.91	-44.12	-9.79	1
6345MHz	Pass	6.38219G	-4.34	6.608G	-53.21	-44.34	-8.87	2
6345MHz	Pass	6.41978G	-3.74	6.6G	-50.37	-43.13	-7.24	3
6345MHz	Pass	6.31641G	-4.25	6.069G	-51.12	-44.25	-6.87	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.358G	-4.22	6.6056G	-55.23	-44.22	-11.01	1
6345MHz	Pass	6.37659G	-4.30	6.6026G	-53.93	-44.30	-9.63	2
6345MHz	Pass	6.38119G	-3.92	6.6048G	-52.01	-43.92	-8.09	3
6345MHz	Pass	6.29261G	-4.28	6.0866G	-51.52	-44.28	-7.24	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.40838G	-4.40	6.0804G	-56.10	-44.40	-11.70	1
6345MHz	Pass	6.39579G	-4.18	6.6052G	-56.17	-44.18	-11.99	2
6345MHz	Pass	6.37139G	-3.99	6.62G	-53.54	-43.99	-9.55	3
6345MHz	Pass	6.3558G	-4.36	6.0878G	-52.17	-44.33	-7.84	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.39599G	-4.29	6.6074G	-53.34	-44.29	-9.05	1
6345MHz	Pass	6.41398G	-4.21	6.603G	-51.59	-43.57	-8.02	2
6345MHz	Pass	6.38019G	-3.76	6.6096G	-50.55	-43.76	-6.79	3
6345MHz	Pass	6.27242G	-4.20	6.0852G	-50.43	-44.20	-6.23	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.3274G	-4.28	6.605G	-53.34	-44.27	-9.07	1
6345MHz	Pass	6.39559G	-4.06	6.6078G	-52.68	-44.06	-8.62	2
6345MHz	Pass	6.39199G	-3.82	6.6096G	-51.01	-43.82	-7.19	3
6345MHz	Pass	6.39019G	-4.14	6.0818G	-50.74	-44.14	-6.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6345MHz	Pass	6.37319G	-4.28	6.6054G	-56.53	-44.28	-12.25	1
6345MHz	Pass	6.37259G	-4.30	6.0794G	-54.89	-44.30	-10.59	2
6345MHz	Pass	6.37999G	-4.28	6.6182G	-53.48	-44.28	-9.20	3
6345MHz	Pass	6.27202G	-4.79	6.0686G	-53.04	-44.79	-8.25	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.53419G	-3.87	6.2536G	-54.05	-43.87	-10.18	1
6505MHz	Pass	6.511G	-3.71	6.2582G	-52.60	-43.42	-9.18	2
6505MHz	Pass	6.47781G	-4.30	6.248G	-53.11	-44.24	-8.87	3
6505MHz	Pass	6.45501G	-3.94	6.2508G	-51.25	-43.77	-7.48	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.4892G	-3.78	6.2518G	-53.24	-43.78	-9.46	1
6505MHz	Pass	6.5156G	-3.74	6.2432G	-52.53	-43.74	-8.79	2
6505MHz	Pass	6.4982G	-4.29	6.245G	-52.50	-44.29	-8.21	3
6505MHz	Pass	6.52979G	-3.88	6.2454G	-50.49	-43.88	-6.61	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.53059G	-3.72	6.2422G	-52.92	-43.72	-9.20	1
6505MHz	Pass	6.53679G	-3.73	6.2536G	-51.98	-43.35	-8.63	2
6505MHz	Pass	6.46081G	-4.17	6.2394G	-52.04	-44.17	-7.87	3
6505MHz	Pass	6.45141G	-3.94	6.236G	-50.33	-43.94	-6.39	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.52919G	-3.58	6.237G	-52.59	-43.58	-9.01	1
6505MHz	Pass	6.45761G	-3.84	6.2516G	-50.91	-43.74	-7.17	2
6505MHz	Pass	6.5196G	-4.12	6.2538G	-50.39	-43.25	-7.14	3
6505MHz	Pass	6.43482G	-3.81	6.2538G	-49.38	-43.22	-6.16	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.52859G	-3.64	6.245G	-52.42	-43.54	-8.88	1
6505MHz	Pass	6.45321G	-3.80	6.2452G	-52.38	-43.80	-8.58	2
6505MHz	Pass	6.47861G	-4.19	6.2466G	-51.80	-44.19	-7.61	3
6505MHz	Pass	6.43662G	-3.90	6.2422G	-50.35	-43.90	-6.45	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45401G	-3.81	6.2446G	-52.88	-43.77	-9.11	1
6505MHz	Pass	6.5168G	-3.92	6.2442G	-52.38	-43.92	-8.46	2
6505MHz	Pass	6.5004G	-4.04	6.244G	-52.10	-44.04	-8.06	3
6505MHz	Pass	6.43082G	-3.89	6.2462G	-50.52	-43.89	-6.63	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.4862G	-3.84	6.2282G	-53.53	-43.84	-9.69	1
6505MHz	Pass	6.43742G	-3.76	6.243G	-52.44	-43.76	-8.68	2
6505MHz	Pass	6.46061G	-4.20	6.2196G	-52.72	-44.20	-8.52	3
6505MHz	Pass	6.47481G	-3.87	6.1208G	-50.83	-43.87	-6.96	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45321G	-3.73	6.2438G	-54.55	-43.73	-10.82	1
6505MHz	Pass	6.4914G	-3.90	6.2428G	-53.81	-43.90	-9.91	2
6505MHz	Pass	6.48181G	-4.15	6.7616G	-53.34	-44.04	-9.30	3
6505MHz	Pass	6.47661G	-4.01	6.2262G	-51.71	-44.01	-7.70	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.4884G	-4.11	6.2436G	-56.11	-44.11	-12.00	1
6505MHz	Pass	6.47261G	-3.85	6.2466G	-55.31	-43.85	-11.46	2
6505MHz	Pass	6.5016G	-4.57	6.2466G	-54.93	-44.57	-10.36	3
6505MHz	Pass	6.47121G	-4.20	6.2484G	-52.22	-44.20	-8.02	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.5084G	-3.90	6.237G	-53.29	-43.90	-9.39	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.44142G	-4.02	6.2456G	-52.04	-43.48	-8.56	2
6505MHz	Pass	6.46181G	-4.70	6.2342G	-52.81	-44.70	-8.11	3
6505MHz	Pass	6.43122G	-4.02	6.2362G	-51.04	-44.02	-7.02	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.45981G	-4.14	6.2398G	-53.57	-44.14	-9.43	1
6505MHz	Pass	6.43822G	-4.02	6.2386G	-53.02	-44.02	-9.00	2
6505MHz	Pass	6.48461G	-4.60	6.2422G	-52.62	-44.60	-8.02	3
6505MHz	Pass	6.47281G	-4.00	6.1202G	-50.92	-44.00	-6.92	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6505MHz	Pass	6.53219G	-4.22	6.2492G	-54.61	-43.28	-11.33	1
6505MHz	Pass	6.47261G	-4.08	6.2482G	-53.10	-43.19	-9.91	2
6505MHz	Pass	6.5194G	-4.65	6.7618G	-55.12	-44.57	-10.55	3
6505MHz	Pass	6.45601G	-4.12	6.2486G	-51.55	-43.89	-7.66	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63581G	-3.54	6.406G	-53.70	-43.54	-10.16	1
6665MHz	Pass	6.61361G	-3.41	6.4138G	-51.63	-43.28	-8.35	2
6665MHz	Pass	6.60741G	-3.47	6.4094G	-52.24	-43.47	-8.77	3
6665MHz	Pass	6.61301G	-3.37	6.4096G	-51.74	-43.37	-8.37	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60322G	-3.45	6.407G	-52.29	-43.45	-8.84	1
6665MHz	Pass	6.59962G	-3.44	6.4088G	-51.93	-43.44	-8.49	2
6665MHz	Pass	6.62761G	-3.45	6.4012G	-51.05	-43.45	-7.60	3
6665MHz	Pass	6.59862G	-3.51	6.4004G	-50.85	-43.51	-7.34	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61641G	-3.49	6.3982G	-52.37	-43.49	-8.88	1
6665MHz	Pass	6.60761G	-3.42	6.409G	-51.04	-43.42	-7.62	2
6665MHz	Pass	6.61121G	-3.30	6.4G	-51.06	-43.30	-7.76	3
6665MHz	Pass	6.59942G	-3.44	6.403G	-50.80	-43.44	-7.36	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61421G	-3.45	6.4182G	-50.00	-41.88	-8.12	1
6665MHz	Pass	6.61521G	-3.40	6.414G	-49.43	-42.78	-6.65	2
6665MHz	Pass	6.64221G	-3.41	6.4136G	-49.38	-42.66	-6.72	3
6665MHz	Pass	6.59842G	-3.42	6.4058G	-50.71	-43.42	-7.29	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61261G	-3.54	6.4122G	-51.09	-42.81	-8.28	1
6665MHz	Pass	6.59382G	-3.56	6.404G	-51.32	-43.56	-7.76	2
6665MHz	Pass	6.61961G	-3.28	6.3922G	-51.01	-43.28	-7.73	3
6665MHz	Pass	6.61601G	-3.41	6.4022G	-50.75	-43.41	-7.34	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60202G	-3.56	6.404G	-52.06	-43.56	-8.50	1
6665MHz	Pass	6.59102G	-3.48	6.4074G	-52.10	-43.48	-8.62	2
6665MHz	Pass	6.62261G	-3.33	6.4004G	-51.26	-43.33	-7.93	3
6665MHz	Pass	6.60362G	-3.46	6.4074G	-51.07	-43.46	-7.61	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.61621G	-3.47	6.4056G	-52.80	-43.47	-9.33	1
6665MHz	Pass	6.60382G	-3.48	6.4106G	-52.29	-43.34	-8.95	2
6665MHz	Pass	6.61281G	-3.54	6.3474G	-54.01	-43.54	-10.47	3
6665MHz	Pass	6.60042G	-3.50	6.3944G	-51.82	-43.50	-8.32	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60262G	-3.65	6.4002G	-53.87	-43.65	-10.22	1
6665MHz	Pass	6.59042G	-3.60	6.408G	-52.65	-43.60	-9.05	2
6665MHz	Pass	6.63241G	-3.37	6.342G	-54.33	-43.37	-10.96	3
6665MHz	Pass	6.60002G	-3.35	6.4062G	-51.98	-43.35	-8.63	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.63201G	-3.55	6.401G	-55.00	-43.55	-11.45	1
6665MHz	Pass	6.63941G	-3.43	6.4086G	-52.91	-43.43	-9.48	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.62801G	-3.28	6.3478G	-54.84	-43.25	-11.59	3
6665MHz	Pass	6.63781G	-3.26	6.4136G	-51.34	-42.51	-8.83	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60002G	-3.43	6.4062G	-51.36	-43.43	-7.93	1
6665MHz	Pass	6.60921G	-3.40	6.4084G	-51.61	-43.40	-8.21	2
6665MHz	Pass	6.59142G	-3.35	6.2822G	-54.50	-43.35	-11.15	3
6665MHz	Pass	6.61261G	-3.24	6.4072G	-51.04	-43.24	-7.80	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.60342G	-3.25	6.4052G	-52.00	-43.25	-8.75	1
6665MHz	Pass	6.59842G	-3.59	6.4G	-51.80	-43.59	-8.21	2
6665MHz	Pass	6.60182G	-3.38	6.3424G	-53.52	-43.38	-10.14	3
6665MHz	Pass	6.60881G	-3.37	6.4G	-51.36	-43.37	-7.99	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.59842G	-3.47	6.4076G	-53.07	-43.20	-9.87	1
6665MHz	Pass	6.59222G	-3.66	6.4086G	-54.92	-43.61	-11.31	2
6665MHz	Pass	6.61121G	-3.30	6.3402G	-54.93	-43.30	-11.63	3
6665MHz	Pass	6.61381G	-3.56	6.4006G	-52.68	-43.56	-9.12	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76961G	-3.57	6.5628G	-51.82	-43.57	-8.25	1
6825MHz	Pass	6.77321G	-2.76	6.5666G	-50.24	-42.76	-7.48	2
6825MHz	Pass	6.78221G	-3.51	6.5662G	-51.30	-43.51	-7.79	3
6825MHz	Pass	6.77141G	-3.30	6.562G	-50.24	-43.30	-6.94	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75082G	-3.30	6.5762G	-49.03	-42.01	-7.02	1
6825MHz	Pass	6.74762G	-2.59	6.56G	-49.53	-42.59	-6.94	2
6825MHz	Pass	6.76082G	-3.52	6.5664G	-50.04	-43.52	-6.52	3
6825MHz	Pass	6.75822G	-3.04	6.565G	-49.62	-43.04	-6.58	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76162G	-3.35	6.5568G	-50.56	-43.35	-7.21	1
6825MHz	Pass	6.75422G	-2.62	6.578G	-47.09	-41.08	-6.01	2
6825MHz	Pass	6.75822G	-3.26	6.5542G	-49.27	-43.26	-6.01	3
6825MHz	Pass	6.77561G	-3.08	6.5502G	-49.38	-43.08	-6.30	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.74962G	-3.40	6.5608G	-50.18	-43.34	-6.84	1
6825MHz	Pass	6.76002G	-2.67	6.5712G	-47.98	-42.08	-5.90	2
6825MHz	Pass	6.75982G	-3.42	6.5544G	-50.19	-43.42	-6.77	3
6825MHz	Pass	6.75362G	-3.12	6.5438G	-49.75	-43.12	-6.63	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76641G	-3.44	6.5594G	-50.48	-43.44	-7.04	1
6825MHz	Pass	6.76242G	-2.67	6.5676G	-49.45	-42.58	-6.87	2
6825MHz	Pass	6.75262G	-3.30	6.5548G	-50.29	-43.30	-6.99	3
6825MHz	Pass	6.77061G	-3.06	6.552G	-49.60	-43.06	-6.54	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75822G	-3.22	6.561G	-50.12	-43.13	-6.99	1
6825MHz	Pass	6.75482G	-2.70	6.5672G	-49.60	-42.66	-6.94	2
6825MHz	Pass	6.74862G	-3.33	6.5646G	-49.66	-42.23	-7.43	3
6825MHz	Pass	6.75722G	-3.08	6.5338G	-50.13	-43.08	-7.05	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76002G	-3.18	6.5552G	-51.21	-43.18	-8.03	1
6825MHz	Pass	6.75302G	-2.85	6.5594G	-50.36	-42.85	-7.51	2
6825MHz	Pass	6.75982G	-3.37	6.495G	-52.49	-43.37	-9.12	3
6825MHz	Pass	6.74762G	-3.17	6.5416G	-49.20	-43.17	-6.03	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75162G	-3.42	6.5592G	-51.79	-43.42	-8.37	1
6825MHz	Pass	6.75122G	-2.79	6.5664G	-51.20	-42.79	-8.41	2
6825MHz	Pass	6.76202G	-3.33	6.4976G	-52.87	-43.26	-9.61	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6825MHz	Pass	6.75702G	-3.27	6.5522G	-50.72	-43.27	-7.45	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.80221G	-3.62	6.5556G	-53.97	-43.62	-10.35	1
6825MHz	Pass	6.79701G	-2.87	6.5664G	-51.49	-42.87	-8.62	2
6825MHz	Pass	6.84539G	-3.66	6.4956G	-53.89	-43.66	-10.23	3
6825MHz	Pass	6.808G	-3.15	6.5428G	-52.11	-43.15	-8.96	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75682G	-3.90	6.5538G	-51.89	-43.90	-7.99	1
6825MHz	Pass	6.74902G	-3.25	6.5694G	-49.18	-42.91	-6.27	2
6825MHz	Pass	6.76282G	-3.91	6.441G	-53.36	-43.91	-9.45	3
6825MHz	Pass	6.75522G	-3.55	6.5456G	-50.74	-43.55	-7.19	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.76222G	-3.30	6.5516G	-51.00	-43.30	-7.70	1
6825MHz	Pass	6.75322G	-2.68	6.5566G	-49.65	-42.68	-6.97	2
6825MHz	Pass	6.75862G	-3.31	6.4922G	-52.14	-43.31	-8.83	3
6825MHz	Pass	6.74842G	-3.16	6.5138G	-50.76	-43.16	-7.60	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6825MHz	Pass	6.75182G	-3.10	6.5554G	-53.58	-43.10	-10.48	1
6825MHz	Pass	6.76521G	-2.85	6.5636G	-48.79	-42.85	-5.94	2
6825MHz	Pass	6.76422G	-3.32	6.4942G	-53.59	-43.32	-10.27	3
6825MHz	Pass	6.75562G	-3.26	6.5444G	-51.78	-43.26	-8.52	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93401G	-3.70	6.7244G	-53.66	-43.70	-9.96	1
6985MHz	Pass	6.94141G	-3.62	6.7222G	-51.37	-43.62	-7.75	2
6985MHz	Pass	6.94981G	-3.81	6.7272G	-52.41	-43.81	-8.60	3
6985MHz	Pass	6.93601G	-4.00	6.7288G	-51.56	-44.00	-7.56	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95441G	-3.52	6.7268G	-51.88	-43.52	-8.36	1
6985MHz	Pass	6.92102G	-3.75	6.728G	-50.51	-43.75	-6.76	2
6985MHz	Pass	6.95041G	-3.84	6.7266G	-51.40	-43.84	-7.56	3
6985MHz	Pass	6.95501G	-3.97	6.6022G	-51.08	-43.97	-7.11	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93441G	-3.91	6.7198G	-51.42	-43.91	-7.51	1
6985MHz	Pass	6.93901G	-3.42	6.7186G	-49.77	-43.42	-6.35	2
6985MHz	Pass	6.9692G	-3.88	6.7202G	-50.94	-43.88	-7.06	3
6985MHz	Pass	6.94181G	-3.98	6.727G	-50.45	-43.98	-6.47	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93261G	-3.77	6.719G	-51.94	-43.77	-8.17	1
6985MHz	Pass	6.94161G	-3.59	6.7184G	-49.77	-43.59	-6.18	2
6985MHz	Pass	6.94861G	-3.79	6.7336G	-49.53	-42.33	-7.20	3
6985MHz	Pass	6.93981G	-3.77	6.7244G	-50.26	-43.77	-6.49	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95361G	-3.70	6.7256G	-52.09	-43.70	-8.39	1
6985MHz	Pass	6.94041G	-3.38	6.7258G	-49.43	-43.36	-6.07	2
6985MHz	Pass	6.94841G	-3.70	6.7216G	-51.09	-43.70	-7.39	3
6985MHz	Pass	6.9654G	-3.89	6.7216G	-50.15	-43.89	-6.26	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93221G	-3.45	6.7256G	-51.75	-43.45	-8.30	1
6985MHz	Pass	6.91482G	-3.40	6.7206G	-50.43	-43.40	-7.03	2
6985MHz	Pass	6.94921G	-3.78	6.7222G	-51.20	-43.78	-7.42	3
6985MHz	Pass	6.93461G	-4.01	6.7266G	-50.64	-44.01	-6.63	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93541G	-3.76	6.7068G	-52.27	-43.76	-8.51	1
6985MHz	Pass	6.94761G	-3.50	6.707G	-50.28	-43.50	-6.78	2
6985MHz	Pass	6.92761G	-3.64	6.7102G	-51.68	-43.64	-8.04	3
6985MHz	Pass	6.95941G	-3.75	6.6006G	-51.04	-43.75	-7.29	4

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.95021G	-3.73	6.7252G	-53.34	-43.73	-9.61	1
6985MHz	Pass	6.93361G	-3.53	6.727G	-51.49	-43.34	-8.15	2
6985MHz	Pass	6.94761G	-3.81	6.7198G	-52.55	-43.81	-8.74	3
6985MHz	Pass	6.93981G	-3.83	6.7282G	-51.81	-43.83	-7.98	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.94921G	-3.58	6.7282G	-54.07	-43.40	-10.67	1
6985MHz	Pass	6.95981G	-3.27	6.7248G	-52.18	-43.27	-8.91	2
6985MHz	Pass	6.94861G	-3.66	6.7198G	-53.66	-43.66	-10.00	3
6985MHz	Pass	6.94781G	-3.86	6.5928G	-52.76	-43.86	-8.90	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93301G	-3.57	6.7262G	-50.75	-43.57	-7.18	1
6985MHz	Pass	6.91322G	-3.31	6.7236G	-50.27	-43.31	-6.96	2
6985MHz	Pass	6.92781G	-3.65	6.7224G	-51.16	-43.65	-7.51	3
6985MHz	Pass	6.94081G	-3.89	6.7244G	-50.77	-43.89	-6.88	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92881G	-3.48	6.7162G	-51.96	-43.48	-8.48	1
6985MHz	Pass	6.94281G	-3.20	6.728G	-50.21	-42.87	-7.34	2
6985MHz	Pass	6.92821G	-3.39	6.7228G	-51.21	-43.39	-7.82	3
6985MHz	Pass	6.95341G	-3.76	6.7212G	-50.48	-43.76	-6.72	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.93681G	-3.66	6.7182G	-53.00	-43.66	-9.34	1
6985MHz	Pass	6.94321G	-3.35	6.7244G	-48.57	-43.35	-5.22	2
6985MHz	Pass	6.94801G	-3.42	6.7314G	-51.19	-42.26	-8.93	3
6985MHz	Pass	6.94081G	-3.70	6.7218G	-52.00	-43.70	-8.30	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06941G	-3.72	6.6206G	-51.77	-43.72	-8.05	1
6105MHz	Pass	6.21057G	-3.28	6.6154G	-50.99	-43.28	-7.71	2
6105MHz	Pass	6.23497G	-3.99	6.6118G	-51.48	-43.99	-7.49	3
6105MHz	Pass	6.06901G	-4.09	6.617G	-51.89	-44.09	-7.80	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0878G	-3.72	6.6186G	-51.06	-43.72	-7.34	1
6105MHz	Pass	6.23177G	-3.36	6.6142G	-50.09	-43.36	-6.73	2
6105MHz	Pass	6.17138G	-4.07	6.613G	-50.88	-44.07	-6.81	3
6105MHz	Pass	6.121G	-3.90	6.6182G	-50.83	-43.90	-6.93	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13019G	-3.74	6.6182G	-50.66	-43.72	-6.94	1
6105MHz	Pass	6.23537G	-3.32	6.613G	-49.83	-43.31	-6.52	2
6105MHz	Pass	6.12859G	-4.08	6.611G	-50.22	-44.02	-6.20	3
6105MHz	Pass	6.095G	-4.04	6.6254G	-50.70	-44.04	-6.66	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12659G	-3.85	6.6534G	-50.53	-43.85	-6.68	1
6105MHz	Pass	6.24576G	-3.36	6.6186G	-49.72	-43.36	-6.36	2
6105MHz	Pass	6.17498G	-4.19	6.6214G	-50.58	-44.19	-6.39	3
6105MHz	Pass	6.13339G	-4.25	6.6154G	-50.74	-44.22	-6.52	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0938G	-3.78	6.6182G	-50.87	-43.76	-7.11	1
6105MHz	Pass	6.23857G	-3.32	6.6218G	-49.83	-43.32	-6.51	2
6105MHz	Pass	6.21137G	-4.15	6.6234G	-50.69	-44.15	-6.54	3
6105MHz	Pass	6.07501G	-4.06	6.6138G	-50.78	-43.92	-6.86	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07021G	-3.74	6.6194G	-51.07	-43.74	-7.33	1
6105MHz	Pass	6.24417G	-3.19	6.6106G	-49.90	-43.01	-6.89	2
6105MHz	Pass	6.23617G	-4.15	6.6122G	-51.03	-44.15	-6.88	3
6105MHz	Pass	6.07221G	-4.11	6.6026G	-50.94	-43.18	-7.76	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.07461G	-3.82	6.6158G	-51.67	-43.63	-8.04	1
6105MHz	Pass	6.17618G	-3.40	6.6126G	-50.75	-43.36	-7.39	2
6105MHz	Pass	6.12859G	-4.01	6.6094G	-51.71	-43.83	-7.88	3
6105MHz	Pass	6.07021G	-4.15	6.6214G	-51.85	-44.15	-7.70	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0882G	-3.77	6.617G	-52.85	-43.67	-9.18	1
6105MHz	Pass	6.21057G	-3.40	6.6118G	-52.21	-43.30	-8.91	2
6105MHz	Pass	6.13219G	-4.04	6.607G	-52.59	-43.69	-8.90	3
6105MHz	Pass	6.07341G	-4.11	6.6186G	-52.21	-44.11	-8.10	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1114G	-3.92	6.6162G	-54.54	-43.76	-10.78	1
6105MHz	Pass	6.22217G	-4.04	6.6122G	-53.64	-43.97	-9.67	2
6105MHz	Pass	6.23257G	-4.52	6.6094G	-53.60	-44.34	-9.26	3
6105MHz	Pass	6.0954G	-4.17	6.6146G	-52.62	-44.08	-8.54	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13339G	-3.79	6.6158G	-51.04	-43.60	-7.44	1
6105MHz	Pass	6.24057G	-3.29	6.6298G	-50.07	-43.29	-6.78	2
6105MHz	Pass	6.21337G	-3.95	6.615G	-50.57	-43.95	-6.62	3
6105MHz	Pass	6.12779G	-4.10	6.6154G	-50.15	-44.07	-6.08	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06941G	-3.85	6.6242G	-52.14	-43.85	-8.29	1
6105MHz	Pass	6.24896G	-3.29	6.6254G	-50.71	-43.29	-7.42	2
6105MHz	Pass	6.25496G	-4.10	6.6134G	-51.15	-44.10	-7.05	3
6105MHz	Pass	6.07581G	-3.90	6.6502G	-51.53	-43.90	-7.63	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07021G	-3.85	6.621G	-55.76	-43.85	-11.91	1
6105MHz	Pass	6.13019G	-3.24	6.6142G	-54.76	-43.24	-11.52	2
6105MHz	Pass	6.1106G	-4.01	6.6122G	-54.84	-44.01	-10.83	3
6105MHz	Pass	6.07461G	-4.03	6.623G	-53.01	-44.03	-8.98	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0938G	-3.91	6.619G	-56.28	-43.91	-12.37	1
6105MHz	Pass	6.14099G	-3.42	6.615G	-55.59	-43.42	-12.17	2
6105MHz	Pass	6.1134G	-4.10	6.6106G	-55.44	-44.01	-11.43	3
6105MHz	Pass	6.06901G	-3.84	6.6226G	-53.33	-43.84	-9.49	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.113G	-3.78	6.6214G	-55.96	-43.78	-12.18	1
6105MHz	Pass	6.13619G	-3.55	6.6158G	-55.31	-43.55	-11.76	2
6105MHz	Pass	6.15059G	-4.07	6.6102G	-55.04	-43.95	-11.09	3
6105MHz	Pass	6.06821G	-4.00	6.617G	-53.36	-44.00	-9.36	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06821G	-3.97	6.6198G	-55.76	-43.97	-11.79	1
6105MHz	Pass	6.14099G	-3.55	6.613G	-55.17	-43.54	-11.63	2
6105MHz	Pass	6.17018G	-4.03	6.6186G	-55.19	-44.03	-11.16	3
6105MHz	Pass	6.13139G	-4.05	6.6154G	-53.06	-44.02	-9.04	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.05981G	-3.91	6.6294G	-55.96	-43.91	-12.05	1
6105MHz	Pass	6.14179G	-3.43	6.617G	-55.36	-43.43	-11.93	2
6105MHz	Pass	6.12939G	-4.29	6.613G	-55.07	-44.29	-10.78	3
6105MHz	Pass	6.1126G	-4.30	6.6126G	-53.05	-44.07	-8.98	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.06861G	-3.93	6.6194G	-56.36	-43.93	-12.43	1
6105MHz	Pass	6.17978G	-3.74	6.619G	-55.35	-43.74	-11.61	2
6105MHz	Pass	6.15019G	-4.19	6.6178G	-55.57	-44.19	-11.38	3
6105MHz	Pass	6.07141G	-4.16	6.6182G	-53.49	-44.16	-9.33	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.091G	-4.01	6.6262G	-56.63	-44.01	-12.62	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.1202G	-3.57	6.6082G	-55.59	-43.22	-12.37	2
6105MHz	Pass	6.12939G	-4.28	6.605G	-55.67	-43.79	-11.88	3
6105MHz	Pass	6.07221G	-4.31	6.603G	-53.56	-43.41	-10.15	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12579G	-3.73	6.6198G	-55.80	-43.73	-12.07	1
6105MHz	Pass	6.24536G	-3.63	6.6142G	-54.70	-43.63	-11.07	2
6105MHz	Pass	6.21457G	-4.04	6.6318G	-54.35	-44.04	-10.31	3
6105MHz	Pass	6.0894G	-3.42	6.619G	-52.41	-43.42	-8.99	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13219G	-3.70	6.6182G	-54.83	-43.68	-11.15	1
6105MHz	Pass	6.20737G	-3.70	6.6114G	-53.67	-43.57	-10.10	2
6105MHz	Pass	6.23217G	-4.09	6.6118G	-53.72	-44.08	-9.64	3
6105MHz	Pass	6.05581G	-3.65	6.6142G	-52.21	-43.53	-8.68	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07181G	-3.66	6.6174G	-54.45	-43.58	-10.87	1
6105MHz	Pass	6.22257G	-3.70	6.6122G	-53.39	-43.63	-9.76	2
6105MHz	Pass	6.25416G	-3.94	6.6154G	-53.46	-43.94	-9.52	3
6105MHz	Pass	6.07421G	-3.46	6.6158G	-52.03	-43.46	-8.57	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07061G	-3.75	6.6154G	-54.58	-43.53	-11.05	1
6105MHz	Pass	6.24776G	-3.54	6.6038G	-52.83	-42.87	-9.96	2
6105MHz	Pass	6.23097G	-4.14	6.6126G	-53.60	-44.14	-9.46	3
6105MHz	Pass	6.093G	-3.59	6.6526G	-52.98	-43.59	-9.39	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0922G	-3.73	6.6186G	-55.16	-43.73	-11.43	1
6105MHz	Pass	6.23497G	-3.77	6.6134G	-53.86	-43.77	-10.09	2
6105MHz	Pass	6.23377G	-4.07	6.6098G	-53.99	-43.92	-10.07	3
6105MHz	Pass	6.0954G	-3.53	6.6138G	-52.68	-43.39	-9.29	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0938G	-3.66	6.623G	-56.16	-43.66	-12.50	1
6105MHz	Pass	6.21977G	-3.51	6.6186G	-55.18	-43.51	-11.67	2
6105MHz	Pass	6.17018G	-4.06	6.6082G	-54.61	-43.80	-10.81	3
6105MHz	Pass	6.0898G	-3.61	6.6158G	-53.18	-43.61	-9.57	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23821G	-4.68	6.7706G	-54.77	-44.59	-10.18	1
6265MHz	Pass	6.22141G	-4.46	6.7794G	-54.22	-44.46	-9.76	2
6265MHz	Pass	6.23221G	-4.65	6.7718G	-53.87	-44.64	-9.23	3
6265MHz	Pass	6.19902G	-4.17	6.7742G	-52.23	-44.05	-8.18	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.24301G	-4.54	6.7722G	-53.90	-44.54	-9.36	1
6265MHz	Pass	6.23941G	-4.37	6.7762G	-53.36	-44.37	-8.99	2
6265MHz	Pass	6.2522G	-4.48	6.771G	-52.91	-44.42	-8.49	3
6265MHz	Pass	6.12024G	-3.98	6.7758G	-51.79	-43.98	-7.81	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2482G	-4.68	6.7774G	-53.32	-44.68	-8.64	1
6265MHz	Pass	6.24141G	-4.34	6.7766G	-52.77	-44.34	-8.43	2
6265MHz	Pass	6.2702G	-4.59	6.7734G	-52.43	-44.59	-7.84	3
6265MHz	Pass	6.11664G	-3.98	6.779G	-51.27	-43.98	-7.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21461G	-4.64	6.7746G	-53.11	-44.64	-8.47	1
6265MHz	Pass	6.21821G	-4.44	6.7762G	-52.51	-44.44	-8.07	2
6265MHz	Pass	6.271G	-4.67	6.773G	-52.41	-44.67	-7.74	3
6265MHz	Pass	6.12623G	-3.86	6.7766G	-51.14	-43.86	-7.28	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23381G	-4.54	6.775G	-53.62	-44.54	-9.08	1
6265MHz	Pass	6.2462G	-3.99	6.7794G	-52.67	-43.99	-8.68	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.23421G	-4.48	6.7794G	-52.57	-44.48	-8.09	3
6265MHz	Pass	6.12783G	-3.91	6.777G	-51.48	-43.91	-7.57	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21661G	-4.51	6.7802G	-53.75	-44.51	-9.24	1
6265MHz	Pass	6.2554G	-4.16	6.777G	-52.84	-44.16	-8.68	2
6265MHz	Pass	6.23781G	-4.50	6.7714G	-52.64	-44.47	-8.17	3
6265MHz	Pass	6.11064G	-3.91	6.7638G	-51.55	-43.06	-8.49	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.245G	-4.52	6.7738G	-54.42	-44.38	-10.04	1
6265MHz	Pass	6.21901G	-4.15	6.7734G	-53.67	-44.07	-9.60	2
6265MHz	Pass	6.23581G	-4.43	6.7678G	-52.95	-44.14	-8.81	3
6265MHz	Pass	6.13263G	-3.99	6.7726G	-52.05	-43.76	-8.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21821G	-4.40	6.7794G	-55.59	-44.40	-11.19	1
6265MHz	Pass	6.23421G	-4.23	6.7742G	-54.58	-44.21	-10.37	2
6265MHz	Pass	6.23261G	-4.36	6.7694G	-53.98	-44.18	-9.80	3
6265MHz	Pass	6.11584G	-3.95	6.773G	-52.60	-43.75	-8.85	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.24341G	-4.60	6.775G	-56.04	-44.54	-11.50	1
6265MHz	Pass	6.22021G	-4.47	6.7754G	-56.26	-44.47	-11.79	2
6265MHz	Pass	6.23461G	-4.61	6.7714G	-55.04	-44.58	-10.46	3
6265MHz	Pass	6.23661G	-3.98	6.7758G	-53.12	-43.98	-9.14	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.16303G	-4.61	6.777G	-53.49	-44.61	-8.88	1
6265MHz	Pass	6.2782G	-4.41	6.7806G	-53.07	-44.41	-8.66	2
6265MHz	Pass	6.2746G	-4.55	6.7706G	-52.69	-44.46	-8.23	3
6265MHz	Pass	6.11104G	-3.68	6.781G	-51.31	-43.68	-7.63	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.22021G	-4.26	6.7782G	-53.71	-44.26	-9.45	1
6265MHz	Pass	6.2454G	-4.10	6.7802G	-53.34	-44.10	-9.24	2
6265MHz	Pass	6.2522G	-4.34	6.7722G	-53.09	-44.34	-8.75	3
6265MHz	Pass	6.13903G	-3.80	6.8134G	-52.40	-43.80	-8.60	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23981G	-4.21	6.7758G	-56.98	-44.21	-12.77	1
6265MHz	Pass	6.24141G	-4.05	6.7742G	-57.56	-44.03	-13.53	2
6265MHz	Pass	6.23181G	-4.20	6.7694G	-55.96	-44.02	-11.94	3
6265MHz	Pass	6.11344G	-3.77	6.7742G	-53.73	-43.65	-10.08	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.24421G	-4.45	6.7834G	-57.56	-44.45	-13.11	1
6265MHz	Pass	6.24221G	-4.27	6.7706G	-57.93	-43.99	-13.94	2
6265MHz	Pass	6.23541G	-4.45	6.7766G	-56.56	-44.45	-12.11	3
6265MHz	Pass	6.15263G	-3.89	6.7758G	-54.14	-43.89	-10.25	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23661G	-4.54	6.7758G	-57.30	-44.54	-12.76	1
6265MHz	Pass	6.24101G	-4.32	6.781G	-57.95	-44.32	-13.63	2
6265MHz	Pass	6.2486G	-4.41	6.7782G	-56.46	-44.41	-12.05	3
6265MHz	Pass	6.10984G	-3.87	6.7782G	-54.04	-43.87	-10.17	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.2562G	-4.53	6.7766G	-57.33	-44.53	-12.80	1
6265MHz	Pass	6.2562G	-4.36	6.7722G	-57.68	-44.20	-13.48	2
6265MHz	Pass	6.23261G	-4.31	6.777G	-56.36	-44.31	-12.05	3
6265MHz	Pass	6.12623G	-3.84	6.7838G	-53.80	-43.84	-9.96	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.22141G	-4.40	6.779G	-57.34	-44.40	-12.94	1
6265MHz	Pass	6.2826G	-4.33	6.7778G	-57.91	-44.33	-13.58	2
6265MHz	Pass	6.21541G	-4.51	6.7734G	-56.48	-44.51	-11.97	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6265MHz	Pass	6.11464G	-3.90	6.7794G	-54.09	-43.90	-10.19	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23701G	-4.33	6.7746G	-57.46	-44.24	-13.22	1
6265MHz	Pass	6.2514G	-4.17	6.7738G	-58.01	-44.12	-13.89	2
6265MHz	Pass	6.23421G	-4.32	6.7722G	-56.68	-44.32	-12.36	3
6265MHz	Pass	6.11144G	-3.77	6.7786G	-54.08	-43.77	-10.31	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23101G	-4.29	6.783G	-57.69	-44.29	-13.40	1
6265MHz	Pass	6.23261G	-4.10	6.7758G	-58.30	-44.10	-14.20	2
6265MHz	Pass	6.2534G	-4.22	6.7738G	-57.23	-44.22	-13.01	3
6265MHz	Pass	6.11224G	-3.90	6.7638G	-54.16	-43.05	-11.11	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.251G	-4.33	6.7754G	-57.11	-44.30	-12.81	1
6265MHz	Pass	6.24061G	-4.25	6.771G	-57.13	-44.00	-13.13	2
6265MHz	Pass	6.23541G	-4.27	6.7802G	-55.56	-44.27	-11.29	3
6265MHz	Pass	6.23061G	-3.52	6.7866G	-53.45	-43.52	-9.93	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21941G	-4.31	6.7778G	-56.58	-44.31	-12.27	1
6265MHz	Pass	6.39937G	-4.34	6.7754G	-56.71	-44.34	-12.37	2
6265MHz	Pass	6.29579G	-4.42	6.773G	-55.21	-44.42	-10.79	3
6265MHz	Pass	6.19302G	-3.45	6.7762G	-52.90	-43.45	-9.45	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.21861G	-4.71	6.7794G	-56.67	-44.71	-11.96	1
6265MHz	Pass	6.2598G	-4.84	6.7754G	-56.79	-44.84	-11.95	2
6265MHz	Pass	6.24061G	-4.86	6.7694G	-55.38	-44.68	-10.70	3
6265MHz	Pass	6.21021G	-4.06	6.7738G	-53.03	-43.92	-9.11	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23101G	-4.52	6.7822G	-56.66	-44.52	-12.14	1
6265MHz	Pass	6.2482G	-4.76	6.7758G	-56.77	-44.76	-12.01	2
6265MHz	Pass	6.23141G	-4.71	6.771G	-55.69	-44.65	-11.04	3
6265MHz	Pass	6.22221G	-4.11	6.8094G	-53.90	-44.11	-9.79	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23341G	-4.70	6.777G	-56.99	-44.70	-12.29	1
6265MHz	Pass	6.2762G	-4.80	6.7762G	-57.39	-44.80	-12.59	2
6265MHz	Pass	6.23421G	-4.66	6.7746G	-55.84	-44.66	-11.18	3
6265MHz	Pass	6.21501G	-4.17	6.8022G	-53.89	-44.17	-9.72	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6265MHz	Pass	6.23861G	-4.66	6.7782G	-57.46	-44.66	-12.80	1
6265MHz	Pass	6.2462G	-4.72	6.7874G	-58.14	-44.72	-13.42	2
6265MHz	Pass	6.22901G	-4.49	6.771G	-56.29	-44.43	-11.86	3
6265MHz	Pass	6.23301G	-4.23	6.7814G	-54.14	-44.23	-9.91	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4074G	-4.88	6.9422G	-55.83	-44.86	-10.97	1
6425MHz	Pass	6.4374G	-4.63	6.9374G	-55.82	-44.63	-11.19	2
6425MHz	Pass	6.45939G	-4.72	6.9346G	-55.03	-44.72	-10.31	3
6425MHz	Pass	6.4126G	-4.71	5.9198G	-51.58	-44.04	-7.54	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4146G	-4.89	6.9554G	-54.79	-44.89	-9.90	1
6425MHz	Pass	6.421G	-4.48	6.9378G	-54.81	-44.48	-10.33	2
6425MHz	Pass	6.4434G	-4.62	6.953G	-53.85	-44.62	-9.23	3
6425MHz	Pass	6.27144G	-4.53	5.9214G	-51.03	-43.75	-7.28	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.39261G	-4.87	6.9354G	-53.80	-44.38	-9.42	1
6425MHz	Pass	6.4158G	-4.34	6.9426G	-54.28	-44.34	-9.94	2
6425MHz	Pass	6.39861G	-4.50	6.9354G	-53.19	-44.50	-8.69	3
6425MHz	Pass	6.39541G	-4.52	5.9274G	-50.63	-43.32	-7.31	4



Mask Non-Beamforming Radio 2 Channel Puncturing

Appendix E.9

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.37981G	-4.81	6.9466G	-53.58	-44.81	-8.77	1
6425MHz	Pass	6.45379G	-4.37	6.9454G	-53.99	-44.37	-9.62	2
6425MHz	Pass	6.4394G	-4.54	6.9338G	-53.19	-44.49	-8.70	3
6425MHz	Pass	6.27464G	-4.68	5.9174G	-50.98	-44.18	-6.80	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40301G	-4.63	6.941G	-54.06	-44.53	-9.53	1
6425MHz	Pass	6.4162G	-4.50	6.9394G	-54.30	-44.50	-9.80	2
6425MHz	Pass	6.4198G	-4.55	6.951G	-53.47	-44.55	-8.92	3
6425MHz	Pass	6.27424G	-4.50	5.9218G	-50.66	-43.69	-6.97	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4086G	-4.69	6.9494G	-53.93	-44.69	-9.24	1
6425MHz	Pass	6.4182G	-4.42	6.9346G	-54.48	-44.42	-10.06	2
6425MHz	Pass	6.39821G	-4.36	6.9314G	-53.50	-44.14	-9.36	3
6425MHz	Pass	6.27064G	-4.56	5.9194G	-50.58	-43.92	-6.66	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4058G	-4.78	6.9422G	-55.41	-44.76	-10.65	1
6425MHz	Pass	6.413G	-4.45	6.9322G	-55.41	-44.38	-11.03	2
6425MHz	Pass	6.48059G	-4.44	6.9326G	-54.09	-44.30	-9.79	3
6425MHz	Pass	6.39581G	-4.64	5.9358G	-50.05	-42.85	-7.20	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40221G	-4.84	6.9414G	-56.18	-44.77	-11.41	1
6425MHz	Pass	6.4174G	-4.42	6.9474G	-56.87	-44.42	-12.45	2
6425MHz	Pass	6.415G	-4.51	6.9346G	-54.95	-44.51	-10.44	3
6425MHz	Pass	6.27184G	-4.60	5.921G	-51.13	-43.84	-7.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4146G	-4.75	6.9558G	-56.95	-44.75	-12.20	1
6425MHz	Pass	6.441G	-4.19	6.9358G	-57.31	-44.19	-13.12	2
6425MHz	Pass	6.4434G	-4.66	6.9374G	-56.04	-44.66	-11.38	3
6425MHz	Pass	6.4098G	-4.43	5.9202G	-51.89	-43.73	-8.16	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.53017G	-4.76	6.949G	-53.98	-44.76	-9.22	1
6425MHz	Pass	6.4382G	-4.02	6.9482G	-53.93	-44.02	-9.91	2
6425MHz	Pass	6.4422G	-4.46	6.9398G	-53.46	-44.46	-9.00	3
6425MHz	Pass	6.27104G	-4.44	6.9398G	-51.62	-44.44	-7.18	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4062G	-4.32	6.9466G	-54.70	-44.32	-10.38	1
6425MHz	Pass	6.39741G	-4.14	6.9386G	-54.76	-44.14	-10.62	2
6425MHz	Pass	6.4166G	-4.47	6.9454G	-53.97	-44.47	-9.50	3
6425MHz	Pass	6.26984G	-4.44	5.9202G	-50.66	-43.74	-6.92	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40381G	-4.58	6.9438G	-57.34	-44.58	-12.76	1
6425MHz	Pass	6.4186G	-4.27	5.9278G	-57.18	-43.49	-13.69	2
6425MHz	Pass	6.4426G	-4.34	5.927G	-55.58	-43.53	-12.05	3
6425MHz	Pass	6.431G	-4.61	5.9194G	-51.75	-43.97	-7.78	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.405G	-4.59	6.9434G	-57.89	-44.59	-13.30	1
6425MHz	Pass	6.4414G	-4.65	6.9422G	-58.90	-44.65	-14.25	2
6425MHz	Pass	6.4214G	-4.50	5.9266G	-56.56	-43.71	-12.85	3
6425MHz	Pass	6.4106G	-4.86	5.9202G	-52.35	-44.16	-8.19	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.40461G	-4.64	6.943G	-57.90	-44.64	-13.26	1
6425MHz	Pass	6.441G	-4.48	5.9206G	-58.54	-44.21	-14.33	2
6425MHz	Pass	6.39941G	-4.37	5.9214G	-56.66	-43.95	-12.71	3
6425MHz	Pass	6.27064G	-4.61	5.9302G	-51.64	-43.21	-8.43	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6425MHz	Pass	6.39021G	-4.61	6.9426G	-57.74	-44.61	-13.13	1
6425MHz	Pass	6.435G	-4.30	5.9318G	-57.18	-43.24	-13.94	2
6425MHz	Pass	6.4206G	-4.14	5.9302G	-55.66	-43.10	-12.56	3
6425MHz	Pass	6.27344G	-4.74	5.9286G	-51.57	-43.45	-8.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.38101G	-4.63	6.9594G	-57.71	-44.63	-13.08	1
6425MHz	Pass	6.4386G	-4.44	5.9198G	-58.22	-44.23	-13.99	2
6425MHz	Pass	6.45819G	-4.36	5.9214G	-56.13	-43.94	-12.19	3
6425MHz	Pass	6.27064G	-4.65	5.9206G	-52.04	-43.92	-8.12	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.405G	-4.54	6.9526G	-57.93	-44.54	-13.39	1
6425MHz	Pass	6.4186G	-4.45	5.9298G	-57.58	-43.53	-14.05	2
6425MHz	Pass	6.4174G	-4.29	5.9194G	-56.35	-44.01	-12.34	3
6425MHz	Pass	6.4142G	-4.77	5.929G	-51.43	-43.46	-7.97	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4342G	-4.49	6.9454G	-58.14	-44.49	-13.65	1
6425MHz	Pass	6.441G	-4.42	6.9358G	-58.93	-44.42	-14.51	2
6425MHz	Pass	6.4162G	-4.27	5.9266G	-55.98	-43.48	-12.50	3
6425MHz	Pass	6.4162G	-4.85	5.9186G	-52.20	-44.26	-7.94	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4178G	-4.84	6.9426G	-57.83	-44.84	-12.99	1
6425MHz	Pass	6.4338G	-4.55	6.9346G	-58.51	-44.55	-13.96	2
6425MHz	Pass	6.48139G	-4.60	6.9458G	-56.81	-44.60	-12.21	3
6425MHz	Pass	6.39221G	-4.55	5.931G	-51.66	-43.10	-8.56	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4374G	-4.96	6.9578G	-57.52	-44.96	-12.56	1
6425MHz	Pass	6.435G	-4.63	6.9422G	-57.98	-44.63	-13.35	2
6425MHz	Pass	6.4446G	-4.52	6.9402G	-56.43	-44.52	-11.91	3
6425MHz	Pass	6.4354G	-4.65	5.9182G	-52.41	-44.09	-8.32	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.405G	-4.72	6.9458G	-57.24	-44.72	-12.52	1
6425MHz	Pass	6.4166G	-4.62	6.9366G	-57.51	-44.62	-12.89	2
6425MHz	Pass	6.39781G	-4.62	6.9426G	-56.20	-44.62	-11.58	3
6425MHz	Pass	6.4154G	-4.60	5.9194G	-52.12	-43.96	-8.16	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.409G	-4.74	6.9506G	-57.25	-44.74	-12.51	1
6425MHz	Pass	6.39941G	-4.57	6.945G	-57.91	-44.57	-13.34	2
6425MHz	Pass	6.429G	-4.63	6.9366G	-56.29	-44.63	-11.66	3
6425MHz	Pass	6.4138G	-4.53	5.9286G	-51.46	-43.24	-8.22	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4074G	-4.47	6.9462G	-57.37	-44.47	-12.90	1
6425MHz	Pass	6.4382G	-4.54	6.9334G	-58.23	-44.54	-13.69	2
6425MHz	Pass	6.4426G	-4.60	6.9342G	-56.72	-44.58	-12.14	3
6425MHz	Pass	6.411G	-4.62	5.9338G	-51.23	-42.97	-8.26	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6425MHz	Pass	6.4202G	-4.82	6.9482G	-57.74	-44.82	-12.92	1
6425MHz	Pass	6.4358G	-4.53	6.9466G	-58.81	-44.53	-14.28	2
6425MHz	Pass	6.45019G	-4.66	6.9406G	-57.05	-44.66	-12.39	3
6425MHz	Pass	6.433G	-4.75	5.9214G	-52.06	-43.97	-8.09	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53221G	-4.29	6.0766G	-54.60	-44.29	-10.31	1
6585MHz	Pass	6.51582G	-3.46	6.0766G	-54.32	-43.46	-10.86	2
6585MHz	Pass	6.49982G	-4.47	6.067G	-53.00	-44.47	-8.53	3
6585MHz	Pass	6.47463G	-3.86	6.069G	-49.83	-43.86	-5.97	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.54021G	-4.17	6.063G	-53.93	-44.12	-9.81	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.43504G	-3.44	6.0774G	-53.26	-43.44	-9.82	2
6585MHz	Pass	6.51942G	-4.41	6.0706G	-52.44	-44.41	-8.03	3
6585MHz	Pass	6.43464G	-3.82	6.0706G	-49.39	-43.82	-5.57	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.56061G	-4.23	6.0614G	-52.77	-44.23	-8.54	1
6585MHz	Pass	6.43584G	-3.42	6.0774G	-52.88	-43.42	-9.46	2
6585MHz	Pass	6.5742G	-4.31	6.075G	-52.75	-44.31	-8.44	3
6585MHz	Pass	6.45023G	-3.85	6.0374G	-49.85	-43.85	-6.00	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53261G	-4.20	6.0574G	-53.22	-44.20	-9.02	1
6585MHz	Pass	6.53941G	-3.57	6.0722G	-52.54	-43.57	-8.97	2
6585MHz	Pass	6.52062G	-4.38	6.0702G	-51.84	-44.38	-7.46	3
6585MHz	Pass	6.51022G	-3.72	6.0714G	-49.05	-43.72	-5.33	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52901G	-4.21	6.061G	-53.29	-44.21	-9.08	1
6585MHz	Pass	6.51342G	-3.59	6.073G	-52.21	-43.59	-8.62	2
6585MHz	Pass	6.5698G	-4.47	6.069G	-51.85	-44.47	-7.38	3
6585MHz	Pass	6.43224G	-3.96	6.0598G	-49.22	-43.96	-5.26	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53061G	-4.33	6.0578G	-53.46	-44.33	-9.13	1
6585MHz	Pass	6.51342G	-3.74	6.075G	-52.70	-43.74	-8.96	2
6585MHz	Pass	6.48063G	-4.41	6.077G	-51.93	-44.41	-7.52	3
6585MHz	Pass	6.52821G	-4.01	6.0694G	-49.30	-44.01	-5.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55261G	-4.39	6.0566G	-53.79	-44.39	-9.40	1
6585MHz	Pass	6.51542G	-3.80	6.0762G	-53.13	-43.80	-9.33	2
6585MHz	Pass	6.50102G	-4.47	6.0726G	-52.36	-44.47	-7.89	3
6585MHz	Pass	6.43504G	-4.15	6.0606G	-49.11	-44.15	-4.96	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53101G	-4.33	6.0614G	-54.39	-44.33	-10.06	1
6585MHz	Pass	6.55901G	-3.83	6.0714G	-53.75	-43.83	-9.92	2
6585MHz	Pass	6.50142G	-4.57	6.0738G	-52.65	-44.57	-8.08	3
6585MHz	Pass	6.45063G	-4.12	6.0714G	-49.51	-44.12	-5.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55341G	-4.17	6.055G	-55.69	-44.17	-11.52	1
6585MHz	Pass	6.53661G	-3.34	6.0718G	-55.55	-43.34	-12.21	2
6585MHz	Pass	6.565G	-4.29	6.0754G	-54.50	-44.29	-10.21	3
6585MHz	Pass	6.52941G	-3.74	6.0626G	-49.49	-43.74	-5.75	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.6026G	-4.23	6.0558G	-53.86	-44.23	-9.63	1
6585MHz	Pass	6.45343G	-3.28	6.0782G	-52.87	-43.27	-9.60	2
6585MHz	Pass	6.50062G	-4.24	6.0786G	-53.00	-44.21	-8.79	3
6585MHz	Pass	6.43384G	-3.73	6.039G	-49.07	-43.73	-5.34	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.54061G	-4.41	6.0602G	-53.42	-44.41	-9.01	1
6585MHz	Pass	6.45783G	-3.51	6.0786G	-52.59	-43.48	-9.11	2
6585MHz	Pass	6.51902G	-4.43	6.073G	-52.01	-44.43	-7.58	3
6585MHz	Pass	6.43624G	-3.92	6.0582G	-48.62	-43.92	-4.70	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53061G	-3.76	6.0666G	-54.53	-43.46	-11.07	1
6585MHz	Pass	6.51502G	-3.40	6.0766G	-54.28	-43.40	-10.88	2
6585MHz	Pass	6.61219G	-4.17	6.077G	-53.40	-44.17	-9.23	3
6585MHz	Pass	6.43104G	-3.56	6.0666G	-49.20	-43.56	-5.64	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55341G	-3.97	6.0606G	-55.88	-43.97	-11.91	1
6585MHz	Pass	6.51622G	-3.53	6.0698G	-55.87	-43.53	-12.34	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.55021G	-4.19	6.075G	-54.63	-44.19	-10.44	3
6585MHz	Pass	6.50982G	-3.65	6.071G	-49.81	-43.65	-6.16	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.5674G	-3.98	6.063G	-55.43	-43.93	-11.50	1
6585MHz	Pass	6.43584G	-3.47	6.0774G	-55.02	-43.47	-11.55	2
6585MHz	Pass	6.5694G	-4.19	6.0746G	-54.20	-44.19	-10.01	3
6585MHz	Pass	6.43264G	-3.63	6.0614G	-49.69	-43.63	-6.06	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.5986G	-4.05	6.0618G	-55.29	-44.05	-11.24	1
6585MHz	Pass	6.45183G	-3.31	6.0746G	-54.77	-43.31	-11.46	2
6585MHz	Pass	6.591G	-4.21	6.087G	-53.60	-43.58	-10.02	3
6585MHz	Pass	6.43384G	-3.59	6.0402G	-49.49	-43.59	-5.90	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53301G	-3.98	6.0618G	-54.89	-43.98	-10.91	1
6585MHz	Pass	6.53781G	-3.48	6.0754G	-54.66	-43.48	-11.18	2
6585MHz	Pass	6.5914G	-4.22	6.0778G	-53.79	-44.22	-9.57	3
6585MHz	Pass	6.42944G	-3.70	6.0682G	-49.31	-43.70	-5.61	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.5762G	-4.12	6.0678G	-55.02	-43.74	-11.28	1
6585MHz	Pass	6.43464G	-3.45	6.0738G	-54.96	-43.45	-11.51	2
6585MHz	Pass	6.49942G	-4.20	6.0782G	-53.95	-44.19	-9.76	3
6585MHz	Pass	6.43384G	-3.90	6.0366G	-49.46	-43.90	-5.56	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53141G	-4.16	6.0642G	-55.42	-44.03	-11.39	1
6585MHz	Pass	6.45423G	-3.69	6.0786G	-55.31	-43.66	-11.65	2
6585MHz	Pass	6.55101G	-4.21	6.0742G	-54.27	-44.21	-10.06	3
6585MHz	Pass	6.43064G	-3.97	6.0694G	-49.64	-43.97	-5.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55381G	-4.10	6.059G	-56.37	-44.10	-12.27	1
6585MHz	Pass	6.54941G	-3.29	6.0774G	-56.49	-43.29	-13.20	2
6585MHz	Pass	6.5718G	-4.24	6.0866G	-55.40	-43.64	-11.76	3
6585MHz	Pass	6.61139G	-3.67	6.0874G	-49.69	-42.56	-7.13	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.52941G	-4.29	6.0618G	-55.97	-44.29	-11.68	1
6585MHz	Pass	6.53941G	-3.34	6.0726G	-56.00	-43.34	-12.66	2
6585MHz	Pass	6.62099G	-4.34	6.073G	-54.97	-44.34	-10.63	3
6585MHz	Pass	6.52941G	-3.66	6.0726G	-49.65	-43.58	-6.07	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.54141G	-4.12	6.065G	-55.64	-43.93	-11.71	1
6585MHz	Pass	6.51622G	-3.25	6.075G	-55.75	-43.25	-12.50	2
6585MHz	Pass	6.5722G	-4.28	6.0762G	-54.82	-44.28	-10.54	3
6585MHz	Pass	6.50942G	-3.73	6.0646G	-49.70	-43.73	-5.97	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.53301G	-4.34	6.0618G	-55.85	-44.34	-11.51	1
6585MHz	Pass	6.53701G	-3.47	6.0754G	-55.87	-43.47	-12.40	2
6585MHz	Pass	6.61179G	-4.48	6.0714G	-54.69	-44.48	-10.21	3
6585MHz	Pass	6.51182G	-3.75	6.0654G	-49.54	-43.75	-5.79	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55261G	-4.40	6.0662G	-55.85	-44.13	-11.72	1
6585MHz	Pass	6.51262G	-3.50	6.0754G	-55.92	-43.50	-12.42	2
6585MHz	Pass	6.52022G	-4.50	6.0762G	-55.18	-44.50	-10.68	3
6585MHz	Pass	6.52901G	-3.89	6.0598G	-50.06	-43.89	-6.17	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6585MHz	Pass	6.55301G	-4.29	6.0626G	-56.07	-44.27	-11.80	1
6585MHz	Pass	6.56181G	-3.51	6.0734G	-56.18	-43.51	-12.67	2
6585MHz	Pass	6.5714G	-4.49	6.0718G	-55.10	-44.49	-10.61	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6585MHz	Pass	6.52741G	-3.93	6.0686G	-49.70	-43.93	-5.77	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.63503G	-3.19	6.2354G	-51.34	-43.19	-8.15	1
6745MHz	Pass	6.65702G	-2.45	6.241G	-50.32	-42.43	-7.89	2
6745MHz	Pass	6.63423G	-3.29	6.2374G	-51.07	-43.29	-7.78	3
6745MHz	Pass	6.63223G	-3.39	6.2354G	-48.48	-43.39	-5.09	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60144G	-2.85	6.237G	-50.65	-42.84	-7.81	1
6745MHz	Pass	6.59864G	-1.90	6.2434G	-49.19	-41.71	-7.48	2
6745MHz	Pass	6.59064G	-3.24	6.2378G	-50.22	-43.24	-6.98	3
6745MHz	Pass	6.59664G	-2.89	6.2326G	-48.29	-42.89	-5.40	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59344G	-2.79	6.2338G	-50.13	-42.79	-7.34	1
6745MHz	Pass	6.58904G	-2.06	6.231G	-49.16	-42.06	-7.10	2
6745MHz	Pass	6.60703G	-3.29	6.2314G	-50.57	-43.29	-7.28	3
6745MHz	Pass	6.59904G	-3.03	6.1998G	-48.30	-43.03	-5.27	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.61423G	-2.94	6.2266G	-49.95	-42.94	-7.01	1
6745MHz	Pass	6.60104G	-1.98	6.241G	-48.79	-41.96	-6.83	2
6745MHz	Pass	6.60104G	-3.34	6.2326G	-49.69	-43.34	-6.35	3
6745MHz	Pass	6.61823G	-3.24	6.2314G	-47.82	-43.24	-4.58	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.61423G	-2.98	6.2214G	-49.84	-42.98	-6.86	1
6745MHz	Pass	6.58984G	-2.08	6.237G	-48.83	-42.08	-6.75	2
6745MHz	Pass	6.61463G	-3.20	6.2322G	-49.68	-43.20	-6.48	3
6745MHz	Pass	6.59824G	-3.10	6.231G	-47.84	-43.10	-4.74	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60543G	-2.88	6.2302G	-50.04	-42.88	-7.16	1
6745MHz	Pass	6.60344G	-2.22	6.241G	-48.93	-42.20	-6.73	2
6745MHz	Pass	6.61223G	-3.37	6.2378G	-49.52	-43.37	-6.15	3
6745MHz	Pass	6.60104G	-3.37	6.2318G	-48.41	-43.37	-5.04	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59784G	-2.94	6.2354G	-50.23	-42.94	-7.29	1
6745MHz	Pass	6.58984G	-2.35	6.2406G	-49.33	-42.35	-6.98	2
6745MHz	Pass	6.60344G	-3.37	6.2342G	-49.95	-43.37	-6.58	3
6745MHz	Pass	6.60384G	-3.23	6.2322G	-48.98	-43.23	-5.75	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.61303G	-2.96	6.2346G	-50.93	-42.96	-7.97	1
6745MHz	Pass	6.60703G	-2.27	6.2414G	-49.66	-42.22	-7.44	2
6745MHz	Pass	6.60743G	-3.49	6.2322G	-50.56	-43.49	-7.07	3
6745MHz	Pass	6.59824G	-3.36	6.2358G	-49.15	-43.36	-5.79	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68062G	-3.13	6.2154G	-54.10	-43.13	-10.97	1
6745MHz	Pass	6.67062G	-2.63	6.2446G	-51.08	-42.36	-8.72	2
6745MHz	Pass	6.72061G	-3.33	6.2386G	-51.96	-43.30	-8.66	3
6745MHz	Pass	6.69621G	-3.40	6.2178G	-50.02	-43.40	-6.62	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59864G	-2.78	6.2126G	-51.25	-42.78	-8.47	1
6745MHz	Pass	6.59064G	-1.96	6.2306G	-49.20	-41.96	-7.24	2
6745MHz	Pass	6.59064G	-3.07	6.2222G	-50.59	-43.07	-7.52	3
6745MHz	Pass	6.59824G	-3.07	6.1986G	-48.88	-43.07	-5.81	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59704G	-3.01	6.2074G	-50.75	-43.01	-7.74	1
6745MHz	Pass	6.60104G	-2.29	6.2322G	-49.80	-42.29	-7.51	2
6745MHz	Pass	6.59464G	-3.21	6.2358G	-49.70	-43.21	-6.49	3
6745MHz	Pass	6.60903G	-3.37	6.213G	-48.64	-43.37	-5.27	4



Mask Non-Beamforming Radio 2 Channel Puncturing

Appendix E.9

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60783G	-3.04	6.2202G	-53.10	-42.82	-10.28	1
6745MHz	Pass	6.60064G	-2.44	6.2394G	-51.80	-42.44	-9.36	2
6745MHz	Pass	6.59184G	-3.38	6.2354G	-51.39	-43.38	-8.01	3
6745MHz	Pass	6.59984G	-3.40	6.1978G	-49.96	-43.40	-6.56	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.63063G	-2.75	6.2174G	-54.37	-42.72	-11.65	1
6745MHz	Pass	6.62903G	-2.16	6.241G	-52.98	-42.14	-10.84	2
6745MHz	Pass	6.63183G	-3.07	6.2362G	-52.33	-43.07	-9.26	3
6745MHz	Pass	6.63943G	-3.12	6.2006G	-50.17	-43.12	-7.05	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59424G	-2.97	6.2158G	-54.03	-42.97	-11.06	1
6745MHz	Pass	6.60064G	-2.49	6.2338G	-52.61	-42.49	-10.12	2
6745MHz	Pass	6.60144G	-3.39	6.2354G	-52.23	-43.39	-8.84	3
6745MHz	Pass	6.59424G	-3.30	6.135G	-50.40	-43.30	-7.10	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60703G	-2.99	6.2146G	-53.77	-42.99	-10.78	1
6745MHz	Pass	6.60064G	-2.50	6.2422G	-52.18	-42.40	-9.78	2
6745MHz	Pass	6.60064G	-3.36	6.1994G	-52.48	-43.36	-9.12	3
6745MHz	Pass	6.58984G	-3.31	6.1994G	-50.12	-43.31	-6.81	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.59424G	-3.04	6.2162G	-53.38	-43.04	-10.34	1
6745MHz	Pass	6.59824G	-2.58	6.2386G	-52.13	-42.58	-9.55	2
6745MHz	Pass	6.59144G	-3.37	6.2358G	-51.99	-43.37	-8.62	3
6745MHz	Pass	6.60344G	-3.34	6.1994G	-50.18	-43.34	-6.84	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60344G	-3.21	6.2058G	-53.87	-43.21	-10.66	1
6745MHz	Pass	6.60703G	-2.72	6.2342G	-52.56	-42.72	-9.84	2
6745MHz	Pass	6.61343G	-3.50	6.2394G	-51.91	-43.41	-8.50	3
6745MHz	Pass	6.61823G	-3.54	6.1754G	-50.21	-43.54	-6.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.60184G	-3.13	6.217G	-54.36	-43.13	-11.23	1
6745MHz	Pass	6.59224G	-2.84	6.2394G	-52.82	-42.84	-9.98	2
6745MHz	Pass	6.62183G	-3.59	6.233G	-52.28	-43.59	-8.69	3
6745MHz	Pass	6.60703G	-3.53	6.1602G	-50.50	-43.53	-6.97	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.72141G	-3.00	6.2082G	-55.14	-43.00	-12.14	1
6745MHz	Pass	6.71901G	-2.53	6.2342G	-54.21	-42.43	-11.78	2
6745MHz	Pass	6.72141G	-3.39	6.2478G	-52.88	-42.70	-10.18	3
6745MHz	Pass	6.7318G	-3.32	6.2526G	-50.26	-41.32	-8.94	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68981G	-3.11	6.215G	-54.57	-43.11	-11.46	1
6745MHz	Pass	6.67302G	-2.54	6.2322G	-53.61	-42.54	-11.07	2
6745MHz	Pass	6.67942G	-3.46	6.2326G	-52.71	-43.46	-9.25	3
6745MHz	Pass	6.69621G	-3.31	6.2174G	-50.29	-43.31	-6.98	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68262G	-3.17	6.2166G	-54.47	-43.17	-11.30	1
6745MHz	Pass	6.69021G	-2.69	6.2346G	-53.18	-42.57	-10.61	2
6745MHz	Pass	6.71301G	-3.42	6.2402G	-52.23	-43.27	-8.96	3
6745MHz	Pass	6.71461G	-3.42	6.2186G	-50.39	-43.42	-6.97	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.67942G	-2.64	6.2142G	-54.13	-42.64	-11.49	1
6745MHz	Pass	6.69861G	-2.17	6.2334G	-52.72	-42.13	-10.59	2
6745MHz	Pass	6.70981G	-3.03	6.2386G	-52.05	-43.00	-9.05	3
6745MHz	Pass	6.69781G	-2.97	6.219G	-49.57	-42.97	-6.60	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6745MHz	Pass	6.68222G	-2.56	6.2182G	-54.10	-42.48	-11.62	1
6745MHz	Pass	6.67222G	-2.29	6.2078G	-53.56	-42.29	-11.27	2
6745MHz	Pass	6.71781G	-3.03	6.2402G	-52.05	-42.88	-9.17	3
6745MHz	Pass	6.67342G	-2.97	6.2074G	-50.04	-42.97	-7.07	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	6.68182G	-2.61	6.2162G	-54.32	-42.61	-11.71	1
6745MHz	Pass	6.67182G	-2.14	6.209G	-53.95	-42.14	-11.81	2
6745MHz	Pass	6.72021G	-2.98	6.237G	-52.43	-42.98	-9.45	3
6745MHz	Pass	6.71581G	-2.97	6.2194G	-50.00	-42.97	-7.03	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93299G	-3.79	6.3918G	-50.66	-43.79	-6.87	1
6905MHz	Pass	6.79183G	-2.53	6.3934G	-48.61	-42.53	-6.08	2
6905MHz	Pass	6.79743G	-3.39	6.3846G	-49.60	-43.39	-6.21	3
6905MHz	Pass	6.79263G	-3.39	6.3926G	-47.86	-43.39	-4.47	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75064G	-3.79	6.3746G	-50.99	-43.79	-7.20	1
6905MHz	Pass	6.75504G	-2.35	6.399G	-48.13	-42.35	-5.78	2
6905MHz	Pass	6.76224G	-3.51	6.3938G	-49.30	-43.44	-5.86	3
6905MHz	Pass	6.75624G	-3.63	6.379G	-48.72	-43.63	-5.09	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75104G	-3.74	6.3934G	-49.84	-43.74	-6.10	1
6905MHz	Pass	6.74904G	-2.34	6.403G	-47.60	-42.18	-5.42	2
6905MHz	Pass	6.76024G	-3.46	6.3566G	-49.23	-43.46	-5.77	3
6905MHz	Pass	6.74904G	-3.70	6.3582G	-48.49	-43.70	-4.79	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76703G	-3.59	6.3734G	-49.81	-43.59	-6.22	1
6905MHz	Pass	6.75064G	-2.39	6.3998G	-47.66	-42.39	-5.27	2
6905MHz	Pass	6.74864G	-3.62	6.3906G	-48.43	-43.62	-4.81	3
6905MHz	Pass	6.75344G	-3.54	6.3746G	-47.53	-43.54	-3.99	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76264G	-3.71	6.3938G	-49.75	-43.71	-6.04	1
6905MHz	Pass	6.75104G	-2.45	6.3898G	-47.59	-42.45	-5.14	2
6905MHz	Pass	6.76104G	-3.29	6.3814G	-48.30	-43.29	-5.01	3
6905MHz	Pass	6.74944G	-3.44	6.377G	-47.28	-43.44	-3.84	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75184G	-3.61	6.3898G	-49.99	-43.61	-6.38	1
6905MHz	Pass	6.75984G	-2.46	6.401G	-47.74	-42.44	-5.30	2
6905MHz	Pass	6.76304G	-3.22	6.3894G	-48.41	-43.22	-5.19	3
6905MHz	Pass	6.74944G	-3.42	6.3762G	-47.30	-43.42	-3.88	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75824G	-3.72	6.3758G	-50.55	-43.72	-6.83	1
6905MHz	Pass	6.75064G	-2.33	6.3974G	-47.73	-42.33	-5.40	2
6905MHz	Pass	6.75904G	-3.35	6.385G	-48.89	-43.35	-5.54	3
6905MHz	Pass	6.75504G	-3.50	6.3838G	-47.49	-43.21	-4.28	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75064G	-3.64	6.3738G	-51.42	-43.64	-7.78	1
6905MHz	Pass	6.75224G	-2.40	6.397G	-48.28	-42.40	-5.88	2
6905MHz	Pass	6.76424G	-3.34	6.3914G	-49.34	-43.34	-6.00	3
6905MHz	Pass	6.75464G	-3.30	6.3814G	-47.95	-43.18	-4.77	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93059G	-3.25	6.3738G	-51.42	-43.25	-8.17	1
6905MHz	Pass	6.83222G	-2.35	6.3986G	-49.55	-42.35	-7.20	2
6905MHz	Pass	6.84222G	-3.02	6.3822G	-50.55	-43.02	-7.53	3
6905MHz	Pass	6.94139G	-3.02	6.3766G	-48.41	-43.02	-5.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75024G	-3.48	6.379G	-50.43	-43.48	-6.95	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.74984G	-2.40	6.3998G	-48.47	-42.40	-6.07	2
6905MHz	Pass	6.75984G	-3.43	6.3618G	-49.71	-43.43	-6.28	3
6905MHz	Pass	6.75464G	-3.42	6.355G	-48.71	-43.42	-5.29	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75904G	-3.56	6.3738G	-49.89	-43.56	-6.33	1
6905MHz	Pass	6.75024G	-2.37	6.4066G	-48.22	-41.95	-6.27	2
6905MHz	Pass	6.75784G	-3.26	6.3874G	-48.33	-43.26	-5.07	3
6905MHz	Pass	6.75064G	-3.15	6.3758G	-47.54	-43.15	-4.39	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75344G	-3.79	6.3918G	-52.61	-43.79	-8.82	1
6905MHz	Pass	6.75064G	-2.48	6.3918G	-50.57	-42.48	-8.09	2
6905MHz	Pass	6.75984G	-3.32	6.3922G	-50.16	-43.32	-6.84	3
6905MHz	Pass	6.75104G	-3.25	6.3586G	-49.46	-43.25	-6.21	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.92739G	-3.77	6.375G	-53.39	-43.77	-9.62	1
6905MHz	Pass	6.79903G	-2.59	6.3962G	-51.88	-42.59	-9.29	2
6905MHz	Pass	6.79863G	-3.37	6.3922G	-51.21	-43.37	-7.84	3
6905MHz	Pass	6.79583G	-3.40	6.3498G	-50.08	-43.40	-6.68	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.74904G	-3.73	6.3918G	-53.07	-43.73	-9.34	1
6905MHz	Pass	6.74984G	-2.47	6.3966G	-51.39	-42.47	-8.92	2
6905MHz	Pass	6.75024G	-3.32	6.385G	-51.17	-43.32	-7.85	3
6905MHz	Pass	6.75464G	-3.50	6.3686G	-49.90	-43.50	-6.40	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.74824G	-3.76	6.3958G	-52.70	-43.64	-9.06	1
6905MHz	Pass	6.75984G	-2.46	6.4062G	-50.65	-42.07	-8.58	2
6905MHz	Pass	6.76144G	-3.45	6.3554G	-51.29	-43.45	-7.84	3
6905MHz	Pass	6.75624G	-3.49	6.3578G	-49.88	-43.49	-6.39	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75504G	-3.76	6.3906G	-52.65	-43.76	-8.89	1
6905MHz	Pass	6.75504G	-2.54	6.3942G	-50.77	-42.54	-8.23	2
6905MHz	Pass	6.76264G	-3.44	6.3938G	-50.45	-43.37	-7.08	3
6905MHz	Pass	6.75464G	-3.49	6.3678G	-49.62	-43.49	-6.13	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.74904G	-3.69	6.3754G	-52.91	-43.69	-9.22	1
6905MHz	Pass	6.74984G	-2.53	6.399G	-51.17	-42.53	-8.64	2
6905MHz	Pass	6.75984G	-3.31	6.3842G	-50.84	-43.31	-7.53	3
6905MHz	Pass	6.75824G	-3.33	6.3806G	-49.60	-43.26	-6.34	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76583G	-3.56	6.3746G	-53.63	-43.56	-10.07	1
6905MHz	Pass	6.75184G	-2.50	6.3946G	-51.62	-42.50	-9.12	2
6905MHz	Pass	6.76104G	-3.24	6.3926G	-51.10	-43.24	-7.86	3
6905MHz	Pass	6.75504G	-3.19	6.3778G	-50.00	-43.19	-6.81	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93259G	-3.20	6.3742G	-53.68	-43.20	-10.48	1
6905MHz	Pass	6.87421G	-2.82	6.4162G	-51.04	-41.72	-9.32	2
6905MHz	Pass	6.92859G	-3.35	6.4074G	-51.46	-42.33	-9.13	3
6905MHz	Pass	6.93659G	-3.14	6.4086G	-49.61	-41.16	-8.45	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93499G	-3.19	6.3742G	-53.47	-43.19	-10.28	1
6905MHz	Pass	6.82902G	-2.50	6.401G	-51.68	-42.48	-9.20	2
6905MHz	Pass	6.84022G	-3.24	6.3894G	-51.42	-43.24	-8.18	3
6905MHz	Pass	6.83502G	-3.07	6.3782G	-49.74	-43.07	-6.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.95619G	-3.38	6.3738G	-53.04	-43.38	-9.66	1
6905MHz	Pass	6.83182G	-2.33	6.3978G	-51.42	-42.33	-9.09	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.84741G	-3.05	6.3926G	-51.03	-43.05	-7.98	3
6905MHz	Pass	6.94939G	-3.09	6.3762G	-49.49	-43.09	-6.40	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.93579G	-3.16	6.3742G	-52.93	-43.16	-9.77	1
6905MHz	Pass	6.83862G	-2.33	6.3994G	-51.28	-42.33	-8.95	2
6905MHz	Pass	6.84462G	-3.01	6.3798G	-50.81	-43.01	-7.80	3
6905MHz	Pass	6.9214G	-3.16	6.3742G	-49.41	-43.16	-6.25	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.9206G	-3.28	6.3738G	-53.35	-43.28	-10.07	1
6905MHz	Pass	6.83182G	-2.46	6.3902G	-51.91	-42.46	-9.45	2
6905MHz	Pass	6.84102G	-3.04	6.3902G	-51.14	-43.04	-8.10	3
6905MHz	Pass	6.95379G	-2.97	6.3802G	-49.80	-42.93	-6.87	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 12_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.92699G	-3.36	6.3746G	-53.46	-43.36	-10.10	1
6905MHz	Pass	6.83022G	-2.32	6.3854G	-51.99	-42.32	-9.67	2
6905MHz	Pass	6.84621G	-3.14	6.3814G	-51.39	-43.14	-8.25	3
6905MHz	Pass	6.94259G	-3.00	6.3746G	-49.70	-43.00	-6.70	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

MASK

5985MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01449G	-7.58	6.1194G	-60.39	-47.58	-12.81	1
6.01749G	-7.40	6.1148G	-58.26	-47.25	-11.01	2
6.00659G	-7.67	6.117G	-58.26	-47.67	-10.59	3
5.9764G	-8.00	6.1343G	-60.58	-48.00	-12.58	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

MASK

6345MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38979G	-4.36	6.0904G	-52.20	-43.61	-8.59	1
6.39699G	-4.35	6.1022G	-50.35	-42.66	-7.69	2
6.38999G	-3.97	6.605G	-50.72	-43.97	-6.75	3
6.37919G	-3.93	6.0858G	-49.84	-43.93	-5.91	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

MASK

6105MHz_TX

26/11/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

MASK

6545MHz_TX

26/11/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

MASK

6505MHz_TX

26/11/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6585MHz_TX

26/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

MASK

6705MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67491G	-6.13	6.5277G	-60.29	-46.13	-14.16	1
6.66881G	-6.15	6.517G	-59.62	-46.15	-13.47	2
6.6875G	-6.55	6.5186G	-59.06	-46.55	-12.51	3
6.67951G	-6.65	6.5279G	-58.71	-46.65	-12.06	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4_4TX

MASK

6825MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74962G	-3.40	6.5608G	-50.18	-43.34	-6.84	1
6.76002G	-2.67	6.5712G	-47.98	-42.08	-5.90	2
6.75982G	-3.42	6.5544G	-50.19	-43.42	-6.77	3
6.75362G	-3.12	6.5438G	-49.75	-43.12	-6.63	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

MASK

6905MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76264G	-3.71	6.3938G	-49.75	-43.71	-6.04	1
6.75104G	-2.45	6.3898G	-47.59	-42.45	-5.14	2
6.76104G	-3.29	6.3814G	-48.30	-43.29	-5.01	3
6.74944G	-3.44	6.377G	-47.28	-43.44	-3.84	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

MASK

6945MHz_TX

26/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9336G	-6.05	6.7586G	-60.80	-46.05	-14.75	1
6.91271G	-5.40	6.7686G	-58.21	-45.40	-12.81	2
6.96969G	-5.39	6.7606G	-57.72	-45.39	-12.33	3
6.9351G	-5.57	6.7581G	-58.64	-45.57	-13.07	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6985MHz_TX

26/11/2024



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	AV	11.93432G	42.94	54.00	-11.06	3	Vertical	143	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	AV	12.0244G	42.78	54.00	-11.22	3	Horizontal	209	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	Pass	AV	12.0628G	42.82	54.00	-11.18	3	Vertical	224	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	AV	7.1738G	53.29	68.20	-14.91	3	Horizontal	356	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	Pass	AV	7.127G	54.67	68.20	-13.53	3	Horizontal	357	1.46
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	Pass	AV	7.267G	52.21	54.00	-1.79	3	Horizontal	0	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.914G	50.03	68.20	-18.17	3	Vertical	22	1.50
5985MHz	Pass	AV	5.973G	93.97	Inf	-Inf	3	Vertical	22	1.50
5985MHz	Pass	PK	5.913G	65.23	88.20	-22.97	3	Vertical	22	1.50
5985MHz	Pass	PK	5.953G	104.58	Inf	-Inf	3	Vertical	22	1.50
5985MHz	Pass	AV	5.922G	50.81	68.20	-17.39	3	Horizontal	338	1.50
5985MHz	Pass	AV	5.982G	94.75	Inf	-Inf	3	Horizontal	338	1.50
5985MHz	Pass	PK	5.921G	66.77	88.20	-21.43	3	Horizontal	338	1.50
5985MHz	Pass	PK	5.982G	106.48	Inf	-Inf	3	Horizontal	338	1.50
5985MHz	Pass	AV	11.93432G	42.94	54.00	-11.06	3	Vertical	143	1.50
5985MHz	Pass	PK	11.94792G	54.35	74.00	-19.65	3	Vertical	143	1.50
5985MHz	Pass	AV	11.9364G	42.82	54.00	-11.18	3	Horizontal	10	1.50
5985MHz	Pass	PK	11.9322G	54.14	74.00	-19.86	3	Horizontal	10	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9872G	97.83	Inf	-Inf	3	Vertical	347	2.32
7025MHz	Pass	AV	7.1738G	53.18	68.20	-15.02	3	Vertical	347	2.32
7025MHz	Pass	PK	7.0274G	109.08	Inf	-Inf	3	Vertical	347	2.32
7025MHz	Pass	PK	7.151G	65.46	88.20	-22.74	3	Vertical	347	2.32
7025MHz	Pass	AV	7.0472G	97.92	Inf	-Inf	3	Horizontal	356	1.50
7025MHz	Pass	AV	7.1738G	53.29	68.20	-14.91	3	Horizontal	356	1.50
7025MHz	Pass	PK	7.0274G	110.24	Inf	-Inf	3	Horizontal	356	1.50
7025MHz	Pass	PK	7.1546G	66.61	88.20	-21.59	3	Horizontal	356	1.50
7025MHz	Pass	AV	14.05784G	44.88	68.20	-23.32	3	Vertical	91	1.68
7025MHz	Pass	PK	14.05704G	55.99	88.20	-32.21	3	Vertical	91	1.68
7025MHz	Pass	AV	14.05496G	44.85	68.20	-23.35	3	Horizontal	53	1.50
7025MHz	Pass	PK	14.04312G	55.75	88.20	-32.45	3	Horizontal	53	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	50.64	68.20	-17.56	3	Vertical	19	2.28
6025MHz	Pass	AV	6.044G	95.21	Inf	-Inf	3	Vertical	19	2.28
6025MHz	Pass	PK	5.925G	66.51	88.20	-21.69	3	Vertical	19	2.28
6025MHz	Pass	PK	6.102G	107.47	Inf	-Inf	3	Vertical	19	2.28
6025MHz	Pass	AV	5.912G	50.69	68.20	-17.51	3	Horizontal	337	2.46
6025MHz	Pass	AV	6.072G	95.52	Inf	-Inf	3	Horizontal	337	2.46
6025MHz	Pass	PK	5.913G	65.11	88.20	-23.09	3	Horizontal	337	2.46
6025MHz	Pass	PK	6.031G	107.02	Inf	-Inf	3	Horizontal	337	2.46
6025MHz	Pass	AV	12.02312G	42.74	54.00	-11.26	3	Vertical	5	1.60
6025MHz	Pass	PK	12.12232G	54.27	74.00	-19.73	3	Vertical	5	1.60
6025MHz	Pass	AV	12.0244G	42.78	54.00	-11.22	3	Horizontal	209	1.50
6025MHz	Pass	PK	12.03432G	54.30	74.00	-19.70	3	Horizontal	209	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	50.34	68.20	-17.86	3	Vertical	18	2.21
6025MHz	Pass	AV	6.044G	95.33	Inf	-Inf	3	Vertical	18	2.21
6025MHz	Pass	PK	5.911G	62.03	88.20	-26.17	3	Vertical	18	2.21
6025MHz	Pass	PK	6.043G	107.78	Inf	-Inf	3	Vertical	18	2.21
6025MHz	Pass	AV	5.924G	50.53	68.20	-17.67	3	Horizontal	337	1.79
6025MHz	Pass	AV	6.061G	95.42	Inf	-Inf	3	Horizontal	337	1.79
6025MHz	Pass	PK	5.924G	62.45	88.20	-25.75	3	Horizontal	337	1.79
6025MHz	Pass	PK	6.061G	106.94	Inf	-Inf	3	Horizontal	337	1.79
6025MHz	Pass	AV	12.01928G	42.74	54.00	-11.26	3	Vertical	135	1.50
6025MHz	Pass	PK	12.00104G	54.56	74.00	-19.44	3	Vertical	135	1.50
6025MHz	Pass	AV	12.02408G	42.77	54.00	-11.23	3	Horizontal	306	1.50
6025MHz	Pass	PK	12.10216G	54.46	74.00	-19.54	3	Horizontal	306	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.928G	97.35	Inf	-Inf	3	Vertical	346	2.20
6985MHz	Pass	AV	7.127G	54.33	68.20	-13.87	3	Vertical	346	2.20
6985MHz	Pass	PK	6.948G	109.26	Inf	-Inf	3	Vertical	346	2.20
6985MHz	Pass	PK	7.186G	69.55	88.20	-18.65	3	Vertical	346	2.20
6985MHz	Pass	AV	6.928G	97.60	Inf	-Inf	3	Horizontal	357	1.46
6985MHz	Pass	AV	7.127G	54.67	68.20	-13.53	3	Horizontal	357	1.46
6985MHz	Pass	PK	6.948G	109.04	Inf	-Inf	3	Horizontal	357	1.46
6985MHz	Pass	PK	7.186G	69.35	88.20	-18.85	3	Horizontal	357	1.46

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	14.04904G	44.65	68.20	-23.55	3	Vertical	125	1.93
6985MHz	Pass	PK	14.02024G	56.32	88.20	-31.88	3	Vertical	125	1.93
6985MHz	Pass	AV	14.05G	44.77	68.20	-23.43	3	Horizontal	204	1.50
6985MHz	Pass	PK	13.962G	56.41	88.20	-31.79	3	Horizontal	204	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX										
6985MHz	Pass	AV	6.927G	97.42	Inf	-Inf	3	Vertical	347	2.20
6985MHz	Pass	AV	7.225G	53.95	68.20	-14.25	3	Vertical	347	2.20
6985MHz	Pass	PK	6.987G	108.64	Inf	-Inf	3	Vertical	347	2.20
6985MHz	Pass	PK	7.164G	68.70	88.20	-19.50	3	Vertical	347	2.20
6985MHz	Pass	AV	6.927G	97.23	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	AV	7.127G	54.21	68.20	-13.99	3	Horizontal	360	1.50
6985MHz	Pass	PK	6.927G	109.14	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	PK	7.166G	69.99	88.20	-18.21	3	Horizontal	360	1.50
6985MHz	Pass	AV	14.05G	44.70	68.20	-23.50	3	Vertical	265	1.50
6985MHz	Pass	PK	14.02504G	56.82	88.20	-31.38	3	Vertical	265	1.50
6985MHz	Pass	AV	14.04776G	44.70	68.20	-23.50	3	Horizontal	104	2.45
6985MHz	Pass	PK	13.95912G	56.24	88.20	-31.96	3	Horizontal	104	2.45
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX										
6105MHz	Pass	AV	5.925G	50.31	68.20	-17.89	3	Vertical	21	1.78
6105MHz	Pass	AV	6.231G	94.91	Inf	-Inf	3	Vertical	21	1.78
6105MHz	Pass	PK	5.917G	66.69	88.20	-21.51	3	Vertical	21	1.78
6105MHz	Pass	PK	6.231G	105.72	Inf	-Inf	3	Vertical	21	1.78
6105MHz	Pass	AV	5.921G	50.26	68.20	-17.94	3	Horizontal	340	1.96
6105MHz	Pass	AV	6.141G	95.23	Inf	-Inf	3	Horizontal	340	1.96
6105MHz	Pass	PK	5.925G	62.19	88.20	-26.01	3	Horizontal	340	1.96
6105MHz	Pass	PK	6.179G	106.97	Inf	-Inf	3	Horizontal	340	1.96
6105MHz	Pass	AV	12.0628G	42.77	54.00	-11.23	3	Vertical	236	1.50
6105MHz	Pass	PK	12.05768G	54.48	74.00	-19.52	3	Vertical	236	1.50
6105MHz	Pass	AV	12.06472G	42.72	54.00	-11.28	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.22024G	54.24	74.00	-19.76	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX										
6105MHz	Pass	AV	5.925G	50.17	68.20	-18.03	3	Vertical	20	1.77
6105MHz	Pass	AV	6.231G	95.08	Inf	-Inf	3	Vertical	20	1.77
6105MHz	Pass	PK	5.921G	65.94	88.20	-22.26	3	Vertical	20	1.77
6105MHz	Pass	PK	6.191G	106.06	Inf	-Inf	3	Vertical	20	1.77
6105MHz	Pass	AV	5.913G	50.22	68.20	-17.98	3	Horizontal	334	2.41
6105MHz	Pass	AV	6.133G	94.92	Inf	-Inf	3	Horizontal	334	2.41
6105MHz	Pass	PK	5.911G	66.85	88.20	-21.35	3	Horizontal	334	2.41
6105MHz	Pass	PK	6.233G	106.38	Inf	-Inf	3	Horizontal	334	2.41
6105MHz	Pass	AV	12.0724G	42.75	54.00	-11.25	3	Vertical	316	1.85
6105MHz	Pass	PK	12.21512G	54.31	74.00	-19.69	3	Vertical	316	1.85
6105MHz	Pass	AV	12.06856G	42.75	54.00	-11.25	3	Horizontal	264	1.50
6105MHz	Pass	PK	12.17672G	53.79	74.00	-20.21	3	Horizontal	264	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX										
6105MHz	Pass	AV	5.925G	50.12	68.20	-18.08	3	Vertical	20	1.62
6105MHz	Pass	AV	6.113G	94.52	Inf	-Inf	3	Vertical	20	1.62
6105MHz	Pass	PK	5.919G	62.69	88.20	-25.51	3	Vertical	20	1.62
6105MHz	Pass	PK	6.133G	104.90	Inf	-Inf	3	Vertical	20	1.62
6105MHz	Pass	AV	5.911G	50.31	68.20	-17.89	3	Horizontal	337	2.41
6105MHz	Pass	AV	6.131G	94.98	Inf	-Inf	3	Horizontal	337	2.41
6105MHz	Pass	PK	5.917G	63.66	88.20	-24.54	3	Horizontal	337	2.41
6105MHz	Pass	PK	6.071G	106.39	Inf	-Inf	3	Horizontal	337	2.41
6105MHz	Pass	AV	12.0628G	42.82	54.00	-11.18	3	Vertical	224	1.50
6105MHz	Pass	PK	12.17608G	54.44	74.00	-19.56	3	Vertical	224	1.50
6105MHz	Pass	AV	12.06856G	42.74	54.00	-11.26	3	Horizontal	19	2.48
6105MHz	Pass	PK	12.05384G	54.62	74.00	-19.38	3	Horizontal	19	2.48
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX										
6905MHz	Pass	AV	6.765G	95.44	Inf	-Inf	3	Vertical	354	2.19
6905MHz	Pass	AV	7.203G	51.93	68.20	-16.27	3	Vertical	354	2.19
6905MHz	Pass	AV	7.271G	51.90	54.00	-2.10	3	Vertical	354	2.19
6905MHz	Pass	PK	6.747G	105.65	Inf	-Inf	3	Vertical	354	2.19
6905MHz	Pass	PK	7.211G	65.57	88.20	-22.63	3	Vertical	354	2.19




RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	7.257G	64.06	74.00	-9.94	3	Vertical	354	2.19
6905MHz	Pass	AV	6.747G	96.83	Inf	-Inf	3	Horizontal	5	1.53
6905MHz	Pass	AV	7.125G	52.29	68.20	-15.91	3	Horizontal	5	1.53
6905MHz	Pass	AV	7.273G	52.13	54.00	-1.87	3	Horizontal	5	1.53
6905MHz	Pass	PK	6.767G	106.68	Inf	-Inf	3	Horizontal	5	1.53
6905MHz	Pass	PK	7.211G	66.67	88.20	-21.53	3	Horizontal	5	1.53
6905MHz	Pass	PK	7.347G	64.54	74.00	-9.46	3	Horizontal	5	1.53
6905MHz	Pass	AV	13.89576G	44.42	68.20	-23.78	3	Vertical	45	1.50
6905MHz	Pass	PK	13.70696G	55.62	88.20	-32.58	3	Vertical	45	1.50
6905MHz	Pass	AV	13.69864G	44.40	68.20	-23.80	3	Horizontal	353	1.50
6905MHz	Pass	PK	13.74856G	56.47	88.20	-31.73	3	Horizontal	353	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.847G	96.02	Inf	-Inf	3	Vertical	346	2.24
6905MHz	Pass	AV	7.147G	52.37	68.20	-15.83	3	Vertical	346	2.24
6905MHz	Pass	AV	7.307G	52.15	54.00	-1.85	3	Vertical	346	2.24
6905MHz	Pass	PK	6.867G	106.81	Inf	-Inf	3	Vertical	346	2.24
6905MHz	Pass	PK	7.167G	66.86	88.20	-21.34	3	Vertical	346	2.24
6905MHz	Pass	PK	7.309G	63.83	74.00	-10.17	3	Vertical	346	2.24
6905MHz	Pass	AV	6.747G	96.80	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	AV	7.127G	52.95	68.20	-15.25	3	Horizontal	0	1.50
6905MHz	Pass	AV	7.267G	52.21	54.00	-1.79	3	Horizontal	0	1.50
6905MHz	Pass	PK	6.749G	107.54	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	PK	7.127G	70.77	88.20	-17.43	3	Horizontal	0	1.50
6905MHz	Pass	PK	7.259G	65.12	74.00	-8.88	3	Horizontal	0	1.50
6905MHz	Pass	AV	13.9092G	44.40	68.20	-23.80	3	Vertical	335	2.26
6905MHz	Pass	PK	13.93928G	55.89	88.20	-32.31	3	Vertical	335	2.26
6905MHz	Pass	AV	13.65832G	44.40	68.20	-23.80	3	Horizontal	360	2.97
6905MHz	Pass	PK	13.67432G	56.07	88.20	-32.13	3	Horizontal	360	2.97
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.847G	97.00	Inf	-Inf	3	Vertical	347	2.18
6905MHz	Pass	AV	7.127G	52.18	68.20	-16.02	3	Vertical	347	2.18
6905MHz	Pass	AV	7.307G	51.79	54.00	-2.21	3	Vertical	347	2.18
6905MHz	Pass	PK	6.889G	107.50	Inf	-Inf	3	Vertical	347	2.18
6905MHz	Pass	PK	7.139G	65.23	88.20	-22.97	3	Vertical	347	2.18
6905MHz	Pass	PK	7.301G	63.37	74.00	-10.63	3	Vertical	347	2.18
6905MHz	Pass	AV	6.847G	97.29	Inf	-Inf	3	Horizontal	360	1.50
6905MHz	Pass	AV	7.127G	52.41	68.20	-15.79	3	Horizontal	360	1.50
6905MHz	Pass	AV	7.307G	51.88	54.00	-2.12	3	Horizontal	360	1.50
6905MHz	Pass	PK	6.847G	108.30	Inf	-Inf	3	Horizontal	360	1.50
6905MHz	Pass	PK	7.197G	66.41	88.20	-21.79	3	Horizontal	360	1.50
6905MHz	Pass	PK	7.25G	63.58	74.00	-10.42	3	Horizontal	360	1.50
6905MHz	Pass	AV	13.94568G	44.43	68.20	-23.77	3	Vertical	238	2.41
6905MHz	Pass	PK	13.77096G	56.19	88.20	-32.01	3	Vertical	238	2.41
6905MHz	Pass	AV	13.698G	44.40	68.20	-23.80	3	Horizontal	360	2.84
6905MHz	Pass	PK	13.96488G	56.64	88.20	-31.56	3	Horizontal	360	2.84


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.64	68.20	-17.56	7.95	3	Vertical	19	2.28	42.69	34.35	8.64	35.04
AV	6.044G	95.21	Inf	-Inf	7.91	3	Vertical	19	2.28	87.30	34.30	8.67	35.06
PK	5.925G	66.51	88.20	-21.69	7.95	3	Vertical	19	2.28	58.56	34.35	8.64	35.04
PK	6.102G	107.47	Inf	-Inf	7.93	3	Vertical	19	2.28	99.54	34.30	8.71	35.08

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	50.69	68.20	-17.51	7.98	3	Horizontal	337	2.46	42.71	34.38	8.64	35.04
AV	6.072G	95.52	Inf	-Inf	7.92	3	Horizontal	337	2.46	87.60	34.30	8.69	35.07
PK	5.913G	65.11	88.20	-23.09	7.97	3	Horizontal	337	2.46	57.14	34.37	8.64	35.04
PK	6.031G	107.02	Inf	-Inf	7.92	3	Horizontal	337	2.46	99.10	34.30	8.67	35.05


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	50.12	68.20	-18.08	7.95	3	Vertical	20	1.62	42.17	34.35	8.64	35.04
AV	6.113G	94.52	Inf	-Inf	7.96	3	Vertical	20	1.62	86.56	34.33	8.71	35.08
PK	5.919G	62.69	88.20	-25.51	7.96	3	Vertical	20	1.62	54.73	34.36	8.64	35.04
PK	6.133G	104.90	Inf	-Inf	8.00	3	Vertical	20	1.62	96.90	34.37	8.72	35.09

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.911G	50.31	68.20	-17.89	7.98	3	Horizontal	337	2.41	42.33	34.38	8.64	35.04
AV	6.131G	94.98	Inf	-Inf	7.99	3	Horizontal	337	2.41	86.99	34.36	8.72	35.09
PK	5.917G	63.66	88.20	-24.54	7.97	3	Horizontal	337	2.41	55.69	34.37	8.64	35.04
PK	6.071G	106.39	Inf	-Inf	7.92	3	Horizontal	337	2.41	98.47	34.30	8.69	35.07


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP_6_4TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.847G	96.02	Inf	-Inf	9.99	3	Vertical	346	2.24	86.03	36.11	9.13	35.25
AV	7.147G	52.37	68.20	-15.83	11.05	3	Vertical	346	2.24	41.32	36.88	9.42	35.25
AV	7.307G	52.15	54.00	-1.85	11.30	3	Vertical	346	2.24	40.85	37.09	9.46	35.25
PK	6.867G	106.81	Inf	-Inf	10.01	3	Vertical	346	2.24	96.80	36.10	9.16	35.25
PK	7.167G	66.86	88.20	-21.34	11.16	3	Vertical	346	2.24	55.70	36.97	9.44	35.25
PK	7.309G	63.83	74.00	-10.17	11.29	3	Vertical	346	2.24	52.54	37.08	9.46	35.25

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.747G	96.80	Inf	-Inf	9.92	3	Horizontal	0	1.50	86.88	36.11	9.05	35.24
AV	7.127G	52.95	68.20	-15.25	10.92	3	Horizontal	0	1.50	42.03	36.76	9.41	35.25
AV	7.267G	52.21	54.00	-1.79	11.38	3	Horizontal	0	1.50	40.83	37.17	9.46	35.25
PK	6.749G	107.54	Inf	-Inf	9.91	3	Horizontal	0	1.50	97.63	36.10	9.05	35.24
PK	7.127G	70.77	88.20	-17.43	10.92	3	Horizontal	0	1.50	59.85	36.76	9.41	35.25
PK	7.259G	65.12	74.00	-8.88	11.39	3	Horizontal	0	1.50	53.73	37.18	9.46	35.25


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6905MHz_TX



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
6.4	6.4	6.4	6.4


Contention Based protocol (802.11ax HEW20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.40	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.40	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-71.40	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-66.40	OFF	10	100	90	Pass

Contention Based protocol (802.11ax HEW160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-71.40	OFF	10	100	90	Pass
				Center	6185	-68.40	OFF	10	100	90	Pass
				High edge	6260	-70.40	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-73.40	OFF	10	100	90	Pass
				Center	6505	-68.40	OFF	10	100	90	Pass
				High edge	6580	-70.40	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-70.40	OFF	10	100	90	Pass
				Center	6665	-69.40	OFF	10	100	90	Pass
				High edge	6740	-69.40	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-73.40	OFF	10	100	90	Pass
				Center	6985	-66.40	OFF	10	100	90	Pass
				High edge	7060	-66.40	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11ax HEW20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	6.40	-72.40	≤ -62
						Minimal	-67.00	6.40	-73.40	≤ -62
						ON	-68.00	6.40	-74.40	≤ -62
6	101	20	6455	Center	6455	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	≤ -62
						ON	-66.00	6.40	-72.40	≤ -62
7	149	20	6695	Center	6695	OFF	-65.00	6.40	-71.40	≤ -62
						Minimal	-66.00	6.40	-72.40	≤ -62
						ON	-67.00	6.40	-73.40	≤ -62
8	213	20	7015	Center	7015	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	≤ -62
						ON	-62.00	6.40	-68.40	≤ -62

Contention Based Protocol Threshold Level (802.11ax HEW160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-65.00	6.40	-71.40	≤ -62
						Minimal	-66.00	6.40	-72.40	
						ON	-67.00	6.40	-73.40	
				Center	6185	OFF	-62.00	6.40	-68.40	≤ -62
						Minimal	-63.00	6.40	-69.40	
						ON	-64.00	6.40	-70.40	
				High edge	6260	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
6	111	160	6505	Low edge	6430	OFF	-67.00	6.40	-73.40	≤ -62
						Minimal	-68.00	6.40	-74.40	
						ON	-69.00	6.40	-75.40	
				Center	6505	OFF	-62.00	6.40	-68.40	≤ -62
						Minimal	-63.00	6.40	-69.40	
						ON	-64.00	6.40	-70.40	
				High edge	6580	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
7	143	160	6665	Low edge	6590	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
				Center	6665	OFF	-63.00	6.40	-69.40	≤ -62
						Minimal	-64.00	6.40	-70.40	
						ON	-65.00	6.40	-71.40	
				High edge	6740	OFF	-63.00	6.40	-69.40	≤ -62
						Minimal	-64.00	6.40	-70.40	
						ON	-65.00	6.40	-71.40	
8	207	160	6985	Low edge	6910	OFF	-67.00	6.40	-73.40	≤ -62
						Minimal	-68.00	6.40	-74.40	
						ON	-69.00	6.40	-75.40	
				Center	6985	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	
						ON	-62.00	6.40	-68.40	
				High edge	7060	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	
						ON	-62.00	6.40	-68.40	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

89.6375ms

All TX Sample

7171

Duty Cycle

0.896263

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

88.5875ms

All TX Sample

7087

Duty Cycle

0.885764

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.1ms

All TX Sample

5768

Duty Cycle

0.72091

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

77.275ms

All TX Sample

6182

Duty Cycle

0.772653

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

79.4875ms

All TX Sample

6359

Duty Cycle

0.794776

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.9125ms

All TX Sample

5833

Duty Cycle

0.729034

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]

NaNs NaNs