



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.03	54.00	-1.97	-5.41	3	Vertical	35	2.63	57.44	33.50	5.17	44.08
AV	5.1808G	106.70	Inf	-Inf	-5.40	3	Vertical	35	2.63	112.10	33.50	5.18	44.08
PK	5.1486G	71.32	74.00	-2.68	-5.41	3	Vertical	35	2.63	76.73	33.50	5.17	44.08
PK	5.1806G	119.60	Inf	-Inf	-5.40	3	Vertical	35	2.63	125.00	33.50	5.18	44.08

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.13	54.00	-6.87	-5.41	3	Horizontal	240	1.17	52.54	33.50	5.17	44.08
AV	5.1818G	99.75	Inf	-Inf	-5.40	3	Horizontal	240	1.17	105.15	33.50	5.18	44.08
PK	5.1492G	63.40	74.00	-10.60	-5.41	3	Horizontal	240	1.17	68.81	33.50	5.17	44.08
PK	5.182G	113.26	Inf	-Inf	-5.40	3	Horizontal	240	1.17	118.66	33.50	5.18	44.08


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.48	54.00	-0.52	-5.41	3	Vertical	35	2.64	58.89	33.50	5.17	44.08
AV	5.1908G	101.02	Inf	-Inf	-5.39	3	Vertical	35	2.64	106.41	33.50	5.19	44.08
PK	5.15G	68.89	74.00	-5.11	-5.41	3	Vertical	35	2.64	74.30	33.50	5.17	44.08
PK	5.1804G	114.58	Inf	-Inf	-5.40	3	Vertical	35	2.64	119.98	33.50	5.18	44.08

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.17	54.00	-7.83	-5.41	3	Horizontal	241	1.12	51.58	33.50	5.17	44.08
AV	5.192G	94.18	Inf	-Inf	-5.39	3	Horizontal	241	1.12	99.57	33.50	5.19	44.08
PK	5.1492G	60.39	74.00	-13.61	-5.41	3	Horizontal	241	1.12	65.80	33.50	5.17	44.08
PK	5.1916G	107.16	Inf	-Inf	-5.39	3	Horizontal	241	1.12	112.55	33.50	5.19	44.08


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.86	54.00	-0.14	-5.41	3	Vertical	33	2.62	59.27	33.50	5.17	44.08
AV	5.211G	97.10	Inf	-Inf	-5.40	3	Vertical	33	2.62	102.50	33.50	5.19	44.09
AV	5.425G	44.60	54.00	-9.40	-5.58	3	Vertical	33	2.62	50.18	33.25	5.28	44.11
PK	5.15G	69.26	74.00	-4.74	-5.41	3	Vertical	33	2.62	74.67	33.50	5.17	44.08
PK	5.19G	110.29	Inf	-Inf	-5.39	3	Vertical	33	2.62	115.68	33.50	5.19	44.08
PK	5.428G	58.06	74.00	-15.94	-5.57	3	Vertical	33	2.62	63.63	33.26	5.28	44.11

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	46.19	54.00	-7.81	-5.41	3	Horizontal	240	1.15	51.60	33.50	5.17	44.08
AV	5.192G	89.42	Inf	-Inf	-5.39	3	Horizontal	240	1.15	94.81	33.50	5.19	44.08
AV	5.446G	44.42	54.00	-9.58	-5.53	3	Horizontal	240	1.15	49.95	33.29	5.29	44.11
PK	5.148G	58.80	74.00	-15.20	-5.41	3	Horizontal	240	1.15	64.21	33.50	5.17	44.08
PK	5.231G	102.12	Inf	-Inf	-5.39	3	Horizontal	240	1.15	107.51	33.50	5.20	44.09
PK	5.442G	58.52	74.00	-15.48	-5.54	3	Horizontal	240	1.15	64.06	33.28	5.29	44.11


5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.76	Inf	-Inf	-4.20	3	Vertical	34	2.41	110.96	34.45	5.51	44.16
PK	5.6486G	57.41	68.20	-10.79	-5.22	3	Vertical	34	2.41	62.63	33.50	5.42	44.14
PK	5.8226G	116.56	Inf	-Inf	-4.20	3	Vertical	34	2.41	120.76	34.45	5.51	44.16
PK	5.9354G	59.64	68.20	-8.56	-4.02	3	Vertical	34	2.41	63.66	34.60	5.55	44.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.68	Inf	-Inf	-4.20	3	Horizontal	191	3.00	107.88	34.45	5.51	44.16
PK	5.615G	57.21	68.20	-10.99	-5.30	3	Horizontal	191	3.00	62.51	33.43	5.40	44.13
PK	5.8214G	112.99	Inf	-Inf	-4.19	3	Horizontal	191	3.00	117.18	34.46	5.51	44.16
PK	6.0002G	59.27	68.20	-8.93	-4.01	3	Horizontal	191	3.00	63.28	34.60	5.57	44.18


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	43.22	54.00	-10.78	-5.50	3	Vertical	22	2.46	48.72	33.31	5.30	44.11
AV	5.7538G	102.00	Inf	-Inf	-4.36	3	Vertical	22	2.46	106.36	34.32	5.47	44.15
PK	5.5786G	57.64	68.20	-10.56	-5.31	3	Vertical	22	2.46	62.95	33.44	5.38	44.13
PK	5.743G	114.84	Inf	-Inf	-4.45	3	Vertical	22	2.46	119.29	34.23	5.47	44.15
PK	5.9674G	58.91	68.20	-9.29	-4.02	3	Vertical	22	2.46	62.93	34.60	5.56	44.18

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	42.98	54.00	-11.02	-5.50	3	Horizontal	191	2.91	48.48	33.31	5.30	44.11
AV	5.7574G	99.68	Inf	-Inf	-4.34	3	Horizontal	191	2.91	104.02	34.33	5.48	44.15
PK	5.6242G	57.09	68.20	-11.11	-5.28	3	Horizontal	191	2.91	62.37	33.45	5.40	44.13
PK	5.7478G	112.37	Inf	-Inf	-4.40	3	Horizontal	191	2.91	116.77	34.28	5.47	44.15
PK	5.9494G	59.24	68.20	-8.96	-4.02	3	Horizontal	191	2.91	63.26	34.60	5.55	44.17


5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	99.53	Inf	-Inf	-4.29	3	Vertical	37	2.39	103.82	34.38	5.48	44.15
PK	5.6466G	66.16	68.20	-2.04	-5.23	3	Vertical	37	2.39	71.39	33.49	5.42	44.14
PK	5.7702G	113.06	Inf	-Inf	-4.29	3	Vertical	37	2.39	117.35	34.38	5.48	44.15
PK	5.9274G	60.02	68.20	-8.18	-4.03	3	Vertical	37	2.39	64.05	34.60	5.54	44.17

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	96.59	Inf	-Inf	-4.26	3	Horizontal	193	2.73	100.85	34.40	5.49	44.15
PK	5.6442G	61.78	68.20	-6.42	-5.24	3	Horizontal	193	2.73	67.02	33.49	5.41	44.14
PK	5.7654G	109.32	Inf	-Inf	-4.31	3	Horizontal	193	2.73	113.63	34.36	5.48	44.15
PK	5.9286G	60.05	68.20	-8.15	-4.02	3	Horizontal	193	2.73	64.07	34.60	5.55	44.17


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.27	54.00	-0.73	3	Vertical	215	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.30	54.00	-1.70	3	Vertical	203	2.72
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3528G	53.42	54.00	-0.58	3	Vertical	37	2.51
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.79	54.00	-1.21	3	Vertical	37	2.40
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.35248G	53.34	54.00	-0.66	3	Vertical	33	2.72
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4696G	67.32	68.20	-0.88	3	Vertical	36	2.21
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Vertical	34	2.38
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7336G	67.31	68.20	-0.89	3	Vertical	37	2.55
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.06	68.20	-1.14	3	Vertical	35	2.39
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	37	2.43

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1256G	43.71	54.00	-10.29	3	Vertical	213	2.78
5260MHz	Pass	AV	5.263G	107.20	Inf	-Inf	3	Vertical	213	2.78
5260MHz	Pass	AV	5.3602G	44.28	54.00	-9.72	3	Vertical	213	2.78
5260MHz	Pass	PK	5.1454G	57.30	74.00	-16.70	3	Vertical	213	2.78
5260MHz	Pass	PK	5.263G	116.74	Inf	-Inf	3	Vertical	213	2.78
5260MHz	Pass	PK	5.3548G	57.61	74.00	-16.39	3	Vertical	213	2.78
5260MHz	Pass	AV	5.131G	43.55	54.00	-10.45	3	Horizontal	6	2.62
5260MHz	Pass	AV	5.2624G	102.00	Inf	-Inf	3	Horizontal	6	2.62
5260MHz	Pass	AV	5.3806G	44.21	54.00	-9.79	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.1418G	56.24	74.00	-17.76	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.263G	112.07	Inf	-Inf	3	Horizontal	6	2.62
5260MHz	Pass	PK	5.3716G	58.04	74.00	-15.96	3	Horizontal	6	2.62
5260MHz	Pass	PK	10.5122G	50.02	68.20	-18.18	3	Vertical	258	1.50
5260MHz	Pass	PK	10.51916G	50.54	68.20	-17.66	3	Horizontal	263	2.67
5300MHz	Pass	AV	5.3012G	107.30	Inf	-Inf	3	Vertical	31	2.49
5300MHz	Pass	AV	5.3512G	44.54	54.00	-9.46	3	Vertical	31	2.49
5300MHz	Pass	PK	5.2964G	117.23	Inf	-Inf	3	Vertical	31	2.49
5300MHz	Pass	PK	5.3516G	57.96	74.00	-16.04	3	Vertical	31	2.49
5300MHz	Pass	AV	5.3032G	100.98	Inf	-Inf	3	Horizontal	58	2.37
5300MHz	Pass	AV	5.352G	43.69	54.00	-10.31	3	Horizontal	58	2.37
5300MHz	Pass	PK	5.3028G	110.61	Inf	-Inf	3	Horizontal	58	2.37
5300MHz	Pass	PK	5.3632G	56.90	74.00	-17.10	3	Horizontal	58	2.37
5300MHz	Pass	AV	10.60022G	37.70	54.00	-16.30	3	Vertical	272	1.43
5300MHz	Pass	PK	10.59906G	49.73	68.20	-18.47	3	Vertical	272	1.43
5300MHz	Pass	PK	10.59923G	49.44	68.20	-18.76	3	Horizontal	296	2.82
5320MHz	Pass	AV	5.3232G	106.81	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	AV	5.35G	53.27	54.00	-0.73	3	Vertical	215	3.00
5320MHz	Pass	PK	5.323G	116.25	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	PK	5.35G	68.98	74.00	-5.02	3	Vertical	215	3.00
5320MHz	Pass	AV	5.3234G	101.29	Inf	-Inf	3	Horizontal	57	2.41
5320MHz	Pass	AV	5.35G	50.05	54.00	-3.95	3	Horizontal	57	2.41
5320MHz	Pass	PK	5.3176G	110.74	Inf	-Inf	3	Horizontal	57	2.41
5320MHz	Pass	PK	5.3536G	65.55	74.00	-8.45	3	Horizontal	57	2.41
5320MHz	Pass	AV	10.64099G	37.38	54.00	-16.62	3	Vertical	51	2.59
5320MHz	Pass	PK	10.63952G	50.09	74.00	-23.91	3	Vertical	51	2.59
5320MHz	Pass	AV	10.6406G	37.36	54.00	-16.64	3	Horizontal	33	2.37
5320MHz	Pass	PK	10.63966G	50.40	74.00	-23.60	3	Horizontal	33	2.37
5500MHz	Pass	AV	5.4588G	45.52	54.00	-8.48	3	Vertical	36	2.21
5500MHz	Pass	AV	5.499G	106.80	Inf	-Inf	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4596G	61.04	74.00	-12.96	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4696G	67.32	68.20	-0.88	3	Vertical	36	2.21
5500MHz	Pass	PK	5.4944G	116.65	Inf	-Inf	3	Vertical	36	2.21
5500MHz	Pass	AV	5.4598G	44.62	54.00	-9.38	3	Horizontal	57	2.42
5500MHz	Pass	AV	5.4954G	101.45	Inf	-Inf	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.46G	57.20	74.00	-16.80	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.47G	64.80	68.20	-3.40	3	Horizontal	57	2.42
5500MHz	Pass	PK	5.4954G	110.90	Inf	-Inf	3	Horizontal	57	2.42
5500MHz	Pass	AV	10.9993G	37.50	54.00	-16.50	3	Vertical	347	1.28
5500MHz	Pass	PK	11.0006G	49.83	74.00	-24.17	3	Vertical	347	1.28
5500MHz	Pass	AV	10.99955G	37.45	54.00	-16.55	3	Horizontal	266	2.79
5500MHz	Pass	PK	11.00016G	49.50	74.00	-24.50	3	Horizontal	266	2.79
5580MHz	Pass	AV	5.457G	43.85	54.00	-10.15	3	Vertical	36	2.52
5580MHz	Pass	AV	5.5746G	107.03	Inf	-Inf	3	Vertical	36	2.52
5580MHz	Pass	PK	5.439G	57.33	74.00	-16.67	3	Vertical	36	2.52
5580MHz	Pass	PK	5.4618G	56.79	68.20	-11.41	3	Vertical	36	2.52
5580MHz	Pass	PK	5.5746G	116.22	Inf	-Inf	3	Vertical	36	2.52
5580MHz	Pass	PK	5.7288G	57.05	68.20	-11.15	3	Vertical	36	2.52
5580MHz	Pass	AV	5.4396G	43.62	54.00	-10.38	3	Horizontal	58	2.48
5580MHz	Pass	AV	5.5812G	102.61	Inf	-Inf	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.4312G	57.42	74.00	-16.58	3	Horizontal	58	2.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4642G	56.58	68.20	-11.62	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.5764G	112.03	Inf	-Inf	3	Horizontal	58	2.48
5580MHz	Pass	PK	5.7252G	56.92	68.20	-11.28	3	Horizontal	58	2.48
5580MHz	Pass	AV	11.16066G	37.40	54.00	-16.60	3	Vertical	181	1.05
5580MHz	Pass	PK	11.1609G	49.74	74.00	-24.26	3	Vertical	181	1.05
5580MHz	Pass	AV	11.16006G	37.31	54.00	-16.69	3	Horizontal	68	2.77
5580MHz	Pass	PK	11.15906G	49.70	74.00	-24.30	3	Horizontal	68	2.77
5700MHz	Pass	AV	5.7012G	105.49	Inf	-Inf	3	Vertical	35	2.44
5700MHz	Pass	PK	5.6968G	115.19	Inf	-Inf	3	Vertical	35	2.44
5700MHz	Pass	PK	5.726G	66.79	68.20	-1.41	3	Vertical	35	2.44
5700MHz	Pass	AV	5.6952G	101.40	Inf	-Inf	3	Horizontal	193	2.65
5700MHz	Pass	PK	5.7044G	110.92	Inf	-Inf	3	Horizontal	193	2.65
5700MHz	Pass	PK	5.7252G	63.99	68.20	-4.21	3	Horizontal	193	2.65
5700MHz	Pass	AV	11.40016G	37.98	54.00	-16.02	3	Vertical	272	2.92
5700MHz	Pass	PK	11.40013G	50.53	74.00	-23.47	3	Vertical	272	2.92
5700MHz	Pass	AV	11.40022G	38.14	54.00	-15.86	3	Horizontal	204	2.53
5700MHz	Pass	PK	11.40001G	50.24	74.00	-23.76	3	Horizontal	204	2.53
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	43.74	54.00	-10.26	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.23	Inf	-Inf	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	56.94	74.00	-17.06	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.54	68.20	-11.66	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.05	Inf	-Inf	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	58.66	68.20	-9.54	3	Vertical	36	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	43.59	54.00	-10.41	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	103.32	Inf	-Inf	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	56.34	74.00	-17.66	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.28	68.20	-11.92	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	113.54	Inf	-Inf	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	58.72	68.20	-9.48	3	Horizontal	188	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44039G	38.09	54.00	-15.91	3	Vertical	133	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4391G	50.10	74.00	-23.90	3	Vertical	133	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4407G	38.01	54.00	-15.99	3	Horizontal	203	1.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43979G	50.08	74.00	-23.92	3	Horizontal	203	1.10
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1292G	43.25	54.00	-10.75	3	Vertical	32	2.71
5260MHz	Pass	AV	5.2612G	107.81	Inf	-Inf	3	Vertical	32	2.71
5260MHz	Pass	AV	5.401G	43.74	54.00	-10.26	3	Vertical	32	2.71
5260MHz	Pass	PK	5.1304G	56.94	74.00	-17.06	3	Vertical	32	2.71
5260MHz	Pass	PK	5.2606G	120.35	Inf	-Inf	3	Vertical	32	2.71
5260MHz	Pass	PK	5.3506G	57.77	74.00	-16.23	3	Vertical	32	2.71
5260MHz	Pass	AV	5.1388G	43.07	54.00	-10.93	3	Horizontal	240	2.82
5260MHz	Pass	AV	5.2558G	101.23	Inf	-Inf	3	Horizontal	240	2.82
5260MHz	Pass	AV	5.3824G	43.67	54.00	-10.33	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.1454G	57.18	74.00	-16.82	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.2558G	113.86	Inf	-Inf	3	Horizontal	240	2.82
5260MHz	Pass	PK	5.3566G	57.54	74.00	-16.46	3	Horizontal	240	2.82
5260MHz	Pass	PK	10.51918G	49.78	68.20	-18.42	3	Vertical	67	2.82
5260MHz	Pass	PK	10.52078G	49.26	68.20	-18.94	3	Horizontal	311	1.90
5300MHz	Pass	AV	5.3028G	106.67	Inf	-Inf	3	Vertical	35	2.49
5300MHz	Pass	AV	5.352G	45.18	54.00	-8.82	3	Vertical	35	2.49
5300MHz	Pass	PK	5.3024G	120.15	Inf	-Inf	3	Vertical	35	2.49
5300MHz	Pass	PK	5.3528G	62.96	74.00	-11.04	3	Vertical	35	2.49
5300MHz	Pass	AV	5.296G	100.71	Inf	-Inf	3	Horizontal	56	2.51
5300MHz	Pass	AV	5.35G	43.98	54.00	-10.02	3	Horizontal	56	2.51
5300MHz	Pass	PK	5.2972G	114.02	Inf	-Inf	3	Horizontal	56	2.51
5300MHz	Pass	PK	5.3572G	59.42	74.00	-14.58	3	Horizontal	56	2.51
5300MHz	Pass	AV	10.60058G	37.05	54.00	-16.95	3	Vertical	248	2.29
5300MHz	Pass	PK	10.59911G	50.26	68.20	-17.94	3	Vertical	248	2.29
5300MHz	Pass	AV	10.60027G	36.91	54.00	-17.09	3	Horizontal	349	1.07
5300MHz	Pass	PK	10.59994G	49.63	68.20	-18.57	3	Horizontal	349	1.07
5320MHz	Pass	AV	5.3186G	105.08	Inf	-Inf	3	Vertical	203	2.72
5320MHz	Pass	AV	5.35G	52.30	54.00	-1.70	3	Vertical	203	2.72



RSE TX above 1GHz Non-Beamforming Radio 0 (Band 2 + 3)

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3178G	118.14	Inf	-Inf	3	Vertical	203	2.72
5320MHz	Pass	PK	5.3502G	70.15	74.00	-3.85	3	Vertical	203	2.72
5320MHz	Pass	AV	5.3168G	99.44	Inf	-Inf	3	Horizontal	39	2.44
5320MHz	Pass	AV	5.35G	46.32	54.00	-7.68	3	Horizontal	39	2.44
5320MHz	Pass	PK	5.316G	112.98	Inf	-Inf	3	Horizontal	39	2.44
5320MHz	Pass	PK	5.35G	63.63	74.00	-10.37	3	Horizontal	39	2.44
5320MHz	Pass	AV	10.64006G	36.81	54.00	-17.19	3	Vertical	112	2.28
5320MHz	Pass	PK	10.6394G	49.36	74.00	-24.64	3	Vertical	112	2.28
5320MHz	Pass	AV	10.63945G	36.90	54.00	-17.10	3	Horizontal	261	1.33
5320MHz	Pass	PK	10.63954G	49.41	74.00	-24.59	3	Horizontal	261	1.33
5500MHz	Pass	AV	5.4586G	44.64	54.00	-9.36	3	Vertical	37	2.21
5500MHz	Pass	AV	5.4984G	105.39	Inf	-Inf	3	Vertical	37	2.21
5500MHz	Pass	PK	5.4584G	58.50	74.00	-15.50	3	Vertical	37	2.21
5500MHz	Pass	PK	5.468G	65.28	68.20	-2.92	3	Vertical	37	2.21
5500MHz	Pass	PK	5.498G	118.88	Inf	-Inf	3	Vertical	37	2.21
5500MHz	Pass	AV	5.4598G	43.75	54.00	-10.25	3	Horizontal	56	2.42
5500MHz	Pass	AV	5.501G	100.15	Inf	-Inf	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.4598G	57.67	74.00	-16.33	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.4684G	62.75	68.20	-5.45	3	Horizontal	56	2.42
5500MHz	Pass	PK	5.5006G	113.56	Inf	-Inf	3	Horizontal	56	2.42
5500MHz	Pass	AV	11.00087G	37.06	54.00	-16.94	3	Vertical	349	1.73
5500MHz	Pass	PK	10.99953G	49.44	74.00	-24.56	3	Vertical	349	1.73
5500MHz	Pass	AV	10.99914G	36.93	54.00	-17.07	3	Horizontal	335	2.59
5500MHz	Pass	PK	11G	49.43	74.00	-24.57	3	Horizontal	335	2.59
5580MHz	Pass	AV	5.4318G	43.38	54.00	-10.62	3	Vertical	31	2.52
5580MHz	Pass	AV	5.5788G	107.01	Inf	-Inf	3	Vertical	31	2.52
5580MHz	Pass	PK	5.4486G	56.98	74.00	-17.02	3	Vertical	31	2.52
5580MHz	Pass	PK	5.463G	56.33	68.20	-11.87	3	Vertical	31	2.52
5580MHz	Pass	PK	5.5782G	119.96	Inf	-Inf	3	Vertical	31	2.52
5580MHz	Pass	PK	5.7294G	57.39	68.20	-10.81	3	Vertical	31	2.52
5580MHz	Pass	AV	5.448G	43.07	54.00	-10.93	3	Horizontal	190	2.82
5580MHz	Pass	AV	5.5818G	102.86	Inf	-Inf	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.4426G	56.66	74.00	-17.34	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.4612G	56.88	68.20	-11.32	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.5824G	116.06	Inf	-Inf	3	Horizontal	190	2.82
5580MHz	Pass	PK	5.727G	57.09	68.20	-11.11	3	Horizontal	190	2.82
5580MHz	Pass	AV	11.16028G	36.90	54.00	-17.10	3	Vertical	359	2.84
5580MHz	Pass	PK	11.15908G	49.47	74.00	-24.53	3	Vertical	359	2.84
5580MHz	Pass	AV	11.15932G	36.97	54.00	-17.03	3	Horizontal	132	1.29
5580MHz	Pass	PK	11.1607G	49.57	74.00	-24.43	3	Horizontal	132	1.29
5700MHz	Pass	AV	5.702G	104.22	Inf	-Inf	3	Vertical	34	2.38
5700MHz	Pass	PK	5.7012G	117.66	Inf	-Inf	3	Vertical	34	2.38
5700MHz	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Vertical	34	2.38
5700MHz	Pass	AV	5.6968G	100.49	Inf	-Inf	3	Horizontal	11	2.72
5700MHz	Pass	PK	5.6968G	113.10	Inf	-Inf	3	Horizontal	11	2.72
5700MHz	Pass	PK	5.7272G	62.14	68.20	-6.06	3	Horizontal	11	2.72
5700MHz	Pass	AV	11.40029G	37.60	54.00	-16.40	3	Vertical	287	1.48
5700MHz	Pass	PK	11.40031G	50.39	74.00	-23.61	3	Vertical	287	1.48
5700MHz	Pass	AV	11.40062G	37.68	54.00	-16.32	3	Horizontal	86	1.21
5700MHz	Pass	PK	11.40056G	49.91	74.00	-24.09	3	Horizontal	86	1.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	43.20	54.00	-10.80	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.04	Inf	-Inf	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	56.36	74.00	-17.64	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	55.76	68.20	-12.44	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	118.85	Inf	-Inf	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	58.93	68.20	-9.27	3	Vertical	33	2.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	43.04	54.00	-10.96	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	102.94	Inf	-Inf	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	56.21	74.00	-17.79	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.82	68.20	-12.38	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	115.34	Inf	-Inf	3	Horizontal	11	2.71
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	60.14	68.20	-8.06	3	Horizontal	11	2.71



RSE TX above 1GHz Non-Beamforming Radio 0 (Band 2 + 3)

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4407G	37.60	54.00	-16.40	3	Vertical	107	1.09
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44062G	50.69	74.00	-23.31	3	Vertical	107	1.09
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44036G	37.65	54.00	-16.35	3	Horizontal	322	1.69
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44059G	50.22	74.00	-23.78	3	Horizontal	322	1.69
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2648G	103.55	Inf	-Inf	3	Vertical	216	2.47
5270MHz	Pass	AV	5.3544G	46.24	54.00	-7.76	3	Vertical	216	2.47
5270MHz	Pass	PK	5.266G	116.00	Inf	-Inf	3	Vertical	216	2.47
5270MHz	Pass	PK	5.3532G	62.04	74.00	-11.96	3	Vertical	216	2.47
5270MHz	Pass	AV	5.2752G	99.42	Inf	-Inf	3	Horizontal	228	2.95
5270MHz	Pass	AV	5.3544G	44.83	54.00	-9.17	3	Horizontal	228	2.95
5270MHz	Pass	PK	5.266G	113.05	Inf	-Inf	3	Horizontal	228	2.95
5270MHz	Pass	PK	5.3564G	58.75	74.00	-15.25	3	Horizontal	228	2.95
5270MHz	Pass	PK	10.54052G	48.75	68.20	-19.45	3	Vertical	15	1.28
5270MHz	Pass	PK	10.53973G	49.44	68.20	-18.76	3	Horizontal	183	1.64
5310MHz	Pass	AV	5.3132G	100.11	Inf	-Inf	3	Vertical	37	2.51
5310MHz	Pass	AV	5.3528G	53.42	54.00	-0.58	3	Vertical	37	2.51
5310MHz	Pass	PK	5.3036G	113.90	Inf	-Inf	3	Vertical	37	2.51
5310MHz	Pass	PK	5.352G	71.81	74.00	-2.19	3	Vertical	37	2.51
5310MHz	Pass	AV	5.3064G	94.52	Inf	-Inf	3	Horizontal	58	2.38
5310MHz	Pass	AV	5.3548G	45.75	54.00	-8.25	3	Horizontal	58	2.38
5310MHz	Pass	PK	5.3052G	108.12	Inf	-Inf	3	Horizontal	58	2.38
5310MHz	Pass	PK	5.35G	62.35	74.00	-11.65	3	Horizontal	58	2.38
5310MHz	Pass	AV	10.61945G	36.92	54.00	-17.08	3	Vertical	246	1.64
5310MHz	Pass	PK	10.62003G	49.79	74.00	-24.21	3	Vertical	246	1.64
5310MHz	Pass	AV	10.61986G	37.04	54.00	-16.96	3	Horizontal	53	1.81
5310MHz	Pass	PK	10.6207G	50.14	74.00	-23.86	3	Horizontal	53	1.81
5510MHz	Pass	AV	5.46G	44.42	54.00	-9.58	3	Vertical	36	2.24
5510MHz	Pass	AV	5.5088G	98.61	Inf	-Inf	3	Vertical	36	2.24
5510MHz	Pass	PK	5.456G	57.84	74.00	-16.16	3	Vertical	36	2.24
5510MHz	Pass	PK	5.4644G	64.85	68.20	-3.35	3	Vertical	36	2.24
5510MHz	Pass	PK	5.5092G	111.81	Inf	-Inf	3	Vertical	36	2.24
5510MHz	Pass	AV	5.4588G	43.32	54.00	-10.68	3	Horizontal	58	2.39
5510MHz	Pass	AV	5.5108G	92.82	Inf	-Inf	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.4208G	57.31	74.00	-16.69	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.47G	57.48	68.20	-10.72	3	Horizontal	58	2.39
5510MHz	Pass	PK	5.5108G	105.61	Inf	-Inf	3	Horizontal	58	2.39
5510MHz	Pass	AV	11.02025G	37.19	54.00	-16.81	3	Vertical	321	1.06
5510MHz	Pass	PK	11.02068G	49.55	74.00	-24.45	3	Vertical	321	1.06
5510MHz	Pass	AV	11.02007G	37.25	54.00	-16.75	3	Horizontal	124	2.04
5510MHz	Pass	PK	11.02G	49.78	74.00	-24.22	3	Horizontal	124	2.04
5550MHz	Pass	AV	5.458G	44.58	54.00	-9.42	3	Vertical	34	2.41
5550MHz	Pass	AV	5.5488G	103.74	Inf	-Inf	3	Vertical	34	2.41
5550MHz	Pass	PK	5.4592G	59.30	74.00	-14.70	3	Vertical	34	2.41
5550MHz	Pass	PK	5.468G	60.54	68.20	-7.66	3	Vertical	34	2.41
5550MHz	Pass	PK	5.5488G	115.86	Inf	-Inf	3	Vertical	34	2.41
5550MHz	Pass	AV	5.4596G	43.69	54.00	-10.31	3	Horizontal	57	2.50
5550MHz	Pass	AV	5.5516G	99.16	Inf	-Inf	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.4584G	57.04	74.00	-16.96	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.4608G	57.99	68.20	-10.21	3	Horizontal	57	2.50
5550MHz	Pass	PK	5.5528G	112.33	Inf	-Inf	3	Horizontal	57	2.50
5550MHz	Pass	AV	11.09967G	37.19	54.00	-16.81	3	Vertical	321	2.01
5550MHz	Pass	PK	11.09918G	50.61	74.00	-23.39	3	Vertical	321	2.01
5550MHz	Pass	AV	11.10048G	37.22	54.00	-16.78	3	Horizontal	16	2.84
5550MHz	Pass	PK	11.09951G	50.00	74.00	-24.00	3	Horizontal	16	2.84
5670MHz	Pass	AV	5.6718G	102.49	Inf	-Inf	3	Vertical	37	2.55
5670MHz	Pass	PK	5.6604G	115.66	Inf	-Inf	3	Vertical	37	2.55
5670MHz	Pass	PK	5.7336G	67.31	68.20	-0.89	3	Vertical	37	2.55
5670MHz	Pass	AV	5.6772G	99.01	Inf	-Inf	3	Horizontal	11	2.69
5670MHz	Pass	PK	5.6676G	112.00	Inf	-Inf	3	Horizontal	11	2.69
5670MHz	Pass	PK	5.73G	66.73	68.20	-1.47	3	Horizontal	11	2.69
5670MHz	Pass	AV	11.34088G	37.42	54.00	-16.58	3	Vertical	201	2.81



RSE TX above 1GHz Non-Beamforming Radio 0 (Band 2 + 3)


Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	11.33987G	50.33	74.00	-23.67	3	Vertical	201	2.81
5670MHz	Pass	AV	11.34062G	37.48	54.00	-16.52	3	Horizontal	325	2.30
5670MHz	Pass	PK	11.34049G	50.48	74.00	-23.52	3	Horizontal	325	2.30
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4316G	43.28	54.00	-10.72	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	102.65	Inf	-Inf	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.44G	56.91	74.00	-17.09	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	56.32	68.20	-11.88	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	115.26	Inf	-Inf	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9452G	58.89	68.20	-9.31	3	Vertical	33	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	43.06	54.00	-10.94	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	99.09	Inf	-Inf	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4112G	56.72	74.00	-17.28	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	55.75	68.20	-12.45	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.67	Inf	-Inf	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9788G	59.29	68.20	-8.91	3	Horizontal	10	2.79
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41908G	37.07	54.00	-16.93	3	Vertical	212	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42066G	50.07	74.00	-23.93	3	Vertical	212	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41946G	37.10	54.00	-16.90	3	Horizontal	6	1.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4192G	50.60	74.00	-23.40	3	Horizontal	6	1.20
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	44.15	54.00	-9.85	3	Vertical	37	2.40
5290MHz	Pass	AV	5.293G	95.99	Inf	-Inf	3	Vertical	37	2.40
5290MHz	Pass	AV	5.353G	52.79	54.00	-1.21	3	Vertical	37	2.40
5290MHz	Pass	PK	5.113G	57.82	74.00	-16.18	3	Vertical	37	2.40
5290MHz	Pass	PK	5.284G	108.68	Inf	-Inf	3	Vertical	37	2.40
5290MHz	Pass	PK	5.354G	67.57	74.00	-6.43	3	Vertical	37	2.40
5290MHz	Pass	PK	5.51G	58.73	68.20	-9.47	3	Vertical	37	2.40
5290MHz	Pass	AV	5.145G	43.76	54.00	-10.24	3	Horizontal	248	2.94
5290MHz	Pass	AV	5.298G	92.21	Inf	-Inf	3	Horizontal	248	2.94
5290MHz	Pass	AV	5.356G	47.28	54.00	-6.72	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.113G	57.38	74.00	-16.62	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.267G	105.47	Inf	-Inf	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.358G	60.89	74.00	-13.11	3	Horizontal	248	2.94
5290MHz	Pass	PK	5.54G	58.16	68.20	-10.04	3	Horizontal	248	2.94
5290MHz	Pass	PK	10.57937G	49.06	68.20	-19.14	3	Vertical	82	1.30
5290MHz	Pass	PK	10.58022G	49.58	68.20	-18.62	3	Horizontal	60	1.79
5530MHz	Pass	AV	5.35G	43.18	54.00	-10.82	3	Vertical	35	2.39
5530MHz	Pass	AV	5.46G	51.58	54.00	-2.42	3	Vertical	35	2.39
5530MHz	Pass	AV	5.529G	96.54	Inf	-Inf	3	Vertical	35	2.39
5530MHz	Pass	PK	5.348G	56.90	68.20	-11.30	3	Vertical	35	2.39
5530MHz	Pass	PK	5.459G	65.50	74.00	-8.50	3	Vertical	35	2.39
5530MHz	Pass	PK	5.468G	67.06	68.20	-1.14	3	Vertical	35	2.39
5530MHz	Pass	PK	5.54G	110.60	Inf	-Inf	3	Vertical	35	2.39
5530MHz	Pass	PK	5.77G	58.23	68.20	-9.97	3	Vertical	35	2.39
5530MHz	Pass	AV	5.35G	42.86	54.00	-11.14	3	Horizontal	58	2.27
5530MHz	Pass	AV	5.46G	44.35	54.00	-9.65	3	Horizontal	58	2.27
5530MHz	Pass	AV	5.531G	91.25	Inf	-Inf	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.283G	57.13	68.20	-11.07	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.46G	57.62	74.00	-16.38	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.463G	58.20	68.20	-10.00	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.532G	104.64	Inf	-Inf	3	Horizontal	58	2.27
5530MHz	Pass	PK	5.745G	57.65	68.20	-10.55	3	Horizontal	58	2.27
5530MHz	Pass	AV	11.06082G	37.25	54.00	-16.75	3	Vertical	161	1.92
5530MHz	Pass	PK	11.05955G	49.63	74.00	-24.37	3	Vertical	161	1.92
5530MHz	Pass	AV	11.06012G	37.18	54.00	-16.82	3	Horizontal	263	2.07
5530MHz	Pass	PK	11.06067G	50.08	74.00	-23.92	3	Horizontal	263	2.07
5610MHz	Pass	AV	5.458G	46.54	54.00	-7.46	3	Vertical	32	2.42
5610MHz	Pass	AV	5.6G	100.43	Inf	-Inf	3	Vertical	32	2.42
5610MHz	Pass	PK	5.458G	60.63	74.00	-13.37	3	Vertical	32	2.42
5610MHz	Pass	PK	5.466G	63.45	68.20	-4.75	3	Vertical	32	2.42
5610MHz	Pass	PK	5.63G	112.98	Inf	-Inf	3	Vertical	32	2.42
5610MHz	Pass	PK	5.733G	65.52	68.20	-2.68	3	Vertical	32	2.42

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.451G	43.91	54.00	-10.09	3	Horizontal	11	2.62
5610MHz	Pass	AV	5.616G	95.86	Inf	-Inf	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.453G	57.30	74.00	-16.70	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.47G	57.37	68.20	-10.83	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.606G	108.20	Inf	-Inf	3	Horizontal	11	2.62
5610MHz	Pass	PK	5.728G	63.97	68.20	-4.23	3	Horizontal	11	2.62
5610MHz	Pass	AV	11.2196G	37.10	54.00	-16.90	3	Vertical	124	1.33
5610MHz	Pass	PK	11.21981G	51.39	74.00	-22.61	3	Vertical	124	1.33
5610MHz	Pass	AV	11.2201G	37.06	54.00	-16.94	3	Horizontal	214	2.27
5610MHz	Pass	PK	11.22051G	50.10	74.00	-23.90	3	Horizontal	214	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.26	54.00	-10.74	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6912G	99.59	Inf	-Inf	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	56.79	74.00	-17.21	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.69	68.20	-12.51	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6708G	111.70	Inf	-Inf	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8808G	59.08	68.20	-9.12	3	Vertical	36	2.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.15	54.00	-10.85	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	96.36	Inf	-Inf	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	56.88	74.00	-17.12	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.48	68.20	-11.72	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	109.58	Inf	-Inf	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9708G	59.95	68.20	-8.25	3	Horizontal	189	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37968G	37.38	54.00	-16.62	3	Vertical	319	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37968G	50.01	74.00	-23.99	3	Vertical	319	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38054G	37.44	54.00	-16.56	3	Horizontal	135	2.44
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	49.49	74.00	-24.51	3	Horizontal	135	2.44
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	52.91	54.00	-1.09	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.22984G	94.81	Inf	-Inf	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35248G	53.34	54.00	-0.66	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13408G	67.28	74.00	-6.72	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.23152G	107.37	Inf	-Inf	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35416G	66.74	74.00	-7.26	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.65992G	57.96	68.20	-10.24	3	Vertical	33	2.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	45.40	54.00	-8.60	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2752G	86.96	Inf	-Inf	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35416G	45.96	54.00	-8.04	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13912G	58.29	74.00	-15.71	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2752G	99.95	Inf	-Inf	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35584G	58.76	74.00	-15.24	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.55576G	58.84	68.20	-9.36	3	Horizontal	56	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50992G	49.49	68.20	-18.71	3	Vertical	212	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49152G	50.76	68.20	-17.44	3	Horizontal	222	1.85
5570MHz	Pass	AV	5.4596G	52.13	54.00	-1.87	3	Vertical	37	2.43
5570MHz	Pass	AV	5.5484G	94.24	Inf	-Inf	3	Vertical	37	2.43
5570MHz	Pass	PK	5.2832G	57.45	68.20	-10.75	3	Vertical	37	2.43
5570MHz	Pass	PK	5.4536G	64.94	74.00	-9.06	3	Vertical	37	2.43
5570MHz	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	37	2.43
5570MHz	Pass	PK	5.5496G	107.30	Inf	-Inf	3	Vertical	37	2.43
5570MHz	Pass	PK	5.732G	61.17	68.20	-7.03	3	Vertical	37	2.43
5570MHz	Pass	AV	5.4512G	45.49	54.00	-8.51	3	Horizontal	57	2.33
5570MHz	Pass	AV	5.5616G	89.32	Inf	-Inf	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.2724G	56.91	68.20	-11.29	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.4488G	58.60	74.00	-15.40	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.4692G	58.65	68.20	-9.55	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.5724G	102.60	Inf	-Inf	3	Horizontal	57	2.33
5570MHz	Pass	PK	5.7584G	58.36	68.20	-9.84	3	Horizontal	57	2.33
5570MHz	Pass	AV	11.13965G	37.20	54.00	-16.80	3	Vertical	17	1.90
5570MHz	Pass	PK	11.13965G	49.62	74.00	-24.38	3	Vertical	17	1.90
5570MHz	Pass	AV	11.14061G	37.10	54.00	-16.90	3	Horizontal	357	1.12
5570MHz	Pass	PK	11.13904G	50.45	74.00	-23.55	3	Horizontal	357	1.12


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	105.08	Inf	-Inf	-5.57	3	Vertical	203	2.72	110.65	33.30	5.23	44.10
AV	5.35G	52.30	54.00	-1.70	-5.56	3	Vertical	203	2.72	57.86	33.30	5.24	44.10
PK	5.3178G	118.14	Inf	-Inf	-5.57	3	Vertical	203	2.72	123.71	33.30	5.23	44.10
PK	5.3502G	70.15	74.00	-3.85	-5.56	3	Vertical	203	2.72	75.71	33.30	5.24	44.10

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	99.44	Inf	-Inf	-5.57	3	Horizontal	39	2.44	105.01	33.30	5.23	44.10
AV	5.35G	46.32	54.00	-7.68	-5.56	3	Horizontal	39	2.44	51.88	33.30	5.24	44.10
PK	5.316G	112.98	Inf	-Inf	-5.57	3	Horizontal	39	2.44	118.55	33.30	5.23	44.10
PK	5.35G	63.63	74.00	-10.37	-5.56	3	Horizontal	39	2.44	69.19	33.30	5.24	44.10


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	100.11	Inf	-Inf	-5.57	3	Vertical	37	2.51	105.68	33.30	5.23	44.10
AV	5.3528G	53.42	54.00	-0.58	-5.57	3	Vertical	37	2.51	58.99	33.29	5.24	44.10
PK	5.3036G	113.90	Inf	-Inf	-5.57	3	Vertical	37	2.51	119.47	33.30	5.23	44.10
PK	5.352G	71.81	74.00	-2.19	-5.56	3	Vertical	37	2.51	77.37	33.30	5.24	44.10

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	94.52	Inf	-Inf	-5.57	3	Horizontal	58	2.38	100.09	33.30	5.23	44.10
AV	5.3548G	45.75	54.00	-8.25	-5.57	3	Horizontal	58	2.38	51.32	33.29	5.24	44.10
PK	5.3052G	108.12	Inf	-Inf	-5.57	3	Horizontal	58	2.38	113.69	33.30	5.23	44.10
PK	5.35G	62.35	74.00	-11.65	-5.56	3	Horizontal	58	2.38	67.91	33.30	5.24	44.10


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.15	54.00	-9.85	-5.41	3	Vertical	37	2.40	49.56	33.50	5.17	44.08
AV	5.293G	95.99	Inf	-Inf	-5.55	3	Vertical	37	2.40	101.54	33.33	5.22	44.10
AV	5.353G	52.79	54.00	-1.21	-5.57	3	Vertical	37	2.40	58.36	33.29	5.24	44.10
PK	5.113G	57.82	74.00	-16.18	-5.42	3	Vertical	37	2.40	63.24	33.50	5.15	44.07
PK	5.284G	108.68	Inf	-Inf	-5.51	3	Vertical	37	2.40	114.19	33.36	5.22	44.09
PK	5.354G	67.57	74.00	-6.43	-5.57	3	Vertical	37	2.40	73.14	33.29	5.24	44.10
PK	5.51G	58.73	68.20	-9.47	-5.37	3	Vertical	37	2.40	64.10	33.42	5.33	44.12

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	43.76	54.00	-10.24	-5.41	3	Horizontal	248	2.94	49.17	33.50	5.17	44.08
AV	5.298G	92.21	Inf	-Inf	-5.57	3	Horizontal	248	2.94	97.78	33.31	5.22	44.10
AV	5.356G	47.28	54.00	-6.72	-5.57	3	Horizontal	248	2.94	52.85	33.29	5.24	44.10
PK	5.113G	57.38	74.00	-16.62	-5.42	3	Horizontal	248	2.94	62.80	33.50	5.15	44.07
PK	5.267G	105.47	Inf	-Inf	-5.45	3	Horizontal	248	2.94	110.92	33.43	5.21	44.09
PK	5.358G	60.89	74.00	-13.11	-5.57	3	Horizontal	248	2.94	66.46	33.28	5.25	44.10
PK	5.54G	58.16	68.20	-10.04	-5.29	3	Horizontal	248	2.94	63.45	33.48	5.35	44.12


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.91	54.00	-1.09	-5.41	3	Vertical	33	2.72	58.32	33.50	5.17	44.08
AV	5.22984G	94.81	Inf	-Inf	-5.39	3	Vertical	33	2.72	100.20	33.50	5.20	44.09
AV	5.35248G	53.34	54.00	-0.66	-5.56	3	Vertical	33	2.72	58.90	33.30	5.24	44.10
PK	5.13408G	67.28	74.00	-6.72	-5.42	3	Vertical	33	2.72	72.70	33.50	5.16	44.08
PK	5.23152G	107.37	Inf	-Inf	-5.39	3	Vertical	33	2.72	112.76	33.50	5.20	44.09
PK	5.35416G	66.74	74.00	-7.26	-5.57	3	Vertical	33	2.72	72.31	33.29	5.24	44.10
PK	5.65992G	57.96	68.20	-10.24	-5.16	3	Vertical	33	2.72	63.12	33.56	5.42	44.14

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.40	54.00	-8.60	-5.41	3	Horizontal	56	2.20	50.81	33.50	5.17	44.08
AV	5.2752G	86.96	Inf	-Inf	-5.47	3	Horizontal	56	2.20	92.43	33.40	5.22	44.09
AV	5.35416G	45.96	54.00	-8.04	-5.57	3	Horizontal	56	2.20	51.53	33.29	5.24	44.10
PK	5.13912G	58.29	74.00	-15.71	-5.42	3	Horizontal	56	2.20	63.71	33.50	5.16	44.08
PK	5.2752G	99.95	Inf	-Inf	-5.47	3	Horizontal	56	2.20	105.42	33.40	5.22	44.09
PK	5.35584G	58.76	74.00	-15.24	-5.57	3	Horizontal	56	2.20	64.33	33.29	5.24	44.10
PK	5.55576G	58.84	68.20	-9.36	-5.28	3	Horizontal	56	2.20	64.12	33.49	5.36	44.13


5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.52	54.00	-8.48	-5.50	3	Vertical	36	2.21	51.02	33.32	5.30	44.12
AV	5.499G	106.80	Inf	-Inf	-5.40	3	Vertical	36	2.21	112.20	33.40	5.32	44.12
PK	5.4596G	61.04	74.00	-12.96	-5.50	3	Vertical	36	2.21	66.54	33.32	5.30	44.12
PK	5.4696G	67.32	68.20	-0.88	-5.47	3	Vertical	36	2.21	72.79	33.34	5.31	44.12
PK	5.4944G	116.65	Inf	-Inf	-5.41	3	Vertical	36	2.21	122.06	33.39	5.32	44.12

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.62	54.00	-9.38	-5.50	3	Horizontal	57	2.42	50.12	33.32	5.30	44.12
AV	5.4954G	101.45	Inf	-Inf	-5.41	3	Horizontal	57	2.42	106.86	33.39	5.32	44.12
PK	5.46G	57.20	74.00	-16.80	-5.50	3	Horizontal	57	2.42	62.70	33.32	5.30	44.12
PK	5.47G	64.80	68.20	-3.40	-5.47	3	Horizontal	57	2.42	70.27	33.34	5.31	44.12
PK	5.4954G	110.90	Inf	-Inf	-5.41	3	Horizontal	57	2.42	116.31	33.39	5.32	44.12


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.18	54.00	-10.82	-5.56	3	Vertical	35	2.39	48.74	33.30	5.24	44.10
AV	5.46G	51.58	54.00	-2.42	-5.50	3	Vertical	35	2.39	57.08	33.32	5.30	44.12
AV	5.529G	96.54	Inf	-Inf	-5.32	3	Vertical	35	2.39	101.86	33.46	5.34	44.12
PK	5.348G	56.90	68.20	-11.30	-5.56	3	Vertical	35	2.39	62.46	33.30	5.24	44.10
PK	5.459G	65.50	74.00	-8.50	-5.50	3	Vertical	35	2.39	71.00	33.32	5.30	44.12
PK	5.468G	67.06	68.20	-1.14	-5.48	3	Vertical	35	2.39	72.54	33.34	5.30	44.12
PK	5.54G	110.60	Inf	-Inf	-5.29	3	Vertical	35	2.39	115.89	33.48	5.35	44.12
PK	5.77G	58.23	68.20	-9.97	-4.29	3	Vertical	35	2.39	62.52	34.38	5.48	44.15

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.86	54.00	-11.14	-5.56	3	Horizontal	58	2.27	48.42	33.30	5.24	44.10
AV	5.46G	44.35	54.00	-9.65	-5.50	3	Horizontal	58	2.27	49.85	33.32	5.30	44.12
AV	5.531G	91.25	Inf	-Inf	-5.31	3	Horizontal	58	2.27	96.56	33.46	5.35	44.12
PK	5.283G	57.13	68.20	-11.07	-5.50	3	Horizontal	58	2.27	62.63	33.37	5.22	44.09
PK	5.46G	57.62	74.00	-16.38	-5.50	3	Horizontal	58	2.27	63.12	33.32	5.30	44.12
PK	5.463G	58.20	68.20	-10.00	-5.49	3	Horizontal	58	2.27	63.69	33.33	5.30	44.12
PK	5.532G	104.64	Inf	-Inf	-5.31	3	Horizontal	58	2.27	109.95	33.46	5.35	44.12
PK	5.745G	57.65	68.20	-10.55	-4.43	3	Horizontal	58	2.27	62.08	34.25	5.47	44.15


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.13	54.00	-1.87	-5.50	3	Vertical	37	2.43	57.63	33.32	5.30	44.12
AV	5.5484G	94.24	Inf	-Inf	-5.27	3	Vertical	37	2.43	99.51	33.50	5.36	44.13
PK	5.2832G	57.45	68.20	-10.75	-5.50	3	Vertical	37	2.43	62.95	33.37	5.22	44.09
PK	5.4536G	64.94	74.00	-9.06	-5.51	3	Vertical	37	2.43	70.45	33.31	5.29	44.11
PK	5.4644G	66.66	68.20	-1.54	-5.49	3	Vertical	37	2.43	72.15	33.33	5.30	44.12
PK	5.5496G	107.30	Inf	-Inf	-5.27	3	Vertical	37	2.43	112.57	33.50	5.36	44.13
PK	5.732G	61.17	68.20	-7.03	-4.57	3	Vertical	37	2.43	65.74	34.12	5.46	44.15

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.49	54.00	-8.51	-5.52	3	Horizontal	57	2.33	51.01	33.30	5.29	44.11
AV	5.5616G	89.32	Inf	-Inf	-5.28	3	Horizontal	57	2.33	94.60	33.48	5.37	44.13
PK	5.2724G	56.91	68.20	-11.29	-5.46	3	Horizontal	57	2.33	62.37	33.41	5.22	44.09
PK	5.4488G	58.60	74.00	-15.40	-5.52	3	Horizontal	57	2.33	64.12	33.30	5.29	44.11
PK	5.4692G	58.65	68.20	-9.55	-5.48	3	Horizontal	57	2.33	64.13	33.34	5.30	44.12
PK	5.5724G	102.60	Inf	-Inf	-5.30	3	Horizontal	57	2.33	107.90	33.46	5.37	44.13
PK	5.7584G	58.36	68.20	-9.84	-4.34	3	Horizontal	57	2.33	62.70	34.33	5.48	44.15


5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5570MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	57.16M	35.87	40.00	-4.13	3	Vertical	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	39.7M	30.57	40.00	-9.43	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	47.46M	32.75	40.00	-7.25	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	57.16M	35.87	40.00	-4.13	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	74.62M	27.73	40.00	-12.27	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	185.2M	33.30	43.50	-10.20	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	899.12M	36.47	46.00	-9.53	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	30M	25.23	40.00	-14.77	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	74.62M	28.91	40.00	-11.09	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	167.74M	33.74	43.50	-9.76	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	175.5M	31.72	43.50	-11.78	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	233.7M	27.98	46.00	-18.02	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	941.8M	31.26	46.00	-14.74	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.147G	45.64	54.00	-8.36	3	Vertical	326	2.17
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.1454G	45.71	54.00	-8.29	3	Vertical	325	2.08
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.1448G	45.65	54.00	-8.35	3	Vertical	326	2.28
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.144G	46.53	54.00	-7.47	3	Vertical	325	2.14
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3844G	50.84	54.00	-3.16	3	Vertical	326	2.30
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3548G	46.49	54.00	-7.51	3	Vertical	273	2.17
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.354G	46.99	54.00	-7.01	3	Vertical	328	2.38
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	47.78	54.00	-6.22	3	Vertical	329	2.28
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.363G	47.66	54.00	-6.34	3	Vertical	30	2.25
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.4534G	46.86	54.00	-7.14	3	Vertical	312	2.36
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.7264G	61.49	68.20	-6.71	3	Vertical	308	2.18
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.9872G	59.78	68.20	-8.42	3	Vertical	307	2.31
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.784G	59.29	68.20	-8.91	3	Vertical	317	2.23
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.4512G	46.60	54.00	-7.40	3	Vertical	313	2.36
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.9718G	59.87	68.20	-8.33	3	Vertical	305	2.24
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.9322G	60.35	68.20	-7.85	3	Vertical	308	2.14
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	6.0122G	60.33	68.20	-7.87	3	Vertical	308	2.22
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.5878G	60.34	68.20	-7.86	3	Vertical	309	2.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.147G	45.64	54.00	-8.36	3	Vertical	326	2.17
5180MHz	Pass	AV	5.1738G	106.13	Inf	-Inf	3	Vertical	326	2.17
5180MHz	Pass	PK	5.1428G	59.97	74.00	-14.03	3	Vertical	326	2.17
5180MHz	Pass	PK	5.1738G	116.43	Inf	-Inf	3	Vertical	326	2.17
5180MHz	Pass	PK	10.3612G	47.68	68.20	-20.52	3	Vertical	268	2.22
5180MHz	Pass	PK	10.34662G	48.53	68.20	-19.67	3	Horizontal	310	1.50
5200MHz	Pass	AV	5.1492G	45.37	54.00	-8.63	3	Vertical	325	2.36
5200MHz	Pass	AV	5.1936G	106.45	Inf	-Inf	3	Vertical	325	2.36
5200MHz	Pass	PK	5.1472G	58.85	74.00	-15.15	3	Vertical	325	2.36
5200MHz	Pass	PK	5.1936G	116.68	Inf	-Inf	3	Vertical	325	2.36
5200MHz	Pass	PK	10.40498G	47.38	68.20	-20.82	3	Vertical	29	1.89
5200MHz	Pass	PK	10.40468G	47.66	68.20	-20.54	3	Horizontal	351.9	1.50
5240MHz	Pass	AV	5.1482G	44.12	54.00	-9.88	3	Vertical	328	2.13
5240MHz	Pass	AV	5.2334G	107.24	Inf	-Inf	3	Vertical	328	2.13
5240MHz	Pass	AV	5.3546G	44.36	54.00	-9.64	3	Vertical	328	2.13
5240MHz	Pass	PK	5.1362G	58.37	74.00	-15.63	3	Vertical	328	2.13
5240MHz	Pass	PK	5.234G	117.47	Inf	-Inf	3	Vertical	328	2.13
5240MHz	Pass	PK	5.3588G	57.86	74.00	-16.14	3	Vertical	328	2.13
5240MHz	Pass	PK	10.49488G	47.19	68.20	-21.01	3	Vertical	151	1.50
5240MHz	Pass	PK	10.46566G	46.66	68.20	-21.54	3	Horizontal	264.9	1.50
5260MHz	Pass	AV	5.149G	43.99	54.00	-10.01	3	Vertical	326	2.33
5260MHz	Pass	AV	5.254G	107.63	Inf	-Inf	3	Vertical	326	2.33
5260MHz	Pass	AV	5.3566G	44.51	54.00	-9.49	3	Vertical	326	2.33
5260MHz	Pass	PK	5.1376G	57.59	74.00	-16.41	3	Vertical	326	2.33
5260MHz	Pass	PK	5.254G	117.88	Inf	-Inf	3	Vertical	326	2.33
5260MHz	Pass	PK	5.3704G	58.46	74.00	-15.54	3	Vertical	326	2.33
5260MHz	Pass	PK	10.51598G	47.37	68.20	-20.83	3	Vertical	38.9	1.07
5260MHz	Pass	PK	10.52096G	46.57	68.20	-21.63	3	Horizontal	332	1.50
5300MHz	Pass	AV	5.2932G	107.62	Inf	-Inf	3	Vertical	328	2.30
5300MHz	Pass	AV	5.3536G	45.89	54.00	-8.11	3	Vertical	328	2.30
5300MHz	Pass	PK	5.2936G	117.96	Inf	-Inf	3	Vertical	328	2.30
5300MHz	Pass	PK	5.3548G	59.61	74.00	-14.39	3	Vertical	328	2.30
5300MHz	Pass	AV	10.6087G	34.10	54.00	-19.90	3	Vertical	140	1.50
5300MHz	Pass	PK	10.60822G	47.63	74.00	-26.37	3	Vertical	140	1.50
5300MHz	Pass	AV	10.60804G	34.11	54.00	-19.89	3	Horizontal	338	1.50
5300MHz	Pass	PK	10.59832G	47.70	68.20	-20.50	3	Horizontal	338	1.50
5320MHz	Pass	AV	5.326G	106.06	Inf	-Inf	3	Vertical	273	2.17
5320MHz	Pass	AV	5.3548G	46.49	54.00	-7.51	3	Vertical	273	2.17
5320MHz	Pass	PK	5.3256G	116.40	Inf	-Inf	3	Vertical	273	2.17
5320MHz	Pass	PK	5.3538G	60.12	74.00	-13.88	3	Vertical	273	2.17
5320MHz	Pass	AV	10.64708G	34.12	54.00	-19.88	3	Vertical	76	1.50
5320MHz	Pass	PK	10.64792G	48.37	74.00	-25.63	3	Vertical	76	1.50
5320MHz	Pass	AV	10.65038G	34.13	54.00	-19.87	3	Horizontal	173	1.50
5320MHz	Pass	PK	10.62764G	47.71	74.00	-26.29	3	Horizontal	173	1.50
5500MHz	Pass	AV	5.4534G	46.86	54.00	-7.14	3	Vertical	312	2.36
5500MHz	Pass	AV	5.5016G	107.98	Inf	-Inf	3	Vertical	312	2.36
5500MHz	Pass	PK	5.452G	60.33	74.00	-13.67	3	Vertical	312	2.36
5500MHz	Pass	PK	5.4626G	60.89	68.20	-7.31	3	Vertical	312	2.36
5500MHz	Pass	PK	5.5018G	117.86	Inf	-Inf	3	Vertical	312	2.36
5500MHz	Pass	AV	10.98686G	34.46	54.00	-19.54	3	Vertical	196	1.50
5500MHz	Pass	PK	10.99328G	47.67	74.00	-26.33	3	Vertical	196	1.50
5500MHz	Pass	AV	10.99088G	34.44	54.00	-19.56	3	Horizontal	20	1.50
5500MHz	Pass	PK	11.00072G	48.28	74.00	-25.72	3	Horizontal	20	1.50
5580MHz	Pass	AV	5.433G	44.53	54.00	-9.47	3	Vertical	319	2.10
5580MHz	Pass	AV	5.5782G	105.84	Inf	-Inf	3	Vertical	319	2.10
5580MHz	Pass	PK	5.4318G	58.15	74.00	-15.85	3	Vertical	319	2.10
5580MHz	Pass	PK	5.4684G	57.27	68.20	-10.93	3	Vertical	319	2.10
5580MHz	Pass	PK	5.5788G	117.01	Inf	-Inf	3	Vertical	319	2.10
5580MHz	Pass	PK	5.7288G	58.53	68.20	-9.67	3	Vertical	319	2.10
5580MHz	Pass	AV	11.17356G	34.16	54.00	-19.84	3	Vertical	209	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15832G	47.94	74.00	-26.06	3	Vertical	209	1.50
5580MHz	Pass	AV	11.17176G	34.18	54.00	-19.82	3	Horizontal	173	1.50
5580MHz	Pass	PK	11.16984G	47.63	74.00	-26.37	3	Horizontal	173	1.50
5700MHz	Pass	AV	5.7068G	107.22	Inf	-Inf	3	Vertical	306	2.29
5700MHz	Pass	PK	5.7068G	117.56	Inf	-Inf	3	Vertical	306	2.29
5700MHz	Pass	PK	5.726G	61.02	68.20	-7.18	3	Vertical	306	2.29
5700MHz	Pass	AV	11.39148G	34.87	54.00	-19.13	3	Vertical	272	3.00
5700MHz	Pass	PK	11.3907G	47.95	74.00	-26.05	3	Vertical	272	3.00
5700MHz	Pass	AV	11.38674G	34.89	54.00	-19.11	3	Horizontal	143	2.38
5700MHz	Pass	PK	11.3856G	48.53	74.00	-25.47	3	Horizontal	143	2.38
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	44.12	54.00	-9.88	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	106.19	Inf	-Inf	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	58.14	74.00	-15.86	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.13	68.20	-11.07	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	116.51	Inf	-Inf	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	59.10	68.20	-9.10	3	Vertical	306	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45362G	34.61	54.00	-19.39	3	Vertical	72	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45224G	48.20	74.00	-25.80	3	Vertical	72	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4523G	34.57	54.00	-19.43	3	Horizontal	129	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44354G	47.59	74.00	-26.41	3	Horizontal	129	1.50
5745MHz	Pass	AV	5.451G	44.36	54.00	-9.64	3	Vertical	305	2.24
5745MHz	Pass	AV	5.7522G	107.82	Inf	-Inf	3	Vertical	305	2.24
5745MHz	Pass	PK	5.5914G	58.50	68.20	-9.70	3	Vertical	305	2.24
5745MHz	Pass	PK	5.7522G	117.80	Inf	-Inf	3	Vertical	305	2.24
5745MHz	Pass	PK	5.9718G	59.87	68.20	-8.33	3	Vertical	305	2.24
5745MHz	Pass	AV	11.48814G	34.66	54.00	-19.34	3	Vertical	182	1.50
5745MHz	Pass	PK	11.47662G	48.00	74.00	-26.00	3	Vertical	182	1.50
5745MHz	Pass	AV	11.487G	34.64	54.00	-19.36	3	Horizontal	116	1.79
5745MHz	Pass	PK	11.47656G	48.45	74.00	-25.55	3	Horizontal	116	1.79
5785MHz	Pass	AV	5.79097G	107.35	Inf	-Inf	3	Vertical	307	2.24
5785MHz	Pass	PK	5.51751G	59.16	68.20	-9.04	3	Vertical	307	2.24
5785MHz	Pass	PK	5.79097G	117.79	Inf	-Inf	3	Vertical	307	2.24
5785MHz	Pass	PK	5.93375G	59.67	68.20	-8.53	3	Vertical	307	2.24
5785MHz	Pass	AV	11.56004G	34.45	54.00	-19.55	3	Vertical	359	1.50
5785MHz	Pass	PK	11.58428G	48.41	74.00	-25.59	3	Vertical	359	1.50
5785MHz	Pass	AV	11.55794G	34.43	54.00	-19.57	3	Horizontal	76	1.50
5785MHz	Pass	PK	11.58392G	47.72	74.00	-26.28	3	Horizontal	76	1.50
5825MHz	Pass	AV	5.831G	106.47	Inf	-Inf	3	Vertical	307	2.23
5825MHz	Pass	PK	5.6294G	58.42	68.20	-9.78	3	Vertical	307	2.23
5825MHz	Pass	PK	5.831G	116.89	Inf	-Inf	3	Vertical	307	2.23
5825MHz	Pass	PK	5.9858G	59.71	68.20	-8.49	3	Vertical	307	2.23
5825MHz	Pass	AV	11.64598G	34.32	54.00	-19.68	3	Vertical	51	2.98
5825MHz	Pass	PK	11.65798G	47.26	74.00	-26.74	3	Vertical	51	2.98
5825MHz	Pass	AV	11.64304G	34.23	54.00	-19.77	3	Horizontal	113	1.50
5825MHz	Pass	PK	11.64844G	47.79	74.00	-26.21	3	Horizontal	113	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1454G	45.71	54.00	-8.29	3	Vertical	325	2.08
5180MHz	Pass	AV	5.1744G	105.80	Inf	-Inf	3	Vertical	325	2.08
5180MHz	Pass	PK	5.1414G	59.26	74.00	-14.74	3	Vertical	325	2.08
5180MHz	Pass	PK	5.1744G	119.25	Inf	-Inf	3	Vertical	325	2.08
5180MHz	Pass	PK	10.35142G	47.91	68.20	-20.29	3	Vertical	90	1.50
5180MHz	Pass	PK	10.34908G	47.19	68.20	-21.01	3	Horizontal	217	1.50
5200MHz	Pass	AV	5.1476G	44.78	54.00	-9.22	3	Vertical	31	2.33
5200MHz	Pass	AV	5.1936G	105.49	Inf	-Inf	3	Vertical	31	2.33
5200MHz	Pass	PK	5.1496G	58.64	74.00	-15.36	3	Vertical	31	2.33
5200MHz	Pass	PK	5.1936G	118.82	Inf	-Inf	3	Vertical	31	2.33
5200MHz	Pass	PK	10.41038G	47.31	68.20	-20.89	3	Vertical	272	1.50
5200MHz	Pass	PK	10.40432G	47.46	68.20	-20.74	3	Horizontal	148	1.50
5240MHz	Pass	AV	5.15G	44.04	54.00	-9.96	3	Vertical	326	2.15
5240MHz	Pass	AV	5.2334G	107.40	Inf	-Inf	3	Vertical	326	2.15
5240MHz	Pass	AV	5.354G	44.41	54.00	-9.59	3	Vertical	326	2.15
5240MHz	Pass	PK	5.1326G	57.66	74.00	-16.34	3	Vertical	326	2.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2334G	120.29	Inf	-Inf	3	Vertical	326	2.15
5240MHz	Pass	PK	5.3768G	57.74	74.00	-16.26	3	Vertical	326	2.15
5240MHz	Pass	PK	10.47748G	46.99	68.20	-21.21	3	Vertical	120	1.50
5240MHz	Pass	PK	10.49236G	46.44	68.20	-21.76	3	Horizontal	329.9	2.52
5260MHz	Pass	AV	5.1472G	43.85	54.00	-10.15	3	Vertical	28	2.16
5260MHz	Pass	AV	5.2516G	105.38	Inf	-Inf	3	Vertical	28	2.16
5260MHz	Pass	AV	5.3506G	44.10	54.00	-9.90	3	Vertical	28	2.16
5260MHz	Pass	PK	5.1466G	57.76	74.00	-16.24	3	Vertical	28	2.16
5260MHz	Pass	PK	5.2534G	118.28	Inf	-Inf	3	Vertical	28	2.16
5260MHz	Pass	PK	5.398G	57.86	74.00	-16.14	3	Vertical	28	2.16
5260MHz	Pass	PK	10.51412G	47.44	68.20	-20.76	3	Vertical	78	1.50
5260MHz	Pass	PK	10.51952G	46.83	68.20	-21.37	3	Horizontal	145.9	1.50
5300MHz	Pass	AV	5.2932G	107.60	Inf	-Inf	3	Vertical	327	2.19
5300MHz	Pass	AV	5.35G	45.87	54.00	-8.13	3	Vertical	327	2.19
5300MHz	Pass	PK	5.294G	120.25	Inf	-Inf	3	Vertical	327	2.19
5300MHz	Pass	PK	5.3532G	59.55	74.00	-14.45	3	Vertical	327	2.19
5300MHz	Pass	AV	10.60834G	34.11	54.00	-19.89	3	Vertical	350	1.50
5300MHz	Pass	PK	10.61176G	47.70	74.00	-26.30	3	Vertical	350	1.50
5300MHz	Pass	AV	10.6099G	34.11	54.00	-19.89	3	Horizontal	246	1.71
5300MHz	Pass	PK	10.60486G	48.03	74.00	-25.97	3	Horizontal	246	1.71
5320MHz	Pass	AV	5.3134G	106.99	Inf	-Inf	3	Vertical	328	2.38
5320MHz	Pass	AV	5.354G	46.99	54.00	-7.01	3	Vertical	328	2.38
5320MHz	Pass	PK	5.3134G	119.97	Inf	-Inf	3	Vertical	328	2.38
5320MHz	Pass	PK	5.362G	60.56	74.00	-13.44	3	Vertical	328	2.38
5320MHz	Pass	AV	10.64984G	34.13	54.00	-19.87	3	Vertical	306	1.00
5320MHz	Pass	PK	10.64228G	47.49	74.00	-26.51	3	Vertical	306	1.00
5320MHz	Pass	AV	10.64798G	34.13	54.00	-19.87	3	Horizontal	337	1.50
5320MHz	Pass	PK	10.65026G	47.57	74.00	-26.43	3	Horizontal	337	1.50
5500MHz	Pass	AV	5.452G	46.49	54.00	-7.51	3	Vertical	315	2.35
5500MHz	Pass	AV	5.501G	107.44	Inf	-Inf	3	Vertical	315	2.35
5500MHz	Pass	PK	5.4576G	60.91	74.00	-13.09	3	Vertical	315	2.35
5500MHz	Pass	PK	5.4638G	60.33	68.20	-7.87	3	Vertical	315	2.35
5500MHz	Pass	PK	5.501G	120.57	Inf	-Inf	3	Vertical	315	2.35
5500MHz	Pass	AV	10.98794G	34.43	54.00	-19.57	3	Vertical	13	1.50
5500MHz	Pass	PK	10.98812G	48.54	74.00	-25.46	3	Vertical	13	1.50
5500MHz	Pass	AV	10.98908G	34.38	54.00	-19.62	3	Horizontal	121	2.00
5500MHz	Pass	PK	11.00324G	47.60	74.00	-26.40	3	Horizontal	121	2.00
5580MHz	Pass	AV	5.4348G	44.55	54.00	-9.45	3	Vertical	319	2.10
5580MHz	Pass	AV	5.5782G	105.48	Inf	-Inf	3	Vertical	319	2.10
5580MHz	Pass	PK	5.436G	57.80	74.00	-16.20	3	Vertical	319	2.10
5580MHz	Pass	PK	5.4618G	57.47	68.20	-10.73	3	Vertical	319	2.10
5580MHz	Pass	PK	5.5782G	117.81	Inf	-Inf	3	Vertical	319	2.10
5580MHz	Pass	PK	5.7258G	58.41	68.20	-9.79	3	Vertical	319	2.10
5580MHz	Pass	AV	11.17464G	34.15	54.00	-19.85	3	Vertical	314	1.50
5580MHz	Pass	PK	11.1576G	48.82	74.00	-25.18	3	Vertical	314	1.50
5580MHz	Pass	AV	11.17446G	34.13	54.00	-19.87	3	Horizontal	112	1.50
5580MHz	Pass	PK	11.15784G	47.86	74.00	-26.14	3	Horizontal	112	1.50
5700MHz	Pass	AV	5.7056G	107.04	Inf	-Inf	3	Vertical	308	2.18
5700MHz	Pass	PK	5.7068G	119.97	Inf	-Inf	3	Vertical	308	2.18
5700MHz	Pass	PK	5.7264G	61.49	68.20	-6.71	3	Vertical	308	2.18
5700MHz	Pass	AV	11.38722G	34.86	54.00	-19.14	3	Vertical	129	2.72
5700MHz	Pass	PK	11.39178G	48.82	74.00	-25.18	3	Vertical	129	2.72
5700MHz	Pass	AV	11.39232G	34.85	54.00	-19.15	3	Horizontal	69	1.00
5700MHz	Pass	PK	11.40186G	48.73	74.00	-25.27	3	Horizontal	69	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	44.23	54.00	-9.77	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	105.88	Inf	-Inf	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	58.62	74.00	-15.38	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.29	68.20	-10.91	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	119.08	Inf	-Inf	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9864G	60.36	68.20	-7.84	3	Vertical	308	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45404G	34.60	54.00	-19.40	3	Vertical	48	2.91
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43004G	48.44	74.00	-25.56	3	Vertical	48	2.91



RSE TX above 1GHz Non-Beamforming Radio 3_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45248G	34.54	54.00	-19.46	3	Horizontal	207.9	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4253G	48.05	74.00	-25.95	3	Horizontal	207.9	1.00
5745MHz	Pass	AV	5.4546G	44.36	54.00	-9.64	3	Vertical	308	2.14
5745MHz	Pass	AV	5.751G	107.32	Inf	-Inf	3	Vertical	308	2.14
5745MHz	Pass	PK	5.5674G	58.21	68.20	-9.99	3	Vertical	308	2.14
5745MHz	Pass	PK	5.751G	120.84	Inf	-Inf	3	Vertical	308	2.14
5745MHz	Pass	PK	5.9322G	60.35	68.20	-7.85	3	Vertical	308	2.14
5745MHz	Pass	AV	11.4879G	34.67	54.00	-19.33	3	Vertical	23	1.50
5745MHz	Pass	PK	11.49702G	47.69	74.00	-26.31	3	Vertical	23	1.50
5745MHz	Pass	AV	11.48862G	34.67	54.00	-19.33	3	Horizontal	13.9	1.50
5745MHz	Pass	PK	11.48838G	47.99	74.00	-26.01	3	Horizontal	13.9	1.50
5785MHz	Pass	AV	5.79097G	107.29	Inf	-Inf	3	Vertical	306	2.24
5785MHz	Pass	PK	5.51509G	58.49	68.20	-9.71	3	Vertical	306	2.24
5785MHz	Pass	PK	5.78976G	120.23	Inf	-Inf	3	Vertical	306	2.24
5785MHz	Pass	PK	6.0124G	59.47	68.20	-8.73	3	Vertical	306	2.24
5785MHz	Pass	AV	11.55824G	34.47	54.00	-19.53	3	Vertical	233	1.84
5785MHz	Pass	PK	11.5691G	48.62	74.00	-25.38	3	Vertical	233	1.84
5785MHz	Pass	AV	11.55608G	34.41	54.00	-19.59	3	Horizontal	200	1.50
5785MHz	Pass	PK	11.56868G	47.61	74.00	-26.39	3	Horizontal	200	1.50
5825MHz	Pass	AV	5.8322G	106.63	Inf	-Inf	3	Vertical	304	2.23
5825MHz	Pass	PK	5.5586G	58.80	68.20	-9.40	3	Vertical	304	2.23
5825MHz	Pass	PK	5.831G	119.05	Inf	-Inf	3	Vertical	304	2.23
5825MHz	Pass	PK	6.0314G	59.83	68.20	-8.37	3	Vertical	304	2.23
5825MHz	Pass	AV	11.6413G	34.21	54.00	-19.79	3	Vertical	167	1.50
5825MHz	Pass	PK	11.65558G	47.53	74.00	-26.47	3	Vertical	167	1.50
5825MHz	Pass	AV	11.6419G	34.24	54.00	-19.76	3	Horizontal	78	1.50
5825MHz	Pass	PK	11.65264G	47.35	74.00	-26.65	3	Horizontal	78	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1448G	45.65	54.00	-8.35	3	Vertical	326	2.28
5190MHz	Pass	AV	5.204G	102.11	Inf	-Inf	3	Vertical	326	2.28
5190MHz	Pass	PK	5.1428G	59.69	74.00	-14.31	3	Vertical	326	2.28
5190MHz	Pass	PK	5.2032G	115.77	Inf	-Inf	3	Vertical	326	2.28
5190MHz	Pass	PK	10.36044G	48.99	68.20	-19.21	3	Vertical	76	1.50
5190MHz	Pass	PK	10.3584G	47.37	68.20	-20.83	3	Horizontal	171	2.93
5230MHz	Pass	AV	5.1444G	44.95	54.00	-9.05	3	Vertical	326	2.10
5230MHz	Pass	AV	5.2236G	104.19	Inf	-Inf	3	Vertical	326	2.10
5230MHz	Pass	PK	5.1464G	59.79	74.00	-14.21	3	Vertical	326	2.10
5230MHz	Pass	PK	5.244G	117.64	Inf	-Inf	3	Vertical	326	2.10
5230MHz	Pass	PK	10.44608G	47.60	68.20	-20.60	3	Vertical	121	1.50
5230MHz	Pass	PK	10.44236G	47.20	68.20	-21.00	3	Horizontal	249	1.50
5270MHz	Pass	AV	5.2624G	102.38	Inf	-Inf	3	Vertical	28	2.38
5270MHz	Pass	AV	5.3528G	44.82	54.00	-9.18	3	Vertical	28	2.38
5270MHz	Pass	PK	5.2624G	115.36	Inf	-Inf	3	Vertical	28	2.38
5270MHz	Pass	PK	5.36G	58.75	74.00	-15.25	3	Vertical	28	2.38
5270MHz	Pass	PK	10.5286G	48.35	68.20	-19.85	3	Vertical	219	3.00
5270MHz	Pass	PK	10.51804G	47.25	68.20	-20.95	3	Horizontal	157	1.50
5310MHz	Pass	AV	5.3236G	102.61	Inf	-Inf	3	Vertical	329	2.28
5310MHz	Pass	AV	5.35G	47.78	54.00	-6.22	3	Vertical	329	2.28
5310MHz	Pass	PK	5.304G	115.56	Inf	-Inf	3	Vertical	329	2.28
5310MHz	Pass	PK	5.35G	60.72	74.00	-13.28	3	Vertical	329	2.28
5310MHz	Pass	AV	10.64604G	34.12	54.00	-19.88	3	Vertical	340	1.50
5310MHz	Pass	PK	10.60644G	48.26	74.00	-25.74	3	Vertical	340	1.50
5310MHz	Pass	AV	10.64856G	34.11	54.00	-19.89	3	Horizontal	98	1.50
5310MHz	Pass	PK	10.6494G	47.76	74.00	-26.24	3	Horizontal	98	1.50
5510MHz	Pass	AV	5.4544G	44.37	54.00	-9.63	3	Vertical	315	2.32
5510MHz	Pass	AV	5.5108G	98.44	Inf	-Inf	3	Vertical	315	2.32
5510MHz	Pass	PK	5.4356G	58.83	74.00	-15.17	3	Vertical	315	2.32
5510MHz	Pass	PK	5.4644G	57.88	68.20	-10.32	3	Vertical	315	2.32
5510MHz	Pass	PK	5.4916G	111.84	Inf	-Inf	3	Vertical	315	2.32
5510MHz	Pass	AV	10.9906G	34.46	54.00	-19.54	3	Vertical	60	1.38
5510MHz	Pass	PK	10.99096G	47.78	74.00	-26.22	3	Vertical	60	1.38
5510MHz	Pass	AV	10.99132G	34.46	54.00	-19.54	3	Horizontal	304.9	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	10.99372G	47.78	74.00	-26.22	3	Horizontal	304.9	1.50
5550MHz	Pass	AV	5.4564G	44.50	54.00	-9.50	3	Vertical	44	2.32
5550MHz	Pass	AV	5.56G	100.89	Inf	-Inf	3	Vertical	44	2.32
5550MHz	Pass	PK	5.4532G	58.63	74.00	-15.37	3	Vertical	44	2.32
5550MHz	Pass	PK	5.4692G	58.57	68.20	-9.63	3	Vertical	44	2.32
5550MHz	Pass	PK	5.5604G	114.00	Inf	-Inf	3	Vertical	44	2.32
5550MHz	Pass	AV	11.07072G	34.07	54.00	-19.93	3	Vertical	31	1.50
5550MHz	Pass	PK	11.10048G	47.94	74.00	-26.06	3	Vertical	31	1.50
5550MHz	Pass	AV	11.07492G	34.06	54.00	-19.94	3	Horizontal	189	1.00
5550MHz	Pass	PK	11.12532G	48.20	74.00	-25.80	3	Horizontal	189	1.00
5670MHz	Pass	AV	5.6646G	98.08	Inf	-Inf	3	Vertical	281	2.20
5670MHz	Pass	PK	5.6646G	111.62	Inf	-Inf	3	Vertical	281	2.20
5670MHz	Pass	PK	5.7306G	59.27	68.20	-8.93	3	Vertical	281	2.20
5670MHz	Pass	AV	11.36664G	34.80	54.00	-19.20	3	Vertical	39.9	2.06
5670MHz	Pass	PK	11.31228G	48.80	74.00	-25.20	3	Vertical	39.9	2.06
5670MHz	Pass	AV	11.3658G	34.82	54.00	-19.18	3	Horizontal	97	1.24
5670MHz	Pass	PK	11.35764G	48.42	74.00	-25.58	3	Horizontal	97	1.24
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	44.49	54.00	-9.51	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	103.59	Inf	-Inf	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4484G	58.30	74.00	-15.70	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	57.46	68.20	-10.74	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	116.26	Inf	-Inf	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9872G	59.78	68.20	-8.42	3	Vertical	307	2.31
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39096G	34.90	54.00	-19.10	3	Vertical	277	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39132G	47.91	74.00	-26.09	3	Vertical	277	1.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39084G	34.90	54.00	-19.10	3	Horizontal	124	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.3978G	48.47	74.00	-25.53	3	Horizontal	124	1.50
5755MHz	Pass	AV	5.455G	44.72	54.00	-9.28	3	Vertical	308	2.28
5755MHz	Pass	AV	5.7406G	104.91	Inf	-Inf	3	Vertical	308	2.28
5755MHz	Pass	PK	5.6446G	59.40	68.20	-8.80	3	Vertical	308	2.28
5755MHz	Pass	PK	5.7418G	118.38	Inf	-Inf	3	Vertical	308	2.28
5755MHz	Pass	PK	5.9794G	59.90	68.20	-8.30	3	Vertical	308	2.28
5755MHz	Pass	AV	11.48372G	34.64	54.00	-19.36	3	Vertical	295	1.50
5755MHz	Pass	PK	11.4854G	48.28	74.00	-25.72	3	Vertical	295	1.50
5755MHz	Pass	AV	11.4872G	34.65	54.00	-19.35	3	Horizontal	38	1.50
5755MHz	Pass	PK	11.49152G	47.88	74.00	-26.12	3	Horizontal	38	1.50
5795MHz	Pass	AV	5.7806G	104.78	Inf	-Inf	3	Vertical	308	2.22
5795MHz	Pass	PK	5.6414G	59.11	68.20	-9.09	3	Vertical	308	2.22
5795MHz	Pass	PK	5.7794G	117.93	Inf	-Inf	3	Vertical	308	2.22
5795MHz	Pass	PK	6.0122G	60.33	68.20	-7.87	3	Vertical	308	2.22
5795MHz	Pass	AV	11.56012G	34.38	54.00	-19.62	3	Vertical	340	1.00
5795MHz	Pass	PK	11.60296G	47.91	74.00	-26.09	3	Vertical	340	1.00
5795MHz	Pass	AV	11.56012G	34.37	54.00	-19.63	3	Horizontal	202	1.96
5795MHz	Pass	PK	11.56192G	47.73	74.00	-26.27	3	Horizontal	202	1.96
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	46.53	54.00	-7.47	3	Vertical	325	2.14
5210MHz	Pass	AV	5.224G	98.23	Inf	-Inf	3	Vertical	325	2.14
5210MHz	Pass	AV	5.364G	44.99	54.00	-9.01	3	Vertical	325	2.14
5210MHz	Pass	PK	5.146G	59.68	74.00	-14.32	3	Vertical	325	2.14
5210MHz	Pass	PK	5.224G	112.14	Inf	-Inf	3	Vertical	325	2.14
5210MHz	Pass	PK	5.391G	58.89	74.00	-15.11	3	Vertical	325	2.14
5210MHz	Pass	PK	10.39504G	49.21	68.20	-18.99	3	Vertical	360	1.50
5210MHz	Pass	PK	10.39168G	47.36	68.20	-20.84	3	Horizontal	86	1.41
5290MHz	Pass	AV	5.145G	44.66	54.00	-9.34	3	Vertical	30	2.25
5290MHz	Pass	AV	5.283G	96.99	Inf	-Inf	3	Vertical	30	2.25
5290MHz	Pass	AV	5.363G	47.66	54.00	-6.34	3	Vertical	30	2.25
5290MHz	Pass	PK	5.128G	57.84	74.00	-16.16	3	Vertical	30	2.25
5290MHz	Pass	PK	5.323G	110.04	Inf	-Inf	3	Vertical	30	2.25
5290MHz	Pass	PK	5.362G	60.30	74.00	-13.70	3	Vertical	30	2.25
5290MHz	Pass	PK	5.499G	58.36	68.20	-9.84	3	Vertical	30	2.25
5290MHz	Pass	AV	10.60928G	34.10	54.00	-19.90	3	Vertical	203	1.50
5290MHz	Pass	PK	10.62632G	47.36	74.00	-26.64	3	Vertical	203	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	10.6064G	34.05	54.00	-19.95	3	Horizontal	151	1.50
5290MHz	Pass	PK	10.59344G	48.20	68.20	-20.00	3	Horizontal	151	1.50
5530MHz	Pass	AV	5.35G	44.26	54.00	-9.74	3	Vertical	312	2.27
5530MHz	Pass	AV	5.454G	44.80	54.00	-9.20	3	Vertical	312	2.27
5530MHz	Pass	AV	5.492G	95.76	Inf	-Inf	3	Vertical	312	2.27
5530MHz	Pass	PK	5.32G	58.13	68.20	-10.07	3	Vertical	312	2.27
5530MHz	Pass	PK	5.454G	58.46	74.00	-15.54	3	Vertical	312	2.27
5530MHz	Pass	PK	5.468G	58.32	68.20	-9.88	3	Vertical	312	2.27
5530MHz	Pass	PK	5.492G	108.93	Inf	-Inf	3	Vertical	312	2.27
5530MHz	Pass	PK	5.746G	58.69	68.20	-9.51	3	Vertical	312	2.27
5530MHz	Pass	AV	11.00024G	34.20	54.00	-19.80	3	Vertical	-0	2.32
5530MHz	Pass	PK	11.0228G	47.99	74.00	-26.01	3	Vertical	-0	2.32
5530MHz	Pass	AV	11.00024G	34.21	54.00	-19.79	3	Horizontal	159	1.50
5530MHz	Pass	PK	11.05472G	47.35	74.00	-26.65	3	Horizontal	159	1.50
5610MHz	Pass	AV	5.46G	44.81	54.00	-9.19	3	Vertical	317	2.23
5610MHz	Pass	AV	5.589G	98.83	Inf	-Inf	3	Vertical	317	2.23
5610MHz	Pass	PK	5.457G	58.46	74.00	-15.54	3	Vertical	317	2.23
5610MHz	Pass	PK	5.467G	58.42	68.20	-9.78	3	Vertical	317	2.23
5610MHz	Pass	PK	5.588G	112.44	Inf	-Inf	3	Vertical	317	2.23
5610MHz	Pass	PK	5.784G	59.29	68.20	-8.91	3	Vertical	317	2.23
5610MHz	Pass	AV	11.27352G	34.57	54.00	-19.43	3	Vertical	210	1.50
5610MHz	Pass	PK	11.20032G	48.39	74.00	-25.61	3	Vertical	210	1.50
5610MHz	Pass	AV	11.27664G	34.55	54.00	-19.45	3	Horizontal	258	1.49
5610MHz	Pass	PK	11.25888G	48.25	74.00	-25.75	3	Horizontal	258	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4056G	44.58	54.00	-9.42	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	99.55	Inf	-Inf	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	58.55	74.00	-15.45	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.78	68.20	-10.42	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	112.80	Inf	-Inf	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	59.25	68.20	-8.95	3	Vertical	306	2.19
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38432G	34.95	54.00	-19.05	3	Vertical	357	2.43
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36896G	48.55	74.00	-25.45	3	Vertical	357	2.43
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37136G	34.96	54.00	-19.04	3	Horizontal	211.9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41816G	48.94	74.00	-25.06	3	Horizontal	211.9	1.50
5775MHz	Pass	AV	5.7402G	101.63	Inf	-Inf	3	Vertical	309	2.26
5775MHz	Pass	PK	5.5878G	60.34	68.20	-7.86	3	Vertical	309	2.26
5775MHz	Pass	PK	5.7414G	114.38	Inf	-Inf	3	Vertical	309	2.26
5775MHz	Pass	PK	5.9346G	60.01	68.20	-8.19	3	Vertical	309	2.26
5775MHz	Pass	AV	11.49024G	34.66	54.00	-19.34	3	Vertical	214	1.50
5775MHz	Pass	PK	11.49936G	48.34	74.00	-25.66	3	Vertical	214	1.50
5775MHz	Pass	AV	11.49096G	34.64	54.00	-19.36	3	Horizontal	11	1.50
5775MHz	Pass	PK	11.49384G	48.22	74.00	-25.78	3	Horizontal	11	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1444G	46.93	54.00	-7.07	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3232G	94.40	Inf	-Inf	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3844G	50.84	54.00	-3.16	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1444G	60.25	74.00	-13.75	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2836G	107.86	Inf	-Inf	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3844G	63.93	74.00	-10.07	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4636G	59.79	68.20	-8.41	3	Vertical	326	2.30
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.57632G	47.44	68.20	-20.76	3	Vertical	144	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.43184G	47.37	68.20	-20.83	3	Horizontal	273	1.50
5570MHz	Pass	AV	5.4512G	46.60	54.00	-7.40	3	Vertical	313	2.36
5570MHz	Pass	AV	5.5112G	94.96	Inf	-Inf	3	Vertical	313	2.36
5570MHz	Pass	PK	5.342G	59.29	68.20	-8.91	3	Vertical	313	2.36
5570MHz	Pass	PK	5.4548G	60.07	74.00	-13.93	3	Vertical	313	2.36
5570MHz	Pass	PK	5.4692G	58.96	68.20	-9.24	3	Vertical	313	2.36
5570MHz	Pass	PK	5.5508G	108.26	Inf	-Inf	3	Vertical	313	2.36
5570MHz	Pass	PK	5.792G	59.16	68.20	-9.04	3	Vertical	313	2.36
5570MHz	Pass	AV	11.2384G	34.46	54.00	-19.54	3	Vertical	320.9	1.50
5570MHz	Pass	PK	11.224G	49.14	74.00	-24.86	3	Vertical	320.9	1.50
5570MHz	Pass	AV	11.23648G	34.45	54.00	-19.55	3	Horizontal	80	1.60




RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.21728G	47.72	74.00	-26.28	3	Horizontal	80	1.60


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	45.65	54.00	-8.35	4.77	3	Vertical	326	2.28	40.88	33.07	6.77	35.07
AV	5.204G	102.11	Inf	-Inf	4.72	3	Vertical	326	2.28	97.39	32.99	6.80	35.07
PK	5.1428G	59.69	74.00	-14.31	4.76	3	Vertical	326	2.28	54.93	33.06	6.77	35.07
PK	5.2032G	115.77	Inf	-Inf	4.71	3	Vertical	326	2.28	111.06	32.99	6.79	35.07

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36044G	48.99	68.20	-19.21	14.20	3	Vertical	76	1.50	34.79	38.58	10.33	34.71


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	46.93	54.00	-7.07	4.77	3	Vertical	326	2.30	42.16	33.07	6.77	35.07
AV	5.3232G	94.40	Inf	-Inf	4.70	3	Vertical	326	2.30	89.70	32.80	6.97	35.07
AV	5.3844G	50.84	54.00	-3.16	4.73	3	Vertical	326	2.30	46.11	32.73	7.07	35.07
PK	5.1444G	60.25	74.00	-13.75	4.77	3	Vertical	326	2.30	55.48	33.07	6.77	35.07
PK	5.2836G	107.86	Inf	-Inf	4.68	3	Vertical	326	2.30	103.18	32.83	6.92	35.07
PK	5.3844G	63.93	74.00	-10.07	4.73	3	Vertical	326	2.30	59.20	32.73	7.07	35.07
PK	5.4636G	59.79	68.20	-8.41	4.84	3	Vertical	326	2.30	54.95	32.80	7.11	35.07

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57632G	47.44	68.20	-20.76	14.68	3	Vertical	144	1.50	32.76	38.81	10.38	34.51


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3134G	106.99	Inf	-Inf	4.69	3	Vertical	328	2.38	102.30	32.80	6.96	35.07
AV	5.354G	46.99	54.00	-7.01	4.74	3	Vertical	328	2.38	42.25	32.79	7.02	35.07
PK	5.3134G	119.97	Inf	-Inf	4.69	3	Vertical	328	2.38	115.28	32.80	6.96	35.07
PK	5.362G	60.56	74.00	-13.44	4.74	3	Vertical	328	2.38	55.82	32.78	7.03	35.07

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	10.64984G	34.13	54.00	-19.87	14.95	3	Vertical	306	1.00	19.18	39.00	10.40	34.45
PK	10.64228G	47.49	74.00	-26.51	14.92	3	Vertical	306	1.00	32.57	38.98	10.40	34.46


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	44.66	54.00	-9.34	4.77	3	Vertical	30	2.25	39.89	33.07	6.77	35.07
AV	5.283G	96.99	Inf	-Inf	4.67	3	Vertical	30	2.25	92.32	32.83	6.91	35.07
AV	5.363G	47.66	54.00	-6.34	4.73	3	Vertical	30	2.25	42.93	32.77	7.03	35.07
PK	5.128G	57.84	74.00	-16.16	4.66	3	Vertical	30	2.25	53.18	32.97	6.76	35.07
PK	5.323G	110.04	Inf	-Inf	4.70	3	Vertical	30	2.25	105.34	32.80	6.97	35.07
PK	5.362G	60.30	74.00	-13.70	4.74	3	Vertical	30	2.25	55.56	32.78	7.03	35.07
PK	5.499G	58.36	68.20	-9.84	4.85	3	Vertical	30	2.25	53.51	32.80	7.12	35.07

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60928G	34.10	54.00	-19.90	14.83	3	Vertical	203	1.50	19.27	38.92	10.39	34.48
PK	10.62632G	47.36	74.00	-26.64	14.87	3	Vertical	203	1.50	32.49	38.95	10.39	34.47


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	44.81	54.00	-9.19	4.84	3	Vertical	317	2.23	39.97	32.80	7.11	35.07
AV	5.589G	98.83	Inf	-Inf	4.87	3	Vertical	317	2.23	93.96	32.82	7.16	35.11
PK	5.457G	58.46	74.00	-15.54	4.84	3	Vertical	317	2.23	53.62	32.80	7.11	35.07
PK	5.467G	58.42	68.20	-9.78	4.84	3	Vertical	317	2.23	53.58	32.80	7.11	35.07
PK	5.588G	112.44	Inf	-Inf	4.87	3	Vertical	317	2.23	107.57	32.82	7.16	35.11
PK	5.784G	59.29	68.20	-8.91	5.87	3	Vertical	317	2.23	53.42	33.84	7.22	35.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.27352G	34.57	54.00	-19.43	15.34	3	Vertical	210	1.50	19.23	38.89	10.54	34.09
PK	11.20032G	48.39	74.00	-25.61	15.12	3	Vertical	210	1.50	33.27	38.70	10.53	34.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.451G	44.36	54.00	-9.64	4.84	3	Vertical	305	2.24	39.52	32.80	7.11	35.07				
AV	5.7522G	107.82	Inf	-Inf	5.74	3	Vertical	305	2.24	102.08	33.71	7.21	35.18				
PK	5.5914G	58.50	68.20	-9.70	4.87	3	Vertical	305	2.24	53.63	32.82	7.16	35.11				
PK	5.7522G	117.80	Inf	-Inf	5.74	3	Vertical	305	2.24	112.06	33.71	7.21	35.18				
PK	5.9718G	59.87	68.20	-8.33	6.09	3	Vertical	305	2.24	53.78	34.04	7.32	35.27				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.48814G	34.66	54.00	-19.34	15.47	3	Vertical	182	1.50	19.19	38.90	10.59	34.02				
PK	11.47662G	48.00	74.00	-26.00	15.46	3	Vertical	182	1.50	32.54	38.90	10.59	34.03				


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	104.78	Inf	-Inf	5.85	3	Vertical	308	2.22	98.93	33.82	7.22	35.19
PK	5.6414G	59.11	68.20	-9.09	5.09	3	Vertical	308	2.22	54.02	33.05	7.17	35.13
PK	5.7794G	117.93	Inf	-Inf	5.85	3	Vertical	308	2.22	112.08	33.82	7.22	35.19
PK	6.0122G	60.33	68.20	-7.87	6.14	3	Vertical	308	2.22	54.19	34.08	7.35	35.29

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56012G	34.38	54.00	-19.62	15.36	3	Vertical	340	1.00	19.02	38.76	10.61	34.01
PK	11.60296G	47.91	74.00	-26.09	15.20	3	Vertical	340	1.00	32.71	38.59	10.62	34.01


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.143G	43.29	54.00	-10.71	3	Vertical	359	2.33
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	AV	5.35G	42.54	54.00	-11.46	3	Horizontal	320	2.31
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	5.383G	44.29	54.00	-9.71	3	Vertical	360	2.40
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.451G	43.57	54.00	-10.43	3	Vertical	313	2.17
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	Pass	PK	5.7812G	62.23	68.20	-5.97	3	Vertical	317	2.41
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	PK	5.6298G	57.77	68.20	-10.43	3	Vertical	310	2.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	43.29	54.00	-10.71	3	Vertical	359	2.33
5210MHz	Pass	AV	5.243G	93.84	Inf	-Inf	3	Vertical	359	2.33
5210MHz	Pass	AV	5.355G	42.88	54.00	-11.12	3	Vertical	359	2.33
5210MHz	Pass	PK	5.087G	54.70	74.00	-19.30	3	Vertical	359	2.33
5210MHz	Pass	PK	5.243G	105.55	Inf	-Inf	3	Vertical	359	2.33
5210MHz	Pass	PK	5.372G	55.56	74.00	-18.44	3	Vertical	359	2.33
5210MHz	Pass	AV	5.15G	42.83	54.00	-11.17	3	Horizontal	324	2.19
5210MHz	Pass	AV	5.231G	86.76	Inf	-Inf	3	Horizontal	324	2.19
5210MHz	Pass	AV	5.363G	42.59	54.00	-11.41	3	Horizontal	324	2.19
5210MHz	Pass	PK	5.14G	54.85	74.00	-19.15	3	Horizontal	324	2.19
5210MHz	Pass	PK	5.231G	97.94	Inf	-Inf	3	Horizontal	324	2.19
5210MHz	Pass	PK	5.372G	54.58	74.00	-19.42	3	Horizontal	324	2.19
5210MHz	Pass	PK	10.44136G	48.08	68.20	-20.12	3	Vertical	336	1.29
5210MHz	Pass	PK	10.3768G	47.73	68.20	-20.47	3	Horizontal	160	1.50
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	42.61	54.00	-11.39	3	Vertical	360	2.40
5290MHz	Pass	AV	5.263G	96.18	Inf	-Inf	3	Vertical	360	2.40
5290MHz	Pass	AV	5.383G	44.29	54.00	-9.71	3	Vertical	360	2.40
5290MHz	Pass	PK	5.145G	54.81	74.00	-19.19	3	Vertical	360	2.40
5290MHz	Pass	PK	5.262G	108.33	Inf	-Inf	3	Vertical	360	2.40
5290MHz	Pass	PK	5.383G	56.74	74.00	-17.26	3	Vertical	360	2.40
5290MHz	Pass	PK	5.506G	54.30	68.20	-13.90	3	Vertical	360	2.40
5290MHz	Pass	AV	5.148G	42.24	54.00	-11.76	3	Horizontal	320	2.48
5290MHz	Pass	AV	5.252G	90.30	Inf	-Inf	3	Horizontal	320	2.48
5290MHz	Pass	AV	5.372G	42.50	54.00	-11.50	3	Horizontal	320	2.48
5290MHz	Pass	PK	5.146G	54.28	74.00	-19.72	3	Horizontal	320	2.48
5290MHz	Pass	PK	5.252G	101.93	Inf	-Inf	3	Horizontal	320	2.48
5290MHz	Pass	PK	5.398G	54.55	74.00	-19.45	3	Horizontal	320	2.48
5290MHz	Pass	PK	5.465G	53.72	68.20	-14.48	3	Horizontal	320	2.48
5290MHz	Pass	AV	10.63904G	35.98	54.00	-18.02	3	Vertical	295	1.50
5290MHz	Pass	PK	10.62704G	48.67	74.00	-25.33	3	Vertical	295	1.50
5290MHz	Pass	AV	10.63856G	35.92	54.00	-18.08	3	Horizontal	50	1.50
5290MHz	Pass	PK	10.55768G	48.33	68.20	-19.87	3	Horizontal	50	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.76	54.00	-11.24	3	Vertical	314	2.05
5530MHz	Pass	AV	5.431G	42.81	54.00	-11.19	3	Vertical	314	2.05
5530MHz	Pass	AV	5.511G	91.18	Inf	-Inf	3	Vertical	314	2.05
5530MHz	Pass	PK	5.338G	55.40	68.20	-12.80	3	Vertical	314	2.05
5530MHz	Pass	PK	5.432G	55.94	74.00	-18.06	3	Vertical	314	2.05
5530MHz	Pass	PK	5.47G	55.57	68.20	-12.63	3	Vertical	314	2.05
5530MHz	Pass	PK	5.511G	103.01	Inf	-Inf	3	Vertical	314	2.05
5530MHz	Pass	PK	5.733G	55.35	68.20	-12.85	3	Vertical	314	2.05
5530MHz	Pass	AV	5.35G	42.44	54.00	-11.56	3	Horizontal	328	2.23
5530MHz	Pass	AV	5.363G	42.63	54.00	-11.37	3	Horizontal	328	2.23
5530MHz	Pass	AV	5.508G	85.22	Inf	-Inf	3	Horizontal	328	2.23
5530MHz	Pass	PK	5.334G	55.14	68.20	-13.06	3	Horizontal	328	2.23
5530MHz	Pass	PK	5.373G	54.57	74.00	-19.43	3	Horizontal	328	2.23
5530MHz	Pass	PK	5.47G	53.63	68.20	-14.57	3	Horizontal	328	2.23
5530MHz	Pass	PK	5.567G	97.11	Inf	-Inf	3	Horizontal	328	2.23
5530MHz	Pass	PK	5.732G	55.19	68.20	-13.01	3	Horizontal	328	2.23
5530MHz	Pass	AV	11.06844G	34.40	54.00	-19.60	3	Vertical	358	1.00
5530MHz	Pass	PK	11.05252G	48.12	74.00	-25.88	3	Vertical	358	1.00
5530MHz	Pass	AV	11.06436G	34.54	54.00	-19.46	3	Horizontal	49	1.50
5530MHz	Pass	PK	11.05356G	46.55	74.00	-27.45	3	Horizontal	49	1.50
5610MHz	Pass	AV	5.451G	43.57	54.00	-10.43	3	Vertical	313	2.17
5610MHz	Pass	AV	5.572G	95.53	Inf	-Inf	3	Vertical	313	2.17
5610MHz	Pass	PK	5.388G	55.99	74.00	-18.01	3	Vertical	313	2.17
5610MHz	Pass	PK	5.464G	54.29	68.20	-13.91	3	Vertical	313	2.17
5610MHz	Pass	PK	5.637G	107.76	Inf	-Inf	3	Vertical	313	2.17
5610MHz	Pass	PK	5.75G	56.14	68.20	-12.06	3	Vertical	313	2.17


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.362G	42.83	54.00	-11.17	3	Horizontal	321	2.22
5610MHz	Pass	AV	5.634G	90.48	Inf	-Inf	3	Horizontal	321	2.22
5610MHz	Pass	PK	5.365G	54.68	74.00	-19.32	3	Horizontal	321	2.22
5610MHz	Pass	PK	5.469G	52.89	68.20	-15.31	3	Horizontal	321	2.22
5610MHz	Pass	PK	5.595G	101.14	Inf	-Inf	3	Horizontal	321	2.22
5610MHz	Pass	PK	5.779G	55.79	68.20	-12.41	3	Horizontal	321	2.22
5610MHz	Pass	AV	11.22636G	35.82	54.00	-18.18	3	Vertical	150	3.00
5610MHz	Pass	PK	11.21548G	48.36	74.00	-25.64	3	Vertical	150	3.00
5610MHz	Pass	AV	11.21996G	35.80	54.00	-18.20	3	Horizontal	63	1.50
5610MHz	Pass	PK	11.22048G	48.67	74.00	-25.33	3	Horizontal	63	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4116G	43.27	54.00	-10.73	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	97.92	Inf	-Inf	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.39G	54.75	74.00	-19.25	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.87	68.20	-13.33	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	109.28	Inf	-Inf	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.894G	55.44	68.20	-12.76	3	Vertical	311	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3912G	42.63	54.00	-11.37	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	91.61	Inf	-Inf	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	55.87	74.00	-18.13	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	53.33	68.20	-14.87	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.654G	104.60	Inf	-Inf	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	55.93	68.20	-12.27	3	Horizontal	325	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38824G	35.83	54.00	-18.17	3	Vertical	94	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37416G	48.58	74.00	-25.42	3	Vertical	94	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37512G	35.84	54.00	-18.16	3	Horizontal	293	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37452G	48.42	74.00	-25.58	3	Horizontal	293	1.50
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7414G	99.92	Inf	-Inf	3	Vertical	310	2.10
5775MHz	Pass	PK	5.6298G	57.77	68.20	-10.43	3	Vertical	310	2.10
5775MHz	Pass	PK	5.7414G	111.19	Inf	-Inf	3	Vertical	310	2.10
5775MHz	Pass	PK	6.051G	55.23	68.20	-12.97	3	Vertical	310	2.10
5775MHz	Pass	AV	5.739G	92.60	Inf	-Inf	3	Horizontal	323	2.27
5775MHz	Pass	PK	5.5614G	55.29	68.20	-12.91	3	Horizontal	323	2.27
5775MHz	Pass	PK	5.739G	104.55	Inf	-Inf	3	Horizontal	323	2.27
5775MHz	Pass	PK	6.0198G	55.92	68.20	-12.28	3	Horizontal	323	2.27
5775MHz	Pass	AV	11.54144G	34.58	54.00	-19.42	3	Vertical	169	1.50
5775MHz	Pass	PK	11.54152G	47.71	74.00	-26.29	3	Vertical	169	1.50
5775MHz	Pass	AV	11.5542G	34.60	54.00	-19.40	3	Horizontal	133	1.50
5775MHz	Pass	PK	11.54456G	47.51	74.00	-26.49	3	Horizontal	133	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	42.49	54.00	-11.51	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2032G	84.88	Inf	-Inf	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3532G	42.52	54.00	-11.48	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	54.72	74.00	-19.28	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2032G	95.89	Inf	-Inf	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3652G	54.49	74.00	-19.51	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4792G	53.93	68.20	-14.27	3	Vertical	360	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1468G	42.47	54.00	-11.53	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3112G	78.21	Inf	-Inf	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	42.54	54.00	-11.46	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.118G	54.44	74.00	-19.56	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3124G	90.37	Inf	-Inf	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3844G	53.63	74.00	-20.37	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5296G	53.97	68.20	-14.23	3	Horizontal	320	2.31
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50072G	47.73	68.20	-20.47	3	Vertical	355	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50428G	47.56	68.20	-20.64	3	Horizontal	215	1.50
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.45G	43.50	54.00	-10.50	3	Vertical	317	2.41
5570MHz	Pass	AV	5.5112G	91.40	Inf	-Inf	3	Vertical	317	2.41
5570MHz	Pass	PK	5.3G	54.74	68.20	-13.46	3	Vertical	317	2.41
5570MHz	Pass	PK	5.4308G	61.73	74.00	-12.27	3	Vertical	317	2.41
5570MHz	Pass	PK	5.4692G	55.13	68.20	-13.07	3	Vertical	317	2.41



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.492G	103.20	Inf	-Inf	3	Vertical	317	2.41
5570MHz	Pass	PK	5.7812G	62.23	68.20	-5.97	3	Vertical	317	2.41
5570MHz	Pass	AV	5.3696G	42.34	54.00	-11.66	3	Horizontal	329	2.17
5570MHz	Pass	AV	5.528G	84.05	Inf	-Inf	3	Horizontal	329	2.17
5570MHz	Pass	PK	5.3072G	56.20	68.20	-12.00	3	Horizontal	329	2.17
5570MHz	Pass	PK	5.4548G	58.59	74.00	-15.41	3	Horizontal	329	2.17
5570MHz	Pass	PK	5.4644G	55.01	68.20	-13.19	3	Horizontal	329	2.17
5570MHz	Pass	PK	5.5268G	96.93	Inf	-Inf	3	Horizontal	329	2.17
5570MHz	Pass	PK	5.7344G	58.31	68.20	-9.89	3	Horizontal	329	2.17
5570MHz	Pass	AV	11.14536G	34.87	54.00	-19.13	3	Vertical	4	1.50
5570MHz	Pass	PK	11.13664G	48.37	74.00	-25.63	3	Vertical	4	1.50
5570MHz	Pass	AV	11.13756G	34.63	54.00	-19.37	3	Horizontal	331	2.96
5570MHz	Pass	PK	11.13516G	47.90	74.00	-26.10	3	Horizontal	331	2.96

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.143G	43.29	54.00	-10.71	4.76	3	Vertical	359	2.33	38.53	33.06	6.77	35.07				
AV	5.243G	93.84	Inf	-Inf	4.69	3	Vertical	359	2.33	89.15	32.91	6.85	35.07				
AV	5.355G	42.88	54.00	-11.12	4.74	3	Vertical	359	2.33	38.14	32.79	7.02	35.07				
PK	5.087G	54.70	74.00	-19.30	4.53	3	Vertical	359	2.33	50.17	32.85	6.75	35.07				
PK	5.243G	105.55	Inf	-Inf	4.69	3	Vertical	359	2.33	100.86	32.91	6.85	35.07				
PK	5.372G	55.56	74.00	-18.44	4.74	3	Vertical	359	2.33	50.82	32.76	7.05	35.07				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.15G	42.83	54.00	-11.17	4.80	3	Horizontal	324	2.19	38.03	33.10	6.77	35.07				
AV	5.231G	86.76	Inf	-Inf	4.71	3	Horizontal	324	2.19	82.05	32.94	6.84	35.07				
AV	5.363G	42.59	54.00	-11.41	4.73	3	Horizontal	324	2.19	37.86	32.77	7.03	35.07				
PK	5.14G	54.85	74.00	-19.15	4.74	3	Horizontal	324	2.19	50.11	33.04	6.77	35.07				
PK	5.231G	97.94	Inf	-Inf	4.71	3	Horizontal	324	2.19	93.23	32.94	6.84	35.07				
PK	5.372G	54.58	74.00	-19.42	4.74	3	Horizontal	324	2.19	49.84	32.76	7.05	35.07				


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	42.61	54.00	-11.39	4.78	3	Vertical	360	2.40	37.83	33.08	6.77	35.07
AV	5.263G	96.18	Inf	-Inf	4.68	3	Vertical	360	2.40	91.50	32.87	6.88	35.07
AV	5.383G	44.29	54.00	-9.71	4.72	3	Vertical	360	2.40	39.57	32.73	7.06	35.07
PK	5.145G	54.81	74.00	-19.19	4.77	3	Vertical	360	2.40	50.04	33.07	6.77	35.07
PK	5.262G	108.33	Inf	-Inf	4.69	3	Vertical	360	2.40	103.64	32.88	6.88	35.07
PK	5.383G	56.74	74.00	-17.26	4.72	3	Vertical	360	2.40	52.02	32.73	7.06	35.07
PK	5.506G	54.30	68.20	-13.90	4.87	3	Vertical	360	2.40	49.43	32.81	7.13	35.07

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	42.24	54.00	-11.76	4.79	3	Horizontal	320	2.48	37.45	33.09	6.77	35.07
AV	5.252G	90.30	Inf	-Inf	4.70	3	Horizontal	320	2.48	85.60	32.90	6.87	35.07
AV	5.372G	42.50	54.00	-11.50	4.74	3	Horizontal	320	2.48	37.76	32.76	7.05	35.07
PK	5.146G	54.28	74.00	-19.72	4.78	3	Horizontal	320	2.48	49.50	33.08	6.77	35.07
PK	5.252G	101.93	Inf	-Inf	4.70	3	Horizontal	320	2.48	97.23	32.90	6.87	35.07
PK	5.398G	54.55	74.00	-19.45	4.72	3	Horizontal	320	2.48	49.83	32.70	7.09	35.07
PK	5.465G	53.72	68.20	-14.48	4.84	3	Horizontal	320	2.48	48.88	32.80	7.11	35.07


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	43.50	54.00	-10.50	4.84	3	Vertical	317	2.41	38.66	32.80	7.11	35.07
AV	5.5112G	91.40	Inf	-Inf	4.88	3	Vertical	317	2.41	86.52	32.82	7.13	35.07
PK	5.3G	54.74	68.20	-13.46	4.67	3	Vertical	317	2.41	50.07	32.80	6.94	35.07
PK	5.4308G	61.73	74.00	-12.27	4.79	3	Vertical	317	2.41	56.94	32.76	7.10	35.07
PK	5.4692G	55.13	68.20	-13.07	4.84	3	Vertical	317	2.41	50.29	32.80	7.11	35.07
PK	5.492G	103.20	Inf	-Inf	4.85	3	Vertical	317	2.41	98.35	32.80	7.12	35.07
PK	5.7812G	62.23	68.20	-5.97	5.85	3	Vertical	317	2.41	56.38	33.82	7.22	35.19

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3696G	42.34	54.00	-11.66	4.73	3	Horizontal	329	2.17	37.61	32.76	7.04	35.07
AV	5.528G	84.05	Inf	-Inf	4.91	3	Horizontal	329	2.17	79.14	32.86	7.13	35.08
PK	5.3072G	56.20	68.20	-12.00	4.68	3	Horizontal	329	2.17	51.52	32.80	6.95	35.07
PK	5.4548G	58.59	74.00	-15.41	4.84	3	Horizontal	329	2.17	53.75	32.80	7.11	35.07
PK	5.4644G	55.01	68.20	-13.19	4.84	3	Horizontal	329	2.17	50.17	32.80	7.11	35.07
PK	5.5268G	96.93	Inf	-Inf	4.90	3	Horizontal	329	2.17	92.03	32.85	7.13	35.08
PK	5.7344G	58.31	68.20	-9.89	5.71	3	Horizontal	329	2.17	52.60	33.67	7.21	35.17


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.7414G	99.92	Inf	-Inf	5.72	3	Vertical	310	2.10	94.20	33.68	7.21	35.17				
PK	5.6298G	57.77	68.20	-10.43	5.03	3	Vertical	310	2.10	52.74	32.98	7.17	35.12				
PK	5.7414G	111.19	Inf	-Inf	5.72	3	Vertical	310	2.10	105.47	33.68	7.21	35.17				
PK	6.051G	55.23	68.20	-12.97	6.06	3	Vertical	310	2.10	49.17	34.00	7.37	35.31				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.739G	92.60	Inf	-Inf	5.72	3	Horizontal	323	2.27	86.88	33.68	7.21	35.17				
PK	5.5614G	55.29	68.20	-12.91	4.93	3	Horizontal	323	2.27	50.36	32.88	7.15	35.10				
PK	5.739G	104.55	Inf	-Inf	5.72	3	Horizontal	323	2.27	98.83	33.68	7.21	35.17				
PK	6.0198G	55.92	68.20	-12.28	6.12	3	Horizontal	323	2.27	49.80	34.06	7.35	35.29				


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3_Channel Puncturing Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	AV	5.143G	44.85	54.00	-9.15	3	Vertical	32	2.31
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	Pass	PK	5.3628G	71.76	74.00	-2.24	3	Vertical	0	2.22
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	AV	5.362G	46.75	54.00	-7.25	3	Vertical	0	2.21
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	PK	5.47G	62.25	68.20	-5.95	3	Vertical	315	2.42
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	Pass	PK	5.75G	63.24	68.20	-4.96	3	Vertical	316	2.37
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	PK	5.6502G	62.17	68.35	-6.18	3	Vertical	328	2.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	44.85	54.00	-9.15	3	Vertical	32	2.31
5210MHz	Pass	AV	5.203G	95.99	Inf	-Inf	3	Vertical	32	2.31
5210MHz	Pass	AV	5.352G	42.74	54.00	-11.26	3	Vertical	32	2.31
5210MHz	Pass	PK	5.143G	57.71	74.00	-16.29	3	Vertical	32	2.31
5210MHz	Pass	PK	5.243G	108.32	Inf	-Inf	3	Vertical	32	2.31
5210MHz	Pass	PK	5.352G	55.40	74.00	-18.60	3	Vertical	32	2.31
5210MHz	Pass	AV	5.15G	42.89	54.00	-11.11	3	Horizontal	321	2.36
5210MHz	Pass	AV	5.231G	90.41	Inf	-Inf	3	Horizontal	321	2.36
5210MHz	Pass	AV	5.351G	42.40	54.00	-11.60	3	Horizontal	321	2.36
5210MHz	Pass	PK	5.146G	55.33	74.00	-18.67	3	Horizontal	321	2.36
5210MHz	Pass	PK	5.191G	102.86	Inf	-Inf	3	Horizontal	321	2.36
5210MHz	Pass	PK	5.35G	54.86	74.00	-19.14	3	Horizontal	321	2.36
5210MHz	Pass	PK	10.40368G	48.16	68.20	-20.04	3	Vertical	291	1.50
5210MHz	Pass	PK	10.432G	47.86	68.20	-20.34	3	Horizontal	77	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.147G	42.60	54.00	-11.40	3	Vertical	0	2.21
5290MHz	Pass	AV	5.263G	97.05	Inf	-Inf	3	Vertical	0	2.21
5290MHz	Pass	AV	5.362G	46.75	54.00	-7.25	3	Vertical	0	2.21
5290MHz	Pass	PK	5.144G	56.73	74.00	-17.27	3	Vertical	0	2.21
5290MHz	Pass	PK	5.262G	109.22	Inf	-Inf	3	Vertical	0	2.21
5290MHz	Pass	PK	5.362G	61.64	74.00	-12.36	3	Vertical	0	2.21
5290MHz	Pass	PK	5.514G	56.18	68.20	-12.02	3	Vertical	0	2.21
5290MHz	Pass	AV	5.148G	42.48	54.00	-11.52	3	Horizontal	328	2.97
5290MHz	Pass	AV	5.265G	90.79	Inf	-Inf	3	Horizontal	328	2.97
5290MHz	Pass	AV	5.364G	44.29	54.00	-9.71	3	Horizontal	328	2.97
5290MHz	Pass	PK	5.129G	54.74	74.00	-19.26	3	Horizontal	328	2.97
5290MHz	Pass	PK	5.265G	102.76	Inf	-Inf	3	Horizontal	328	2.97
5290MHz	Pass	PK	5.357G	56.21	74.00	-17.79	3	Horizontal	328	2.97
5290MHz	Pass	PK	5.506G	55.56	68.20	-12.64	3	Horizontal	328	2.97
5290MHz	Pass	AV	10.63952G	35.55	54.00	-18.45	3	Vertical	327	1.50
5290MHz	Pass	PK	10.62008G	49.16	74.00	-24.84	3	Vertical	327	1.50
5290MHz	Pass	AV	10.63976G	35.55	54.00	-18.45	3	Horizontal	18	1.50
5290MHz	Pass	PK	10.6148G	48.54	74.00	-25.46	3	Horizontal	18	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.71	54.00	-11.29	3	Vertical	315	2.42
5530MHz	Pass	AV	5.452G	43.99	54.00	-10.01	3	Vertical	315	2.42
5530MHz	Pass	AV	5.512G	93.56	Inf	-Inf	3	Vertical	315	2.42
5530MHz	Pass	PK	5.287G	55.46	68.20	-12.74	3	Vertical	315	2.42
5530MHz	Pass	PK	5.451G	61.37	74.00	-12.63	3	Vertical	315	2.42
5530MHz	Pass	PK	5.47G	62.25	68.20	-5.95	3	Vertical	315	2.42
5530MHz	Pass	PK	5.513G	106.57	Inf	-Inf	3	Vertical	315	2.42
5530MHz	Pass	PK	5.743G	56.69	68.20	-11.51	3	Vertical	315	2.42
5530MHz	Pass	AV	5.35G	42.25	54.00	-11.75	3	Horizontal	330	2.21
5530MHz	Pass	AV	5.358G	42.26	54.00	-11.74	3	Horizontal	330	2.21
5530MHz	Pass	AV	5.567G	86.42	Inf	-Inf	3	Horizontal	330	2.21
5530MHz	Pass	PK	5.349G	55.48	68.20	-12.72	3	Horizontal	330	2.21
5530MHz	Pass	PK	5.374G	55.12	74.00	-18.88	3	Horizontal	330	2.21
5530MHz	Pass	PK	5.464G	54.08	68.20	-14.12	3	Horizontal	330	2.21
5530MHz	Pass	PK	5.567G	98.75	Inf	-Inf	3	Horizontal	330	2.21
5530MHz	Pass	PK	5.753G	57.09	68.20	-11.11	3	Horizontal	330	2.21
5530MHz	Pass	AV	11.00648G	34.77	54.00	-19.23	3	Vertical	358	1.50
5530MHz	Pass	PK	11.08832G	48.34	74.00	-25.66	3	Vertical	358	1.50
5530MHz	Pass	AV	11.00912G	34.85	54.00	-19.15	3	Horizontal	34	1.50
5530MHz	Pass	PK	11.048G	48.16	74.00	-25.84	3	Horizontal	34	1.50
5610MHz	Pass	AV	5.432G	42.90	54.00	-11.10	3	Vertical	325	2.14
5610MHz	Pass	AV	5.647G	97.25	Inf	-Inf	3	Vertical	325	2.14
5610MHz	Pass	PK	5.444G	56.02	74.00	-17.98	3	Vertical	325	2.14
5610MHz	Pass	PK	5.464G	54.59	68.20	-13.61	3	Vertical	325	2.14
5610MHz	Pass	PK	5.647G	110.49	Inf	-Inf	3	Vertical	325	2.14
5610MHz	Pass	PK	5.746G	57.56	68.20	-10.64	3	Vertical	325	2.14

RSE TX above 1GHz Non-Beamforming Radio 3 Channel Puncturing Appendix E.7


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.362G	42.26	54.00	-11.74	3	Horizontal	323	2.16
5610MHz	Pass	AV	5.634G	91.70	Inf	-Inf	3	Horizontal	323	2.16
5610MHz	Pass	PK	5.36G	55.49	74.00	-18.51	3	Horizontal	323	2.16
5610MHz	Pass	PK	5.464G	54.34	68.20	-13.86	3	Horizontal	323	2.16
5610MHz	Pass	PK	5.634G	105.31	Inf	-Inf	3	Horizontal	323	2.16
5610MHz	Pass	PK	5.859G	56.59	68.20	-11.61	3	Horizontal	323	2.16
5610MHz	Pass	AV	11.27712G	35.88	54.00	-18.12	3	Vertical	164	1.50
5610MHz	Pass	PK	11.2776G	48.48	74.00	-25.52	3	Vertical	164	1.50
5610MHz	Pass	AV	11.262G	35.89	54.00	-18.11	3	Horizontal	63	1.50
5610MHz	Pass	PK	11.23176G	49.17	74.00	-24.83	3	Horizontal	63	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3912G	43.30	54.00	-10.70	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	99.13	Inf	-Inf	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	56.52	74.00	-17.48	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.82	68.20	-13.38	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	111.77	Inf	-Inf	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	57.15	68.20	-11.05	3	Vertical	310	2.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	42.20	54.00	-11.80	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6732G	92.88	Inf	-Inf	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	54.79	74.00	-19.21	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.08	68.20	-14.12	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	104.62	Inf	-Inf	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	56.28	68.20	-11.92	3	Horizontal	323	2.27
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.32144G	36.13	54.00	-17.87	3	Vertical	0	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36536G	49.79	74.00	-24.21	3	Vertical	0	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.32096G	36.16	54.00	-17.84	3	Horizontal	308	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.33152G	49.39	74.00	-24.61	3	Horizontal	308	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX										
5775MHz	Pass	AV	5.751G	100.51	Inf	-Inf	3	Vertical	328	2.26
5775MHz	Pass	PK	5.6502G	62.17	68.35	-6.18	3	Vertical	328	2.26
5775MHz	Pass	PK	5.7498G	112.14	Inf	-Inf	3	Vertical	328	2.26
5775MHz	Pass	PK	5.9814G	56.65	68.20	-11.55	3	Vertical	328	2.26
5775MHz	Pass	AV	5.7378G	94.28	Inf	-Inf	3	Horizontal	323	2.29
5775MHz	Pass	PK	5.625G	60.75	68.20	-7.45	3	Horizontal	323	2.29
5775MHz	Pass	PK	5.739G	107.11	Inf	-Inf	3	Horizontal	323	2.29
5775MHz	Pass	PK	5.9658G	56.22	68.20	-11.98	3	Horizontal	323	2.29
5775MHz	Pass	AV	11.50488G	35.52	54.00	-18.48	3	Vertical	100	1.50
5775MHz	Pass	PK	11.55864G	48.71	74.00	-25.29	3	Vertical	100	1.50
5775MHz	Pass	AV	11.502G	35.44	54.00	-18.56	3	Horizontal	123	1.50
5775MHz	Pass	PK	11.50872G	48.67	74.00	-25.33	3	Horizontal	123	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1444G	45.18	54.00	-8.82	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2428G	91.30	Inf	-Inf	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3628G	45.95	54.00	-8.05	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	58.99	74.00	-15.01	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2428G	103.30	Inf	-Inf	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.352G	60.71	74.00	-13.29	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4828G	58.23	68.20	-9.97	3	Vertical	33	2.27
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	43.06	54.00	-10.94	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.232G	86.09	Inf	-Inf	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	44.13	54.00	-9.87	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	58.03	74.00	-15.97	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2308G	99.45	Inf	-Inf	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	59.19	74.00	-14.81	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5368G	54.82	68.20	-13.38	3	Horizontal	322	2.37
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.60752G	35.36	54.00	-18.64	3	Vertical	22	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.61904G	48.98	74.00	-25.02	3	Vertical	22	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.61088G	35.38	54.00	-18.62	3	Horizontal	328	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.58352G	48.15	68.20	-20.05	3	Horizontal	328	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1432G	44.19	54.00	-9.81	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2032G	91.89	Inf	-Inf	3	Vertical	0	2.22

RSE TX above 1GHz Non-Beamforming Radio 3 Channel Puncturing Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3628G	44.57	54.00	-9.43	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.142G	59.15	74.00	-14.85	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2428G	104.11	Inf	-Inf	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3628G	71.76	74.00	-2.24	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	61.54	68.20	-6.66	3	Vertical	0	2.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	43.00	54.00	-11.00	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2308G	86.32	Inf	-Inf	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	43.44	54.00	-10.56	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1492G	59.21	74.00	-14.79	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1912G	97.98	Inf	-Inf	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3904G	62.65	74.00	-11.35	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	58.06	68.20	-10.14	3	Horizontal	322	2.36
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.60992G	35.24	54.00	-18.76	3	Vertical	140	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.58208G	48.29	68.20	-19.91	3	Vertical	140	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.60896G	35.23	54.00	-18.77	3	Horizontal	285	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.55424G	48.64	68.20	-19.56	3	Horizontal	285	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	45.01	54.00	-8.99	3	Vertical	316	2.38
5570MHz	Pass	AV	5.5112G	92.85	Inf	-Inf	3	Vertical	316	2.38
5570MHz	Pass	PK	5.3312G	59.81	68.20	-8.39	3	Vertical	316	2.38
5570MHz	Pass	PK	5.432G	63.40	74.00	-10.60	3	Vertical	316	2.38
5570MHz	Pass	PK	5.4656G	57.73	68.20	-10.47	3	Vertical	316	2.38
5570MHz	Pass	PK	5.492G	105.16	Inf	-Inf	3	Vertical	316	2.38
5570MHz	Pass	PK	5.7764G	59.31	68.20	-8.89	3	Vertical	316	2.38
5570MHz	Pass	AV	5.3576G	42.36	54.00	-11.64	3	Horizontal	329	2.27
5570MHz	Pass	AV	5.528G	86.28	Inf	-Inf	3	Horizontal	329	2.27
5570MHz	Pass	PK	5.3264G	55.40	68.20	-12.80	3	Horizontal	329	2.27
5570MHz	Pass	PK	5.4296G	55.05	74.00	-18.95	3	Horizontal	329	2.27
5570MHz	Pass	PK	5.4692G	54.98	68.20	-13.22	3	Horizontal	329	2.27
5570MHz	Pass	PK	5.5076G	98.52	Inf	-Inf	3	Horizontal	329	2.27
5570MHz	Pass	PK	5.7884G	56.62	68.20	-11.58	3	Horizontal	329	2.27
5570MHz	Pass	AV	11.25952G	35.79	54.00	-18.21	3	Vertical	7	1.50
5570MHz	Pass	PK	11.24176G	48.38	74.00	-25.62	3	Vertical	7	1.50
5570MHz	Pass	AV	11.25952G	35.83	54.00	-18.17	3	Horizontal	149	1.50
5570MHz	Pass	PK	11.22256G	48.94	74.00	-25.06	3	Horizontal	149	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.45G	44.06	54.00	-9.94	3	Vertical	316	2.37
5570MHz	Pass	AV	5.5112G	93.12	Inf	-Inf	3	Vertical	316	2.37
5570MHz	Pass	PK	5.3492G	62.81	68.20	-5.39	3	Vertical	316	2.37
5570MHz	Pass	PK	5.4308G	68.76	74.00	-5.24	3	Vertical	316	2.37
5570MHz	Pass	PK	5.4692G	58.17	68.20	-10.03	3	Vertical	316	2.37
5570MHz	Pass	PK	5.5112G	105.59	Inf	-Inf	3	Vertical	316	2.37
5570MHz	Pass	PK	5.75G	63.24	68.20	-4.96	3	Vertical	316	2.37
5570MHz	Pass	AV	5.36G	42.32	54.00	-11.68	3	Horizontal	331	2.26
5570MHz	Pass	AV	5.5268G	85.95	Inf	-Inf	3	Horizontal	331	2.26
5570MHz	Pass	PK	5.35G	57.83	74.00	-16.17	3	Horizontal	331	2.26
5570MHz	Pass	PK	5.4344G	58.15	74.00	-15.85	3	Horizontal	331	2.26
5570MHz	Pass	PK	5.4608G	57.93	68.20	-10.27	3	Horizontal	331	2.26
5570MHz	Pass	PK	5.5076G	98.28	Inf	-Inf	3	Horizontal	331	2.26
5570MHz	Pass	PK	5.7452G	60.69	68.20	-7.51	3	Horizontal	331	2.26
5570MHz	Pass	AV	11.25808G	35.72	54.00	-18.28	3	Vertical	55	1.49
5570MHz	Pass	PK	11.15104G	48.94	74.00	-25.06	3	Vertical	55	1.49
5570MHz	Pass	AV	11.25904G	35.83	54.00	-18.17	3	Horizontal	318	1.50
5570MHz	Pass	PK	11.24416G	48.80	74.00	-25.20	3	Horizontal	318	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	44.85	54.00	-9.15	4.76	3	Vertical	32	2.31	40.09	33.06	6.77	35.07
AV	5.203G	95.99	Inf	-Inf	4.71	3	Vertical	32	2.31	91.28	32.99	6.79	35.07
AV	5.352G	42.74	54.00	-11.26	4.75	3	Vertical	32	2.31	37.99	32.80	7.02	35.07
PK	5.143G	57.71	74.00	-16.29	4.76	3	Vertical	32	2.31	52.95	33.06	6.77	35.07
PK	5.243G	108.32	Inf	-Inf	4.69	3	Vertical	32	2.31	103.63	32.91	6.85	35.07
PK	5.352G	55.40	74.00	-18.60	4.75	3	Vertical	32	2.31	50.65	32.80	7.02	35.07

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.89	54.00	-11.11	4.80	3	Horizontal	321	2.36	38.09	33.10	6.77	35.07
AV	5.231G	90.41	Inf	-Inf	4.71	3	Horizontal	321	2.36	85.70	32.94	6.84	35.07
AV	5.351G	42.40	54.00	-11.60	4.75	3	Horizontal	321	2.36	37.65	32.80	7.02	35.07
PK	5.146G	55.33	74.00	-18.67	4.78	3	Horizontal	321	2.36	50.55	33.08	6.77	35.07
PK	5.191G	102.86	Inf	-Inf	4.74	3	Horizontal	321	2.36	98.12	33.02	6.79	35.07
PK	5.35G	54.86	74.00	-19.14	4.74	3	Horizontal	321	2.36	50.12	32.80	7.01	35.07


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	42.60	54.00	-11.40	4.78	3	Vertical	0	2.21	37.82	33.08	6.77	35.07
AV	5.263G	97.05	Inf	-Inf	4.68	3	Vertical	0	2.21	92.37	32.87	6.88	35.07
AV	5.362G	46.75	54.00	-7.25	4.74	3	Vertical	0	2.21	42.01	32.78	7.03	35.07
PK	5.144G	56.73	74.00	-17.27	4.76	3	Vertical	0	2.21	51.97	33.06	6.77	35.07
PK	5.262G	109.22	Inf	-Inf	4.69	3	Vertical	0	2.21	104.53	32.88	6.88	35.07
PK	5.362G	61.64	74.00	-12.36	4.74	3	Vertical	0	2.21	56.90	32.78	7.03	35.07
PK	5.514G	56.18	68.20	-12.02	4.88	3	Vertical	0	2.21	51.30	32.83	7.13	35.08

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	42.48	54.00	-11.52	4.79	3	Horizontal	328	2.97	37.69	33.09	6.77	35.07
AV	5.265G	90.79	Inf	-Inf	4.69	3	Horizontal	328	2.97	86.10	32.87	6.89	35.07
AV	5.364G	44.29	54.00	-9.71	4.74	3	Horizontal	328	2.97	39.55	32.77	7.04	35.07
PK	5.129G	54.74	74.00	-19.26	4.67	3	Horizontal	328	2.97	50.07	32.97	6.77	35.07
PK	5.265G	102.76	Inf	-Inf	4.69	3	Horizontal	328	2.97	98.07	32.87	6.89	35.07
PK	5.357G	56.21	74.00	-17.79	4.75	3	Horizontal	328	2.97	51.46	32.79	7.03	35.07
PK	5.506G	55.56	68.20	-12.64	4.87	3	Horizontal	328	2.97	50.69	32.81	7.13	35.07


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.71	54.00	-11.29	4.74	3	Vertical	315	2.42	37.97	32.80	7.01	35.07
AV	5.452G	43.99	54.00	-10.01	4.84	3	Vertical	315	2.42	39.15	32.80	7.11	35.07
AV	5.512G	93.56	Inf	-Inf	4.87	3	Vertical	315	2.42	88.69	32.82	7.13	35.08
PK	5.287G	55.46	68.20	-12.74	4.68	3	Vertical	315	2.42	50.78	32.83	6.92	35.07
PK	5.451G	61.37	74.00	-12.63	4.84	3	Vertical	315	2.42	56.53	32.80	7.11	35.07
PK	5.47G	62.25	68.20	-5.95	4.84	3	Vertical	315	2.42	57.41	32.80	7.11	35.07
PK	5.513G	106.57	Inf	-Inf	4.88	3	Vertical	315	2.42	101.69	32.83	7.13	35.08
PK	5.743G	56.69	68.20	-11.51	5.73	3	Vertical	315	2.42	50.96	33.69	7.21	35.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.25	54.00	-11.75	4.74	3	Horizontal	330	2.21	37.51	32.80	7.01	35.07
AV	5.358G	42.26	54.00	-11.74	4.74	3	Horizontal	330	2.21	37.52	32.78	7.03	35.07
AV	5.567G	86.42	Inf	-Inf	4.92	3	Horizontal	330	2.21	81.50	32.87	7.15	35.10
PK	5.349G	55.48	68.20	-12.72	4.74	3	Horizontal	330	2.21	50.74	32.80	7.01	35.07
PK	5.374G	55.12	74.00	-18.88	4.73	3	Horizontal	330	2.21	50.39	32.75	7.05	35.07
PK	5.464G	54.08	68.20	-14.12	4.84	3	Horizontal	330	2.21	49.24	32.80	7.11	35.07
PK	5.567G	98.75	Inf	-Inf	4.92	3	Horizontal	330	2.21	93.83	32.87	7.15	35.10
PK	5.753G	57.09	68.20	-11.11	5.74	3	Horizontal	330	2.21	51.35	33.71	7.21	35.18



RSE TX above 1GHz_Non-Beamforming_Radio 3_Channel Puncturing Appendix E.7


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	44.06	54.00	-9.94	4.84	3	Vertical	316	2.37	39.22	32.80	7.11	35.07
AV	5.5112G	93.12	Inf	-Inf	4.88	3	Vertical	316	2.37	88.24	32.82	7.13	35.07
PK	5.3492G	62.81	68.20	-5.39	4.74	3	Vertical	316	2.37	58.07	32.80	7.01	35.07
PK	5.4308G	68.76	74.00	-5.24	4.79	3	Vertical	316	2.37	63.97	32.76	7.10	35.07
PK	5.4692G	58.17	68.20	-10.03	4.84	3	Vertical	316	2.37	53.33	32.80	7.11	35.07
PK	5.5112G	105.59	Inf	-Inf	4.88	3	Vertical	316	2.37	100.71	32.82	7.13	35.07
PK	5.75G	63.24	68.20	-4.96	5.74	3	Vertical	316	2.37	57.50	33.70	7.21	35.17

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.36G	42.32	54.00	-11.68	4.74	3	Horizontal	331	2.26	37.58	32.78	7.03	35.07
AV	5.5268G	85.95	Inf	-Inf	4.90	3	Horizontal	331	2.26	81.05	32.85	7.13	35.08
PK	5.35G	57.83	74.00	-16.17	4.74	3	Horizontal	331	2.26	53.09	32.80	7.01	35.07
PK	5.4344G	58.15	74.00	-15.85	4.80	3	Horizontal	331	2.26	53.35	32.77	7.10	35.07
PK	5.4608G	57.93	68.20	-10.27	4.84	3	Horizontal	331	2.26	53.09	32.80	7.11	35.07
PK	5.5076G	98.28	Inf	-Inf	4.88	3	Horizontal	331	2.26	93.40	32.82	7.13	35.07
PK	5.7452G	60.69	68.20	-7.51	5.73	3	Horizontal	331	2.26	54.96	33.69	7.21	35.17


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.751G	100.51	Inf	-Inf	5.73	3	Vertical	328	2.26	94.78	33.70	7.21	35.18
PK	5.6502G	62.17	68.35	-6.18	5.15	3	Vertical	328	2.26	57.02	33.10	7.18	35.13
PK	5.7498G	112.14	Inf	-Inf	5.74	3	Vertical	328	2.26	106.40	33.70	7.21	35.17
PK	5.9814G	56.65	68.20	-11.55	6.12	3	Vertical	328	2.26	50.53	34.06	7.33	35.27

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	94.28	Inf	-Inf	5.72	3	Horizontal	323	2.29	88.56	33.68	7.21	35.17
PK	5.625G	60.75	68.20	-7.45	5.00	3	Horizontal	323	2.29	55.75	32.95	7.17	35.12
PK	5.739G	107.11	Inf	-Inf	5.72	3	Horizontal	323	2.29	101.39	33.68	7.21	35.17
PK	5.9658G	56.22	68.20	-11.98	6.08	3	Horizontal	323	2.29	50.14	34.03	7.32	35.27



RSE TX above 1GHz_Non-Beamforming_Radio 3_Channel Puncturing Appendix E.7


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	2.44092G	66.87	88.20	-21.33	Vertical
Mode 2	Pass	PK	2.44085G	66.21	88.20	-21.99	Vertical
Mode 3	Pass	PK	2.44092G	66.87	88.20	-21.33	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.78944G	17.86	68.20	-50.34	3	Vertical	68	1.32	-
Mode 1	Pass	AV	2.44092G	25.46	68.20	-42.74	3	Vertical	252	2.09	-
Mode 1	Pass	AV	5.79052G	33.09	68.20	-35.11	3	Vertical	190	2.81	-
Mode 1	Pass	PK	1.78944G	31.70	88.20	-56.50	3	Vertical	68	1.32	-
Mode 1	Pass	PK	2.44092G	66.87	88.20	-21.33	3	Vertical	252	2.09	-
Mode 1	Pass	PK	5.79052G	53.32	88.20	-34.88	3	Vertical	190	2.81	-
Mode 1	Pass	AV	1.00002G	30.75	54.00	-23.25	3	Horizontal	132	1.12	-
Mode 1	Pass	AV	2.4413G	23.97	68.20	-44.23	3	Horizontal	202	1.32	-
Mode 1	Pass	AV	6.11756G	32.94	68.20	-35.26	3	Horizontal	65	1.00	-
Mode 1	Pass	PK	1.00002G	38.79	74.00	-35.21	3	Horizontal	132	1.12	-
Mode 1	Pass	PK	2.4413G	51.71	88.20	-36.49	3	Horizontal	202	1.32	-
Mode 1	Pass	PK	6.11756G	50.25	88.20	-37.95	3	Horizontal	65	1.00	-
Mode 2	Pass	AV	2.44085G	23.74	68.20	-44.46	3	Vertical	118	1.91	-
Mode 2	Pass	AV	5.22608G	32.21	68.20	-35.99	3	Vertical	324	2.15	-
Mode 2	Pass	AV	6.58371G	35.59	68.20	-32.61	3	Vertical	182	1.12	-
Mode 2	Pass	PK	2.44085G	66.21	88.20	-21.99	3	Vertical	118	1.91	-
Mode 2	Pass	PK	5.22608G	46.50	88.20	-41.70	3	Vertical	324	2.15	-
Mode 2	Pass	PK	6.58371G	48.67	88.20	-39.53	3	Vertical	182	1.12	-
Mode 2	Pass	AV	2.43194G	34.22	68.20	-33.98	3	Horizontal	192	1.24	-
Mode 2	Pass	AV	5.78996G	35.03	68.20	-33.17	3	Horizontal	178	1.50	-
Mode 2	Pass	AV	6.22107G	34.08	68.20	-34.12	3	Horizontal	13	1.62	-
Mode 2	Pass	PK	2.43194G	55.26	88.20	-32.94	3	Horizontal	192	1.24	-
Mode 2	Pass	PK	5.78996G	52.64	88.20	-35.56	3	Horizontal	178	1.50	-
Mode 2	Pass	PK	6.22107G	47.90	88.20	-40.30	3	Horizontal	13	1.62	-
Mode 3	Pass	AV	1.78944G	17.86	68.20	-50.34	3	Vertical	68	1.32	-
Mode 3	Pass	AV	2.44092G	25.46	68.20	-42.74	3	Vertical	252	2.09	-
Mode 3	Pass	AV	5.79052G	33.09	68.20	-35.11	3	Vertical	190	2.81	-
Mode 3	Pass	PK	1.78944G	31.70	88.20	-56.50	3	Vertical	68	1.32	-
Mode 3	Pass	PK	2.44092G	66.87	88.20	-21.33	3	Vertical	252	2.09	-
Mode 3	Pass	PK	5.79052G	53.32	88.20	-34.88	3	Vertical	190	2.81	-
Mode 3	Pass	AV	1.00002G	30.75	54.00	-23.25	3	Horizontal	132	1.12	-
Mode 3	Pass	AV	2.4413G	23.97	68.20	-44.23	3	Horizontal	202	1.32	-
Mode 3	Pass	AV	6.11756G	32.94	68.20	-35.26	3	Horizontal	65	1.00	-
Mode 3	Pass	PK	1.00002G	38.79	74.00	-35.21	3	Horizontal	132	1.12	-
Mode 3	Pass	PK	2.4413G	51.71	88.20	-36.49	3	Horizontal	202	1.32	-
Mode 3	Pass	PK	6.11756G	50.25	88.20	-37.95	3	Horizontal	65	1.00	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78944G	17.86	68.20	-50.34	-15.22	3	Vertical	68	1.32	33.08	24.99	4.62	44.83
AV	2.44092G	25.46	68.20	-42.74	-11.92	3	Vertical	252	2.09	37.38	27.69	5.36	44.97
AV	5.79052G	33.09	68.20	-35.11	-3.18	3	Vertical	190	2.81	36.27	34.14	8.61	45.93
PK	1.78944G	31.70	88.20	-56.50	-15.22	3	Vertical	68	1.32	46.92	24.99	4.62	44.83
PK	2.44092G	66.87	88.20	-21.33	-11.92	3	Vertical	252	2.09	78.79	27.69	5.36	44.97
PK	5.79052G	53.32	88.20	-34.88	-3.18	3	Vertical	190	2.81	56.50	34.14	8.61	45.93

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.00002G	30.75	54.00	-23.25	-16.58	3	Horizontal	132	1.12	47.33	24.70	3.42	44.70
AV	2.4413G	23.97	68.20	-44.23	-11.92	3	Horizontal	202	1.32	35.89	27.69	5.36	44.97
AV	6.11756G	32.94	68.20	-35.26	-2.93	3	Horizontal	65	1.00	35.87	34.34	8.71	45.98
PK	1.00002G	38.79	74.00	-35.21	-16.58	3	Horizontal	132	1.12	55.37	24.70	3.42	44.70
PK	2.4413G	51.71	88.20	-36.49	-11.92	3	Horizontal	202	1.32	63.63	27.69	5.36	44.97
PK	6.11756G	50.25	88.20	-37.95	-2.93	3	Horizontal	65	1.00	53.18	34.34	8.71	45.98

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.44085G	23.74	68.20	-44.46	-11.92	3	Vertical	118	1.91	35.66	27.69	5.36	44.97
AV	5.22608G	32.21	68.20	-35.99	-4.69	3	Vertical	324	2.15	36.90	33.10	8.01	45.80
AV	6.58371G	35.59	68.20	-32.61	-1.01	3	Vertical	182	1.12	36.60	35.97	8.97	45.95
PK	2.44085G	66.21	88.20	-21.99	-11.92	3	Vertical	118	1.91	78.13	27.69	5.36	44.97
PK	5.22608G	46.50	88.20	-41.70	-4.69	3	Vertical	324	2.15	51.19	33.10	8.01	45.80
PK	6.58371G	48.67	88.20	-39.53	-1.01	3	Vertical	182	1.12	49.68	35.97	8.97	45.95

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.43194G	34.22	68.20	-33.98	-11.92	3	Horizontal	192	1.24	46.14	27.70	5.34	44.96
AV	5.78996G	35.03	68.20	-33.17	-3.18	3	Horizontal	178	1.50	38.21	34.14	8.61	45.93
AV	6.22107G	34.08	68.20	-34.12	-2.77	3	Horizontal	13	1.62	36.85	34.44	8.77	45.98
PK	2.43194G	55.26	88.20	-32.94	-11.92	3	Horizontal	192	1.24	67.18	27.70	5.34	44.96
PK	5.78996G	52.64	88.20	-35.56	-3.18	3	Horizontal	178	1.50	55.82	34.14	8.61	45.93
PK	6.22107G	47.90	88.20	-40.30	-2.77	3	Horizontal	13	1.62	50.67	34.44	8.77	45.98

Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3

