



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.21	54.00	-6.79	1.28	3	Vertical	355	1.12	45.93	33.00	5.58	37.30
AV	5.452G	48.01	54.00	-5.99	1.40	3	Vertical	355	1.12	46.61	33.10	5.63	37.33
AV	5.523G	79.12	Inf	-Inf	1.50	3	Vertical	355	1.12	77.62	33.15	5.67	37.32
PK	5.349G	61.53	68.20	-6.67	1.28	3	Vertical	355	1.12	60.25	33.00	5.58	37.30
PK	5.452G	61.22	74.00	-12.78	1.40	3	Vertical	355	1.12	59.82	33.10	5.63	37.33
PK	5.464G	61.41	68.20	-6.79	1.44	3	Vertical	355	1.12	59.97	33.13	5.64	37.33
PK	5.523G	91.30	Inf	-Inf	1.50	3	Vertical	355	1.12	89.80	33.15	5.67	37.32
PK	5.762G	62.39	68.20	-5.81	2.71	3	Vertical	355	1.12	59.68	34.07	5.79	37.15

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.38	54.00	-6.62	1.28	3	Horizontal	145	1.21	46.10	33.00	5.58	37.30
AV	5.458G	50.72	54.00	-3.28	1.43	3	Horizontal	145	1.21	49.29	33.12	5.64	37.33
AV	5.528G	90.25	Inf	-Inf	1.49	3	Horizontal	145	1.21	88.76	33.14	5.67	37.32
PK	5.317G	61.05	68.20	-7.15	1.27	3	Horizontal	145	1.21	59.78	33.00	5.56	37.29
PK	5.459G	65.87	74.00	-8.13	1.43	3	Horizontal	145	1.21	64.44	33.12	5.64	37.33
PK	5.467G	65.91	68.20	-2.29	1.44	3	Horizontal	145	1.21	64.47	33.13	5.64	37.33
PK	5.519G	102.87	Inf	-Inf	1.49	3	Horizontal	145	1.21	101.38	33.16	5.66	37.33
PK	5.779G	62.77	68.20	-5.43	2.84	3	Horizontal	145	1.21	59.93	34.17	5.80	37.13


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	48.71	54.00	-5.29	1.40	3	Vertical	48	3.00	47.31	33.10	5.63	37.33
AV	5.5532G	80.70	Inf	-Inf	1.49	3	Vertical	48	3.00	79.21	33.11	5.68	37.30
PK	5.2724G	60.58	68.20	-7.62	1.31	3	Vertical	48	3.00	59.27	33.06	5.53	37.28
PK	5.444G	62.17	74.00	-11.83	1.40	3	Vertical	48	3.00	60.77	33.09	5.63	37.32
PK	5.4608G	61.79	68.20	-6.41	1.43	3	Vertical	48	3.00	60.36	33.12	5.64	37.33
PK	5.5544G	94.99	Inf	-Inf	1.49	3	Vertical	48	3.00	93.50	33.11	5.68	37.30
PK	5.8664G	62.86	68.20	-5.34	3.15	3	Vertical	48	3.00	59.71	34.37	5.85	37.07

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	50.56	54.00	-3.44	1.40	3	Horizontal	144	1.00	49.16	33.10	5.63	37.33
AV	5.588G	88.38	Inf	-Inf	1.60	3	Horizontal	144	1.00	86.78	33.18	5.69	37.27
PK	5.348G	61.43	68.20	-6.77	1.28	3	Horizontal	144	1.00	60.15	33.00	5.58	37.30
PK	5.4572G	64.36	74.00	-9.64	1.42	3	Horizontal	144	1.00	62.94	33.11	5.64	37.33
PK	5.4668G	65.05	68.20	-3.15	1.44	3	Horizontal	144	1.00	63.61	33.13	5.64	37.33
PK	5.5976G	101.57	Inf	-Inf	1.63	3	Horizontal	144	1.00	99.94	33.20	5.70	37.27
PK	5.7284G	63.34	68.20	-4.86	2.51	3	Horizontal	144	1.00	60.83	33.91	5.77	37.17


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	30M	32.62	40.00	-7.38	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5825MHz_Adapter	Pass	PK	30M	32.62	40.00	-7.38	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	111.48M	27.77	43.50	-15.73	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	187.14M	32.15	43.50	-11.35	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	307.42M	32.91	46.00	-13.09	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	575.14M	30.09	46.00	-15.91	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	961.2M	36.17	54.00	-17.83	3	Vertical	360	1.00
5825MHz_Adapter	Pass	PK	30M	20.98	40.00	-19.02	3	Horizontal	0	1.00
5825MHz_Adapter	Pass	PK	111.48M	31.60	43.50	-11.90	3	Horizontal	0	1.00
5825MHz_Adapter	Pass	PK	159.98M	29.52	43.50	-13.98	3	Horizontal	0	1.00
5825MHz_Adapter	Pass	PK	212.36M	25.42	43.50	-18.08	3	Horizontal	0	1.00
5825MHz_Adapter	Pass	PK	307.42M	36.32	46.00	-9.68	3	Horizontal	0	1.00
5825MHz_Adapter	Pass	PK	402.48M	26.11	46.00	-19.89	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	43.58M	31.45	40.00	-8.55	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	117.3M	26.01	43.50	-17.49	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	206.54M	30.21	43.50	-13.29	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	264.74M	30.86	46.00	-15.14	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	437.4M	27.22	46.00	-18.78	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	575.14M	32.90	46.00	-13.10	3	Vertical	360	1.00
5825MHz_PoE	Pass	PK	39.7M	21.76	40.00	-18.24	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	76.56M	25.30	40.00	-14.70	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	115.36M	27.82	43.50	-15.68	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	175.5M	21.70	43.50	-21.80	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	317.12M	21.26	46.00	-24.74	3	Horizontal	0	1.00
5825MHz_PoE	Pass	PK	402.48M	24.42	46.00	-21.58	3	Horizontal	0	1.00


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_Adapter



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	10.36192G	68.05	68.20	-0.15	3	Horizontal	31	1.56
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	10.3624G	68.01	68.20	-0.19	3	Horizontal	30	1.54
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	52.40	54.00	-1.60	3	Vertical	157	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.40	54.00	-0.60	3	Vertical	24	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	10.6376G	48.31	54.00	-5.69	3	Vertical	8	1.73
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	10.52276G	63.17	68.20	-5.03	3	Horizontal	360	1.61
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	50.25	54.00	-3.75	3	Vertical	22	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.368G	52.88	54.00	-1.12	3	Vertical	21	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3796G	53.18	54.00	-0.82	3	Vertical	22	1.48
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7252G	62.20	68.20	-6.00	3	Vertical	116	1.98
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.9252G	62.54	68.20	-5.66	3	Horizontal	61	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.4656G	67.48	68.20	-0.72	3	Vertical	89	2.69
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.445G	51.24	54.00	-2.76	3	Vertical	84	2.67
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.7296G	67.47	68.20	-0.73	3	Vertical	102	1.93
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.652G	52.16	54.00	-1.84	3	Horizontal	65	1.93
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.48634G	52.39	54.00	-1.61	3	Horizontal	18	3.00
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.647G	65.13	68.20	-3.07	3	Vertical	111	1.33
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6478G	65.52	68.20	-2.68	3	Vertical	114	1.27

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.10	54.00	-0.90	3	Vertical	179	1.84
5180MHz	Pass	AV	5.1832G	104.12	Inf	-Inf	3	Vertical	179	1.84
5180MHz	Pass	PK	5.1476G	65.18	74.00	-8.82	3	Vertical	179	1.84
5180MHz	Pass	PK	5.1832G	112.40	Inf	-Inf	3	Vertical	179	1.84
5180MHz	Pass	AV	5.148G	50.01	54.00	-3.99	3	Horizontal	327	1.37
5180MHz	Pass	AV	5.1876G	99.36	Inf	-Inf	3	Horizontal	327	1.37
5180MHz	Pass	PK	5.148G	61.99	74.00	-12.01	3	Horizontal	327	1.37
5180MHz	Pass	PK	5.1874G	107.40	Inf	-Inf	3	Horizontal	327	1.37
5180MHz	Pass	PK	10.3608G	65.37	68.20	-2.83	3	Vertical	334	1.00
5180MHz	Pass	PK	10.36192G	68.05	68.20	-0.15	3	Horizontal	31	1.56
5200MHz	Pass	AV	5.1488G	49.22	54.00	-4.78	3	Vertical	179	1.76
5200MHz	Pass	AV	5.2024G	104.18	Inf	-Inf	3	Vertical	179	1.76
5200MHz	Pass	PK	5.15G	61.37	74.00	-12.63	3	Vertical	179	1.76
5200MHz	Pass	PK	5.2024G	112.59	Inf	-Inf	3	Vertical	179	1.76
5200MHz	Pass	AV	5.1488G	47.75	54.00	-6.25	3	Horizontal	330	1.34
5200MHz	Pass	AV	5.2076G	99.28	Inf	-Inf	3	Horizontal	330	1.34
5200MHz	Pass	PK	5.138G	60.12	74.00	-13.88	3	Horizontal	330	1.34
5200MHz	Pass	PK	5.2076G	107.36	Inf	-Inf	3	Horizontal	330	1.34
5200MHz	Pass	PK	10.39832G	64.02	68.20	-4.18	3	Vertical	352	1.43
5200MHz	Pass	PK	10.40066G	66.13	68.20	-2.07	3	Horizontal	29	1.50
5240MHz	Pass	AV	5.1386G	47.16	54.00	-6.84	3	Vertical	179	1.50
5240MHz	Pass	AV	5.2334G	104.53	Inf	-Inf	3	Vertical	179	1.50
5240MHz	Pass	AV	5.3582G	47.50	54.00	-6.50	3	Vertical	179	1.50
5240MHz	Pass	PK	5.093G	60.88	74.00	-13.12	3	Vertical	179	1.50
5240MHz	Pass	PK	5.2328G	113.05	Inf	-Inf	3	Vertical	179	1.50
5240MHz	Pass	PK	5.363G	59.98	74.00	-14.02	3	Vertical	179	1.50
5240MHz	Pass	AV	5.1326G	47.09	54.00	-6.91	3	Horizontal	297	2.92
5240MHz	Pass	AV	5.2442G	100.39	Inf	-Inf	3	Horizontal	297	2.92
5240MHz	Pass	AV	5.3864G	47.46	54.00	-6.54	3	Horizontal	297	2.92
5240MHz	Pass	PK	5.1482G	61.32	74.00	-12.68	3	Horizontal	297	2.92
5240MHz	Pass	PK	5.243G	108.71	Inf	-Inf	3	Horizontal	297	2.92
5240MHz	Pass	PK	5.3684G	59.70	74.00	-14.30	3	Horizontal	297	2.92
5240MHz	Pass	PK	10.47632G	63.35	68.20	-4.85	3	Vertical	326	1.49
5240MHz	Pass	PK	10.48072G	65.84	68.20	-2.36	3	Horizontal	360	1.57
5260MHz	Pass	AV	5.134G	47.12	54.00	-6.88	3	Vertical	23	1.50
5260MHz	Pass	AV	5.2576G	101.22	Inf	-Inf	3	Vertical	23	1.50
5260MHz	Pass	AV	5.4064G	47.55	54.00	-6.45	3	Vertical	23	1.50
5260MHz	Pass	PK	5.1418G	60.89	74.00	-13.11	3	Vertical	23	1.50
5260MHz	Pass	PK	5.2576G	109.46	Inf	-Inf	3	Vertical	23	1.50
5260MHz	Pass	PK	5.3848G	60.14	74.00	-13.86	3	Vertical	23	1.50
5260MHz	Pass	AV	5.1268G	47.09	54.00	-6.91	3	Horizontal	24	2.66
5260MHz	Pass	AV	5.2624G	96.86	Inf	-Inf	3	Horizontal	24	2.66
5260MHz	Pass	AV	5.3518G	47.45	54.00	-6.55	3	Horizontal	24	2.66
5260MHz	Pass	PK	5.1442G	59.33	74.00	-14.67	3	Horizontal	24	2.66
5260MHz	Pass	PK	5.2624G	105.48	Inf	-Inf	3	Horizontal	24	2.66
5260MHz	Pass	PK	5.3824G	60.20	74.00	-13.80	3	Horizontal	24	2.66
5260MHz	Pass	PK	10.51418G	59.57	68.20	-8.63	3	Vertical	352	1.34
5260MHz	Pass	PK	10.52102G	61.73	68.20	-6.47	3	Horizontal	360	1.56
5300MHz	Pass	AV	5.2976G	100.58	Inf	-Inf	3	Vertical	23	1.50
5300MHz	Pass	AV	5.36G	47.48	54.00	-6.52	3	Vertical	23	1.50
5300MHz	Pass	PK	5.2976G	108.86	Inf	-Inf	3	Vertical	23	1.50
5300MHz	Pass	PK	5.3532G	59.87	74.00	-14.13	3	Vertical	23	1.50
5300MHz	Pass	AV	5.3016G	94.23	Inf	-Inf	3	Horizontal	14	1.39
5300MHz	Pass	AV	5.3812G	47.34	54.00	-6.66	3	Horizontal	14	1.39
5300MHz	Pass	PK	5.3016G	102.46	Inf	-Inf	3	Horizontal	14	1.39
5300MHz	Pass	PK	5.3668G	59.44	74.00	-14.56	3	Horizontal	14	1.39
5300MHz	Pass	PK	10.597G	59.98	68.20	-8.22	3	Vertical	9	1.51
5300MHz	Pass	PK	10.5982G	59.17	68.20	-9.03	3	Horizontal	61	1.57
5320MHz	Pass	AV	5.3174G	100.42	Inf	-Inf	3	Vertical	23	1.50
5320MHz	Pass	AV	5.3506G	47.57	54.00	-6.43	3	Vertical	23	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.317G	109.13	Inf	-Inf	3	Vertical	23	1.50
5320MHz	Pass	PK	5.3688G	60.19	74.00	-13.81	3	Vertical	23	1.50
5320MHz	Pass	AV	5.3216G	93.79	Inf	-Inf	3	Horizontal	15	1.44
5320MHz	Pass	AV	5.3516G	47.26	54.00	-6.74	3	Horizontal	15	1.44
5320MHz	Pass	PK	5.3218G	101.98	Inf	-Inf	3	Horizontal	15	1.44
5320MHz	Pass	PK	5.3522G	59.46	74.00	-14.54	3	Horizontal	15	1.44
5320MHz	Pass	AV	10.6376G	48.31	54.00	-5.69	3	Vertical	8	1.73
5320MHz	Pass	PK	10.63766G	60.64	74.00	-13.36	3	Vertical	8	1.73
5320MHz	Pass	AV	10.63814G	47.65	54.00	-6.35	3	Horizontal	278	1.50
5320MHz	Pass	PK	10.63748G	60.42	74.00	-13.58	3	Horizontal	278	1.50
5500MHz	Pass	AV	5.4586G	47.43	54.00	-6.57	3	Vertical	94	1.94
5500MHz	Pass	AV	5.5018G	100.65	Inf	-Inf	3	Vertical	94	1.94
5500MHz	Pass	PK	5.459G	59.60	74.00	-14.40	3	Vertical	94	1.94
5500MHz	Pass	PK	5.4636G	59.92	68.20	-8.28	3	Vertical	94	1.94
5500MHz	Pass	PK	5.5018G	108.77	Inf	-Inf	3	Vertical	94	1.94
5500MHz	Pass	AV	5.4584G	47.39	54.00	-6.61	3	Horizontal	4	2.65
5500MHz	Pass	AV	5.4966G	97.24	Inf	-Inf	3	Horizontal	4	2.65
5500MHz	Pass	PK	5.458G	60.41	74.00	-13.59	3	Horizontal	4	2.65
5500MHz	Pass	PK	5.4654G	59.39	68.20	-8.81	3	Horizontal	4	2.65
5500MHz	Pass	PK	5.4966G	106.58	Inf	-Inf	3	Horizontal	4	2.65
5500MHz	Pass	AV	10.99778G	47.84	54.00	-6.16	3	Vertical	52	1.98
5500MHz	Pass	PK	10.99778G	60.01	74.00	-13.99	3	Vertical	52	1.98
5500MHz	Pass	AV	11.00198G	47.03	54.00	-6.97	3	Horizontal	325	1.97
5500MHz	Pass	PK	11.0015G	59.85	74.00	-14.15	3	Horizontal	325	1.97
5580MHz	Pass	AV	5.43G	47.39	54.00	-6.61	3	Vertical	102	1.93
5580MHz	Pass	AV	5.5818G	101.09	Inf	-Inf	3	Vertical	102	1.93
5580MHz	Pass	PK	5.46G	59.68	74.00	-14.32	3	Vertical	102	1.93
5580MHz	Pass	PK	5.4606G	59.38	68.20	-8.82	3	Vertical	102	1.93
5580MHz	Pass	PK	5.5818G	109.28	Inf	-Inf	3	Vertical	102	1.93
5580MHz	Pass	PK	5.7264G	60.15	68.20	-8.05	3	Vertical	102	1.93
5580MHz	Pass	AV	5.4588G	47.24	54.00	-6.76	3	Horizontal	68	2.46
5580MHz	Pass	AV	5.5866G	98.47	Inf	-Inf	3	Horizontal	68	2.46
5580MHz	Pass	PK	5.4456G	60.05	74.00	-13.95	3	Horizontal	68	2.46
5580MHz	Pass	PK	5.4696G	59.00	68.20	-9.20	3	Horizontal	68	2.46
5580MHz	Pass	PK	5.586G	107.14	Inf	-Inf	3	Horizontal	68	2.46
5580MHz	Pass	PK	5.7258G	59.98	68.20	-8.22	3	Horizontal	68	2.46
5580MHz	Pass	AV	11.15712G	44.92	54.00	-9.08	3	Vertical	34	1.46
5580MHz	Pass	PK	11.15706G	58.08	74.00	-15.92	3	Vertical	34	1.46
5580MHz	Pass	AV	11.16012G	46.12	54.00	-7.88	3	Horizontal	62	1.56
5580MHz	Pass	PK	11.16096G	59.77	74.00	-14.23	3	Horizontal	62	1.56
5700MHz	Pass	AV	5.7012G	100.99	Inf	-Inf	3	Vertical	116	1.98
5700MHz	Pass	PK	5.7012G	108.92	Inf	-Inf	3	Vertical	116	1.98
5700MHz	Pass	PK	5.7252G	62.20	68.20	-6.00	3	Vertical	116	1.98
5700MHz	Pass	AV	5.6964G	97.25	Inf	-Inf	3	Horizontal	45	1.48
5700MHz	Pass	PK	5.6968G	105.79	Inf	-Inf	3	Horizontal	45	1.48
5700MHz	Pass	PK	5.7772G	61.49	68.20	-6.71	3	Horizontal	45	1.48
5700MHz	Pass	AV	11.40582G	46.61	54.00	-7.39	3	Vertical	0	1.91
5700MHz	Pass	PK	11.4057G	59.22	74.00	-14.78	3	Vertical	0	1.91
5700MHz	Pass	AV	11.39352G	45.67	54.00	-8.33	3	Horizontal	57	1.50
5700MHz	Pass	PK	11.39346G	59.39	74.00	-14.61	3	Horizontal	57	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	47.32	54.00	-6.68	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	101.04	Inf	-Inf	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	59.15	74.00	-14.85	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.44	68.20	-9.76	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	109.00	Inf	-Inf	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.844G	61.44	68.20	-6.76	3	Vertical	306	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	47.26	54.00	-6.74	3	Horizontal	45	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	96.17	Inf	-Inf	3	Horizontal	45	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	59.71	74.00	-14.29	3	Horizontal	45	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.82	68.20	-9.38	3	Horizontal	45	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	105.03	Inf	-Inf	3	Horizontal	45	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	62.10	68.20	-6.10	3	Horizontal	45	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 3_Full RU

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43808G	45.27	54.00	-8.73	3	Vertical	77	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43358G	58.08	74.00	-15.92	3	Vertical	77	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	45.65	54.00	-8.35	3	Horizontal	64	2.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4406G	58.30	74.00	-15.70	3	Horizontal	64	2.38
5745MHz	Pass	AV	5.445G	47.35	54.00	-6.65	3	Vertical	114	1.50
5745MHz	Pass	AV	5.7474G	104.52	Inf	-Inf	3	Vertical	114	1.50
5745MHz	Pass	PK	5.5218G	60.72	68.20	-7.48	3	Vertical	114	1.50
5745MHz	Pass	PK	5.7474G	112.83	Inf	-Inf	3	Vertical	114	1.50
5745MHz	Pass	PK	5.9262G	61.60	68.20	-6.60	3	Vertical	114	1.50
5745MHz	Pass	AV	5.4582G	47.23	54.00	-6.77	3	Horizontal	64	1.48
5745MHz	Pass	AV	5.7522G	99.38	Inf	-Inf	3	Horizontal	64	1.48
5745MHz	Pass	PK	5.493G	60.12	68.20	-8.08	3	Horizontal	64	1.48
5745MHz	Pass	PK	5.7522G	107.24	Inf	-Inf	3	Horizontal	64	1.48
5745MHz	Pass	PK	6.0078G	61.87	68.20	-6.33	3	Horizontal	64	1.48
5745MHz	Pass	AV	11.4836G	50.60	54.00	-3.40	3	Vertical	77	1.60
5745MHz	Pass	PK	11.4828G	63.64	74.00	-10.36	3	Vertical	77	1.60
5745MHz	Pass	AV	11.48776G	50.98	54.00	-3.02	3	Horizontal	17	1.49
5745MHz	Pass	PK	11.48624G	62.47	74.00	-11.53	3	Horizontal	17	1.49
5785MHz	Pass	AV	5.78734G	105.29	Inf	-Inf	3	Vertical	127	1.49
5785MHz	Pass	PK	5.48847G	60.45	68.20	-7.75	3	Vertical	127	1.49
5785MHz	Pass	PK	5.78734G	113.90	Inf	-Inf	3	Vertical	127	1.49
5785MHz	Pass	PK	5.97489G	62.42	68.20	-5.78	3	Vertical	127	1.49
5785MHz	Pass	AV	5.78613G	100.21	Inf	-Inf	3	Horizontal	203	1.23
5785MHz	Pass	PK	5.63972G	60.43	68.20	-7.77	3	Horizontal	203	1.23
5785MHz	Pass	PK	5.78734G	108.41	Inf	-Inf	3	Horizontal	203	1.23
5785MHz	Pass	PK	6.06685G	61.73	68.20	-6.47	3	Horizontal	203	1.23
5785MHz	Pass	AV	11.57012G	50.02	54.00	-3.98	3	Vertical	29	1.47
5785MHz	Pass	PK	11.57072G	62.38	74.00	-11.62	3	Vertical	29	1.47
5785MHz	Pass	AV	11.57288G	50.30	54.00	-3.70	3	Horizontal	64	1.50
5785MHz	Pass	PK	11.57372G	63.01	74.00	-10.99	3	Horizontal	64	1.50
5825MHz	Pass	AV	5.8178G	104.83	Inf	-Inf	3	Vertical	127	1.36
5825MHz	Pass	PK	5.6342G	60.49	68.20	-7.71	3	Vertical	127	1.36
5825MHz	Pass	PK	5.8178G	113.36	Inf	-Inf	3	Vertical	127	1.36
5825MHz	Pass	PK	5.927G	62.09	68.20	-6.11	3	Vertical	127	1.36
5825MHz	Pass	AV	5.8178G	98.81	Inf	-Inf	3	Horizontal	199	1.49
5825MHz	Pass	PK	5.6186G	60.16	68.20	-8.04	3	Horizontal	199	1.49
5825MHz	Pass	PK	5.8178G	107.10	Inf	-Inf	3	Horizontal	199	1.49
5825MHz	Pass	PK	6.0698G	61.65	68.20	-6.55	3	Horizontal	199	1.49
5825MHz	Pass	AV	11.65032G	51.89	54.00	-2.11	3	Vertical	5	1.63
5825MHz	Pass	PK	11.65064G	64.41	74.00	-9.59	3	Vertical	5	1.63
5825MHz	Pass	AV	11.652G	52.16	54.00	-1.84	3	Horizontal	65	1.93
5825MHz	Pass	PK	11.65168G	64.51	74.00	-9.49	3	Horizontal	65	1.93
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	51.09	54.00	-2.91	3	Vertical	135	1.49
5180MHz	Pass	AV	5.1722G	102.29	Inf	-Inf	3	Vertical	135	1.49
5180MHz	Pass	PK	5.149G	65.25	74.00	-8.75	3	Vertical	135	1.49
5180MHz	Pass	PK	5.172G	113.58	Inf	-Inf	3	Vertical	135	1.49
5180MHz	Pass	AV	5.1498G	48.10	54.00	-5.90	3	Horizontal	326	1.50
5180MHz	Pass	AV	5.1886G	98.01	Inf	-Inf	3	Horizontal	326	1.50
5180MHz	Pass	PK	5.145G	60.32	74.00	-13.68	3	Horizontal	326	1.50
5180MHz	Pass	PK	5.1884G	109.84	Inf	-Inf	3	Horizontal	326	1.50
5180MHz	Pass	PK	10.36084G	65.41	68.20	-2.79	3	Vertical	338	1.92
5180MHz	Pass	PK	10.3624G	68.01	68.20	-0.19	3	Horizontal	30	1.54
5200MHz	Pass	AV	5.1492G	52.43	54.00	-1.57	3	Vertical	178	1.76
5200MHz	Pass	AV	5.2024G	104.02	Inf	-Inf	3	Vertical	178	1.76
5200MHz	Pass	PK	5.1428G	64.94	74.00	-9.06	3	Vertical	178	1.76
5200MHz	Pass	PK	5.2024G	116.46	Inf	-Inf	3	Vertical	178	1.76
5200MHz	Pass	AV	5.1492G	49.13	54.00	-4.87	3	Horizontal	331	1.36
5200MHz	Pass	AV	5.2084G	99.61	Inf	-Inf	3	Horizontal	331	1.36
5200MHz	Pass	PK	5.1468G	61.23	74.00	-12.77	3	Horizontal	331	1.36
5200MHz	Pass	PK	5.2076G	110.66	Inf	-Inf	3	Horizontal	331	1.36
5200MHz	Pass	PK	10.39742G	63.53	68.20	-4.67	3	Vertical	354	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40102G	65.64	68.20	-2.56	3	Horizontal	29	1.51
5240MHz	Pass	AV	5.1338G	47.14	54.00	-6.86	3	Vertical	178	1.50
5240MHz	Pass	AV	5.2334G	103.25	Inf	-Inf	3	Vertical	178	1.50
5240MHz	Pass	AV	5.384G	47.56	54.00	-6.44	3	Vertical	178	1.50
5240MHz	Pass	PK	5.141G	59.45	74.00	-14.55	3	Vertical	178	1.50
5240MHz	Pass	PK	5.2328G	114.58	Inf	-Inf	3	Vertical	178	1.50
5240MHz	Pass	PK	5.3864G	59.39	74.00	-14.61	3	Vertical	178	1.50
5240MHz	Pass	AV	5.15G	47.10	54.00	-6.90	3	Horizontal	295	1.92
5240MHz	Pass	AV	5.2454G	99.01	Inf	-Inf	3	Horizontal	295	1.92
5240MHz	Pass	AV	5.3894G	47.44	54.00	-6.56	3	Horizontal	295	1.92
5240MHz	Pass	PK	5.0918G	59.18	74.00	-14.82	3	Horizontal	295	1.92
5240MHz	Pass	PK	5.2436G	109.74	Inf	-Inf	3	Horizontal	295	1.92
5240MHz	Pass	PK	5.3744G	61.16	74.00	-12.84	3	Horizontal	295	1.92
5240MHz	Pass	PK	10.47586G	63.32	68.20	-4.88	3	Vertical	326	1.50
5240MHz	Pass	PK	10.48138G	65.07	68.20	-3.13	3	Horizontal	360	1.56
5260MHz	Pass	AV	5.1484G	47.06	54.00	-6.94	3	Vertical	23	1.50
5260MHz	Pass	AV	5.2576G	100.90	Inf	-Inf	3	Vertical	23	1.50
5260MHz	Pass	AV	5.377G	47.41	54.00	-6.59	3	Vertical	23	1.50
5260MHz	Pass	PK	5.1304G	59.43	74.00	-14.57	3	Vertical	23	1.50
5260MHz	Pass	PK	5.2582G	111.46	Inf	-Inf	3	Vertical	23	1.50
5260MHz	Pass	PK	5.4076G	59.45	74.00	-14.55	3	Vertical	23	1.50
5260MHz	Pass	AV	5.1382G	47.04	54.00	-6.96	3	Horizontal	19	1.00
5260MHz	Pass	AV	5.2516G	94.52	Inf	-Inf	3	Horizontal	19	1.00
5260MHz	Pass	AV	5.353G	47.38	54.00	-6.62	3	Horizontal	19	1.00
5260MHz	Pass	PK	5.1352G	58.90	74.00	-15.10	3	Horizontal	19	1.00
5260MHz	Pass	PK	5.2534G	106.54	Inf	-Inf	3	Horizontal	19	1.00
5260MHz	Pass	PK	5.3854G	59.63	74.00	-14.37	3	Horizontal	19	1.00
5260MHz	Pass	PK	10.51652G	60.63	68.20	-7.57	3	Vertical	327	1.45
5260MHz	Pass	PK	10.52276G	63.17	68.20	-5.03	3	Horizontal	360	1.61
5300MHz	Pass	AV	5.2976G	100.15	Inf	-Inf	3	Vertical	21	1.50
5300MHz	Pass	AV	5.3508G	47.48	54.00	-6.52	3	Vertical	21	1.50
5300MHz	Pass	PK	5.2972G	111.92	Inf	-Inf	3	Vertical	21	1.50
5300MHz	Pass	PK	5.3896G	60.11	74.00	-13.89	3	Vertical	21	1.50
5300MHz	Pass	AV	5.2912G	94.32	Inf	-Inf	3	Horizontal	15	1.01
5300MHz	Pass	AV	5.3892G	47.28	54.00	-6.72	3	Horizontal	15	1.01
5300MHz	Pass	PK	5.2916G	105.00	Inf	-Inf	3	Horizontal	15	1.01
5300MHz	Pass	PK	5.394G	60.03	74.00	-13.97	3	Horizontal	15	1.01
5300MHz	Pass	PK	10.59682G	60.68	68.20	-7.52	3	Vertical	9	1.50
5300MHz	Pass	AV	10.60132G	47.64	54.00	-6.36	3	Horizontal	345	1.66
5300MHz	Pass	PK	10.60168G	60.29	74.00	-13.71	3	Horizontal	345	1.66
5320MHz	Pass	AV	5.3172G	99.97	Inf	-Inf	3	Vertical	21	1.50
5320MHz	Pass	AV	5.3502G	47.65	54.00	-6.35	3	Vertical	21	1.50
5320MHz	Pass	PK	5.3166G	111.35	Inf	-Inf	3	Vertical	21	1.50
5320MHz	Pass	PK	5.3506G	60.35	74.00	-13.65	3	Vertical	21	1.50
5320MHz	Pass	AV	5.3112G	93.50	Inf	-Inf	3	Horizontal	15	1.06
5320MHz	Pass	AV	5.3508G	47.36	54.00	-6.64	3	Horizontal	15	1.06
5320MHz	Pass	PK	5.3114G	105.18	Inf	-Inf	3	Horizontal	15	1.06
5320MHz	Pass	PK	5.368G	60.73	74.00	-13.27	3	Horizontal	15	1.06
5320MHz	Pass	AV	10.63652G	47.78	54.00	-6.22	3	Vertical	8	1.64
5320MHz	Pass	PK	10.63622G	61.19	74.00	-12.81	3	Vertical	8	1.64
5320MHz	Pass	AV	10.6382G	47.86	54.00	-6.14	3	Horizontal	281	1.41
5320MHz	Pass	PK	10.63856G	60.38	74.00	-13.62	3	Horizontal	281	1.41
5500MHz	Pass	AV	5.4582G	47.44	54.00	-6.56	3	Vertical	83	2.64
5500MHz	Pass	AV	5.4912G	101.73	Inf	-Inf	3	Vertical	83	2.64
5500MHz	Pass	PK	5.4506G	59.60	74.00	-14.40	3	Vertical	83	2.64
5500MHz	Pass	PK	5.4656G	60.56	68.20	-7.64	3	Vertical	83	2.64
5500MHz	Pass	PK	5.491G	113.35	Inf	-Inf	3	Vertical	83	2.64
5500MHz	Pass	AV	5.454G	47.22	54.00	-6.78	3	Horizontal	66	1.47
5500MHz	Pass	AV	5.5078G	94.52	Inf	-Inf	3	Horizontal	66	1.47
5500MHz	Pass	PK	5.454G	58.99	74.00	-15.01	3	Horizontal	66	1.47
5500MHz	Pass	PK	5.4658G	59.63	68.20	-8.57	3	Horizontal	66	1.47
5500MHz	Pass	PK	5.507G	106.52	Inf	-Inf	3	Horizontal	66	1.47

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	10.99742G	47.80	54.00	-6.20	3	Vertical	53	1.97
5500MHz	Pass	PK	11.00528G	61.02	74.00	-12.98	3	Vertical	53	1.97
5500MHz	Pass	AV	10.9934G	46.86	54.00	-7.14	3	Horizontal	67	1.57
5500MHz	Pass	PK	10.99424G	60.26	74.00	-13.74	3	Horizontal	67	1.57
5580MHz	Pass	AV	5.4312G	47.21	54.00	-6.79	3	Vertical	268	1.00
5580MHz	Pass	AV	5.5722G	100.44	Inf	-Inf	3	Vertical	268	1.00
5580MHz	Pass	PK	5.4312G	60.21	74.00	-13.79	3	Vertical	268	1.00
5580MHz	Pass	PK	5.4666G	59.66	68.20	-8.54	3	Vertical	268	1.00
5580MHz	Pass	PK	5.571G	111.57	Inf	-Inf	3	Vertical	268	1.00
5580MHz	Pass	PK	5.73G	59.81	68.20	-8.39	3	Vertical	268	1.00
5580MHz	Pass	AV	5.43G	47.22	54.00	-6.78	3	Horizontal	67	2.46
5580MHz	Pass	AV	5.5866G	98.59	Inf	-Inf	3	Horizontal	67	2.46
5580MHz	Pass	PK	5.4324G	60.08	74.00	-13.92	3	Horizontal	67	2.46
5580MHz	Pass	PK	5.4654G	58.75	68.20	-9.45	3	Horizontal	67	2.46
5580MHz	Pass	PK	5.5866G	110.11	Inf	-Inf	3	Horizontal	67	2.46
5580MHz	Pass	PK	5.73G	60.13	68.20	-8.07	3	Horizontal	67	2.46
5580MHz	Pass	AV	11.1567G	45.44	54.00	-8.56	3	Vertical	35	1.37
5580MHz	Pass	PK	11.157G	58.73	74.00	-15.27	3	Vertical	35	1.37
5580MHz	Pass	AV	11.1603G	46.95	54.00	-7.05	3	Horizontal	62	1.60
5580MHz	Pass	PK	11.1615G	60.26	74.00	-13.74	3	Horizontal	62	1.60
5700MHz	Pass	AV	5.6916G	100.85	Inf	-Inf	3	Vertical	113	1.74
5700MHz	Pass	PK	5.6916G	112.32	Inf	-Inf	3	Vertical	113	1.74
5700MHz	Pass	PK	5.7844G	61.13	68.20	-7.07	3	Vertical	113	1.74
5700MHz	Pass	AV	5.6964G	97.24	Inf	-Inf	3	Horizontal	44	1.50
5700MHz	Pass	PK	5.696G	107.99	Inf	-Inf	3	Horizontal	44	1.50
5700MHz	Pass	PK	5.7492G	61.58	68.20	-6.62	3	Horizontal	44	1.50
5700MHz	Pass	AV	11.40564G	46.58	54.00	-7.42	3	Vertical	0	1.93
5700MHz	Pass	PK	11.40498G	60.02	74.00	-13.98	3	Vertical	0	1.93
5700MHz	Pass	AV	11.39454G	46.24	54.00	-7.76	3	Horizontal	9	1.50
5700MHz	Pass	PK	11.3946G	59.17	74.00	-14.83	3	Horizontal	9	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	47.29	54.00	-6.71	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	100.35	Inf	-Inf	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	59.85	74.00	-14.15	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.70	68.20	-8.50	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	112.42	Inf	-Inf	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	61.35	68.20	-6.85	3	Vertical	305	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.24	54.00	-6.76	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	96.13	Inf	-Inf	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	59.56	74.00	-14.44	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.94	68.20	-9.26	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	106.60	Inf	-Inf	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	62.54	68.20	-5.66	3	Horizontal	61	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43886G	45.01	54.00	-8.99	3	Vertical	80	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	58.60	74.00	-15.40	3	Vertical	80	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44348G	45.71	54.00	-8.29	3	Horizontal	65	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4439G	58.45	74.00	-15.55	3	Horizontal	65	1.51
5745MHz	Pass	AV	5.445G	47.29	54.00	-6.71	3	Vertical	118	1.26
5745MHz	Pass	AV	5.7378G	104.41	Inf	-Inf	3	Vertical	118	1.26
5745MHz	Pass	PK	5.6334G	60.53	68.20	-7.67	3	Vertical	118	1.26
5745MHz	Pass	PK	5.739G	114.60	Inf	-Inf	3	Vertical	118	1.26
5745MHz	Pass	PK	5.9934G	61.52	68.20	-6.68	3	Vertical	118	1.26
5745MHz	Pass	AV	5.4594G	47.23	54.00	-6.77	3	Horizontal	62	1.58
5745MHz	Pass	AV	5.7534G	100.62	Inf	-Inf	3	Horizontal	62	1.58
5745MHz	Pass	PK	5.5242G	59.87	68.20	-8.33	3	Horizontal	62	1.58
5745MHz	Pass	PK	5.7534G	111.34	Inf	-Inf	3	Horizontal	62	1.58
5745MHz	Pass	PK	5.9658G	61.44	68.20	-6.76	3	Horizontal	62	1.58
5745MHz	Pass	AV	11.48304G	49.57	54.00	-4.43	3	Vertical	82	1.55
5745MHz	Pass	PK	11.48322G	62.88	74.00	-11.12	3	Vertical	82	1.55
5745MHz	Pass	AV	11.48634G	52.39	54.00	-1.61	3	Horizontal	18	3.00
5745MHz	Pass	PK	11.48616G	65.65	74.00	-8.35	3	Horizontal	18	3.00
5785MHz	Pass	AV	5.78734G	104.32	Inf	-Inf	3	Vertical	128	1.50
5785MHz	Pass	PK	5.52477G	59.93	68.20	-8.27	3	Vertical	128	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.78613G	115.35	Inf	-Inf	3	Vertical	128	1.50
5785MHz	Pass	PK	6.05112G	61.65	68.20	-6.55	3	Vertical	128	1.50
5785MHz	Pass	AV	5.77645G	100.07	Inf	-Inf	3	Horizontal	167	1.88
5785MHz	Pass	PK	5.50783G	60.13	68.20	-8.07	3	Horizontal	167	1.88
5785MHz	Pass	PK	5.77645G	110.40	Inf	-Inf	3	Horizontal	167	1.88
5785MHz	Pass	PK	6.085G	61.84	68.20	-6.36	3	Horizontal	167	1.88
5785MHz	Pass	AV	11.57468G	50.21	54.00	-3.79	3	Vertical	78	1.53
5785MHz	Pass	PK	11.55602G	63.64	74.00	-10.36	3	Vertical	78	1.53
5785MHz	Pass	AV	11.57372G	50.37	54.00	-3.63	3	Horizontal	67	1.44
5785MHz	Pass	PK	11.57498G	63.24	74.00	-10.76	3	Horizontal	67	1.44
5825MHz	Pass	AV	5.8178G	104.77	Inf	-Inf	3	Vertical	121	1.36
5825MHz	Pass	PK	5.5646G	60.36	68.20	-7.84	3	Vertical	121	1.36
5825MHz	Pass	PK	5.8178G	116.89	Inf	-Inf	3	Vertical	121	1.36
5825MHz	Pass	PK	5.9714G	61.81	68.20	-6.39	3	Vertical	121	1.36
5825MHz	Pass	AV	5.8166G	99.08	Inf	-Inf	3	Horizontal	162	1.50
5825MHz	Pass	PK	5.6498G	60.91	68.20	-7.29	3	Horizontal	162	1.50
5825MHz	Pass	PK	5.8154G	109.56	Inf	-Inf	3	Horizontal	162	1.50
5825MHz	Pass	PK	5.9762G	61.51	68.20	-6.69	3	Horizontal	162	1.50
5825MHz	Pass	AV	11.65036G	51.55	54.00	-2.45	3	Vertical	5	1.59
5825MHz	Pass	PK	11.65042G	63.83	74.00	-10.17	3	Vertical	5	1.59
5825MHz	Pass	AV	11.65132G	52.07	54.00	-1.93	3	Horizontal	68	1.93
5825MHz	Pass	PK	11.65174G	65.69	74.00	-8.31	3	Horizontal	68	1.93
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	52.40	54.00	-1.60	3	Vertical	157	1.50
5190MHz	Pass	AV	5.2084G	98.87	Inf	-Inf	3	Vertical	157	1.50
5190MHz	Pass	PK	5.1432G	67.64	74.00	-6.36	3	Vertical	157	1.50
5190MHz	Pass	PK	5.2076G	110.10	Inf	-Inf	3	Vertical	157	1.50
5190MHz	Pass	AV	5.1448G	50.01	54.00	-3.99	3	Horizontal	325	1.36
5190MHz	Pass	AV	5.178G	94.98	Inf	-Inf	3	Horizontal	325	1.36
5190MHz	Pass	PK	5.1452G	64.48	74.00	-9.52	3	Horizontal	325	1.36
5190MHz	Pass	PK	5.1776G	106.21	Inf	-Inf	3	Horizontal	325	1.36
5190MHz	Pass	PK	10.368G	62.84	68.20	-5.36	3	Vertical	7	1.55
5190MHz	Pass	PK	10.38156G	65.50	68.20	-2.70	3	Horizontal	30	1.54
5230MHz	Pass	AV	5.1484G	48.45	54.00	-5.55	3	Vertical	23	1.50
5230MHz	Pass	AV	5.248G	100.84	Inf	-Inf	3	Vertical	23	1.50
5230MHz	Pass	PK	5.1468G	60.94	74.00	-13.06	3	Vertical	23	1.50
5230MHz	Pass	PK	5.248G	112.56	Inf	-Inf	3	Vertical	23	1.50
5230MHz	Pass	AV	5.1424G	47.29	54.00	-6.71	3	Horizontal	296	1.90
5230MHz	Pass	AV	5.2352G	96.30	Inf	-Inf	3	Horizontal	296	1.90
5230MHz	Pass	PK	5.1356G	59.32	74.00	-14.68	3	Horizontal	296	1.90
5230MHz	Pass	PK	5.2352G	107.46	Inf	-Inf	3	Horizontal	296	1.90
5230MHz	Pass	PK	10.45592G	60.13	68.20	-8.07	3	Vertical	324	1.50
5230MHz	Pass	PK	10.46096G	61.88	68.20	-6.32	3	Horizontal	0	1.53
5270MHz	Pass	AV	5.2676G	100.36	Inf	-Inf	3	Vertical	24	1.50
5270MHz	Pass	AV	5.3532G	48.10	54.00	-5.90	3	Vertical	24	1.50
5270MHz	Pass	PK	5.2876G	112.16	Inf	-Inf	3	Vertical	24	1.50
5270MHz	Pass	PK	5.3636G	61.06	74.00	-12.94	3	Vertical	24	1.50
5270MHz	Pass	AV	5.252G	96.76	Inf	-Inf	3	Horizontal	24	2.71
5270MHz	Pass	AV	5.3508G	48.01	54.00	-5.99	3	Horizontal	24	2.71
5270MHz	Pass	PK	5.2716G	108.08	Inf	-Inf	3	Horizontal	24	2.71
5270MHz	Pass	PK	5.3504G	60.21	74.00	-13.79	3	Horizontal	24	2.71
5270MHz	Pass	PK	10.55236G	61.10	68.20	-7.10	3	Vertical	324	1.24
5270MHz	Pass	PK	10.54096G	61.85	68.20	-6.35	3	Horizontal	360	1.62
5310MHz	Pass	AV	5.3276G	100.74	Inf	-Inf	3	Vertical	22	1.50
5310MHz	Pass	AV	5.35G	50.25	54.00	-3.75	3	Vertical	22	1.50
5310MHz	Pass	PK	5.328G	112.61	Inf	-Inf	3	Vertical	22	1.50
5310MHz	Pass	PK	5.35G	63.36	74.00	-10.64	3	Vertical	22	1.50
5310MHz	Pass	AV	5.3212G	94.14	Inf	-Inf	3	Horizontal	17	1.00
5310MHz	Pass	AV	5.3536G	47.67	54.00	-6.33	3	Horizontal	17	1.00
5310MHz	Pass	PK	5.3016G	105.52	Inf	-Inf	3	Horizontal	17	1.00
5310MHz	Pass	PK	5.3948G	59.70	74.00	-14.30	3	Horizontal	17	1.00
5310MHz	Pass	AV	10.61568G	48.93	54.00	-5.07	3	Vertical	351	1.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	10.61616G	62.89	74.00	-11.11	3	Vertical	351	1.49
5310MHz	Pass	AV	10.617G	49.14	54.00	-4.86	3	Horizontal	65	1.46
5310MHz	Pass	PK	10.61712G	62.25	74.00	-11.75	3	Horizontal	65	1.46
5510MHz	Pass	AV	5.4596G	48.31	54.00	-5.69	3	Vertical	89	2.69
5510MHz	Pass	AV	5.5016G	100.65	Inf	-Inf	3	Vertical	89	2.69
5510MHz	Pass	PK	5.46G	62.50	74.00	-11.50	3	Vertical	89	2.69
5510MHz	Pass	PK	5.4656G	67.48	68.20	-0.72	3	Vertical	89	2.69
5510MHz	Pass	PK	5.502G	112.19	Inf	-Inf	3	Vertical	89	2.69
5510MHz	Pass	AV	5.4548G	47.33	54.00	-6.67	3	Horizontal	57	1.92
5510MHz	Pass	AV	5.5276G	95.11	Inf	-Inf	3	Horizontal	57	1.92
5510MHz	Pass	PK	5.444G	60.53	74.00	-13.47	3	Horizontal	57	1.92
5510MHz	Pass	PK	5.4692G	60.33	68.20	-7.87	3	Horizontal	57	1.92
5510MHz	Pass	PK	5.528G	107.33	Inf	-Inf	3	Horizontal	57	1.92
5510MHz	Pass	AV	11.02756G	48.22	54.00	-5.78	3	Vertical	52	1.91
5510MHz	Pass	PK	11.00776G	62.15	74.00	-11.85	3	Vertical	52	1.91
5510MHz	Pass	AV	11.01328G	47.80	54.00	-6.20	3	Horizontal	65	1.55
5510MHz	Pass	PK	11.01304G	61.38	74.00	-12.62	3	Horizontal	65	1.55
5550MHz	Pass	AV	5.4596G	48.00	54.00	-6.00	3	Vertical	103	1.98
5550MHz	Pass	AV	5.5324G	100.76	Inf	-Inf	3	Vertical	103	1.98
5550MHz	Pass	PK	5.4508G	60.38	74.00	-13.62	3	Vertical	103	1.98
5550MHz	Pass	PK	5.4692G	59.83	68.20	-8.37	3	Vertical	103	1.98
5550MHz	Pass	PK	5.5324G	113.83	Inf	-Inf	3	Vertical	103	1.98
5550MHz	Pass	AV	5.46G	47.27	54.00	-6.73	3	Horizontal	69	2.29
5550MHz	Pass	AV	5.5564G	97.04	Inf	-Inf	3	Horizontal	69	2.29
5550MHz	Pass	PK	5.4548G	58.85	74.00	-15.15	3	Horizontal	69	2.29
5550MHz	Pass	PK	5.4672G	59.36	68.20	-8.84	3	Horizontal	69	2.29
5550MHz	Pass	PK	5.5552G	108.48	Inf	-Inf	3	Horizontal	69	2.29
5550MHz	Pass	AV	11.10384G	47.78	54.00	-6.22	3	Vertical	18	1.71
5550MHz	Pass	PK	11.1036G	61.55	74.00	-12.45	3	Vertical	18	1.71
5550MHz	Pass	AV	11.10108G	48.74	54.00	-5.26	3	Horizontal	64	1.57
5550MHz	Pass	PK	11.10024G	60.98	74.00	-13.02	3	Horizontal	64	1.57
5670MHz	Pass	AV	5.652G	100.48	Inf	-Inf	3	Vertical	73	1.98
5670MHz	Pass	PK	5.652G	111.20	Inf	-Inf	3	Vertical	73	1.98
5670MHz	Pass	PK	5.7288G	62.99	68.20	-5.21	3	Vertical	73	1.98
5670MHz	Pass	AV	5.6868G	97.37	Inf	-Inf	3	Horizontal	45	1.50
5670MHz	Pass	PK	5.6862G	109.10	Inf	-Inf	3	Horizontal	45	1.50
5670MHz	Pass	PK	5.7942G	61.24	68.20	-6.96	3	Horizontal	45	1.50
5670MHz	Pass	AV	11.34456G	48.17	54.00	-5.83	3	Vertical	0	1.50
5670MHz	Pass	PK	11.34492G	60.28	74.00	-13.72	3	Vertical	0	1.50
5670MHz	Pass	AV	11.334G	47.87	54.00	-6.13	3	Horizontal	10	1.50
5670MHz	Pass	PK	11.35368G	60.89	74.00	-13.11	3	Horizontal	10	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4136G	47.49	54.00	-6.51	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	100.19	Inf	-Inf	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4232G	58.95	74.00	-15.05	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	59.26	68.20	-8.94	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	111.98	Inf	-Inf	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9236G	62.31	68.20	-5.89	3	Vertical	114	1.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4208G	47.28	54.00	-6.72	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	96.03	Inf	-Inf	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4568G	59.26	74.00	-14.74	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.27	68.20	-8.93	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	106.69	Inf	-Inf	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8684G	61.82	68.20	-6.38	3	Horizontal	46	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42588G	47.77	54.00	-6.23	3	Vertical	0	1.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42564G	62.11	74.00	-11.89	3	Vertical	0	1.92
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42324G	46.56	54.00	-7.44	3	Horizontal	67	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.429G	59.12	74.00	-14.88	3	Horizontal	67	1.50
5755MHz	Pass	AV	5.4562G	47.45	54.00	-6.55	3	Vertical	111	1.33
5755MHz	Pass	AV	5.7478G	101.75	Inf	-Inf	3	Vertical	111	1.33
5755MHz	Pass	PK	5.647G	65.13	68.20	-3.07	3	Vertical	111	1.33
5755MHz	Pass	PK	5.7478G	112.47	Inf	-Inf	3	Vertical	111	1.33
5755MHz	Pass	PK	5.989G	61.13	68.20	-7.07	3	Vertical	111	1.33

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.4598G	47.24	54.00	-6.76	3	Horizontal	64	1.56
5755MHz	Pass	AV	5.7442G	98.40	Inf	-Inf	3	Horizontal	64	1.56
5755MHz	Pass	PK	5.6482G	62.42	68.20	-5.78	3	Horizontal	64	1.56
5755MHz	Pass	PK	5.7442G	110.09	Inf	-Inf	3	Horizontal	64	1.56
5755MHz	Pass	PK	6.055G	61.62	68.20	-6.58	3	Horizontal	64	1.56
5755MHz	Pass	AV	11.50436G	49.20	54.00	-4.80	3	Vertical	72	1.70
5755MHz	Pass	PK	11.50496G	62.05	74.00	-11.95	3	Vertical	72	1.70
5755MHz	Pass	AV	11.5064G	49.80	54.00	-4.20	3	Horizontal	17	3.00
5755MHz	Pass	PK	11.50544G	62.39	74.00	-11.61	3	Horizontal	17	3.00
5795MHz	Pass	AV	5.777G	102.68	Inf	-Inf	3	Vertical	120	1.50
5795MHz	Pass	PK	5.6378G	61.64	68.20	-6.56	3	Vertical	120	1.50
5795MHz	Pass	PK	5.777G	113.93	Inf	-Inf	3	Vertical	120	1.50
5795MHz	Pass	PK	5.9906G	61.97	68.20	-6.23	3	Vertical	120	1.50
5795MHz	Pass	AV	5.783G	97.80	Inf	-Inf	3	Horizontal	63	1.63
5795MHz	Pass	PK	5.6246G	61.52	68.20	-6.68	3	Horizontal	63	1.63
5795MHz	Pass	PK	5.7842G	108.37	Inf	-Inf	3	Horizontal	63	1.63
5795MHz	Pass	PK	6.0182G	62.37	68.20	-5.83	3	Horizontal	63	1.63
5795MHz	Pass	AV	11.59756G	48.02	54.00	-5.98	3	Vertical	55	1.49
5795MHz	Pass	PK	11.59684G	61.39	74.00	-12.61	3	Vertical	55	1.49
5795MHz	Pass	AV	11.59348G	48.38	54.00	-5.62	3	Horizontal	65	1.50
5795MHz	Pass	PK	11.59312G	60.56	74.00	-13.44	3	Horizontal	65	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.40	54.00	-0.60	3	Vertical	24	1.50
5210MHz	Pass	AV	5.248G	97.00	Inf	-Inf	3	Vertical	24	1.50
5210MHz	Pass	AV	5.35G	50.30	54.00	-3.70	3	Vertical	24	1.50
5210MHz	Pass	PK	5.147G	66.01	74.00	-7.99	3	Vertical	24	1.50
5210MHz	Pass	PK	5.248G	107.77	Inf	-Inf	3	Vertical	24	1.50
5210MHz	Pass	PK	5.368G	62.67	74.00	-11.33	3	Vertical	24	1.50
5210MHz	Pass	AV	5.145G	51.13	54.00	-2.87	3	Horizontal	328	1.35
5210MHz	Pass	AV	5.178G	92.17	Inf	-Inf	3	Horizontal	328	1.35
5210MHz	Pass	AV	5.378G	47.93	54.00	-6.07	3	Horizontal	328	1.35
5210MHz	Pass	PK	5.15G	62.42	74.00	-11.58	3	Horizontal	328	1.35
5210MHz	Pass	PK	5.178G	103.42	Inf	-Inf	3	Horizontal	328	1.35
5210MHz	Pass	PK	5.413G	60.70	74.00	-13.30	3	Horizontal	328	1.35
5210MHz	Pass	PK	10.4476G	58.85	68.20	-9.35	3	Vertical	353	1.46
5210MHz	Pass	PK	10.38352G	60.76	68.20	-7.44	3	Horizontal	30	1.58
5290MHz	Pass	AV	5.148G	48.66	54.00	-5.34	3	Vertical	21	1.50
5290MHz	Pass	AV	5.268G	98.91	Inf	-Inf	3	Vertical	21	1.50
5290MHz	Pass	AV	5.368G	52.88	54.00	-1.12	3	Vertical	21	1.50
5290MHz	Pass	PK	5.082G	60.30	74.00	-13.70	3	Vertical	21	1.50
5290MHz	Pass	PK	5.268G	110.62	Inf	-Inf	3	Vertical	21	1.50
5290MHz	Pass	PK	5.361G	65.11	74.00	-8.89	3	Vertical	21	1.50
5290MHz	Pass	PK	5.496G	61.17	68.20	-7.03	3	Vertical	21	1.50
5290MHz	Pass	AV	5.04G	47.29	54.00	-6.71	3	Horizontal	18	1.00
5290MHz	Pass	AV	5.281G	91.24	Inf	-Inf	3	Horizontal	18	1.00
5290MHz	Pass	AV	5.361G	49.30	54.00	-4.70	3	Horizontal	18	1.00
5290MHz	Pass	PK	5.141G	59.18	74.00	-14.82	3	Horizontal	18	1.00
5290MHz	Pass	PK	5.281G	103.49	Inf	-Inf	3	Horizontal	18	1.00
5290MHz	Pass	PK	5.362G	60.60	74.00	-13.40	3	Horizontal	18	1.00
5290MHz	Pass	PK	5.513G	61.10	68.20	-7.10	3	Horizontal	18	1.00
5290MHz	Pass	PK	10.5716G	60.40	68.20	-7.80	3	Vertical	325	1.20
5290MHz	Pass	PK	10.58096G	58.75	68.20	-9.45	3	Horizontal	347	1.68
5530MHz	Pass	AV	5.35G	47.42	54.00	-6.58	3	Vertical	84	2.67
5530MHz	Pass	AV	5.445G	51.24	54.00	-2.76	3	Vertical	84	2.67
5530MHz	Pass	AV	5.501G	97.59	Inf	-Inf	3	Vertical	84	2.67
5530MHz	Pass	PK	5.335G	59.29	68.20	-8.91	3	Vertical	84	2.67
5530MHz	Pass	PK	5.444G	63.36	74.00	-10.64	3	Vertical	84	2.67
5530MHz	Pass	PK	5.465G	64.73	68.20	-3.47	3	Vertical	84	2.67
5530MHz	Pass	PK	5.52G	109.07	Inf	-Inf	3	Vertical	84	2.67
5530MHz	Pass	PK	5.758G	60.61	68.20	-7.59	3	Vertical	84	2.67
5530MHz	Pass	AV	5.35G	47.21	54.00	-6.79	3	Horizontal	69	2.36
5530MHz	Pass	AV	5.457G	47.61	54.00	-6.39	3	Horizontal	69	2.36


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.557G	93.12	Inf	-Inf	3	Horizontal	69	2.36
5530MHz	Pass	PK	5.341G	58.96	68.20	-9.24	3	Horizontal	69	2.36
5530MHz	Pass	PK	5.44G	60.43	74.00	-13.57	3	Horizontal	69	2.36
5530MHz	Pass	PK	5.467G	60.19	68.20	-8.01	3	Horizontal	69	2.36
5530MHz	Pass	PK	5.556G	103.65	Inf	-Inf	3	Horizontal	69	2.36
5530MHz	Pass	PK	5.75G	60.55	68.20	-7.65	3	Horizontal	69	2.36
5530MHz	Pass	AV	11.04272G	45.66	54.00	-8.34	3	Vertical	43	1.35
5530MHz	Pass	PK	11.0624G	58.56	74.00	-15.44	3	Vertical	43	1.35
5530MHz	Pass	AV	11.04152G	44.83	54.00	-9.17	3	Horizontal	67	1.70
5530MHz	Pass	PK	11.06096G	57.39	74.00	-16.61	3	Horizontal	67	1.70
5610MHz	Pass	AV	5.457G	49.01	54.00	-4.99	3	Vertical	99	1.93
5610MHz	Pass	AV	5.572G	98.10	Inf	-Inf	3	Vertical	99	1.93
5610MHz	Pass	PK	5.421G	61.69	74.00	-12.31	3	Vertical	99	1.93
5610MHz	Pass	PK	5.469G	61.06	68.20	-7.14	3	Vertical	99	1.93
5610MHz	Pass	PK	5.571G	108.73	Inf	-Inf	3	Vertical	99	1.93
5610MHz	Pass	PK	5.73G	65.08	68.20	-3.12	3	Vertical	99	1.93
5610MHz	Pass	AV	5.457G	47.50	54.00	-6.50	3	Horizontal	69	2.39
5610MHz	Pass	AV	5.576G	95.48	Inf	-Inf	3	Horizontal	69	2.39
5610MHz	Pass	PK	5.38G	59.86	74.00	-14.14	3	Horizontal	69	2.39
5610MHz	Pass	PK	5.463G	59.36	68.20	-8.84	3	Horizontal	69	2.39
5610MHz	Pass	PK	5.576G	106.29	Inf	-Inf	3	Horizontal	69	2.39
5610MHz	Pass	PK	5.748G	63.22	68.20	-4.98	3	Horizontal	69	2.39
5610MHz	Pass	AV	11.22336G	45.26	54.00	-8.74	3	Vertical	0	1.44
5610MHz	Pass	PK	11.22504G	57.35	74.00	-16.65	3	Vertical	0	1.44
5610MHz	Pass	AV	11.21832G	45.75	54.00	-8.25	3	Horizontal	62	1.50
5610MHz	Pass	PK	11.21808G	58.72	74.00	-15.28	3	Horizontal	62	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4176G	47.78	54.00	-6.22	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6516G	97.85	Inf	-Inf	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	59.86	74.00	-14.14	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.15	68.20	-8.05	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	108.72	Inf	-Inf	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9456G	61.49	68.20	-6.71	3	Vertical	115	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4176G	47.38	54.00	-6.62	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	94.22	Inf	-Inf	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.39G	59.77	74.00	-14.23	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.04	68.20	-9.16	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	105.81	Inf	-Inf	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9216G	61.57	68.20	-6.63	3	Horizontal	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38552G	46.34	54.00	-7.66	3	Vertical	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40736G	59.22	74.00	-14.78	3	Vertical	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.374G	46.25	54.00	-7.75	3	Horizontal	9	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.374G	58.01	74.00	-15.99	3	Horizontal	9	1.50
5775MHz	Pass	AV	5.7474G	98.02	Inf	-Inf	3	Vertical	114	1.27
5775MHz	Pass	PK	5.6478G	65.52	68.20	-2.68	3	Vertical	114	1.27
5775MHz	Pass	PK	5.7474G	108.32	Inf	-Inf	3	Vertical	114	1.27
5775MHz	Pass	PK	6.0174G	61.65	68.20	-6.55	3	Vertical	114	1.27
5775MHz	Pass	AV	5.7438G	94.91	Inf	-Inf	3	Horizontal	63	1.57
5775MHz	Pass	PK	5.6214G	63.22	68.20	-4.98	3	Horizontal	63	1.57
5775MHz	Pass	PK	5.7438G	106.58	Inf	-Inf	3	Horizontal	63	1.57
5775MHz	Pass	PK	5.925G	62.82	68.20	-5.38	3	Horizontal	63	1.57
5775MHz	Pass	AV	11.53464G	45.33	54.00	-8.67	3	Vertical	73	1.50
5775MHz	Pass	PK	11.53728G	57.91	74.00	-16.09	3	Vertical	73	1.50
5775MHz	Pass	AV	11.52648G	46.38	54.00	-7.62	3	Horizontal	17	2.99
5775MHz	Pass	PK	11.526G	60.30	74.00	-13.70	3	Horizontal	17	2.99
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1408G	48.67	54.00	-5.33	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.268G	92.98	Inf	-Inf	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3796G	53.18	54.00	-0.82	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	60.11	74.00	-13.89	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3088G	104.51	Inf	-Inf	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3796G	65.09	74.00	-8.91	3	Vertical	22	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.472G	60.98	68.20	-7.22	3	Vertical	22	1.48



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	48.09	54.00	-5.91	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.178G	87.95	Inf	-Inf	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3844G	48.89	54.00	-5.11	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	59.60	74.00	-14.40	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.178G	98.49	Inf	-Inf	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.37G	60.66	74.00	-13.34	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49G	60.47	68.20	-7.73	3	Horizontal	328	1.32
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53072G	56.61	68.20	-11.59	3	Vertical	325	1.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.52112G	58.30	68.20	-9.90	3	Horizontal	360	1.61
5570MHz	Pass	AV	5.4572G	52.88	54.00	-1.12	3	Vertical	102	1.93
5570MHz	Pass	AV	5.5112G	94.35	Inf	-Inf	3	Vertical	102	1.93
5570MHz	Pass	PK	5.2976G	63.91	68.20	-4.29	3	Vertical	102	1.93
5570MHz	Pass	PK	5.438G	64.99	74.00	-9.01	3	Vertical	102	1.93
5570MHz	Pass	PK	5.4692G	64.14	68.20	-4.06	3	Vertical	102	1.93
5570MHz	Pass	PK	5.5112G	105.54	Inf	-Inf	3	Vertical	102	1.93
5570MHz	Pass	PK	5.7296G	67.47	68.20	-0.73	3	Vertical	102	1.93
5570MHz	Pass	AV	5.4584G	48.80	54.00	-5.20	3	Horizontal	68	2.46
5570MHz	Pass	AV	5.5772G	91.15	Inf	-Inf	3	Horizontal	68	2.46
5570MHz	Pass	PK	5.2892G	60.12	68.20	-8.08	3	Horizontal	68	2.46
5570MHz	Pass	PK	5.438G	60.99	74.00	-13.01	3	Horizontal	68	2.46
5570MHz	Pass	PK	5.4608G	60.57	68.20	-7.63	3	Horizontal	68	2.46
5570MHz	Pass	PK	5.5964G	101.96	Inf	-Inf	3	Horizontal	68	2.46
5570MHz	Pass	PK	5.7464G	62.75	68.20	-5.45	3	Horizontal	68	2.46
5570MHz	Pass	AV	11.06848G	42.64	54.00	-11.36	3	Vertical	53	1.49
5570MHz	Pass	PK	11.08144G	55.02	74.00	-18.98	3	Vertical	53	1.49
5570MHz	Pass	AV	11.1208G	43.66	54.00	-10.34	3	Horizontal	63	1.62
5570MHz	Pass	PK	11.08144G	56.05	74.00	-17.95	3	Horizontal	63	1.62


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.40	54.00	-0.60	6.27	3	Vertical	24	1.50	47.13	33.30	7.95	34.98
AV	5.248G	97.00	Inf	-Inf	6.14	3	Vertical	24	1.50	90.86	33.10	8.03	34.99
AV	5.35G	50.30	54.00	-3.70	6.23	3	Vertical	24	1.50	44.07	33.10	8.14	35.01
PK	5.147G	66.01	74.00	-7.99	6.26	3	Vertical	24	1.50	59.75	33.29	7.95	34.98
PK	5.248G	107.77	Inf	-Inf	6.14	3	Vertical	24	1.50	101.63	33.10	8.03	34.99
PK	5.368G	62.67	74.00	-11.33	6.20	3	Vertical	24	1.50	56.47	33.06	8.16	35.02

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	51.13	54.00	-2.87	6.26	3	Horizontal	328	1.35	44.87	33.29	7.95	34.98
AV	5.178G	92.17	Inf	-Inf	6.18	3	Horizontal	328	1.35	85.99	33.19	7.97	34.98
AV	5.378G	47.93	54.00	-6.07	6.20	3	Horizontal	328	1.35	41.73	33.04	8.18	35.02
PK	5.15G	62.42	74.00	-11.58	6.27	3	Horizontal	328	1.35	56.15	33.30	7.95	34.98
PK	5.178G	103.42	Inf	-Inf	6.18	3	Horizontal	328	1.35	97.24	33.19	7.97	34.98
PK	5.413G	60.70	74.00	-13.30	6.16	3	Horizontal	328	1.35	54.54	32.97	8.21	35.02


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.06	54.00	-6.94	6.27	3	Vertical	23	1.50	40.79	33.30	7.95	34.98
AV	5.2576G	100.90	Inf	-Inf	6.14	3	Vertical	23	1.50	94.76	33.10	8.04	35.00
AV	5.377G	47.41	54.00	-6.59	6.20	3	Vertical	23	1.50	41.21	33.05	8.17	35.02
PK	5.1304G	59.43	74.00	-14.57	6.23	3	Vertical	23	1.50	53.20	33.26	7.94	34.97
PK	5.2582G	111.46	Inf	-Inf	6.14	3	Vertical	23	1.50	105.32	33.10	8.04	35.00
PK	5.4076G	59.45	74.00	-14.55	6.16	3	Vertical	23	1.50	53.29	32.98	8.20	35.02

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1382G	47.04	54.00	-6.96	6.25	3	Horizontal	19	1.00	40.79	33.28	7.94	34.97
AV	5.2516G	94.52	Inf	-Inf	6.14	3	Horizontal	19	1.00	88.38	33.10	8.04	35.00
AV	5.353G	47.38	54.00	-6.62	6.23	3	Horizontal	19	1.00	41.15	33.09	8.15	35.01
PK	5.1352G	58.90	74.00	-15.10	6.24	3	Horizontal	19	1.00	52.66	33.27	7.94	34.97
PK	5.2534G	106.54	Inf	-Inf	6.14	3	Horizontal	19	1.00	100.40	33.10	8.04	35.00
PK	5.3854G	59.63	74.00	-14.37	6.19	3	Horizontal	19	1.00	53.44	33.03	8.18	35.02


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.31	54.00	-5.69	6.15	3	Vertical	89	2.69	42.16	32.94	8.24	35.03
AV	5.5016G	100.65	Inf	-Inf	6.33	3	Vertical	89	2.69	94.32	33.10	8.27	35.04
PK	5.46G	62.50	74.00	-11.50	6.15	3	Vertical	89	2.69	56.35	32.94	8.24	35.03
PK	5.4656G	67.48	68.20	-0.72	6.17	3	Vertical	89	2.69	61.31	32.96	8.24	35.03
PK	5.502G	112.19	Inf	-Inf	6.33	3	Vertical	89	2.69	105.86	33.10	8.27	35.04

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.33	54.00	-6.67	6.13	3	Horizontal	57	1.92	41.20	32.92	8.24	35.03
AV	5.5276G	95.11	Inf	-Inf	6.34	3	Horizontal	57	1.92	88.77	33.10	8.28	35.04
PK	5.444G	60.53	74.00	-13.47	6.11	3	Horizontal	57	1.92	54.42	32.91	8.23	35.03
PK	5.4692G	60.33	68.20	-7.87	6.19	3	Horizontal	57	1.92	54.14	32.98	8.24	35.03
PK	5.528G	107.33	Inf	-Inf	6.34	3	Horizontal	57	1.92	100.99	33.10	8.28	35.04


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.42	54.00	-6.58	6.23	3	Vertical	84	2.67	41.19	33.10	8.14	35.01
AV	5.445G	51.24	54.00	-2.76	6.11	3	Vertical	84	2.67	45.13	32.91	8.23	35.03
AV	5.501G	97.59	Inf	-Inf	6.33	3	Vertical	84	2.67	91.26	33.10	8.27	35.04
PK	5.335G	59.29	68.20	-8.91	6.22	3	Vertical	84	2.67	53.07	33.10	8.13	35.01
PK	5.444G	63.36	74.00	-10.64	6.11	3	Vertical	84	2.67	57.25	32.91	8.23	35.03
PK	5.465G	64.73	68.20	-3.47	6.17	3	Vertical	84	2.67	58.56	32.96	8.24	35.03
PK	5.52G	109.07	Inf	-Inf	6.34	3	Vertical	84	2.67	102.73	33.10	8.28	35.04
PK	5.758G	60.61	68.20	-7.59	7.47	3	Vertical	84	2.67	53.14	33.95	8.56	35.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.21	54.00	-6.79	6.23	3	Horizontal	69	2.36	40.98	33.10	8.14	35.01
AV	5.457G	47.61	54.00	-6.39	6.14	3	Horizontal	69	2.36	41.47	32.93	8.24	35.03
AV	5.557G	93.12	Inf	-Inf	6.37	3	Horizontal	69	2.36	86.75	33.11	8.30	35.04
PK	5.341G	58.96	68.20	-9.24	6.23	3	Horizontal	69	2.36	52.73	33.10	8.14	35.01
PK	5.44G	60.43	74.00	-13.57	6.12	3	Horizontal	69	2.36	54.31	32.92	8.23	35.03
PK	5.467G	60.19	68.20	-8.01	6.18	3	Horizontal	69	2.36	54.01	32.97	8.24	35.03
PK	5.556G	103.65	Inf	-Inf	6.37	3	Horizontal	69	2.36	97.28	33.11	8.30	35.04
PK	5.75G	60.55	68.20	-7.65	7.41	3	Horizontal	69	2.36	53.14	33.90	8.55	35.04


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	47.45	54.00	-6.55	6.13	3	Vertical	111	1.33	41.32	32.92	8.24	35.03
AV	5.7478G	101.75	Inf	-Inf	7.39	3	Vertical	111	1.33	94.36	33.89	8.54	35.04
PK	5.647G	65.13	68.20	-3.07	6.75	3	Vertical	111	1.33	58.38	33.39	8.40	35.04
PK	5.7478G	112.47	Inf	-Inf	7.39	3	Vertical	111	1.33	105.08	33.89	8.54	35.04
PK	5.989G	61.13	68.20	-7.07	7.91	3	Vertical	111	1.33	53.22	34.30	8.65	35.04

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.24	54.00	-6.76	6.15	3	Horizontal	64	1.56	41.09	32.94	8.24	35.03
AV	5.7442G	98.40	Inf	-Inf	7.38	3	Horizontal	64	1.56	91.02	33.88	8.54	35.04
PK	5.6482G	62.42	68.20	-5.78	6.75	3	Horizontal	64	1.56	55.67	33.39	8.40	35.04
PK	5.7442G	110.09	Inf	-Inf	7.38	3	Horizontal	64	1.56	102.71	33.88	8.54	35.04
PK	6.055G	61.62	68.20	-6.58	7.92	3	Horizontal	64	1.56	53.70	34.30	8.68	35.06


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.141G	72.70	74.00	-1.30	3	Vertical	51	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	5.3664G	50.54	54.00	-3.46	3	Vertical	343	1.96
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.368G	73.21	74.00	-0.79	3	Vertical	339	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.462G	67.43	68.20	-0.77	3	Vertical	6	2.03
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	Pass	PK	5.462G	67.61	68.20	-0.59	3	Vertical	8	2.05
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6226G	67.79	68.20	-0.41	3	Vertical	150	1.00



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.141G	52.69	54.00	-1.31	3	Vertical	51	1.50
5210MHz	Pass	AV	5.241G	98.31	Inf	-Inf	3	Vertical	51	1.50
5210MHz	Pass	AV	5.362G	46.97	54.00	-7.03	3	Vertical	51	1.50
5210MHz	Pass	PK	5.141G	72.70	74.00	-1.30	3	Vertical	51	1.50
5210MHz	Pass	PK	5.241G	110.34	Inf	-Inf	3	Vertical	51	1.50
5210MHz	Pass	PK	5.361G	63.88	74.00	-10.12	3	Vertical	51	1.50
5210MHz	Pass	AV	5.15G	49.12	54.00	-4.88	3	Horizontal	89	1.42
5210MHz	Pass	AV	5.192G	91.53	Inf	-Inf	3	Horizontal	89	1.42
5210MHz	Pass	AV	5.356G	45.51	54.00	-8.49	3	Horizontal	89	1.42
5210MHz	Pass	PK	5.148G	67.30	74.00	-6.70	3	Horizontal	89	1.42
5210MHz	Pass	PK	5.192G	103.74	Inf	-Inf	3	Horizontal	89	1.42
5210MHz	Pass	PK	5.39G	58.67	74.00	-15.33	3	Horizontal	89	1.42
5210MHz	Pass	PK	10.38424G	55.74	68.20	-12.46	3	Vertical	97	1.44
5210MHz	Pass	PK	10.37416G	60.31	68.20	-7.89	3	Horizontal	25	1.50
5290MHz	Pass	AV	5.148G	47.25	54.00	-6.75	3	Vertical	339	1.50
5290MHz	Pass	AV	5.266G	98.97	Inf	-Inf	3	Vertical	339	1.50
5290MHz	Pass	AV	5.364G	52.46	54.00	-1.54	3	Vertical	339	1.50
5290MHz	Pass	PK	5.148G	64.27	74.00	-9.73	3	Vertical	339	1.50
5290MHz	Pass	PK	5.266G	112.40	Inf	-Inf	3	Vertical	339	1.50
5290MHz	Pass	PK	5.368G	73.21	74.00	-0.79	3	Vertical	339	1.50
5290MHz	Pass	PK	5.465G	60.54	68.20	-7.66	3	Vertical	339	1.50
5290MHz	Pass	AV	5.14G	44.91	54.00	-9.09	3	Horizontal	107	1.50
5290MHz	Pass	AV	5.253G	90.67	Inf	-Inf	3	Horizontal	107	1.50
5290MHz	Pass	AV	5.352G	46.94	54.00	-7.06	3	Horizontal	107	1.50
5290MHz	Pass	PK	5.117G	59.07	74.00	-14.93	3	Horizontal	107	1.50
5290MHz	Pass	PK	5.252G	103.52	Inf	-Inf	3	Horizontal	107	1.50
5290MHz	Pass	PK	5.371G	65.21	74.00	-8.79	3	Horizontal	107	1.50
5290MHz	Pass	PK	5.472G	58.46	68.20	-9.74	3	Horizontal	107	1.50
5290MHz	Pass	PK	10.54064G	57.87	68.20	-10.33	3	Vertical	29	1.00
5290MHz	Pass	PK	10.53656G	57.30	68.20	-10.90	3	Horizontal	39	1.58
5530MHz	Pass	AV	5.35G	44.27	54.00	-9.73	3	Vertical	7	2.03
5530MHz	Pass	AV	5.457G	45.79	54.00	-8.21	3	Vertical	7	2.03
5530MHz	Pass	AV	5.503G	95.67	Inf	-Inf	3	Vertical	7	2.03
5530MHz	Pass	PK	5.327G	58.03	68.20	-10.17	3	Vertical	7	2.03
5530MHz	Pass	PK	5.445G	63.96	74.00	-10.04	3	Vertical	7	2.03
5530MHz	Pass	PK	5.462G	63.97	68.20	-4.23	3	Vertical	7	2.03
5530MHz	Pass	PK	5.563G	108.05	Inf	-Inf	3	Vertical	7	2.03
5530MHz	Pass	PK	5.773G	59.50	68.20	-8.70	3	Vertical	7	2.03
5530MHz	Pass	AV	5.35G	43.93	54.00	-10.07	3	Horizontal	297	2.00
5530MHz	Pass	AV	5.46G	44.80	54.00	-9.20	3	Horizontal	297	2.00
5530MHz	Pass	AV	5.5G	88.42	Inf	-Inf	3	Horizontal	297	2.00
5530MHz	Pass	PK	5.341G	57.59	68.20	-10.61	3	Horizontal	297	2.00
5530MHz	Pass	PK	5.379G	57.83	74.00	-16.17	3	Horizontal	297	2.00
5530MHz	Pass	PK	5.464G	58.26	68.20	-9.94	3	Horizontal	297	2.00
5530MHz	Pass	PK	5.52G	100.67	Inf	-Inf	3	Horizontal	297	2.00
5530MHz	Pass	PK	5.778G	59.24	68.20	-8.96	3	Horizontal	297	2.00
5530MHz	Pass	AV	11.0576G	38.86	54.00	-15.14	3	Vertical	353	1.00
5530MHz	Pass	PK	11.00384G	51.32	74.00	-22.68	3	Vertical	353	1.00
5530MHz	Pass	AV	11.02616G	38.80	54.00	-15.20	3	Horizontal	61	1.50
5530MHz	Pass	PK	11.0084G	51.99	74.00	-22.01	3	Horizontal	61	1.50
5610MHz	Pass	AV	5.46G	48.09	54.00	-5.91	3	Vertical	6	2.03
5610MHz	Pass	AV	5.584G	99.39	Inf	-Inf	3	Vertical	6	2.03
5610MHz	Pass	PK	5.459G	66.02	74.00	-7.98	3	Vertical	6	2.03
5610MHz	Pass	PK	5.462G	67.43	68.20	-0.77	3	Vertical	6	2.03
5610MHz	Pass	PK	5.583G	111.93	Inf	-Inf	3	Vertical	6	2.03
5610MHz	Pass	PK	5.741G	64.17	68.20	-4.03	3	Vertical	6	2.03
5610MHz	Pass	AV	5.448G	44.68	54.00	-9.32	3	Horizontal	279	2.31
5610MHz	Pass	AV	5.587G	91.09	Inf	-Inf	3	Horizontal	279	2.31
5610MHz	Pass	PK	5.449G	60.73	74.00	-13.27	3	Horizontal	279	2.31
5610MHz	Pass	PK	5.469G	61.27	68.20	-6.93	3	Horizontal	279	2.31


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.587G	103.79	Inf	-Inf	3	Horizontal	279	2.31
5610MHz	Pass	PK	5.726G	60.22	68.20	-7.98	3	Horizontal	279	2.31
5610MHz	Pass	AV	11.22888G	41.78	54.00	-12.22	3	Vertical	353	1.00
5610MHz	Pass	PK	11.18976G	54.27	74.00	-19.73	3	Vertical	353	1.00
5610MHz	Pass	AV	11.22336G	41.28	54.00	-12.72	3	Horizontal	317	1.30
5610MHz	Pass	PK	11.22216G	53.43	74.00	-20.57	3	Horizontal	317	1.30
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	45.26	54.00	-8.74	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	98.89	Inf	-Inf	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	62.81	74.00	-11.19	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.65	68.20	-7.55	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	111.91	Inf	-Inf	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	60.41	68.20	-7.79	3	Vertical	189	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	44.16	54.00	-9.84	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	92.97	Inf	-Inf	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	57.59	74.00	-16.41	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.28	68.20	-10.92	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	105.67	Inf	-Inf	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	59.67	68.20	-8.53	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38888G	44.28	54.00	-9.72	3	Vertical	350	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38768G	57.55	74.00	-16.45	3	Vertical	350	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40088G	43.25	54.00	-10.75	3	Horizontal	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40232G	56.35	74.00	-17.65	3	Horizontal	21	1.50
5775MHz	Pass	AV	5.7426G	98.42	Inf	-Inf	3	Vertical	150	1.00
5775MHz	Pass	PK	5.6226G	67.79	68.20	-0.41	3	Vertical	150	1.00
5775MHz	Pass	PK	5.7618G	111.88	Inf	-Inf	3	Vertical	150	1.00
5775MHz	Pass	PK	6.033G	59.90	68.20	-8.30	3	Vertical	150	1.00
5775MHz	Pass	AV	5.739G	93.14	Inf	-Inf	3	Horizontal	73	1.50
5775MHz	Pass	PK	5.6406G	60.24	68.20	-7.96	3	Horizontal	73	1.50
5775MHz	Pass	PK	5.739G	105.75	Inf	-Inf	3	Horizontal	73	1.50
5775MHz	Pass	PK	6.0558G	59.95	68.20	-8.25	3	Horizontal	73	1.50
5775MHz	Pass	AV	11.50656G	43.25	54.00	-10.75	3	Vertical	353	1.93
5775MHz	Pass	PK	11.5068G	55.87	74.00	-18.13	3	Vertical	353	1.93
5775MHz	Pass	AV	11.5116G	43.03	54.00	-10.97	3	Horizontal	18	1.57
5775MHz	Pass	PK	11.5704G	55.69	74.00	-18.31	3	Horizontal	18	1.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1468G	49.85	54.00	-4.15	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1864G	94.94	Inf	-Inf	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3664G	50.54	54.00	-3.46	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1468G	67.00	74.00	-7.00	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1876G	106.78	Inf	-Inf	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	68.27	74.00	-5.73	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5116G	64.29	68.20	-3.91	3	Vertical	343	1.96
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	47.72	54.00	-6.28	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3244G	89.90	Inf	-Inf	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4024G	49.38	54.00	-4.62	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1444G	64.34	74.00	-9.66	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3028G	101.62	Inf	-Inf	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4036G	66.50	74.00	-7.50	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	59.78	68.20	-8.42	3	Horizontal	75	2.71
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49472G	54.19	68.20	-14.01	3	Vertical	30	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.46592G	55.59	68.20	-12.61	3	Horizontal	36	1.58
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.444G	46.56	54.00	-7.44	3	Vertical	8	2.05
5570MHz	Pass	AV	5.5232G	93.30	Inf	-Inf	3	Vertical	8	2.05
5570MHz	Pass	PK	5.3456G	60.70	68.20	-7.50	3	Vertical	8	2.05
5570MHz	Pass	PK	5.4416G	64.89	74.00	-9.11	3	Vertical	8	2.05
5570MHz	Pass	PK	5.462G	67.61	68.20	-0.59	3	Vertical	8	2.05
5570MHz	Pass	PK	5.5232G	106.52	Inf	-Inf	3	Vertical	8	2.05
5570MHz	Pass	PK	5.7416G	63.20	68.20	-5.00	3	Vertical	8	2.05
5570MHz	Pass	AV	5.378G	44.60	54.00	-9.40	3	Horizontal	292	2.47
5570MHz	Pass	AV	5.5352G	85.83	Inf	-Inf	3	Horizontal	292	2.47
5570MHz	Pass	PK	5.324G	59.03	68.20	-9.17	3	Horizontal	292	2.47



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.432G	59.51	74.00	-14.49	3	Horizontal	292	2.47
5570MHz	Pass	PK	5.4692G	57.17	68.20	-11.03	3	Horizontal	292	2.47
5570MHz	Pass	PK	5.534G	98.82	Inf	-Inf	3	Horizontal	292	2.47
5570MHz	Pass	PK	5.7584G	59.99	68.20	-8.21	3	Horizontal	292	2.47
5570MHz	Pass	AV	11.23264G	38.89	54.00	-15.11	3	Vertical	307	1.50
5570MHz	Pass	PK	11.2336G	51.95	74.00	-22.05	3	Vertical	307	1.50
5570MHz	Pass	AV	11.1723G	39.17	54.00	-14.83	3	Horizontal	60	1.35
5570MHz	Pass	PK	11.1736G	52.23	74.00	-21.77	3	Horizontal	60	1.35

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.141G	52.69	54.00	-1.31	2.82	3	Vertical	51	1.50	49.87	33.45	6.66	37.29
AV	5.241G	98.31	Inf	-Inf	2.62	3	Vertical	51	1.50	95.69	33.22	6.71	37.31
AV	5.362G	46.97	54.00	-7.03	2.44	3	Vertical	51	1.50	44.53	33.08	6.70	37.34
PK	5.141G	72.70	74.00	-1.30	2.82	3	Vertical	51	1.50	69.88	33.45	6.66	37.29
PK	5.241G	110.34	Inf	-Inf	2.62	3	Vertical	51	1.50	107.72	33.22	6.71	37.31
PK	5.361G	63.88	74.00	-10.12	2.44	3	Vertical	51	1.50	61.44	33.08	6.70	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.12	54.00	-4.88	2.88	3	Horizontal	89	1.42	46.24	33.50	6.67	37.29
AV	5.192G	91.53	Inf	-Inf	2.73	3	Horizontal	89	1.42	88.80	33.33	6.70	37.30
AV	5.356G	45.51	54.00	-8.49	2.45	3	Horizontal	89	1.42	43.06	33.09	6.70	37.34
PK	5.148G	67.30	74.00	-6.70	2.86	3	Horizontal	89	1.42	64.44	33.49	6.66	37.29
PK	5.192G	103.74	Inf	-Inf	2.73	3	Horizontal	89	1.42	101.01	33.33	6.70	37.30
PK	5.39G	58.67	74.00	-15.33	2.37	3	Horizontal	89	1.42	56.30	33.02	6.70	37.35


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.09	54.00	-5.91	2.46	3	Vertical	6	2.03	45.63	33.06	6.76	37.36
AV	5.584G	99.39	Inf	-Inf	2.75	3	Vertical	6	2.03	96.64	33.20	6.88	37.33
PK	5.459G	66.02	74.00	-7.98	2.45	3	Vertical	6	2.03	63.57	33.05	6.76	37.36
PK	5.462G	67.43	68.20	-0.77	2.47	3	Vertical	6	2.03	64.96	33.07	6.76	37.36
PK	5.583G	111.93	Inf	-Inf	2.74	3	Vertical	6	2.03	109.19	33.20	6.88	37.34
PK	5.741G	64.17	68.20	-4.03	3.86	3	Vertical	6	2.03	60.31	33.96	7.17	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	44.68	54.00	-9.32	2.39	3	Horizontal	279	2.31	42.29	33.00	6.75	37.36
AV	5.587G	91.09	Inf	-Inf	2.76	3	Horizontal	279	2.31	88.33	33.20	6.89	37.33
PK	5.449G	60.73	74.00	-13.27	2.39	3	Horizontal	279	2.31	58.34	33.00	6.75	37.36
PK	5.469G	61.27	68.20	-6.93	2.52	3	Horizontal	279	2.31	58.75	33.11	6.77	37.36
PK	5.587G	103.79	Inf	-Inf	2.76	3	Horizontal	279	2.31	101.03	33.20	6.89	37.33
PK	5.726G	60.22	68.20	-7.98	3.77	3	Horizontal	279	2.31	56.45	33.90	7.15	37.28


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	98.42	Inf	-Inf	3.88	3	Vertical	150	1.00	94.54	33.97	7.18	37.27
PK	5.6226G	67.79	68.20	-0.41	2.91	3	Vertical	150	1.00	64.88	33.29	6.94	37.32
PK	5.7618G	111.88	Inf	-Inf	4.01	3	Vertical	150	1.00	107.87	34.05	7.22	37.26
PK	6.033G	59.90	68.20	-8.30	3.59	3	Vertical	150	1.00	56.31	34.40	6.35	37.16

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	93.14	Inf	-Inf	3.86	3	Horizontal	73	1.50	89.28	33.96	7.17	37.27
PK	5.6406G	60.24	68.20	-7.96	3.03	3	Horizontal	73	1.50	57.21	33.36	6.98	37.31
PK	5.739G	105.75	Inf	-Inf	3.86	3	Horizontal	73	1.50	101.89	33.96	7.17	37.27
PK	6.0558G	59.95	68.20	-8.25	3.59	3	Horizontal	73	1.50	56.36	34.39	6.36	37.16


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





**RSE TX above 1GHz_
Non-Beamforming_Radio 3_Channel Puncturing**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	AV	5.148G	53.73	54.00	-0.27	3	Vertical	49	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	Pass	PK	5.36G	71.54	74.00	-2.46	3	Vertical	47	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	PK	5.3592G	73.18	74.00	-0.82	3	Vertical	50	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	PK	5.464G	67.32	68.20	-0.88	3	Vertical	9	1.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	PK	5.4632G	67.25	68.20	-0.95	3	Vertical	3	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	Pass	PK	5.643G	65.71	68.20	-2.49	3	Vertical	149	1.50



RSE TX above 1GHz
Non-Beamforming_Radio 3 Channel Puncturing

Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.73	54.00	-0.27	3	Vertical	49	1.50
5210MHz	Pass	AV	5.201G	99.54	Inf	-Inf	3	Vertical	49	1.50
5210MHz	Pass	AV	5.353G	45.15	54.00	-8.85	3	Vertical	49	1.50
5210MHz	Pass	PK	5.142G	73.42	74.00	-0.58	3	Vertical	49	1.50
5210MHz	Pass	PK	5.201G	112.60	Inf	-Inf	3	Vertical	49	1.50
5210MHz	Pass	PK	5.363G	58.54	74.00	-15.46	3	Vertical	49	1.50
5210MHz	Pass	AV	5.146G	50.06	54.00	-3.94	3	Horizontal	89	1.36
5210MHz	Pass	AV	5.172G	92.46	Inf	-Inf	3	Horizontal	89	1.36
5210MHz	Pass	AV	5.362G	44.58	54.00	-9.42	3	Horizontal	89	1.36
5210MHz	Pass	PK	5.15G	70.31	74.00	-3.69	3	Horizontal	89	1.36
5210MHz	Pass	PK	5.172G	104.84	Inf	-Inf	3	Horizontal	89	1.36
5210MHz	Pass	PK	5.452G	58.56	74.00	-15.44	3	Horizontal	89	1.36
5210MHz	Pass	PK	10.41436G	57.74	68.20	-10.46	3	Vertical	246	2.79
5210MHz	Pass	PK	10.41408G	62.42	68.20	-5.78	3	Horizontal	26	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.141G	45.53	54.00	-8.47	3	Vertical	47	1.50
5290MHz	Pass	AV	5.261G	98.63	Inf	-Inf	3	Vertical	47	1.50
5290MHz	Pass	AV	5.359G	50.23	54.00	-3.77	3	Vertical	47	1.50
5290MHz	Pass	PK	5.14G	61.79	74.00	-12.21	3	Vertical	47	1.50
5290MHz	Pass	PK	5.301G	111.10	Inf	-Inf	3	Vertical	47	1.50
5290MHz	Pass	PK	5.36G	71.54	74.00	-2.46	3	Vertical	47	1.50
5290MHz	Pass	PK	5.478G	58.38	68.20	-9.82	3	Vertical	47	1.50
5290MHz	Pass	AV	5.146G	44.38	54.00	-9.62	3	Horizontal	111	1.58
5290MHz	Pass	AV	5.254G	90.56	Inf	-Inf	3	Horizontal	111	1.58
5290MHz	Pass	AV	5.351G	46.50	54.00	-7.50	3	Horizontal	111	1.58
5290MHz	Pass	PK	5.043G	57.66	74.00	-16.34	3	Horizontal	111	1.58
5290MHz	Pass	PK	5.253G	103.72	Inf	-Inf	3	Horizontal	111	1.58
5290MHz	Pass	PK	5.372G	66.00	74.00	-8.00	3	Horizontal	111	1.58
5290MHz	Pass	PK	5.498G	59.44	68.20	-8.76	3	Horizontal	111	1.58
5290MHz	Pass	PK	10.5802G	56.01	68.20	-12.19	3	Vertical	312	2.09
5290MHz	Pass	PK	10.5768G	58.34	68.20	-9.86	3	Horizontal	38	1.59
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	44.03	54.00	-9.97	3	Vertical	9	1.96
5530MHz	Pass	AV	5.458G	47.93	54.00	-6.07	3	Vertical	9	1.96
5530MHz	Pass	AV	5.503G	97.21	Inf	-Inf	3	Vertical	9	1.96
5530MHz	Pass	PK	5.32G	57.86	68.20	-10.34	3	Vertical	9	1.96
5530MHz	Pass	PK	5.442G	64.34	74.00	-9.66	3	Vertical	9	1.96
5530MHz	Pass	PK	5.464G	67.32	68.20	-0.88	3	Vertical	9	1.96
5530MHz	Pass	PK	5.524G	110.49	Inf	-Inf	3	Vertical	9	1.96
5530MHz	Pass	PK	5.73G	59.55	68.20	-8.65	3	Vertical	9	1.96
5530MHz	Pass	AV	5.35G	43.62	54.00	-10.38	3	Horizontal	293	2.51
5530MHz	Pass	AV	5.452G	44.87	54.00	-9.13	3	Horizontal	293	2.51
5530MHz	Pass	AV	5.555G	89.12	Inf	-Inf	3	Horizontal	293	2.51
5530MHz	Pass	PK	5.318G	57.48	68.20	-10.72	3	Horizontal	293	2.51
5530MHz	Pass	PK	5.46G	62.49	74.00	-11.51	3	Horizontal	293	2.51
5530MHz	Pass	PK	5.462G	59.90	68.20	-8.30	3	Horizontal	293	2.51
5530MHz	Pass	PK	5.555G	102.72	Inf	-Inf	3	Horizontal	293	2.51
5530MHz	Pass	PK	5.744G	58.91	68.20	-9.29	3	Horizontal	293	2.51
5530MHz	Pass	AV	11.05768G	39.62	54.00	-14.38	3	Vertical	7	1.58
5530MHz	Pass	PK	11.07G	52.61	74.00	-21.39	3	Vertical	7	1.58
5530MHz	Pass	AV	11.06684G	40.21	54.00	-13.79	3	Horizontal	61	1.35
5530MHz	Pass	PK	11.067G	53.58	74.00	-20.42	3	Horizontal	61	1.35
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.46G	45.71	54.00	-8.29	3	Vertical	6	2.00
5610MHz	Pass	AV	5.584G	98.70	Inf	-Inf	3	Vertical	6	2.00
5610MHz	Pass	PK	5.46G	64.87	74.00	-9.13	3	Vertical	6	2.00
5610MHz	Pass	PK	5.463G	66.39	68.20	-1.81	3	Vertical	6	2.00
5610MHz	Pass	PK	5.624G	111.96	Inf	-Inf	3	Vertical	6	2.00
5610MHz	Pass	PK	5.742G	62.53	68.20	-5.67	3	Vertical	6	2.00
5610MHz	Pass	AV	5.454G	43.74	54.00	-10.26	3	Horizontal	316	2.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.573G	90.47	Inf	-Inf	3	Horizontal	316	2.48
5610MHz	Pass	PK	5.418G	57.39	74.00	-16.61	3	Horizontal	316	2.48
5610MHz	Pass	PK	5.47G	57.37	68.20	-10.83	3	Horizontal	316	2.48
5610MHz	Pass	PK	5.573G	103.11	Inf	-Inf	3	Horizontal	316	2.48
5610MHz	Pass	PK	5.857G	59.82	68.20	-8.38	3	Horizontal	316	2.48
5610MHz	Pass	AV	11.229G	40.07	54.00	-13.93	3	Vertical	352	1.00
5610MHz	Pass	PK	11.22828G	53.08	74.00	-20.92	3	Vertical	352	1.00
5610MHz	Pass	AV	11.22152G	39.43	54.00	-14.57	3	Horizontal	19	1.50
5610MHz	Pass	PK	11.22148G	52.09	74.00	-21.91	3	Horizontal	19	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	46.73	54.00	-7.27	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	99.92	Inf	-Inf	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	64.42	74.00	-9.58	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	63.98	68.20	-4.22	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	112.39	Inf	-Inf	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.02	68.20	-2.18	3	Vertical	9	2.22
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4128G	43.87	54.00	-10.13	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	94.37	Inf	-Inf	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	57.79	74.00	-16.21	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.43	68.20	-10.77	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	107.62	Inf	-Inf	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9G	59.43	68.20	-8.77	3	Horizontal	79	1.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37716G	42.85	54.00	-11.15	3	Vertical	352	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37992G	57.38	74.00	-16.62	3	Vertical	352	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38144G	43.44	54.00	-10.56	3	Horizontal	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38084G	56.89	74.00	-17.11	3	Horizontal	21	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7618G	99.67	Inf	-Inf	3	Vertical	149	1.50
5775MHz	Pass	PK	5.643G	65.71	68.20	-2.49	3	Vertical	149	1.50
5775MHz	Pass	PK	5.763G	112.62	Inf	-Inf	3	Vertical	149	1.50
5775MHz	Pass	PK	5.949G	60.45	68.20	-7.75	3	Vertical	149	1.50
5775MHz	Pass	AV	5.763G	95.09	Inf	-Inf	3	Horizontal	78	2.84
5775MHz	Pass	PK	5.6466G	62.17	68.20	-6.03	3	Horizontal	78	2.84
5775MHz	Pass	PK	5.7642G	107.47	Inf	-Inf	3	Horizontal	78	2.84
5775MHz	Pass	PK	6.0234G	59.26	68.20	-8.94	3	Horizontal	78	2.84
5775MHz	Pass	AV	11.5496G	43.07	54.00	-10.93	3	Vertical	85	1.58
5775MHz	Pass	PK	11.551G	56.82	74.00	-17.18	3	Vertical	85	1.58
5775MHz	Pass	AV	11.55008G	45.58	54.00	-8.42	3	Horizontal	76	1.54
5775MHz	Pass	PK	11.55076G	59.34	74.00	-14.66	3	Horizontal	76	1.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	48.23	54.00	-5.77	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2416G	94.63	Inf	-Inf	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3604G	49.55	54.00	-4.45	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	71.72	74.00	-2.28	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2416G	107.42	Inf	-Inf	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3592G	73.18	74.00	-0.82	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.502G	63.24	68.20	-4.96	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1444G	46.07	54.00	-7.93	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3136G	86.81	Inf	-Inf	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3724G	46.03	54.00	-7.97	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	62.05	74.00	-11.95	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3136G	100.45	Inf	-Inf	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.364G	65.52	74.00	-8.48	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	59.98	68.20	-8.22	3	Horizontal	93	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49996G	56.16	68.20	-12.04	3	Vertical	29	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50752G	54.95	68.20	-13.25	3	Horizontal	42	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	46.94	54.00	-7.06	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2404G	94.45	Inf	-Inf	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3604G	48.04	54.00	-5.96	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	72.52	74.00	-1.48	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2416G	107.43	Inf	-Inf	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	67.50	74.00	-6.50	3	Vertical	50	1.50




RSE TX above 1GHz
Non-Beamforming_Radio 3 Channel Puncturing

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4828G	64.15	68.20	-4.05	3	Vertical	50	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	44.98	54.00	-9.02	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2332G	86.79	Inf	-Inf	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	45.05	54.00	-8.95	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	60.00	74.00	-14.00	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2344G	100.10	Inf	-Inf	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3976G	62.66	74.00	-11.34	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.532G	59.24	68.20	-8.96	3	Horizontal	106	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50096G	55.46	68.20	-12.74	3	Vertical	28	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5002G	58.38	68.20	-9.82	3	Horizontal	36	1.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4368G	45.11	54.00	-8.89	3	Vertical	3	1.50
5570MHz	Pass	AV	5.522G	90.61	Inf	-Inf	3	Vertical	3	1.50
5570MHz	Pass	PK	5.3192G	58.35	68.20	-9.85	3	Vertical	3	1.50
5570MHz	Pass	PK	5.444G	65.98	74.00	-8.02	3	Vertical	3	1.50
5570MHz	Pass	PK	5.4632G	67.25	68.20	-0.95	3	Vertical	3	1.50
5570MHz	Pass	PK	5.5028G	104.17	Inf	-Inf	3	Vertical	3	1.50
5570MHz	Pass	PK	5.762G	61.18	68.20	-7.02	3	Vertical	3	1.50
5570MHz	Pass	AV	5.4116G	44.02	54.00	-9.98	3	Horizontal	289	2.52
5570MHz	Pass	AV	5.5556G	83.29	Inf	-Inf	3	Horizontal	289	2.52
5570MHz	Pass	PK	5.2748G	56.96	68.20	-11.24	3	Horizontal	289	2.52
5570MHz	Pass	PK	5.438G	60.74	74.00	-13.26	3	Horizontal	289	2.52
5570MHz	Pass	PK	5.4632G	58.43	68.20	-9.77	3	Horizontal	289	2.52
5570MHz	Pass	PK	5.516G	96.21	Inf	-Inf	3	Horizontal	289	2.52
5570MHz	Pass	PK	5.7476G	59.62	68.20	-8.58	3	Horizontal	289	2.52
5570MHz	Pass	AV	11.15G	37.69	54.00	-16.31	3	Vertical	99	1.50
5570MHz	Pass	PK	11.13848G	51.41	74.00	-22.59	3	Vertical	99	1.50
5570MHz	Pass	AV	11.14916G	37.69	54.00	-16.31	3	Horizontal	134	1.50
5570MHz	Pass	PK	11.13692G	51.97	74.00	-22.03	3	Horizontal	134	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4164G	45.11	54.00	-8.89	3	Vertical	0	1.50
5570MHz	Pass	AV	5.5016G	90.65	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.342G	58.90	68.20	-9.30	3	Vertical	0	1.50
5570MHz	Pass	PK	5.4596G	65.18	74.00	-8.82	3	Vertical	0	1.50
5570MHz	Pass	PK	5.462G	65.13	68.20	-3.07	3	Vertical	0	1.50
5570MHz	Pass	PK	5.5232G	104.01	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.744G	62.24	68.20	-5.96	3	Vertical	0	1.50
5570MHz	Pass	AV	5.4584G	44.12	54.00	-9.88	3	Horizontal	296	1.92
5570MHz	Pass	AV	5.4992G	85.13	Inf	-Inf	3	Horizontal	296	1.92
5570MHz	Pass	PK	5.3468G	58.42	68.20	-9.78	3	Horizontal	296	1.92
5570MHz	Pass	PK	5.4596G	62.32	74.00	-11.68	3	Horizontal	296	1.92
5570MHz	Pass	PK	5.4608G	61.82	68.20	-6.38	3	Horizontal	296	1.92
5570MHz	Pass	PK	5.4992G	98.32	Inf	-Inf	3	Horizontal	296	1.92
5570MHz	Pass	PK	5.8496G	60.49	68.20	-7.71	3	Horizontal	296	1.92
5570MHz	Pass	AV	11.14932G	38.03	54.00	-15.97	3	Vertical	309	1.50
5570MHz	Pass	PK	11.14612G	51.06	74.00	-22.94	3	Vertical	309	1.50
5570MHz	Pass	AV	11.1396G	38.01	54.00	-15.99	3	Horizontal	318	1.50
5570MHz	Pass	PK	11.13712G	51.84	74.00	-22.16	3	Horizontal	318	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.73	54.00	-0.27	2.86	3	Vertical	49	1.50	50.87	33.49	6.66	37.29
AV	5.201G	99.54	Inf	-Inf	2.71	3	Vertical	49	1.50	96.83	33.30	6.71	37.30
AV	5.353G	45.15	54.00	-8.85	2.45	3	Vertical	49	1.50	42.70	33.09	6.70	37.34
PK	5.142G	73.42	74.00	-0.58	2.82	3	Vertical	49	1.50	70.60	33.45	6.66	37.29
PK	5.201G	112.60	Inf	-Inf	2.71	3	Vertical	49	1.50	109.89	33.30	6.71	37.30
PK	5.363G	58.54	74.00	-15.46	2.43	3	Vertical	49	1.50	56.11	33.07	6.70	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	50.06	54.00	-3.94	2.85	3	Horizontal	89	1.36	47.21	33.48	6.66	37.29
AV	5.172G	92.46	Inf	-Inf	2.79	3	Horizontal	89	1.36	89.67	33.41	6.68	37.30
AV	5.362G	44.58	54.00	-9.42	2.44	3	Horizontal	89	1.36	42.14	33.08	6.70	37.34
PK	5.15G	70.31	74.00	-3.69	2.88	3	Horizontal	89	1.36	67.43	33.50	6.67	37.29
PK	5.172G	104.84	Inf	-Inf	2.79	3	Horizontal	89	1.36	102.05	33.41	6.68	37.30
PK	5.452G	58.56	74.00	-15.44	2.40	3	Horizontal	89	1.36	56.16	33.01	6.75	37.36




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.25-5.35GHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 3_Channel Puncturing**

Appendix E.7


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.03	54.00	-9.97	2.46	3	Vertical	9	1.96	41.57	33.10	6.70	37.34
AV	5.458G	47.93	54.00	-6.07	2.45	3	Vertical	9	1.96	45.48	33.05	6.76	37.36
AV	5.503G	97.21	Inf	-Inf	2.72	3	Vertical	9	1.96	94.49	33.29	6.80	37.37
PK	5.32G	57.86	68.20	-10.34	2.47	3	Vertical	9	1.96	55.39	33.10	6.70	37.33
PK	5.442G	64.34	74.00	-9.66	2.38	3	Vertical	9	1.96	61.96	33.00	6.74	37.36
PK	5.464G	67.32	68.20	-0.88	2.48	3	Vertical	9	1.96	64.84	33.08	6.76	37.36
PK	5.524G	110.49	Inf	-Inf	2.71	3	Vertical	9	1.96	107.78	33.25	6.82	37.36
PK	5.73G	59.55	68.20	-8.65	3.80	3	Vertical	9	1.96	55.75	33.92	7.15	37.27

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.62	54.00	-10.38	2.46	3	Horizontal	293	2.51	41.16	33.10	6.70	37.34
AV	5.452G	44.87	54.00	-9.13	2.40	3	Horizontal	293	2.51	42.47	33.01	6.75	37.36
AV	5.555G	89.12	Inf	-Inf	2.71	3	Horizontal	293	2.51	86.41	33.20	6.86	37.35
PK	5.318G	57.48	68.20	-10.72	2.47	3	Horizontal	293	2.51	55.01	33.10	6.70	37.33
PK	5.46G	62.49	74.00	-11.51	2.46	3	Horizontal	293	2.51	60.03	33.06	6.76	37.36
PK	5.462G	59.90	68.20	-8.30	2.47	3	Horizontal	293	2.51	57.43	33.07	6.76	37.36
PK	5.555G	102.72	Inf	-Inf	2.71	3	Horizontal	293	2.51	100.01	33.20	6.86	37.35
PK	5.744G	58.91	68.20	-9.29	3.89	3	Horizontal	293	2.51	55.02	33.98	7.18	37.27


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	4.87402G	57.75	74.00	-16.25	Horizontal
Mode 2	Pass	PK	4.8739G	56.60	74.00	-17.40	Horizontal
Mode 3	Pass	AV	2.44029G	59.06	68.20	-9.14	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.44015G	23.77	68.20	-44.43	3	Vertical	120	1.50
Mode 1	Pass	AV	4.874G	32.48	54.00	-21.52	3	Vertical	132	1.62
Mode 1	Pass	AV	5.77979G	32.54	68.20	-35.66	3	Vertical	78	2.56
Mode 1	Pass	PK	2.44015G	65.21	88.20	-22.99	3	Vertical	120	1.50
Mode 1	Pass	PK	4.874G	56.35	74.00	-17.65	3	Vertical	132	1.62
Mode 1	Pass	PK	5.77979G	54.28	88.20	-33.92	3	Vertical	78	2.56
Mode 1	Pass	AV	2.43949G	23.58	68.20	-44.62	3	Horizontal	62	1.32
Mode 1	Pass	AV	4.87402G	32.19	54.00	-21.81	3	Horizontal	138	1.73
Mode 1	Pass	AV	5.78918G	33.35	68.20	-34.85	3	Horizontal	224	2.70
Mode 1	Pass	PK	2.43949G	55.22	88.20	-32.98	3	Horizontal	62	1.32
Mode 1	Pass	PK	4.87402G	57.75	74.00	-16.25	3	Horizontal	138	1.73
Mode 1	Pass	PK	5.78918G	54.40	88.20	-33.80	3	Horizontal	224	2.70
Mode 2	Pass	AV	2.43931G	23.32	68.20	-44.88	3	Vertical	132	1.68
Mode 2	Pass	AV	5.19592G	32.67	68.20	-35.53	3	Vertical	62	1.32
Mode 2	Pass	AV	6.10737G	32.90	68.20	-35.30	3	Vertical	221	2.24
Mode 2	Pass	PK	2.43931G	62.53	88.20	-25.67	3	Vertical	132	1.68
Mode 2	Pass	PK	5.19592G	46.34	88.20	-41.86	3	Vertical	62	1.32
Mode 2	Pass	PK	6.10737G	54.25	88.20	-33.95	3	Vertical	221	2.24
Mode 2	Pass	AV	2.49857G	24.64	54.00	-29.36	3	Horizontal	116	2.96
Mode 2	Pass	AV	4.8739G	32.36	54.00	-21.64	3	Horizontal	170	1.32
Mode 2	Pass	AV	5.19737G	32.38	68.20	-35.82	3	Horizontal	243	2.22
Mode 2	Pass	PK	2.49857G	41.85	74.00	-32.15	3	Horizontal	116	2.96
Mode 2	Pass	PK	4.8739G	56.60	74.00	-17.40	3	Horizontal	170	1.32
Mode 2	Pass	PK	5.19737G	46.12	88.20	-42.08	3	Horizontal	243	2.22
Mode 3	Pass	AV	2.44029G	59.06	68.20	-9.14	3	Vertical	32	1.20
Mode 3	Pass	AV	4.8739G	32.02	54.00	-21.98	3	Vertical	120	1.50
Mode 3	Pass	AV	5.23439G	32.54	68.20	-35.66	3	Vertical	168	2.22
Mode 3	Pass	PK	2.44029G	63.65	88.20	-24.55	3	Vertical	32	1.20
Mode 3	Pass	PK	4.8739G	56.72	74.00	-17.28	3	Vertical	120	1.50
Mode 3	Pass	PK	5.23439G	46.23	88.20	-41.97	3	Vertical	168	2.22
Mode 3	Pass	AV	4.874G	32.13	54.00	-21.87	3	Horizontal	168	1.82
Mode 3	Pass	AV	6.48994G	34.99	68.20	-33.21	3	Horizontal	100	1.50
Mode 3	Pass	AV	6.90743G	36.56	68.20	-31.64	3	Horizontal	67	2.10
Mode 3	Pass	PK	4.874G	56.82	74.00	-17.18	3	Horizontal	168	1.82
Mode 3	Pass	PK	6.48994G	48.95	88.20	-39.25	3	Horizontal	100	1.50
Mode 3	Pass	PK	6.90743G	50.04	88.20	-38.16	3	Horizontal	67	2.10


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.43931G	23.32	68.20	-44.88	-11.92	3	Vertical	132	1.68	-	35.24	27.70	5.35	44.97
AV	5.19592G	32.67	68.20	-35.53	-4.69	3	Vertical	62	1.32	-	37.36	33.12	7.98	45.79
AV	6.10737G	32.90	68.20	-35.30	-2.96	3	Vertical	221	2.24	-	35.86	34.31	8.71	45.98
PK	2.43931G	62.53	88.20	-25.67	-11.92	3	Vertical	132	1.68	-	74.45	27.70	5.35	44.97
PK	5.19592G	46.34	88.20	-41.86	-4.69	3	Vertical	62	1.32	-	51.03	33.12	7.98	45.79
PK	6.10737G	54.25	88.20	-33.95	-2.96	3	Vertical	221	2.24	-	57.21	34.31	8.71	45.98

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.49857G	24.64	54.00	-29.36	-11.62	3	Horizontal	116	2.96	-	36.26	27.90	5.46	44.98
AV	4.8739G	32.36	54.00	-21.64	-5.20	3	Horizontal	170	1.32	-	37.56	32.80	7.77	45.77
AV	5.19737G	32.38	68.20	-35.82	-4.70	3	Horizontal	243	2.22	-	37.08	33.11	7.98	45.79
PK	2.49857G	41.85	74.00	-32.15	-11.62	3	Horizontal	116	2.96	-	53.47	27.90	5.46	44.98
PK	4.8739G	56.60	74.00	-17.40	-5.20	3	Horizontal	170	1.32	-	61.80	32.80	7.77	45.77
PK	5.19737G	46.12	88.20	-42.08	-4.70	3	Horizontal	243	2.22	-	50.82	33.11	7.98	45.79

Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3

