



## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

### 5250MHz Straddle 5.25-5.35GHz\_TX




## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

### 5250MHz Straddle 5.25-5.35GHz\_TX



## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


### 5500MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.46G        | 42.42             | 54.00             | -11.58         | 0.65           | 3           | Vertical  | 300            | 1.72          | 41.77         | 33.06      | 4.95       | 37.36      |
| AV   | 5.4952G      | 101.14            | Inf               | -Inf           | 0.85           | 3           | Vertical  | 300            | 1.72          | 100.29        | 33.27      | 4.95       | 37.37      |
| PK   | 5.4552G      | 54.60             | 74.00             | -19.40         | 0.61           | 3           | Vertical  | 300            | 1.72          | 53.99         | 33.03      | 4.94       | 37.36      |
| PK   | 5.4634G      | 56.00             | 68.20             | -12.20         | 0.67           | 3           | Vertical  | 300            | 1.72          | 55.33         | 33.08      | 4.95       | 37.36      |
| PK   | 5.4956G      | 109.44            | Inf               | -Inf           | 0.85           | 3           | Vertical  | 300            | 1.72          | 108.59        | 33.27      | 4.95       | 37.37      |

## 5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


### 5500MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.4578G      | 41.88             | 54.00             | -12.12         | 0.63           | 3           | Horizontal | 333            | 1.50          | 41.25         | 33.05      | 4.94       | 37.36      |
| AV   | 5.5046G      | 99.82             | Inf               | -Inf           | 0.88           | 3           | Horizontal | 333            | 1.50          | 98.94         | 33.29      | 4.96       | 37.37      |
| PK   | 5.4548G      | 53.86             | 74.00             | -20.14         | 0.61           | 3           | Horizontal | 333            | 1.50          | 53.25         | 33.03      | 4.94       | 37.36      |
| PK   | 5.469G       | 55.12             | 68.20             | -13.08         | 0.70           | 3           | Horizontal | 333            | 1.50          | 54.42         | 33.11      | 4.95       | 37.36      |
| PK   | 5.5046G      | 108.23            | Inf               | -Inf           | 0.88           | 3           | Horizontal | 333            | 1.50          | 107.35        | 33.29      | 4.96       | 37.37      |


5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX



5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5700MHz\_TX





5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.4528G      | 42.52             | 54.00             | -11.48         | 0.60           | 3           | Vertical  | 299            | 1.97          | 41.92         | 33.02      | 4.94       | 37.36      |
| AV   | 5.492G       | 97.51             | Inf               | -Inf           | 0.83           | 3           | Vertical  | 299            | 1.97          | 96.68         | 33.25      | 4.95       | 37.37      |
| PK   | 5.4408G      | 54.85             | 74.00             | -19.15         | 0.58           | 3           | Vertical  | 299            | 1.97          | 54.27         | 33.00      | 4.94       | 37.36      |
| PK   | 5.47G        | 60.71             | 68.20             | -7.49          | 0.71           | 3           | Vertical  | 299            | 1.97          | 60.00         | 33.12      | 4.95       | 37.36      |
| PK   | 5.4924G      | 109.60            | Inf               | -Inf           | 0.83           | 3           | Vertical  | 299            | 1.97          | 108.77        | 33.25      | 4.95       | 37.37      |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.4592G      | 41.84             | 54.00             | -12.16         | 0.64           | 3           | Horizontal | 333            | 1.50          | 41.20         | 33.06      | 4.94       | 37.36      |
| AV   | 5.5084G      | 95.54             | Inf               | -Inf           | 0.87           | 3           | Horizontal | 333            | 1.50          | 94.67         | 33.28      | 4.96       | 37.37      |
| PK   | 5.4568G      | 54.08             | 74.00             | -19.92         | 0.62           | 3           | Horizontal | 333            | 1.50          | 53.46         | 33.04      | 4.94       | 37.36      |
| PK   | 5.4672G      | 55.35             | 68.20             | -12.85         | 0.69           | 3           | Horizontal | 333            | 1.50          | 54.66         | 33.10      | 4.95       | 37.36      |
| PK   | 5.5084G      | 107.47            | Inf               | -Inf           | 0.87           | 3           | Horizontal | 333            | 1.50          | 106.60        | 33.28      | 4.96       | 37.37      |


5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.35G     | 42.14          | 54.00          | -11.86      | 0.67        | 3        | Vertical  | 300         | 1.88       | 41.47      | 33.10   | 4.91    | 37.34   |
| AV   | 5.453G    | 44.58          | 54.00          | -9.42       | 0.60        | 3        | Vertical  | 300         | 1.88       | 43.98      | 33.02   | 4.94    | 37.36   |
| AV   | 5.492G    | 93.84          | Inf            | -Inf        | 0.83        | 3        | Vertical  | 300         | 1.88       | 93.01      | 33.25   | 4.95    | 37.37   |
| PK   | 5.291G    | 54.50          | 68.20          | -13.70      | 0.68        | 3        | Vertical  | 300         | 1.88       | 53.82      | 33.12   | 4.88    | 37.32   |
| PK   | 5.452G    | 55.77          | 74.00          | -18.23      | 0.59        | 3        | Vertical  | 300         | 1.88       | 55.18      | 33.01   | 4.94    | 37.36   |
| PK   | 5.47G     | 58.44          | 68.20          | -9.76       | 0.71        | 3        | Vertical  | 300         | 1.88       | 57.73      | 33.12   | 4.95    | 37.36   |
| PK   | 5.492G    | 104.77         | Inf            | -Inf        | 0.83        | 3        | Vertical  | 300         | 1.88       | 103.94     | 33.25   | 4.95    | 37.37   |
| PK   | 5.731G    | 55.84          | 68.20          | -12.36      | 1.76        | 3        | Vertical  | 300         | 1.88       | 54.08      | 33.92   | 5.11    | 37.27   |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.35G     | 41.60          | 54.00          | -12.40      | 0.67        | 3        | Horizontal | 332         | 1.50       | 40.93      | 33.10   | 4.91    | 37.34   |
| AV   | 5.448G    | 42.07          | 54.00          | -11.93      | 0.58        | 3        | Horizontal | 332         | 1.50       | 41.49      | 33.00   | 4.94    | 37.36   |
| AV   | 5.508G    | 92.31          | Inf            | -Inf        | 0.87        | 3        | Horizontal | 332         | 1.50       | 91.44      | 33.28   | 4.96    | 37.37   |
| PK   | 5.338G    | 54.38          | 68.20          | -13.82      | 0.67        | 3        | Horizontal | 332         | 1.50       | 53.71      | 33.10   | 4.90    | 37.33   |
| PK   | 5.433G    | 54.59          | 74.00          | -19.41      | 0.58        | 3        | Horizontal | 332         | 1.50       | 54.01      | 33.00   | 4.94    | 37.36   |
| PK   | 5.464G    | 54.29          | 68.20          | -13.91      | 0.67        | 3        | Horizontal | 332         | 1.50       | 53.62      | 33.08   | 4.95    | 37.36   |
| PK   | 5.507G    | 105.59         | Inf            | -Inf        | 0.88        | 3        | Horizontal | 332         | 1.50       | 104.71     | 33.29   | 4.96    | 37.37   |
| PK   | 5.743G    | 56.18          | 68.20          | -12.02      | 1.82        | 3        | Horizontal | 332         | 1.50       | 54.36      | 33.97   | 5.12    | 37.27   |


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

### 5570MHz\_TX




## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

### 5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

5570MHz\_TX





**Summary**

| Mode                                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.25-5.35GHz                                      | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX  | Pass   | AV   | 5.367G       | 49.05             | 54.00             | -4.95          | 3           | Horizontal | 17             | 1.72          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX | Pass   | AV   | 5.406G       | 53.65             | 54.00             | -0.35          | 3           | Horizontal | 14             | 1.75          |
| 5.47-5.725GHz                                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX  | Pass   | PK   | 5.463G       | 64.99             | 68.20             | -3.21          | 3           | Horizontal | 13             | 1.58          |
| 802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX | Pass   | PK   | 5.7656G      | 67.72             | 68.20             | -0.48          | 3           | Horizontal | 13             | 1.62          |
| 5.725-5.85GHz                                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX  | Pass   | PK   | 6.0426G      | 60.38             | 68.20             | -7.82          | 3           | Horizontal | 339            | 1.50          |

Result


| Mode                                             | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5290MHz                                          | Pass   | AV   | 5.142G    | 46.89          | 54.00          | -7.11       | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | AV   | 5.262G    | 89.15          | Inf            | -Inf        | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | AV   | 5.36G     | 47.00          | 54.00          | -7.00       | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | PK   | 5.148G    | 59.02          | 74.00          | -14.98      | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | PK   | 5.262G    | 101.13         | Inf            | -Inf        | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | PK   | 5.36G     | 59.18          | 74.00          | -14.82      | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | PK   | 5.511G    | 58.41          | 68.20          | -9.79       | 3        | Vertical   | 315         | 2.85       |
| 5290MHz                                          | Pass   | AV   | 5.144G    | 46.96          | 54.00          | -7.04       | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | AV   | 5.266G    | 97.42          | Inf            | -Inf        | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | AV   | 5.367G    | 49.05          | 54.00          | -4.95       | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | PK   | 5.148G    | 59.79          | 74.00          | -14.21      | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | PK   | 5.268G    | 109.94         | Inf            | -Inf        | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | PK   | 5.367G    | 62.69          | 74.00          | -11.31      | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | PK   | 5.523G    | 59.36          | 68.20          | -8.84       | 3        | Horizontal | 17          | 1.72       |
| 5290MHz                                          | Pass   | PK   | 10.58186G | 54.84          | 68.20          | -13.36      | 3        | Vertical   | 77          | 1.58       |
| 5290MHz                                          | Pass   | PK   | 10.5819G  | 54.63          | 68.20          | -13.57      | 3        | Horizontal | 174         | 1.90       |
| 5530MHz                                          | Pass   | AV   | 5.35G     | 46.25          | 54.00          | -7.75       | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | AV   | 5.354G    | 46.32          | 54.00          | -7.68       | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | AV   | 5.514G    | 82.67          | Inf            | -Inf        | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | PK   | 5.292G    | 59.45          | 68.20          | -8.75       | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | PK   | 5.389G    | 58.31          | 74.00          | -15.69      | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | PK   | 5.464G    | 57.60          | 68.20          | -10.60      | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | PK   | 5.515G    | 94.71          | Inf            | -Inf        | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | PK   | 5.733G    | 60.18          | 68.20          | -8.02       | 3        | Vertical   | 354         | 1.70       |
| 5530MHz                                          | Pass   | AV   | 5.35G     | 46.50          | 54.00          | -7.50       | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | AV   | 5.46G     | 49.22          | 54.00          | -4.78       | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | AV   | 5.505G    | 97.56          | Inf            | -Inf        | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | PK   | 5.327G    | 59.02          | 68.20          | -9.18       | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | PK   | 5.458G    | 62.92          | 74.00          | -11.08      | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | PK   | 5.463G    | 64.99          | 68.20          | -3.21       | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | PK   | 5.504G    | 110.66         | Inf            | -Inf        | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | PK   | 5.727G    | 59.89          | 68.20          | -8.31       | 3        | Horizontal | 13          | 1.58       |
| 5530MHz                                          | Pass   | AV   | 11.06266G | 41.55          | 54.00          | -12.45      | 3        | Vertical   | 139         | 1.76       |
| 5530MHz                                          | Pass   | PK   | 11.06226G | 54.69          | 74.00          | -19.31      | 3        | Vertical   | 139         | 1.76       |
| 5530MHz                                          | Pass   | AV   | 11.06478G | 41.43          | 54.00          | -12.57      | 3        | Horizontal | 317         | 2.45       |
| 5530MHz                                          | Pass   | PK   | 11.06338G | 54.49          | 74.00          | -19.51      | 3        | Horizontal | 317         | 2.45       |
| 5610MHz                                          | Pass   | AV   | 5.393G    | 46.39          | 54.00          | -7.61       | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | AV   | 5.578G    | 82.02          | Inf            | -Inf        | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | PK   | 5.366G    | 58.90          | 74.00          | -15.10      | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | PK   | 5.468G    | 57.83          | 68.20          | -10.37      | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | PK   | 5.578G    | 94.24          | Inf            | -Inf        | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | PK   | 5.736G    | 60.49          | 68.20          | -7.71       | 3        | Vertical   | 5           | 1.50       |
| 5610MHz                                          | Pass   | AV   | 5.37G     | 46.69          | 54.00          | -7.31       | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | AV   | 5.648G    | 97.73          | Inf            | -Inf        | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | PK   | 5.382G    | 59.60          | 74.00          | -14.40      | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | PK   | 5.465G    | 61.38          | 68.20          | -6.82       | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | PK   | 5.645G    | 109.28         | Inf            | -Inf        | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | PK   | 5.83G     | 61.16          | 68.20          | -7.04       | 3        | Horizontal | 18          | 1.69       |
| 5610MHz                                          | Pass   | AV   | 11.21504G | 42.35          | 54.00          | -11.65      | 3        | Vertical   | 89          | 1.49       |
| 5610MHz                                          | Pass   | PK   | 11.22352G | 55.32          | 74.00          | -18.68      | 3        | Vertical   | 89          | 1.49       |
| 5610MHz                                          | Pass   | AV   | 11.21666G | 42.22          | 54.00          | -11.78      | 3        | Horizontal | 292         | 1.81       |
| 5610MHz                                          | Pass   | PK   | 11.21768G | 55.52          | 74.00          | -18.48      | 3        | Horizontal | 292         | 1.81       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | AV   | 5.3948G   | 46.21          | 54.00          | -7.79       | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | AV   | 5.7272G   | 85.59          | Inf            | -Inf        | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | PK   | 5.4236G   | 58.48          | 74.00          | -15.52      | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | PK   | 5.4656G   | 58.00          | 68.20          | -10.20      | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | PK   | 5.7272G   | 97.47          | Inf            | -Inf        | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | PK   | 5.9108G   | 59.89          | 68.20          | -8.31       | 3        | Vertical   | 324         | 3.00       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | AV   | 5.4188G   | 46.58          | 54.00          | -7.42       | 3        | Horizontal | 15          | 1.59       |
| 5690MHz Straddle 5.47-5.725GHz                   | Pass   | AV   | 5.6852G   | 98.11          | Inf            | -Inf        | 3        | Horizontal | 15          | 1.59       |



| Mode                                              | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 5.4056G   | 58.99          | 74.00          | -15.01      | 3        | Horizontal | 15          | 1.59       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 5.4656G   | 58.15          | 68.20          | -10.05      | 3        | Horizontal | 15          | 1.59       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 5.6864G   | 110.52         | Inf            | -Inf        | 3        | Horizontal | 15          | 1.59       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 5.9516G   | 60.39          | 68.20          | -7.81       | 3        | Horizontal | 15          | 1.59       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | AV   | 11.37984G | 42.76          | 54.00          | -11.24      | 3        | Vertical   | 322         | 1.62       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 11.38408G | 55.81          | 74.00          | -18.19      | 3        | Vertical   | 322         | 1.62       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | AV   | 11.3792G  | 42.79          | 54.00          | -11.21      | 3        | Horizontal | 284         | 2.50       |
| 5690MHz Straddle 5.47-5.725GHz                    | Pass   | PK   | 11.37854G | 55.98          | 74.00          | -18.02      | 3        | Horizontal | 284         | 2.50       |
| 5775MHz                                           | Pass   | AV   | 5.751G    | 85.29          | Inf            | -Inf        | 3        | Vertical   | 321         | 3.00       |
| 5775MHz                                           | Pass   | PK   | 5.523G    | 59.46          | 68.20          | -8.74       | 3        | Vertical   | 321         | 3.00       |
| 5775MHz                                           | Pass   | PK   | 5.7534G   | 96.20          | Inf            | -Inf        | 3        | Vertical   | 321         | 3.00       |
| 5775MHz                                           | Pass   | PK   | 6.0138G   | 59.67          | 68.20          | -8.53       | 3        | Vertical   | 321         | 3.00       |
| 5775MHz                                           | Pass   | AV   | 5.7582G   | 96.98          | Inf            | -Inf        | 3        | Horizontal | 339         | 1.50       |
| 5775MHz                                           | Pass   | PK   | 5.5446G   | 59.19          | 68.20          | -9.01       | 3        | Horizontal | 339         | 1.50       |
| 5775MHz                                           | Pass   | PK   | 5.7594G   | 109.41         | Inf            | -Inf        | 3        | Horizontal | 339         | 1.50       |
| 5775MHz                                           | Pass   | PK   | 6.0426G   | 60.38          | 68.20          | -7.82       | 3        | Horizontal | 339         | 1.50       |
| 5775MHz                                           | Pass   | AV   | 11.54782G | 42.58          | 54.00          | -11.42      | 3        | Vertical   | 1           | 2.33       |
| 5775MHz                                           | Pass   | PK   | 11.55164G | 55.48          | 74.00          | -18.52      | 3        | Vertical   | 1           | 2.33       |
| 5775MHz                                           | Pass   | AV   | 11.54768G | 42.56          | 54.00          | -11.44      | 3        | Horizontal | 205         | 2.84       |
| 5775MHz                                           | Pass   | PK   | 11.54578G | 55.83          | 74.00          | -18.17      | 3        | Horizontal | 205         | 2.84       |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.1396G   | 48.16          | 54.00          | -5.84       | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.1804G   | 88.12          | Inf            | -Inf        | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.4408G   | 48.15          | 54.00          | -5.85       | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.1396G   | 63.11          | 74.00          | -10.89      | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.1828G   | 100.85         | Inf            | -Inf        | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.3532G   | 63.85          | 74.00          | -10.15      | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.4672G   | 60.55          | 68.20          | -7.65       | 3        | Vertical   | 305         | 2.90       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.1468G   | 51.55          | 54.00          | -2.45       | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.2044G   | 95.88          | Inf            | -Inf        | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | AV   | 5.406G    | 53.65          | 54.00          | -0.35       | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.1384G   | 68.44          | 74.00          | -5.56       | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.1876G   | 108.32         | Inf            | -Inf        | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.3544G   | 70.67          | 74.00          | -3.33       | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 5.4696G   | 64.99          | 68.20          | -3.21       | 3        | Horizontal | 14          | 1.75       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 10.49556G | 54.41          | 68.20          | -13.79      | 3        | Vertical   | 90          | 2.79       |
| 5250MHz Straddle 5.25-5.35GHz                     | Pass   | PK   | 10.50496G | 54.15          | 68.20          | -14.05      | 3        | Horizontal | 286         | 1.55       |
| 802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5570MHz                                           | Pass   | AV   | 5.3828G   | 48.22          | 54.00          | -5.78       | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | AV   | 5.5028G   | 85.12          | Inf            | -Inf        | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | PK   | 5.2736G   | 59.02          | 68.20          | -9.18       | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | PK   | 5.3816G   | 60.61          | 74.00          | -13.39      | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | PK   | 5.4608G   | 57.98          | 68.20          | -10.22      | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | PK   | 5.504G    | 97.10          | Inf            | -Inf        | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | PK   | 5.768G    | 61.61          | 68.20          | -6.59       | 3        | Vertical   | 313         | 2.98       |
| 5570MHz                                           | Pass   | AV   | 5.3828G   | 52.45          | 54.00          | -1.55       | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | AV   | 5.5052G   | 94.30          | Inf            | -Inf        | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | PK   | 5.348G    | 60.67          | 68.20          | -7.53       | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | PK   | 5.384G    | 66.01          | 74.00          | -7.99       | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | PK   | 5.468G    | 61.64          | 68.20          | -6.56       | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | PK   | 5.5028G   | 106.92         | Inf            | -Inf        | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | PK   | 5.7656G   | 67.72          | 68.20          | -0.48       | 3        | Horizontal | 13          | 1.62       |
| 5570MHz                                           | Pass   | AV   | 11.13622G | 41.96          | 54.00          | -12.04      | 3        | Vertical   | 29          | 2.39       |
| 5570MHz                                           | Pass   | PK   | 11.13632G | 54.92          | 74.00          | -19.08      | 3        | Vertical   | 29          | 2.39       |
| 5570MHz                                           | Pass   | AV   | 11.14166G | 41.74          | 54.00          | -12.26      | 3        | Horizontal | 137         | 2.69       |
| 5570MHz                                           | Pass   | PK   | 11.13716G | 54.33          | 74.00          | -19.67      | 3        | Horizontal | 137         | 2.69       |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5290MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.142G    | 46.89          | 54.00          | -7.11       | 7.25        | 3        | Vertical  | 315         | 2.85       | 39.64      | 33.17   | 8.08    | 34.00   |
| AV   | 5.262G    | 89.15          | Inf            | -Inf        | 7.15        | 3        | Vertical  | 315         | 2.85       | 82.00      | 32.98   | 8.16    | 33.99   |
| AV   | 5.36G     | 47.00          | 54.00          | -7.00       | 7.11        | 3        | Vertical  | 315         | 2.85       | 39.89      | 32.88   | 8.22    | 33.99   |
| PK   | 5.148G    | 59.02          | 74.00          | -14.98      | 7.27        | 3        | Vertical  | 315         | 2.85       | 51.75      | 33.19   | 8.08    | 34.00   |
| PK   | 5.262G    | 101.13         | Inf            | -Inf        | 7.15        | 3        | Vertical  | 315         | 2.85       | 93.98      | 32.98   | 8.16    | 33.99   |
| PK   | 5.36G     | 59.18          | 74.00          | -14.82      | 7.11        | 3        | Vertical  | 315         | 2.85       | 52.07      | 32.88   | 8.22    | 33.99   |
| PK   | 5.511G    | 58.41          | 68.20          | -9.79       | 7.30        | 3        | Vertical  | 315         | 2.85       | 51.11      | 32.98   | 8.30    | 33.98   |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5290MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.144G    | 46.96          | 54.00          | -7.04       | 7.26        | 3        | Horizontal | 17          | 1.72       | 39.70      | 33.18   | 8.08    | 34.00   |
| AV   | 5.266G    | 97.42          | Inf            | -Inf        | 7.14        | 3        | Horizontal | 17          | 1.72       | 90.28      | 32.97   | 8.16    | 33.99   |
| AV   | 5.367G    | 49.05          | 54.00          | -4.95       | 7.10        | 3        | Horizontal | 17          | 1.72       | 41.95      | 32.87   | 8.22    | 33.99   |
| PK   | 5.148G    | 59.79          | 74.00          | -14.21      | 7.27        | 3        | Horizontal | 17          | 1.72       | 52.52      | 33.19   | 8.08    | 34.00   |
| PK   | 5.268G    | 109.94         | Inf            | -Inf        | 7.13        | 3        | Horizontal | 17          | 1.72       | 102.81     | 32.96   | 8.16    | 33.99   |
| PK   | 5.367G    | 62.69          | 74.00          | -11.31      | 7.10        | 3        | Horizontal | 17          | 1.72       | 55.59      | 32.87   | 8.22    | 33.99   |
| PK   | 5.523G    | 59.36          | 68.20          | -8.84       | 7.27        | 3        | Horizontal | 17          | 1.72       | 52.09      | 32.95   | 8.31    | 33.99   |


5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 46.25             | 54.00             | -7.75          | 7.12           | 3           | Vertical  | 354            | 1.70          | 39.13         | 32.90      | 8.21       | 33.99      |
| AV   | 5.354G       | 46.32             | 54.00             | -7.68          | 7.11           | 3           | Vertical  | 354            | 1.70          | 39.21         | 32.89      | 8.21       | 33.99      |
| AV   | 5.514G       | 82.67             | Inf               | -Inf           | 7.28           | 3           | Vertical  | 354            | 1.70          | 75.39         | 32.97      | 8.30       | 33.99      |
| PK   | 5.292G       | 59.45             | 68.20             | -8.75          | 7.11           | 3           | Vertical  | 354            | 1.70          | 52.34         | 32.92      | 8.18       | 33.99      |
| PK   | 5.389G       | 58.31             | 74.00             | -15.69         | 7.06           | 3           | Vertical  | 354            | 1.70          | 51.25         | 32.82      | 8.23       | 33.99      |
| PK   | 5.464G       | 57.60             | 68.20             | -10.60         | 7.16           | 3           | Vertical  | 354            | 1.70          | 50.44         | 32.86      | 8.28       | 33.98      |
| PK   | 5.515G       | 94.71             | Inf               | -Inf           | 7.28           | 3           | Vertical  | 354            | 1.70          | 87.43         | 32.97      | 8.30       | 33.99      |
| PK   | 5.733G       | 60.18             | 68.20             | -8.02          | 8.07           | 3           | Vertical  | 354            | 1.70          | 52.11         | 33.67      | 8.48       | 34.08      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 46.50             | 54.00             | -7.50          | 7.12           | 3           | Horizontal | 13             | 1.58          | 39.38         | 32.90      | 8.21       | 33.99      |
| AV   | 5.46G        | 49.22             | 54.00             | -4.78          | 7.13           | 3           | Horizontal | 13             | 1.58          | 42.09         | 32.84      | 8.27       | 33.98      |
| AV   | 5.505G       | 97.56             | Inf               | -Inf           | 7.31           | 3           | Horizontal | 13             | 1.58          | 90.25         | 32.99      | 8.30       | 33.98      |
| PK   | 5.327G       | 59.02             | 68.20             | -9.18          | 7.11           | 3           | Horizontal | 13             | 1.58          | 51.91         | 32.90      | 8.20       | 33.99      |
| PK   | 5.458G       | 62.92             | 74.00             | -11.08         | 7.12           | 3           | Horizontal | 13             | 1.58          | 55.80         | 32.83      | 8.27       | 33.98      |
| PK   | 5.463G       | 64.99             | 68.20             | -3.21          | 7.14           | 3           | Horizontal | 13             | 1.58          | 57.85         | 32.85      | 8.27       | 33.98      |
| PK   | 5.504G       | 110.66            | Inf               | -Inf           | 7.31           | 3           | Horizontal | 13             | 1.58          | 103.35        | 32.99      | 8.30       | 33.98      |
| PK   | 5.727G       | 59.89             | 68.20             | -8.31          | 8.05           | 3           | Horizontal | 13             | 1.58          | 51.84         | 33.65      | 8.48       | 34.08      |


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5530MHz\_TX




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5530MHz\_TX



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX


5570MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.3828G   | 48.22          | 54.00          | -5.78       | 7.07        | 3        | Vertical  | 313         | 2.98       | 41.15      | 32.83   | 8.23    | 33.99   |
| AV   | 5.5028G   | 85.12          | Inf            | -Inf        | 7.31        | 3        | Vertical  | 313         | 2.98       | 77.81      | 32.99   | 8.30    | 33.98   |
| PK   | 5.2736G   | 59.02          | 68.20          | -9.18       | 7.12        | 3        | Vertical  | 313         | 2.98       | 51.90      | 32.95   | 8.16    | 33.99   |
| PK   | 5.3816G   | 60.61          | 74.00          | -13.39      | 7.08        | 3        | Vertical  | 313         | 2.98       | 53.53      | 32.84   | 8.23    | 33.99   |
| PK   | 5.4608G   | 57.98          | 68.20          | -10.22      | 7.13        | 3        | Vertical  | 313         | 2.98       | 50.85      | 32.84   | 8.27    | 33.98   |
| PK   | 5.504G    | 97.10          | Inf            | -Inf        | 7.31        | 3        | Vertical  | 313         | 2.98       | 89.79      | 32.99   | 8.30    | 33.98   |
| PK   | 5.768G    | 61.61          | 68.20          | -6.59       | 8.20        | 3        | Vertical  | 313         | 2.98       | 53.41      | 33.77   | 8.52    | 34.09   |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

5570MHz\_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.3828G   | 52.45          | 54.00          | -1.55       | 7.07        | 3        | Horizontal | 13          | 1.62       | 45.38      | 32.83   | 8.23    | 33.99   |
| AV   | 5.5052G   | 94.30          | Inf            | -Inf        | 7.31        | 3        | Horizontal | 13          | 1.62       | 86.99      | 32.99   | 8.30    | 33.98   |
| PK   | 5.348G    | 60.67          | 68.20          | -7.53       | 7.12        | 3        | Horizontal | 13          | 1.62       | 53.55      | 32.90   | 8.21    | 33.99   |
| PK   | 5.384G    | 66.01          | 74.00          | -7.99       | 7.07        | 3        | Horizontal | 13          | 1.62       | 58.94      | 32.83   | 8.23    | 33.99   |
| PK   | 5.468G    | 61.64          | 68.20          | -6.56       | 7.17        | 3        | Horizontal | 13          | 1.62       | 54.47      | 32.87   | 8.28    | 33.98   |
| PK   | 5.5028G   | 106.92         | Inf            | -Inf        | 7.31        | 3        | Horizontal | 13          | 1.62       | 99.61      | 32.99   | 8.30    | 33.98   |
| PK   | 5.7656G   | 67.72          | 68.20          | -0.48       | 8.19        | 3        | Horizontal | 13          | 1.62       | 59.53      | 33.76   | 8.52    | 34.09   |




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_2TX

5570MHz\_TX



5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5775MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.751G       | 85.29             | Inf               | -Inf           | 8.11           | 3           | Vertical  | 321            | 3.00          | 77.18         | 33.70      | 8.50       | 34.09      |
| PK   | 5.523G       | 59.46             | 68.20             | -8.74          | 7.27           | 3           | Vertical  | 321            | 3.00          | 52.19         | 32.95      | 8.31       | 33.99      |
| PK   | 5.7534G      | 96.20             | Inf               | -Inf           | 8.12           | 3           | Vertical  | 321            | 3.00          | 88.08         | 33.71      | 8.50       | 34.09      |
| PK   | 6.0138G      | 59.67             | 68.20             | -8.53          | 8.56           | 3           | Vertical  | 321            | 3.00          | 51.11         | 34.10      | 8.66       | 34.20      |

5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX


5775MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.7582G      | 96.98             | Inf               | -Inf           | 8.15           | 3           | Horizontal | 339            | 1.50          | 88.83         | 33.73      | 8.51       | 34.09      |
| PK   | 5.5446G      | 59.19             | 68.20             | -9.01          | 7.23           | 3           | Horizontal | 339            | 1.50          | 51.96         | 32.91      | 8.32       | 34.00      |
| PK   | 5.7594G      | 109.41            | Inf               | -Inf           | 8.16           | 3           | Horizontal | 339            | 1.50          | 101.25        | 33.74      | 8.51       | 34.09      |
| PK   | 6.0426G      | 60.38             | 68.20             | -7.82          | 8.60           | 3           | Horizontal | 339            | 1.50          | 51.78         | 34.10      | 8.71       | 34.21      |


5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5775MHz\_TX



5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_2TX

5775MHz\_TX





# RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing\_O-435E

## Appendix D.8

### Summary

| Mode                                                   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.15-5.25GHz                                           | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX | Pass   | PK   | 5.1192G      | 70.10             | 74.00             | -3.90          | 3           | Vertical  | 297            | 2.07          |
| 5.25-5.35GHz                                           | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX        | Pass   | AV   | 5.351G       | 44.87             | 54.00             | -9.13          | 3           | Vertical  | 302            | 1.76          |
| 5.47-5.725GHz                                          | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX        | Pass   | PK   | 5.466G       | 61.60             | 68.20             | -6.60          | 3           | Vertical  | 294            | 1.91          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX | Pass   | PK   | 5.4608G      | 66.55             | 68.20             | -1.65          | 3           | Vertical  | 302            | 1.93          |



# RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel Puncturing\_O-435E

## Appendix D.8

### Result

| Mode                                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|-------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5290MHz                                         | Pass   | AV   | 5.148G       | 42.52             | 54.00             | -11.48         | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | AV   | 5.252G       | 93.89             | Inf               | -Inf           | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | AV   | 5.351G       | 44.87             | 54.00             | -9.13          | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | PK   | 5.149G       | 57.20             | 74.00             | -16.80         | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | PK   | 5.252G       | 107.08            | Inf               | -Inf           | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | PK   | 5.361G       | 61.54             | 74.00             | -12.46         | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | PK   | 5.518G       | 56.79             | 68.20             | -11.41         | 3           | Vertical   | 302            | 1.76          |
| 5290MHz                                         | Pass   | AV   | 5.145G       | 42.36             | 54.00             | -11.64         | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | AV   | 5.262G       | 91.30             | Inf               | -Inf           | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | AV   | 5.362G       | 43.57             | 54.00             | -10.43         | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | PK   | 5.128G       | 56.42             | 74.00             | -17.58         | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | PK   | 5.262G       | 104.11            | Inf               | -Inf           | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | PK   | 5.359G       | 59.16             | 74.00             | -14.84         | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | PK   | 5.485G       | 56.34             | 68.20             | -11.86         | 3           | Horizontal | 315            | 2.02          |
| 5290MHz                                         | Pass   | AV   | 10.61104G    | 35.99             | 54.00             | -18.01         | 3           | Vertical   | 49             | 1.50          |
| 5290MHz                                         | Pass   | PK   | 10.60928G    | 50.64             | 74.00             | -23.36         | 3           | Vertical   | 49             | 1.50          |
| 5290MHz                                         | Pass   | AV   | 10.60528G    | 35.78             | 54.00             | -18.22         | 3           | Horizontal | 299            | 1.50          |
| 5290MHz                                         | Pass   | PK   | 10.564G      | 50.23             | 68.20             | -17.97         | 3           | Horizontal | 299            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5530MHz                                         | Pass   | AV   | 5.35G        | 42.02             | 54.00             | -11.98         | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | AV   | 5.451G       | 44.90             | 54.00             | -9.10          | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | AV   | 5.511G       | 94.19             | Inf               | -Inf           | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | PK   | 5.28G        | 56.16             | 68.20             | -12.04         | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | PK   | 5.459G       | 60.33             | 74.00             | -13.67         | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | PK   | 5.466G       | 61.60             | 68.20             | -6.60          | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | PK   | 5.493G       | 107.31            | Inf               | -Inf           | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | PK   | 5.776G       | 56.51             | 68.20             | -11.69         | 3           | Vertical   | 294            | 1.91          |
| 5530MHz                                         | Pass   | AV   | 5.35G        | 41.48             | 54.00             | -12.52         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | AV   | 5.457G       | 43.18             | 54.00             | -10.82         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | AV   | 5.498G       | 91.13             | Inf               | -Inf           | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | PK   | 5.328G       | 55.72             | 68.20             | -12.48         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | PK   | 5.458G       | 57.57             | 74.00             | -16.43         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | PK   | 5.465G       | 56.62             | 68.20             | -11.58         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | PK   | 5.497G       | 106.16            | Inf               | -Inf           | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | PK   | 5.762G       | 57.46             | 68.20             | -10.74         | 3           | Horizontal | 349            | 1.38          |
| 5530MHz                                         | Pass   | AV   | 11.02656G    | 35.42             | 54.00             | -18.58         | 3           | Vertical   | 123            | 1.21          |
| 5530MHz                                         | Pass   | PK   | 11.07216G    | 50.02             | 74.00             | -23.98         | 3           | Vertical   | 123            | 1.21          |
| 5530MHz                                         | Pass   | AV   | 11.02672G    | 35.42             | 54.00             | -18.58         | 3           | Horizontal | 149            | 1.50          |
| 5530MHz                                         | Pass   | PK   | 11.07136G    | 49.89             | 74.00             | -24.11         | 3           | Horizontal | 149            | 1.50          |
| 5610MHz                                         | Pass   | AV   | 5.453G       | 42.21             | 54.00             | -11.79         | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | AV   | 5.591G       | 93.47             | Inf               | -Inf           | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | PK   | 5.369G       | 56.05             | 74.00             | -17.95         | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | PK   | 5.465G       | 55.88             | 68.20             | -12.32         | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | PK   | 5.591G       | 107.19            | Inf               | -Inf           | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | PK   | 5.767G       | 57.54             | 68.20             | -10.66         | 3           | Vertical   | 297            | 1.92          |
| 5610MHz                                         | Pass   | AV   | 5.41G        | 41.52             | 54.00             | -12.48         | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | AV   | 5.634G       | 90.70             | Inf               | -Inf           | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | PK   | 5.434G       | 55.88             | 74.00             | -18.12         | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | PK   | 5.469G       | 55.94             | 68.20             | -12.26         | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | PK   | 5.633G       | 103.58            | Inf               | -Inf           | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | PK   | 5.828G       | 57.25             | 68.20             | -10.95         | 3           | Horizontal | 335            | 1.49          |
| 5610MHz                                         | Pass   | AV   | 11.23584G    | 35.90             | 54.00             | -18.10         | 3           | Vertical   | 203            | 1.50          |
| 5610MHz                                         | Pass   | PK   | 11.23904G    | 50.10             | 74.00             | -23.90         | 3           | Vertical   | 203            | 1.50          |
| 5610MHz                                         | Pass   | AV   | 11.23728G    | 36.11             | 54.00             | -17.89         | 3           | Horizontal | 131            | 1.50          |
| 5610MHz                                         | Pass   | PK   | 11.23488G    | 50.80             | 74.00             | -23.20         | 3           | Horizontal | 131            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5690MHz Straddle 5.47-5.725GHz                  | Pass   | AV   | 5.448G       | 41.96             | 54.00             | -12.04         | 3           | Vertical   | 299            | 1.97          |
| 5690MHz Straddle 5.47-5.725GHz                  | Pass   | AV   | 5.671G       | 92.90             | Inf               | -Inf           | 3           | Vertical   | 299            | 1.97          |
| 5690MHz Straddle 5.47-5.725GHz                  | Pass   | PK   | 5.452G       | 55.37             | 74.00             | -18.63         | 3           | Vertical   | 299            | 1.97          |
| 5690MHz Straddle 5.47-5.725GHz                  | Pass   | PK   | 5.464G       | 55.01             | 68.20             | -13.19         | 3           | Vertical   | 299            | 1.97          |

| Mode                                                   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.688G       | 105.92            | Inf               | -Inf           | 3           | Vertical   | 299            | 1.97          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.933G       | 57.74             | 68.20             | -10.46         | 3           | Vertical   | 299            | 1.97          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | AV   | 5.46G        | 41.51             | 54.00             | -12.49         | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | AV   | 5.695G       | 91.41             | Inf               | -Inf           | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.454G       | 55.37             | 74.00             | -18.63         | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.467G       | 56.46             | 68.20             | -11.74         | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.699G       | 104.98            | Inf               | -Inf           | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 5.878G       | 58.54             | 68.20             | -9.66          | 3           | Horizontal | 338            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | AV   | 11.40864G    | 36.91             | 54.00             | -17.09         | 3           | Vertical   | 146            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 11.38768G    | 50.91             | 74.00             | -23.09         | 3           | Vertical   | 146            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | AV   | 11.4088G     | 36.85             | 54.00             | -17.15         | 3           | Horizontal | 121            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz                         | Pass   | PK   | 11.41136G    | 51.57             | 74.00             | -22.43         | 3           | Horizontal | 121            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.13G        | 47.55             | 54.00             | -6.45          | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.2296G      | 91.78             | Inf               | -Inf           | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.3904G      | 47.21             | 54.00             | -6.79          | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1192G      | 70.10             | 74.00             | -3.90          | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.2284G      | 105.31            | Inf               | -Inf           | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.4012G      | 67.57             | 74.00             | -6.43          | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.4672G      | 62.86             | 68.20             | -5.34          | 3           | Vertical   | 297            | 2.07          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.1432G      | 46.00             | 54.00             | -8.00          | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.2044G      | 89.31             | Inf               | -Inf           | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.4036G      | 44.96             | 54.00             | -9.04          | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1228G      | 69.48             | 74.00             | -4.52          | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1852G      | 101.61            | Inf               | -Inf           | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.4036G      | 64.01             | 74.00             | -9.99          | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.4744G      | 57.26             | 68.20             | -10.94         | 3           | Horizontal | 320            | 1.81          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 10.47264G    | 50.62             | 68.20             | -17.58         | 3           | Vertical   | 342            | 1.50          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 10.47616G    | 50.25             | 68.20             | -17.95         | 3           | Horizontal | 229            | 1.45          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX       | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.0904G      | 48.17             | 54.00             | -5.83          | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.2296G      | 92.94             | Inf               | -Inf           | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.4288G      | 49.49             | 54.00             | -4.51          | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1492G      | 67.48             | 74.00             | -6.52          | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.2296G      | 105.85            | Inf               | -Inf           | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.3904G      | 68.68             | 74.00             | -5.32          | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.49G        | 62.97             | 68.20             | -5.23          | 3           | Vertical   | 294            | 2.04          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.082G       | 45.79             | 54.00             | -8.21          | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.202G       | 90.32             | Inf               | -Inf           | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | AV   | 5.4252G      | 45.98             | 54.00             | -8.02          | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1432G      | 68.31             | 74.00             | -5.69          | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.1852G      | 103.78            | Inf               | -Inf           | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.3784G      | 64.82             | 74.00             | -9.18          | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 5.4804G      | 59.32             | 68.20             | -8.88          | 3           | Horizontal | 319            | 1.91          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 10.47056G    | 49.75             | 68.20             | -18.45         | 3           | Vertical   | 341            | 2.43          |
| 5250MHz Straddle 5.15-5.25GHz                          | Pass   | PK   | 10.50256G    | 50.01             | 68.20             | -18.19         | 3           | Horizontal | 43             | 1.26          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5570MHz                                                | Pass   | AV   | 5.3912G      | 47.64             | 54.00             | -6.36          | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | AV   | 5.5112G      | 90.80             | Inf               | -Inf           | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | PK   | 5.3348G      | 60.70             | 68.20             | -7.50          | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | PK   | 5.42G        | 66.09             | 74.00             | -7.91          | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | PK   | 5.4608G      | 66.55             | 68.20             | -1.65          | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | PK   | 5.5328G      | 104.11            | Inf               | -Inf           | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | PK   | 5.7716G      | 63.71             | 68.20             | -4.49          | 3           | Vertical   | 302            | 1.93          |
| 5570MHz                                                | Pass   | AV   | 5.4512G      | 44.65             | 54.00             | -9.35          | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | AV   | 5.6336G      | 88.08             | Inf               | -Inf           | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | PK   | 5.3192G      | 56.63             | 68.20             | -11.57         | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | PK   | 5.4452G      | 60.60             | 74.00             | -13.40         | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | PK   | 5.4644G      | 60.06             | 68.20             | -8.14          | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | PK   | 5.6324G      | 101.42            | Inf               | -Inf           | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | PK   | 5.726G       | 62.77             | 68.20             | -5.43          | 3           | Horizontal | 336            | 1.45          |
| 5570MHz                                                | Pass   | AV   | 11.1552G     | 35.66             | 54.00             | -18.34         | 3           | Vertical   | 98             | 2.83          |




**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_Channel  
Puncturing\_O-435E**

**Appendix D.8**

| Mode                                             | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5570MHz                                          | Pass   | PK   | 11.13456G    | 50.10             | 74.00             | -23.90         | 3           | Vertical   | 98             | 2.83          |
| 5570MHz                                          | Pass   | AV   | 11.15584G    | 35.90             | 54.00             | -18.10         | 3           | Horizontal | 1              | 1.32          |
| 5570MHz                                          | Pass   | PK   | 11.1776G     | 49.95             | 74.00             | -24.05         | 3           | Horizontal | 1              | 1.32          |
| 802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5570MHz                                          | Pass   | AV   | 5.4512G      | 47.09             | 54.00             | -6.91          | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | AV   | 5.5112G      | 90.64             | Inf               | -Inf           | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | PK   | 5.35G        | 62.67             | 74.00             | -11.33         | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | PK   | 5.4596G      | 65.50             | 74.00             | -8.50          | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | PK   | 5.4644G      | 64.47             | 68.20             | -3.73          | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | PK   | 5.5112G      | 104.30            | Inf               | -Inf           | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | PK   | 5.726G       | 65.45             | 68.20             | -2.75          | 3           | Vertical   | 301            | 1.96          |
| 5570MHz                                          | Pass   | AV   | 5.4596G      | 45.24             | 54.00             | -8.76          | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | AV   | 5.5004G      | 86.50             | Inf               | -Inf           | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 5.336G       | 56.04             | 68.20             | -12.16         | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 5.4464G      | 61.29             | 74.00             | -12.71         | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 5.462G       | 59.52             | 68.20             | -8.68          | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 5.4992G      | 99.43             | Inf               | -Inf           | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 5.7848G      | 59.69             | 68.20             | -8.51          | 3           | Horizontal | 360            | 1.50          |
| 5570MHz                                          | Pass   | AV   | 11.15536G    | 35.84             | 54.00             | -18.16         | 3           | Vertical   | 228            | 1.50          |
| 5570MHz                                          | Pass   | PK   | 11.13024G    | 50.19             | 74.00             | -23.81         | 3           | Vertical   | 228            | 1.50          |
| 5570MHz                                          | Pass   | AV   | 11.17136G    | 35.84             | 54.00             | -18.16         | 3           | Horizontal | 74             | 1.52          |
| 5570MHz                                          | Pass   | PK   | 11.14096G    | 50.16             | 74.00             | -23.84         | 3           | Horizontal | 74             | 1.52          |

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_2TX


5250MHz Straddle 5.15-5.25GHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.13G        | 47.55             | 54.00             | -6.45          | 0.89           | 3           | Vertical  | 297            | 2.07          | 46.66         | 33.38      | 4.80       | 37.29      |
| AV   | 5.2296G      | 91.78             | Inf               | -Inf           | 0.78           | 3           | Vertical  | 297            | 2.07          | 91.00         | 33.24      | 4.85       | 37.31      |
| AV   | 5.3904G      | 47.21             | 54.00             | -6.79          | 0.60           | 3           | Vertical  | 297            | 2.07          | 46.61         | 33.02      | 4.93       | 37.35      |
| PK   | 5.1192G      | 70.10             | 74.00             | -3.90          | 0.83           | 3           | Vertical  | 297            | 2.07          | 69.27         | 33.32      | 4.80       | 37.29      |
| PK   | 5.2284G      | 105.31            | Inf               | -Inf           | 0.78           | 3           | Vertical  | 297            | 2.07          | 104.53        | 33.24      | 4.85       | 37.31      |
| PK   | 5.4012G      | 67.57             | 74.00             | -6.43          | 0.58           | 3           | Vertical  | 297            | 2.07          | 66.99         | 33.00      | 4.93       | 37.35      |
| PK   | 5.4672G      | 62.86             | 68.20             | -5.34          | 0.69           | 3           | Vertical  | 297            | 2.07          | 62.17         | 33.10      | 4.95       | 37.36      |

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.1432G      | 46.00             | 54.00             | -8.00          | 0.98           | 3           | Horizontal | 320            | 1.81          | 45.02         | 33.46      | 4.81       | 37.29      |
| AV   | 5.2044G      | 89.31             | Inf               | -Inf           | 0.83           | 3           | Horizontal | 320            | 1.81          | 88.48         | 33.29      | 4.84       | 37.30      |
| AV   | 5.4036G      | 44.96             | 54.00             | -9.04          | 0.58           | 3           | Horizontal | 320            | 1.81          | 44.38         | 33.00      | 4.93       | 37.35      |
| PK   | 5.1228G      | 69.48             | 74.00             | -4.52          | 0.85           | 3           | Horizontal | 320            | 1.81          | 68.63         | 33.34      | 4.80       | 37.29      |
| PK   | 5.1852G      | 101.61            | Inf               | -Inf           | 0.89           | 3           | Horizontal | 320            | 1.81          | 100.72        | 33.36      | 4.83       | 37.30      |
| PK   | 5.4036G      | 64.01             | 74.00             | -9.99          | 0.58           | 3           | Horizontal | 320            | 1.81          | 63.43         | 33.00      | 4.93       | 37.35      |
| PK   | 5.4744G      | 57.26             | 68.20             | -10.94         | 0.74           | 3           | Horizontal | 320            | 1.81          | 56.52         | 33.15      | 4.95       | 37.36      |






5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 7\_2TX

5250MHz Straddle 5.15-5.25GHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_2TX

5290MHz\_TX




**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_2TX**

**5290MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 2\_2TX**

**5290MHz\_TX**



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 42.02             | 54.00             | -11.98         | 0.67           | 3           | Vertical  | 294            | 1.91          | 41.35         | 33.10      | 4.91       | 37.34      |
| AV   | 5.451G       | 44.90             | 54.00             | -9.10          | 0.59           | 3           | Vertical  | 294            | 1.91          | 44.31         | 33.01      | 4.94       | 37.36      |
| AV   | 5.511G       | 94.19             | Inf               | -Inf           | 0.87           | 3           | Vertical  | 294            | 1.91          | 93.32         | 33.28      | 4.96       | 37.37      |
| PK   | 5.28G        | 56.16             | 68.20             | -12.04         | 0.70           | 3           | Vertical  | 294            | 1.91          | 55.46         | 33.14      | 4.88       | 37.32      |
| PK   | 5.459G       | 60.33             | 74.00             | -13.67         | 0.63           | 3           | Vertical  | 294            | 1.91          | 59.70         | 33.05      | 4.94       | 37.36      |
| PK   | 5.466G       | 61.60             | 68.20             | -6.60          | 0.69           | 3           | Vertical  | 294            | 1.91          | 60.91         | 33.10      | 4.95       | 37.36      |
| PK   | 5.493G       | 107.31            | Inf               | -Inf           | 0.84           | 3           | Vertical  | 294            | 1.91          | 106.47        | 33.26      | 4.95       | 37.37      |
| PK   | 5.776G       | 56.51             | 68.20             | -11.69         | 2.01           | 3           | Vertical  | 294            | 1.91          | 54.50         | 34.10      | 5.16       | 37.25      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 41.48             | 54.00             | -12.52         | 0.67           | 3           | Horizontal | 349            | 1.38          | 40.81         | 33.10      | 4.91       | 37.34      |
| AV   | 5.457G       | 43.18             | 54.00             | -10.82         | 0.62           | 3           | Horizontal | 349            | 1.38          | 42.56         | 33.04      | 4.94       | 37.36      |
| AV   | 5.498G       | 91.13             | Inf               | -Inf           | 0.87           | 3           | Horizontal | 349            | 1.38          | 90.26         | 33.29      | 4.95       | 37.37      |
| PK   | 5.328G       | 55.72             | 68.20             | -12.48         | 0.67           | 3           | Horizontal | 349            | 1.38          | 55.05         | 33.10      | 4.90       | 37.33      |
| PK   | 5.458G       | 57.57             | 74.00             | -16.43         | 0.63           | 3           | Horizontal | 349            | 1.38          | 56.94         | 33.05      | 4.94       | 37.36      |
| PK   | 5.465G       | 56.62             | 68.20             | -11.58         | 0.68           | 3           | Horizontal | 349            | 1.38          | 55.94         | 33.09      | 4.95       | 37.36      |
| PK   | 5.497G       | 106.16            | Inf               | -Inf           | 0.86           | 3           | Horizontal | 349            | 1.38          | 105.30        | 33.28      | 4.95       | 37.37      |
| PK   | 5.762G       | 57.46             | 68.20             | -10.74         | 1.93           | 3           | Horizontal | 349            | 1.38          | 55.53         | 34.05      | 5.14       | 37.26      |


5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX

5530MHz\_TX




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_2TX

5530MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_2TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_2TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_2TX

5570MHz\_TX



5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 4\_2TX

5570MHz\_TX





**Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|--------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1 | Pass   | AV   | 4.804G       | 47.32             | 54.00             | -6.68          | Vertical   |
| Mode 2 | Pass   | AV   | 11.33956G    | 45.16             | 54.00             | -8.84          | Horizontal |




**Result**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| Mode 1 | Pass   | AV   | 4.804G       | 47.32             | 54.00             | -6.68          | 3           | Vertical   | 312            | 1.02          |
| Mode 1 | Pass   | AV   | 4.82395G     | 38.69             | 54.00             | -15.31         | 3           | Vertical   | 356            | 2.51          |
| Mode 1 | Pass   | AV   | 11.33905G    | 45.28             | 54.00             | -8.72          | 3           | Vertical   | 319            | 1.50          |
| Mode 1 | Pass   | PK   | 4.80447G     | 54.21             | 74.00             | -19.79         | 3           | Vertical   | 312            | 1.02          |
| Mode 1 | Pass   | PK   | 4.82385G     | 47.95             | 74.00             | -26.05         | 3           | Vertical   | 356            | 2.51          |
| Mode 1 | Pass   | PK   | 11.34093G    | 57.19             | 74.00             | -16.81         | 3           | Vertical   | 319            | 1.50          |
| Mode 1 | Pass   | AV   | 4.80403G     | 44.07             | 54.00             | -9.93          | 3           | Horizontal | 35             | 1.00          |
| Mode 1 | Pass   | AV   | 4.8239G      | 37.48             | 54.00             | -16.52         | 3           | Horizontal | 343            | 1.50          |
| Mode 1 | Pass   | AV   | 11.33962G    | 45.19             | 54.00             | -8.81          | 3           | Horizontal | 353            | 1.50          |
| Mode 1 | Pass   | PK   | 4.80449G     | 52.09             | 74.00             | -21.91         | 3           | Horizontal | 35             | 1.00          |
| Mode 1 | Pass   | PK   | 4.82406G     | 47.69             | 74.00             | -26.31         | 3           | Horizontal | 35             | 1.50          |
| Mode 1 | Pass   | PK   | 11.33914G    | 57.08             | 74.00             | -16.92         | 3           | Horizontal | 353            | 1.50          |
| Mode 2 | Pass   | AV   | 4.80389G     | 44.76             | 54.00             | -9.24          | 3           | Vertical   | 33             | 1.00          |
| Mode 2 | Pass   | AV   | 4.824G       | 37.24             | 54.00             | -16.76         | 3           | Vertical   | 344            | 1.57          |
| Mode 2 | Pass   | AV   | 11.34052G    | 44.92             | 54.00             | -9.08          | 3           | Vertical   | 58             | 2.44          |
| Mode 2 | Pass   | AV   | 11.40031G    | 45.04             | 54.00             | -8.96          | 3           | Vertical   | 360            | 1.50          |
| Mode 2 | Pass   | PK   | 4.80358G     | 52.49             | 74.00             | -21.51         | 3           | Vertical   | 33             | 1.00          |
| Mode 2 | Pass   | PK   | 4.82415G     | 47.57             | 74.00             | -26.43         | 3           | Vertical   | 344            | 1.57          |
| Mode 2 | Pass   | PK   | 11.34063G    | 57.12             | 74.00             | -16.88         | 3           | Vertical   | 58             | 2.44          |
| Mode 2 | Pass   | PK   | 11.39994G    | 57.60             | 74.00             | -16.40         | 3           | Vertical   | 360            | 1.50          |
| Mode 2 | Pass   | AV   | 4.8041G      | 44.60             | 54.00             | -9.40          | 3           | Horizontal | 34             | 1.00          |
| Mode 2 | Pass   | AV   | 4.82393G     | 37.06             | 54.00             | -16.94         | 3           | Horizontal | 344            | 1.60          |
| Mode 2 | Pass   | AV   | 11.33956G    | 45.16             | 54.00             | -8.84          | 3           | Horizontal | 148            | 1.50          |
| Mode 2 | Pass   | AV   | 11.39923G    | 45.09             | 54.00             | -8.91          | 3           | Horizontal | 291            | 1.50          |
| Mode 2 | Pass   | PK   | 4.80377G     | 52.16             | 74.00             | -21.84         | 3           | Horizontal | 34             | 1.00          |
| Mode 2 | Pass   | PK   | 4.82411G     | 47.99             | 74.00             | -26.01         | 3           | Horizontal | 344            | 1.60          |
| Mode 2 | Pass   | PK   | 11.34086G    | 57.45             | 74.00             | -16.55         | 3           | Horizontal | 148            | 1.50          |
| Mode 2 | Pass   | PK   | 11.39992G    | 57.53             | 74.00             | -16.47         | 3           | Horizontal | 291            | 1.50          |


## Radiated Emissions above 1GHz\_Mode 1




## Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 2



### Radiated Emissions above 1GHz\_Mode 2






**Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 4.80401G     | 45.88             | 54.00             | -8.12          | Vertical  |
| Mode 2 | Pass   | AV   | 4.80398G     | 45.75             | 54.00             | -8.25          | Vertical  |


**Result**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| Mode 1 | Pass   | AV   | 4.80401G     | 45.88             | 54.00             | -8.12          | 3           | Vertical   | 73             | 1.39          |
| Mode 1 | Pass   | AV   | 4.93297G     | 34.13             | 54.00             | -19.87         | 3           | Vertical   | 358            | 1.28          |
| Mode 1 | Pass   | AV   | 7.27785G     | 39.43             | 54.00             | -14.57         | 3           | Vertical   | 360            | 1.10          |
| Mode 1 | Pass   | AV   | 10.98668G    | 44.04             | 54.00             | -9.96          | 3           | Vertical   | 192            | 1.50          |
| Mode 1 | Pass   | PK   | 4.80347G     | 52.43             | 74.00             | -21.57         | 3           | Vertical   | 73             | 1.39          |
| Mode 1 | Pass   | PK   | 4.93669G     | 46.24             | 74.00             | -27.76         | 3           | Vertical   | 358            | 1.28          |
| Mode 1 | Pass   | PK   | 7.25472G     | 51.37             | 74.00             | -22.63         | 3           | Vertical   | 360            | 1.10          |
| Mode 1 | Pass   | PK   | 11.0135G     | 56.29             | 74.00             | -17.71         | 3           | Vertical   | 192            | 1.50          |
| Mode 1 | Pass   | AV   | 4.80401G     | 40.35             | 54.00             | -13.65         | 3           | Horizontal | 67             | 1.58          |
| Mode 1 | Pass   | AV   | 4.93504G     | 34.29             | 54.00             | -19.71         | 3           | Horizontal | 53             | 1.23          |
| Mode 1 | Pass   | AV   | 7.26984G     | 39.93             | 54.00             | -14.07         | 3           | Horizontal | 358            | 1.53          |
| Mode 1 | Pass   | AV   | 10.98581G    | 44.13             | 54.00             | -9.87          | 3           | Horizontal | 177            | 1.50          |
| Mode 1 | Pass   | PK   | 4.8045G      | 48.61             | 74.00             | -25.39         | 3           | Horizontal | 67             | 1.58          |
| Mode 1 | Pass   | PK   | 4.92316G     | 46.57             | 74.00             | -27.43         | 3           | Horizontal | 53             | 1.23          |
| Mode 1 | Pass   | PK   | 7.25607G     | 51.10             | 74.00             | -22.90         | 3           | Horizontal | 358            | 1.53          |
| Mode 1 | Pass   | PK   | 10.98581G    | 56.80             | 74.00             | -17.20         | 3           | Horizontal | 177            | 1.50          |
| Mode 2 | Pass   | AV   | 4.80398G     | 45.75             | 54.00             | -8.25          | 3           | Vertical   | 326            | 1.13          |
| Mode 2 | Pass   | AV   | 7.26912G     | 39.17             | 54.00             | -14.83         | 3           | Vertical   | 4              | 1.55          |
| Mode 2 | Pass   | AV   | 11.00279G    | 44.08             | 54.00             | -9.92          | 3           | Vertical   | 340            | 1.50          |
| Mode 2 | Pass   | AV   | 11.15572G    | 44.06             | 54.00             | -9.94          | 3           | Vertical   | 274            | 1.50          |
| Mode 2 | Pass   | PK   | 4.80341G     | 52.30             | 74.00             | -21.70         | 3           | Vertical   | 326            | 1.13          |
| Mode 2 | Pass   | PK   | 7.26563G     | 51.45             | 74.00             | -22.55         | 3           | Vertical   | 4              | 1.55          |
| Mode 2 | Pass   | PK   | 11.0031G     | 56.00             | 74.00             | -18.00         | 3           | Vertical   | 340            | 1.50          |
| Mode 2 | Pass   | PK   | 11.15626G    | 55.64             | 74.00             | -18.36         | 3           | Vertical   | 274            | 1.50          |
| Mode 2 | Pass   | AV   | 4.80407G     | 40.52             | 54.00             | -13.48         | 3           | Horizontal | 61             | 1.50          |
| Mode 2 | Pass   | AV   | 7.27066G     | 39.45             | 54.00             | -14.55         | 3           | Horizontal | 349            | 1.50          |
| Mode 2 | Pass   | AV   | 11.00207G    | 44.13             | 54.00             | -9.87          | 3           | Horizontal | 332            | 1.50          |
| Mode 2 | Pass   | AV   | 11.16331G    | 44.08             | 54.00             | -9.92          | 3           | Horizontal | 78             | 2.58          |
| Mode 2 | Pass   | PK   | 4.80401G     | 48.66             | 74.00             | -25.34         | 3           | Horizontal | 61             | 1.50          |
| Mode 2 | Pass   | PK   | 7.26993G     | 51.78             | 74.00             | -22.22         | 3           | Horizontal | 349            | 1.50          |
| Mode 2 | Pass   | PK   | 10.99964G    | 56.41             | 74.00             | -17.59         | 3           | Horizontal | 332            | 1.50          |
| Mode 2 | Pass   | PK   | 11.15623G    | 55.81             | 74.00             | -18.19         | 3           | Horizontal | 78             | 2.58          |


### Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 2



### Radiated Emissions above 1GHz\_Mode 2

