

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

03/12/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.83	6.83	3.91	3.76

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

03/12/2024

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.68	3.68	0.78	0.61

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

03/12/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.65	0.65	-2.27	-2.38

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

03/12/2024

CF (Hz)
5.33G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.52	-2.52	-5.40	-5.46


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

03/12/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.939
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.72	7.72	4.72	4.82


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

03/12/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.744
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.97	6.97	3.88	4.04

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

03/12/2024

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.82	3.82	0.95	0.69

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

03/12/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.83	0.83	-2.07	-2.24

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

03/12/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-2.32	-2.32	-5.22	-5.31

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/12/2024

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.939

Detector Type
RMS




Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.94	5.94	2.87	3.07

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/12/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

03/12/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

03/12/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-3.96	-4.11



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0)_2TX	-1.60
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.15
802.11be EHT20_Nss1,(MCS0)_2TX	6.70
802.11be EHT40_Nss1,(MCS0)_2TX	3.18
802.11be EHT80_Nss1,(MCS0)_2TX	0.39
802.11be EHT160_Nss1,(MCS0)_2TX	-1.92
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.29
802.11be EHT20_Nss1,(MCS0)_2TX	6.85
802.11be EHT40_Nss1,(MCS0)_2TX	3.67
802.11be EHT80_Nss1,(MCS0)_2TX	0.54
802.11be EHT160_Nss1,(MCS0)_2TX	-2.34
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	5.41
802.11be EHT20_Nss1,(MCS0)_2TX	4.90
802.11be EHT40_Nss1,(MCS0)_2TX	1.80
802.11be EHT80_Nss1,(MCS0)_2TX	-1.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	7.61	3.46	4.76	7.15	9.39
5300MHz	Pass	7.61	3.37	3.97	6.69	9.39
5320MHz	Pass	7.61	3.25	3.88	6.51	9.39
5500MHz	Pass	8.33	3.93	4.63	7.29	8.67
5580MHz	Pass	8.33	3.43	4.29	6.86	8.67
5700MHz	Pass	8.33	3.73	4.31	6.98	8.67
5720MHz Straddle 5.47-5.725GHz	Pass	8.33	3.76	4.47	7.03	8.67
5720MHz Straddle 5.725-5.85GHz	Pass	7.86	2.08	2.78	5.41	28.14
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	7.61	3.06	4.25	6.70	9.39
5300MHz	Pass	7.61	2.95	3.58	6.27	9.39
5320MHz	Pass	7.61	2.86	3.29	6.03	9.39
5500MHz	Pass	8.33	3.53	4.21	6.85	8.67
5580MHz	Pass	8.33	2.89	3.77	6.36	8.67
5700MHz	Pass	8.33	3.19	3.71	6.44	8.67
5720MHz Straddle 5.47-5.725GHz	Pass	8.33	3.23	3.95	6.58	8.67
5720MHz Straddle 5.725-5.85GHz	Pass	7.86	1.55	2.25	4.90	28.14
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	7.61	-0.61	0.95	3.18	9.39
5310MHz	Pass	7.61	-0.35	0.62	3.16	9.39
5510MHz	Pass	8.33	0.34	1.06	3.67	8.67
5550MHz	Pass	8.33	-0.15	0.62	3.21	8.67
5670MHz	Pass	8.33	0.21	0.94	3.54	8.67
5710MHz Straddle 5.47-5.725GHz	Pass	8.33	0.06	1.15	3.55	8.67
5710MHz Straddle 5.725-5.85GHz	Pass	7.86	-1.45	-0.93	1.80	28.14
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	7.61	-2.96	-2.26	0.39	9.39
5530MHz	Pass	8.33	-2.97	-2.27	0.35	8.67
5610MHz	Pass	8.33	-3.04	-1.92	0.54	8.67
5690MHz Straddle 5.47-5.725GHz	Pass	8.33	-2.97	-2.26	0.30	8.67
5690MHz Straddle 5.725-5.85GHz	Pass	7.86	-4.52	-4.59	-1.59	28.14
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-4.70	-4.48	-1.60	15.22
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-5.18	-4.67	-1.92	9.39
5570MHz	Pass	8.33	-5.68	-4.90	-2.34	8.67


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

05/12/2024




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

05/12/2024




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

05/12/2024

CF (Hz)
5.26G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.744
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.70	6.70	3.06	4.25


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

05/12/2024

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.744
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.18	3.18	-0.61	0.95

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

05/12/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.39	0.39	-2.96	-2.26

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

05/12/2024

CF (Hz)
5.33G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.734

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.92	-1.92	-5.18	-4.67

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

05/12/2024

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.939

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.29	7.29	3.93	4.63

Sum ☒

Port 1 ☐

Port 2 ☐

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

05/12/2024

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.85	6.85	3.53	4.21

Sum ☒

Port 1 ☐

Port 2 ☐

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

05/12/2024

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.67	3.67	0.34	1.06

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

05/12/2024

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.54	0.54	-3.04	-1.92

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

05/12/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.734

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-2.34	-2.34	-5.68	-4.90

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

05/12/2024

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.939

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.41	5.41	2.08	2.78

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

05/12/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

05/12/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

05/12/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.59	-1.59	-4.52	-4.59

**Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-1.75
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-1.97
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.39
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-2.40
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-1.99

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5290MHz	Pass	7.61	-2.69	-2.87	0.21	9.39
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	7.61	-2.80	-2.86	0.02	9.39
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	8.33	-3.15	-2.24	0.27	8.67
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5530MHz	Pass	8.33	-3.43	-2.39	0.03	8.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5610MHz	Pass	8.33	-3.21	-2.03	0.39	8.67
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5610MHz	Pass	8.33	-3.45	-2.16	0.18	8.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	8.33	-3.52	-2.65	-0.15	8.67
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	8.33	-3.36	-2.46	-0.02	8.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	7.86	-5.51	-4.93	-2.23	28.14
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	7.86	-5.36	-4.61	-1.99	28.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-4.82	-4.63	-1.75	15.22
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-5.13	-4.75	-1.94	15.22
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-4.98	-4.78	-1.96	15.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-4.96	-4.68	-1.97	9.39
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-5.40	-5.05	-2.26	9.39
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-5.79	-5.17	-2.54	9.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5570MHz	Pass	8.33	-5.96	-4.95	-2.57	8.67
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-
5570MHz	Pass	8.33	-6.00	-4.77	-2.40	8.67
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-
5570MHz	Pass	8.33	-6.07	-4.95	-2.59	8.67


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

08/01/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5290MHz

08/01/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

08/01/2025



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.97	-1.97	-4.96	-4.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

08/01/2025



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.39	0.39	-3.21	-2.03

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

PSD

5570MHz

09/01/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.40	-2.40	-6.00	-4.77

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

08/01/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.99	-1.99	-5.36	-4.61

**Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-2.08
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	0.31
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-2.80
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	0.30
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-2.61
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-1.62

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-
5290MHz	Pass	7.61	-2.79	-2.22	0.31	9.39
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-
5530MHz	Pass	8.33	-3.07	-2.36	0.25	8.67
5610MHz	Pass	8.33	-3.10	-2.01	0.30	8.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	8.33	-3.11	-2.33	0.19	8.67
5690MHz Straddle 5.725-5.85GHz	Pass	7.86	-4.60	-4.57	-1.62	28.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-5.73	-4.96	-2.42	15.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.78	-5.31	-4.63	-2.08	15.22
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-6.24	-5.39	-2.80	9.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.61	-6.50	-5.25	-2.88	9.39
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	-	-	-	-	-	-
5570MHz	Pass	8.33	-6.05	-5.40	-2.74	8.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-
5570MHz	Pass	8.33	-5.95	-5.23	-2.61	8.67


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

06/12/2024




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

PSD

5290MHz

06/12/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

09/12/2024

CF (Hz)
5.33G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.744
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.80	-2.80	-6.24	-5.39


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

PSD

5610MHz

06/12/2024

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.744
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.30	0.30	-3.10	-2.01

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

PSD

5570MHz

06/12/2024

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.61	-2.61	-5.95	-5.23

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/12/2024

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
54.744

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.62	-1.62	-4.60	-4.57

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3566G	43.03	54.00	-10.97	3	Vertical	339	1.71
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3502G	43.37	54.00	-10.63	3	Vertical	339	1.73
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	45.14	54.00	-8.86	3	Horizontal	9	1.92
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.365G	45.48	54.00	-8.52	3	Vertical	341	1.62
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.1216G	48.71	54.00	-5.29	3	Vertical	341	1.72
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7504G	57.61	68.20	-10.59	3	Vertical	344	1.70
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7404G	58.25	68.20	-9.95	3	Vertical	343	1.59
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4648G	57.99	68.20	-10.21	3	Vertical	343	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.8976G	57.49	68.20	-10.71	3	Horizontal	8	1.83
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.7536G	58.16	68.20	-10.04	3	Vertical	341	1.60

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	40.98	54.00	-13.02	3	Vertical	355	1.66
5260MHz	Pass	AV	5.2672G	101.89	Inf	-Inf	3	Vertical	355	1.66
5260MHz	Pass	AV	5.3548G	41.02	54.00	-12.98	3	Vertical	355	1.66
5260MHz	Pass	PK	5.1208G	54.33	74.00	-19.67	3	Vertical	355	1.66
5260MHz	Pass	PK	5.2666G	111.98	Inf	-Inf	3	Vertical	355	1.66
5260MHz	Pass	PK	5.3566G	55.08	74.00	-18.92	3	Vertical	355	1.66
5260MHz	Pass	AV	5.1454G	41.04	54.00	-12.96	3	Horizontal	14	1.54
5260MHz	Pass	AV	5.2528G	101.80	Inf	-Inf	3	Horizontal	14	1.54
5260MHz	Pass	AV	5.3566G	40.74	54.00	-13.26	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.1388G	54.60	74.00	-19.40	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.2528G	111.91	Inf	-Inf	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.3512G	54.85	74.00	-19.15	3	Horizontal	14	1.54
5260MHz	Pass	PK	10.5204G	48.12	68.20	-20.08	3	Vertical	307	2.92
5260MHz	Pass	PK	10.51136G	48.24	68.20	-19.96	3	Horizontal	251	1.50
5300MHz	Pass	AV	5.2932G	101.54	Inf	-Inf	3	Vertical	339	1.70
5300MHz	Pass	AV	5.3508G	42.34	54.00	-11.66	3	Vertical	339	1.70
5300MHz	Pass	PK	5.2932G	111.91	Inf	-Inf	3	Vertical	339	1.70
5300MHz	Pass	PK	5.3556G	55.87	74.00	-18.13	3	Vertical	339	1.70
5300MHz	Pass	AV	5.2968G	100.42	Inf	-Inf	3	Horizontal	10	1.57
5300MHz	Pass	AV	5.352G	42.00	54.00	-12.00	3	Horizontal	10	1.57
5300MHz	Pass	PK	5.2972G	110.95	Inf	-Inf	3	Horizontal	10	1.57
5300MHz	Pass	PK	5.3736G	55.64	74.00	-18.36	3	Horizontal	10	1.57
5300MHz	Pass	AV	10.60716G	35.39	54.00	-18.61	3	Vertical	279	1.50
5300MHz	Pass	PK	10.59536G	48.44	68.20	-19.76	3	Vertical	279	1.50
5300MHz	Pass	AV	10.60612G	35.36	54.00	-18.64	3	Horizontal	111	1.50
5300MHz	Pass	PK	10.59224G	48.95	68.20	-19.25	3	Horizontal	111	1.50
5320MHz	Pass	AV	5.3134G	101.76	Inf	-Inf	3	Vertical	339	1.71
5320MHz	Pass	AV	5.3566G	43.03	54.00	-10.97	3	Vertical	339	1.71
5320MHz	Pass	PK	5.313G	112.03	Inf	-Inf	3	Vertical	339	1.71
5320MHz	Pass	PK	5.3532G	56.29	74.00	-17.71	3	Vertical	339	1.71
5320MHz	Pass	AV	5.327G	100.59	Inf	-Inf	3	Horizontal	10	1.70
5320MHz	Pass	AV	5.35G	42.68	54.00	-11.32	3	Horizontal	10	1.70
5320MHz	Pass	PK	5.3162G	111.51	Inf	-Inf	3	Horizontal	10	1.70
5320MHz	Pass	PK	5.3658G	56.77	74.00	-17.23	3	Horizontal	10	1.70
5320MHz	Pass	AV	10.64708G	35.53	54.00	-18.47	3	Vertical	292	1.66
5320MHz	Pass	PK	10.6498G	49.45	74.00	-24.55	3	Vertical	292	1.66
5320MHz	Pass	AV	10.64996G	35.59	54.00	-18.41	3	Horizontal	211	1.50
5320MHz	Pass	PK	10.63612G	48.82	74.00	-25.18	3	Horizontal	211	1.50
5500MHz	Pass	AV	5.4598G	42.37	54.00	-11.63	3	Vertical	341	1.58
5500MHz	Pass	AV	5.5044G	101.45	Inf	-Inf	3	Vertical	341	1.58
5500MHz	Pass	PK	5.4598G	55.64	74.00	-18.36	3	Vertical	341	1.58
5500MHz	Pass	PK	5.465G	56.31	68.20	-11.89	3	Vertical	341	1.58
5500MHz	Pass	PK	5.4992G	112.05	Inf	-Inf	3	Vertical	341	1.58
5500MHz	Pass	AV	5.4578G	42.15	54.00	-11.85	3	Horizontal	353	1.82
5500MHz	Pass	AV	5.497G	100.80	Inf	-Inf	3	Horizontal	353	1.82
5500MHz	Pass	PK	5.458G	55.71	74.00	-18.29	3	Horizontal	353	1.82
5500MHz	Pass	PK	5.4682G	57.01	68.20	-11.19	3	Horizontal	353	1.82
5500MHz	Pass	PK	5.4974G	111.00	Inf	-Inf	3	Horizontal	353	1.82
5500MHz	Pass	AV	10.99168G	35.36	54.00	-18.64	3	Vertical	41	1.50
5500MHz	Pass	PK	10.99604G	48.26	74.00	-25.74	3	Vertical	41	1.50
5500MHz	Pass	AV	10.99244G	35.35	54.00	-18.65	3	Horizontal	80	1.50
5500MHz	Pass	PK	10.99332G	48.78	74.00	-25.22	3	Horizontal	80	1.50
5580MHz	Pass	AV	5.46G	40.71	54.00	-13.29	3	Vertical	341	1.55
5580MHz	Pass	AV	5.5746G	101.49	Inf	-Inf	3	Vertical	341	1.55
5580MHz	Pass	PK	5.4498G	55.54	74.00	-18.46	3	Vertical	341	1.55
5580MHz	Pass	PK	5.469G	53.75	68.20	-14.45	3	Vertical	341	1.55
5580MHz	Pass	PK	5.5746G	111.71	Inf	-Inf	3	Vertical	341	1.55
5580MHz	Pass	PK	5.7276G	55.77	68.20	-12.43	3	Vertical	341	1.55
5580MHz	Pass	AV	5.4594G	40.75	54.00	-13.25	3	Horizontal	8	1.85
5580MHz	Pass	AV	5.5866G	100.84	Inf	-Inf	3	Horizontal	8	1.85



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4462G	53.98	74.00	-20.02	3	Horizontal	8	1.85
5580MHz	Pass	PK	5.4666G	53.97	68.20	-14.23	3	Horizontal	8	1.85
5580MHz	Pass	PK	5.5866G	111.18	Inf	-Inf	3	Horizontal	8	1.85
5580MHz	Pass	PK	5.73G	54.90	68.20	-13.30	3	Horizontal	8	1.85
5580MHz	Pass	AV	11.1534G	35.50	54.00	-18.50	3	Vertical	46	1.13
5580MHz	Pass	PK	11.16384G	48.51	74.00	-25.49	3	Vertical	46	1.13
5580MHz	Pass	AV	11.1624G	35.53	54.00	-18.47	3	Horizontal	47	1.50
5580MHz	Pass	PK	11.15972G	48.63	74.00	-25.37	3	Horizontal	47	1.50
5700MHz	Pass	AV	5.6956G	101.44	Inf	-Inf	3	Vertical	344	1.70
5700MHz	Pass	PK	5.7056G	111.78	Inf	-Inf	3	Vertical	344	1.70
5700MHz	Pass	PK	5.7504G	57.61	68.20	-10.59	3	Vertical	344	1.70
5700MHz	Pass	AV	5.6952G	100.64	Inf	-Inf	3	Horizontal	3	1.83
5700MHz	Pass	PK	5.7052G	110.63	Inf	-Inf	3	Horizontal	3	1.83
5700MHz	Pass	PK	5.7388G	57.01	68.20	-11.19	3	Horizontal	3	1.83
5700MHz	Pass	AV	11.40368G	36.43	54.00	-17.57	3	Vertical	206	1.50
5700MHz	Pass	PK	11.40648G	49.47	74.00	-24.53	3	Vertical	206	1.50
5700MHz	Pass	AV	11.4056G	36.48	54.00	-17.52	3	Horizontal	180	1.50
5700MHz	Pass	PK	11.39608G	49.59	74.00	-24.41	3	Horizontal	180	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	40.51	54.00	-13.49	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.05	Inf	-Inf	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4308G	53.98	74.00	-20.02	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	53.76	68.20	-14.44	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	111.26	Inf	-Inf	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	56.93	68.20	-11.27	3	Vertical	343	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	40.39	54.00	-13.61	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	100.30	Inf	-Inf	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	54.44	74.00	-19.56	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.09	68.20	-14.11	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	110.45	Inf	-Inf	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9372G	56.30	68.20	-11.90	3	Horizontal	7	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44392G	36.31	54.00	-17.69	3	Vertical	171	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44284G	49.97	74.00	-24.03	3	Vertical	171	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	36.35	54.00	-17.65	3	Horizontal	278	1.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43956G	49.30	74.00	-24.70	3	Horizontal	278	1.78
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	41.00	54.00	-13.00	3	Vertical	357	1.67
5260MHz	Pass	AV	5.2516G	101.33	Inf	-Inf	3	Vertical	357	1.67
5260MHz	Pass	AV	5.3506G	40.98	54.00	-13.02	3	Vertical	357	1.67
5260MHz	Pass	PK	5.149G	54.77	74.00	-19.23	3	Vertical	357	1.67
5260MHz	Pass	PK	5.2516G	114.04	Inf	-Inf	3	Vertical	357	1.67
5260MHz	Pass	PK	5.356G	54.64	74.00	-19.36	3	Vertical	357	1.67
5260MHz	Pass	AV	5.149G	41.02	54.00	-12.98	3	Horizontal	14	1.54
5260MHz	Pass	AV	5.2516G	101.51	Inf	-Inf	3	Horizontal	14	1.54
5260MHz	Pass	AV	5.3608G	40.77	54.00	-13.23	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.1472G	54.58	74.00	-19.42	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.2522G	114.21	Inf	-Inf	3	Horizontal	14	1.54
5260MHz	Pass	PK	5.4064G	55.09	74.00	-18.91	3	Horizontal	14	1.54
5260MHz	Pass	PK	10.51224G	47.85	68.20	-20.35	3	Vertical	356	1.50
5260MHz	Pass	PK	10.51792G	47.80	68.20	-20.40	3	Horizontal	338	1.50
5300MHz	Pass	AV	5.292G	101.26	Inf	-Inf	3	Vertical	339	1.76
5300MHz	Pass	AV	5.35G	42.47	54.00	-11.53	3	Vertical	339	1.76
5300MHz	Pass	PK	5.2932G	114.12	Inf	-Inf	3	Vertical	339	1.76
5300MHz	Pass	PK	5.3712G	55.54	74.00	-18.46	3	Vertical	339	1.76
5300MHz	Pass	AV	5.3036G	100.72	Inf	-Inf	3	Horizontal	9	1.92
5300MHz	Pass	AV	5.35G	42.43	54.00	-11.57	3	Horizontal	9	1.92
5300MHz	Pass	PK	5.3036G	114.62	Inf	-Inf	3	Horizontal	9	1.92
5300MHz	Pass	PK	5.3852G	55.76	74.00	-18.24	3	Horizontal	9	1.92
5300MHz	Pass	AV	10.60524G	35.33	54.00	-18.67	3	Vertical	27	2.82
5300MHz	Pass	PK	10.60536G	48.78	74.00	-25.22	3	Vertical	27	2.82
5300MHz	Pass	AV	10.60624G	35.41	54.00	-18.59	3	Horizontal	323	1.50
5300MHz	Pass	PK	10.59404G	48.93	68.20	-19.27	3	Horizontal	323	1.50
5320MHz	Pass	AV	5.3126G	101.59	Inf	-Inf	3	Vertical	339	1.73



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3502G	43.37	54.00	-10.63	3	Vertical	339	1.73
5320MHz	Pass	PK	5.3114G	115.39	Inf	-Inf	3	Vertical	339	1.73
5320MHz	Pass	PK	5.3574G	56.53	74.00	-17.47	3	Vertical	339	1.73
5320MHz	Pass	AV	5.3234G	100.33	Inf	-Inf	3	Horizontal	7	1.72
5320MHz	Pass	AV	5.3586G	42.92	54.00	-11.08	3	Horizontal	7	1.72
5320MHz	Pass	PK	5.3234G	113.59	Inf	-Inf	3	Horizontal	7	1.72
5320MHz	Pass	PK	5.3506G	56.34	74.00	-17.66	3	Horizontal	7	1.72
5320MHz	Pass	AV	10.64984G	35.59	54.00	-18.41	3	Vertical	42	1.50
5320MHz	Pass	PK	10.63212G	48.63	74.00	-25.37	3	Vertical	42	1.50
5320MHz	Pass	AV	10.64948G	35.58	54.00	-18.42	3	Horizontal	53	1.50
5320MHz	Pass	PK	10.6348G	49.06	74.00	-24.94	3	Horizontal	53	1.50
5500MHz	Pass	AV	5.4578G	42.72	54.00	-11.28	3	Vertical	341	1.58
5500MHz	Pass	AV	5.4984G	101.30	Inf	-Inf	3	Vertical	341	1.58
5500MHz	Pass	PK	5.4508G	56.44	74.00	-17.56	3	Vertical	341	1.58
5500MHz	Pass	PK	5.465G	56.68	68.20	-11.52	3	Vertical	341	1.58
5500MHz	Pass	PK	5.4976G	114.41	Inf	-Inf	3	Vertical	341	1.58
5500MHz	Pass	AV	5.46G	42.19	54.00	-11.81	3	Horizontal	351	1.63
5500MHz	Pass	AV	5.508G	100.11	Inf	-Inf	3	Horizontal	351	1.63
5500MHz	Pass	PK	5.4572G	55.23	74.00	-18.77	3	Horizontal	351	1.63
5500MHz	Pass	PK	5.4686G	56.85	68.20	-11.35	3	Horizontal	351	1.63
5500MHz	Pass	PK	5.5074G	113.94	Inf	-Inf	3	Horizontal	351	1.63
5500MHz	Pass	AV	10.99012G	35.37	54.00	-18.63	3	Vertical	203	1.18
5500MHz	Pass	PK	10.99256G	49.52	74.00	-24.48	3	Vertical	203	1.18
5500MHz	Pass	AV	10.99148G	35.41	54.00	-18.59	3	Horizontal	118	1.50
5500MHz	Pass	PK	10.9942G	48.73	74.00	-25.27	3	Horizontal	118	1.50
5580MHz	Pass	AV	5.4462G	40.71	54.00	-13.29	3	Vertical	341	1.71
5580MHz	Pass	AV	5.5782G	100.94	Inf	-Inf	3	Vertical	341	1.71
5580MHz	Pass	PK	5.4516G	54.81	74.00	-19.19	3	Vertical	341	1.71
5580MHz	Pass	PK	5.4642G	54.74	68.20	-13.46	3	Vertical	341	1.71
5580MHz	Pass	PK	5.5782G	114.15	Inf	-Inf	3	Vertical	341	1.71
5580MHz	Pass	PK	5.7294G	54.80	68.20	-13.40	3	Vertical	341	1.71
5580MHz	Pass	AV	5.4546G	40.76	54.00	-13.24	3	Horizontal	7	1.84
5580MHz	Pass	AV	5.5854G	100.46	Inf	-Inf	3	Horizontal	7	1.84
5580MHz	Pass	PK	5.4498G	54.35	74.00	-19.65	3	Horizontal	7	1.84
5580MHz	Pass	PK	5.466G	53.94	68.20	-14.26	3	Horizontal	7	1.84
5580MHz	Pass	PK	5.586G	114.23	Inf	-Inf	3	Horizontal	7	1.84
5580MHz	Pass	PK	5.7264G	54.66	68.20	-13.54	3	Horizontal	7	1.84
5580MHz	Pass	AV	11.15488G	35.59	54.00	-18.41	3	Vertical	23	1.50
5580MHz	Pass	PK	11.15424G	48.54	74.00	-25.46	3	Vertical	23	1.50
5580MHz	Pass	AV	11.1562G	35.54	54.00	-18.46	3	Horizontal	177	1.50
5580MHz	Pass	PK	11.169G	48.44	74.00	-25.56	3	Horizontal	177	1.50
5700MHz	Pass	AV	5.7028G	101.09	Inf	-Inf	3	Vertical	343	1.59
5700MHz	Pass	PK	5.7024G	114.73	Inf	-Inf	3	Vertical	343	1.59
5700MHz	Pass	PK	5.7404G	58.25	68.20	-9.95	3	Vertical	343	1.59
5700MHz	Pass	AV	5.6952G	100.49	Inf	-Inf	3	Horizontal	8	1.01
5700MHz	Pass	PK	5.6944G	113.98	Inf	-Inf	3	Horizontal	8	1.01
5700MHz	Pass	PK	5.7564G	57.86	68.20	-10.34	3	Horizontal	8	1.01
5700MHz	Pass	AV	11.40524G	36.40	54.00	-17.60	3	Vertical	36	2.34
5700MHz	Pass	PK	11.39544G	49.95	74.00	-24.05	3	Vertical	36	2.34
5700MHz	Pass	AV	11.40312G	36.46	54.00	-17.54	3	Horizontal	338	1.50
5700MHz	Pass	PK	11.39828G	49.90	74.00	-24.10	3	Horizontal	338	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	40.47	54.00	-13.53	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	101.20	Inf	-Inf	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4224G	54.69	74.00	-19.31	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	53.74	68.20	-14.46	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	114.44	Inf	-Inf	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9636G	55.80	68.20	-12.40	3	Vertical	345	1.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	40.39	54.00	-13.61	3	Horizontal	0	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	101.45	Inf	-Inf	3	Horizontal	0	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	53.72	74.00	-20.28	3	Horizontal	0	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	54.29	68.20	-13.91	3	Horizontal	0	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7104G	114.31	Inf	-Inf	3	Horizontal	0	2.47



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9168G	56.42	68.20	-11.78	3	Horizontal	0	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44808G	36.27	54.00	-17.73	3	Vertical	98	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44016G	49.65	74.00	-24.35	3	Vertical	98	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44424G	36.27	54.00	-17.73	3	Horizontal	227	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43532G	49.53	74.00	-24.47	3	Horizontal	227	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2644G	98.34	Inf	-Inf	3	Vertical	340	1.64
5270MHz	Pass	AV	5.356G	42.03	54.00	-11.97	3	Vertical	340	1.64
5270MHz	Pass	PK	5.2648G	111.88	Inf	-Inf	3	Vertical	340	1.64
5270MHz	Pass	PK	5.3624G	57.08	74.00	-16.92	3	Vertical	340	1.64
5270MHz	Pass	AV	5.2756G	98.07	Inf	-Inf	3	Horizontal	10	1.65
5270MHz	Pass	AV	5.3504G	41.81	54.00	-12.19	3	Horizontal	10	1.65
5270MHz	Pass	PK	5.2776G	112.22	Inf	-Inf	3	Horizontal	10	1.65
5270MHz	Pass	PK	5.356G	55.40	74.00	-18.60	3	Horizontal	10	1.65
5270MHz	Pass	PK	10.54744G	47.99	68.20	-20.21	3	Vertical	170	1.50
5270MHz	Pass	PK	10.54916G	48.10	68.20	-20.10	3	Horizontal	360	1.50
5310MHz	Pass	AV	5.302G	98.35	Inf	-Inf	3	Vertical	338	1.71
5310MHz	Pass	AV	5.3588G	43.64	54.00	-10.36	3	Vertical	338	1.71
5310MHz	Pass	PK	5.3212G	112.67	Inf	-Inf	3	Vertical	338	1.71
5310MHz	Pass	PK	5.3588G	57.29	74.00	-16.71	3	Vertical	338	1.71
5310MHz	Pass	AV	5.292G	97.65	Inf	-Inf	3	Horizontal	9	1.92
5310MHz	Pass	AV	5.3508G	45.14	54.00	-8.86	3	Horizontal	9	1.92
5310MHz	Pass	PK	5.3128G	111.70	Inf	-Inf	3	Horizontal	9	1.92
5310MHz	Pass	PK	5.3536G	59.93	74.00	-14.07	3	Horizontal	9	1.92
5310MHz	Pass	AV	10.61948G	35.42	54.00	-18.58	3	Vertical	27	2.12
5310MHz	Pass	PK	10.62292G	48.91	74.00	-25.09	3	Vertical	27	2.12
5310MHz	Pass	AV	10.62292G	35.34	54.00	-18.66	3	Horizontal	255	1.61
5310MHz	Pass	PK	10.6136G	48.34	74.00	-25.66	3	Horizontal	255	1.61
5510MHz	Pass	AV	5.4592G	42.14	54.00	-11.86	3	Vertical	343	1.50
5510MHz	Pass	AV	5.5112G	97.78	Inf	-Inf	3	Vertical	343	1.50
5510MHz	Pass	PK	5.4596G	56.78	74.00	-17.22	3	Vertical	343	1.50
5510MHz	Pass	PK	5.4648G	57.99	68.20	-10.21	3	Vertical	343	1.50
5510MHz	Pass	PK	5.512G	111.46	Inf	-Inf	3	Vertical	343	1.50
5510MHz	Pass	AV	5.4256G	41.92	54.00	-12.08	3	Horizontal	352	1.76
5510MHz	Pass	AV	5.4976G	97.24	Inf	-Inf	3	Horizontal	352	1.76
5510MHz	Pass	PK	5.4272G	55.75	74.00	-18.25	3	Horizontal	352	1.76
5510MHz	Pass	PK	5.466G	55.83	68.20	-12.37	3	Horizontal	352	1.76
5510MHz	Pass	PK	5.4968G	110.44	Inf	-Inf	3	Horizontal	352	1.76
5510MHz	Pass	AV	11.02256G	35.32	54.00	-18.68	3	Vertical	192	1.50
5510MHz	Pass	PK	11.02172G	48.77	74.00	-25.23	3	Vertical	192	1.50
5510MHz	Pass	AV	11.02272G	35.40	54.00	-18.60	3	Horizontal	183	1.50
5510MHz	Pass	PK	11.02652G	48.34	74.00	-25.66	3	Horizontal	183	1.50
5550MHz	Pass	AV	5.4596G	41.68	54.00	-12.32	3	Vertical	340	1.60
5550MHz	Pass	AV	5.5476G	98.06	Inf	-Inf	3	Vertical	340	1.60
5550MHz	Pass	PK	5.4572G	55.97	74.00	-18.03	3	Vertical	340	1.60
5550MHz	Pass	PK	5.47G	55.06	68.20	-13.14	3	Vertical	340	1.60
5550MHz	Pass	PK	5.566G	110.99	Inf	-Inf	3	Vertical	340	1.60
5550MHz	Pass	AV	5.458G	41.50	54.00	-12.50	3	Horizontal	354	1.69
5550MHz	Pass	AV	5.54G	97.16	Inf	-Inf	3	Horizontal	354	1.69
5550MHz	Pass	PK	5.4504G	55.40	74.00	-18.60	3	Horizontal	354	1.69
5550MHz	Pass	PK	5.468G	55.69	68.20	-12.51	3	Horizontal	354	1.69
5550MHz	Pass	PK	5.5384G	109.69	Inf	-Inf	3	Horizontal	354	1.69
5550MHz	Pass	AV	11.1058G	35.23	54.00	-18.77	3	Vertical	360	1.50
5550MHz	Pass	PK	11.1042G	48.21	74.00	-25.79	3	Vertical	360	1.50
5550MHz	Pass	AV	11.10552G	35.22	54.00	-18.78	3	Horizontal	0	1.50
5550MHz	Pass	PK	11.10064G	48.25	74.00	-25.75	3	Horizontal	0	1.50
5670MHz	Pass	AV	5.6532G	98.22	Inf	-Inf	3	Vertical	345	1.63
5670MHz	Pass	PK	5.6526G	110.81	Inf	-Inf	3	Vertical	345	1.63
5670MHz	Pass	PK	5.7366G	56.81	68.20	-11.39	3	Vertical	345	1.63
5670MHz	Pass	AV	5.6574G	97.42	Inf	-Inf	3	Horizontal	9	1.84
5670MHz	Pass	PK	5.679G	111.10	Inf	-Inf	3	Horizontal	9	1.84
5670MHz	Pass	PK	5.7624G	56.41	68.20	-11.79	3	Horizontal	9	1.84




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	AV	11.33268G	36.46	54.00	-17.54	3	Vertical	32	1.50
5670MHz	Pass	PK	11.33636G	49.97	74.00	-24.03	3	Vertical	32	1.50
5670MHz	Pass	AV	11.33184G	36.52	54.00	-17.48	3	Horizontal	165	1.50
5670MHz	Pass	PK	11.3432G	51.57	74.00	-22.43	3	Horizontal	165	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4112G	40.64	54.00	-13.36	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	98.13	Inf	-Inf	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.452G	54.62	74.00	-19.38	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	53.70	68.20	-14.50	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	110.92	Inf	-Inf	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9344G	56.34	68.20	-11.86	3	Vertical	343	1.63
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.416G	40.62	54.00	-13.38	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	97.39	Inf	-Inf	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4268G	54.27	74.00	-19.73	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	53.47	68.20	-14.73	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	109.58	Inf	-Inf	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	56.86	68.20	-11.34	3	Horizontal	4	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41064G	36.27	54.00	-17.73	3	Vertical	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41896G	49.61	74.00	-24.39	3	Vertical	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41056G	36.25	54.00	-17.75	3	Horizontal	82	1.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41216G	49.53	74.00	-24.47	3	Horizontal	82	1.54
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.145G	42.30	54.00	-11.70	3	Vertical	341	1.62
5290MHz	Pass	AV	5.285G	95.14	Inf	-Inf	3	Vertical	341	1.62
5290MHz	Pass	AV	5.365G	45.48	54.00	-8.52	3	Vertical	341	1.62
5290MHz	Pass	PK	5.147G	56.31	74.00	-17.69	3	Vertical	341	1.62
5290MHz	Pass	PK	5.325G	108.55	Inf	-Inf	3	Vertical	341	1.62
5290MHz	Pass	PK	5.369G	58.48	74.00	-15.52	3	Vertical	341	1.62
5290MHz	Pass	PK	5.522G	55.44	68.20	-12.76	3	Vertical	341	1.62
5290MHz	Pass	AV	5.139G	41.93	54.00	-12.07	3	Horizontal	11	1.61
5290MHz	Pass	AV	5.278G	94.94	Inf	-Inf	3	Horizontal	11	1.61
5290MHz	Pass	AV	5.358G	44.88	54.00	-9.12	3	Horizontal	11	1.61
5290MHz	Pass	PK	5.132G	55.47	74.00	-18.53	3	Horizontal	11	1.61
5290MHz	Pass	PK	5.258G	108.65	Inf	-Inf	3	Horizontal	11	1.61
5290MHz	Pass	PK	5.361G	58.08	74.00	-15.92	3	Horizontal	11	1.61
5290MHz	Pass	PK	5.493G	55.37	68.20	-12.83	3	Horizontal	11	1.61
5290MHz	Pass	PK	10.58424G	48.73	68.20	-19.47	3	Vertical	274	1.94
5290MHz	Pass	PK	10.5842G	49.50	68.20	-18.70	3	Horizontal	356	1.50
5530MHz	Pass	AV	5.35G	41.42	54.00	-12.58	3	Vertical	340	1.50
5530MHz	Pass	AV	5.445G	41.86	54.00	-12.14	3	Vertical	340	1.50
5530MHz	Pass	AV	5.549G	94.84	Inf	-Inf	3	Vertical	340	1.50
5530MHz	Pass	PK	5.304G	55.56	68.20	-12.64	3	Vertical	340	1.50
5530MHz	Pass	PK	5.432G	55.82	74.00	-18.18	3	Vertical	340	1.50
5530MHz	Pass	PK	5.461G	55.18	68.20	-13.02	3	Vertical	340	1.50
5530MHz	Pass	PK	5.548G	108.17	Inf	-Inf	3	Vertical	340	1.50
5530MHz	Pass	PK	5.735G	55.67	68.20	-12.53	3	Vertical	340	1.50
5530MHz	Pass	AV	5.35G	41.10	54.00	-12.90	3	Horizontal	351	1.69
5530MHz	Pass	AV	5.455G	41.64	54.00	-12.36	3	Horizontal	351	1.69
5530MHz	Pass	AV	5.498G	93.89	Inf	-Inf	3	Horizontal	351	1.69
5530MHz	Pass	PK	5.348G	54.99	68.20	-13.21	3	Horizontal	351	1.69
5530MHz	Pass	PK	5.423G	55.53	74.00	-18.47	3	Horizontal	351	1.69
5530MHz	Pass	PK	5.47G	55.01	68.20	-13.19	3	Horizontal	351	1.69
5530MHz	Pass	PK	5.497G	107.28	Inf	-Inf	3	Horizontal	351	1.69
5530MHz	Pass	PK	5.745G	55.84	68.20	-12.36	3	Horizontal	351	1.69
5530MHz	Pass	AV	11.05416G	35.36	54.00	-18.64	3	Vertical	335	1.50
5530MHz	Pass	PK	11.06G	50.10	74.00	-23.90	3	Vertical	335	1.50
5530MHz	Pass	AV	11.05544G	35.35	54.00	-18.65	3	Horizontal	46	1.50
5530MHz	Pass	PK	11.05452G	48.15	74.00	-25.85	3	Horizontal	46	1.50
5610MHz	Pass	AV	5.452G	41.48	54.00	-12.52	3	Vertical	344	1.64
5610MHz	Pass	AV	5.612G	95.26	Inf	-Inf	3	Vertical	344	1.64
5610MHz	Pass	PK	5.371G	55.14	74.00	-18.86	3	Vertical	344	1.64
5610MHz	Pass	PK	5.47G	55.57	68.20	-12.63	3	Vertical	344	1.64
5610MHz	Pass	PK	5.612G	108.86	Inf	-Inf	3	Vertical	344	1.64



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.812G	56.38	68.20	-11.82	3	Vertical	344	1.64
5610MHz	Pass	AV	5.434G	41.27	54.00	-12.73	3	Horizontal	10	1.59
5610MHz	Pass	AV	5.621G	93.62	Inf	-Inf	3	Horizontal	10	1.59
5610MHz	Pass	PK	5.444G	54.74	74.00	-19.26	3	Horizontal	10	1.59
5610MHz	Pass	PK	5.465G	54.23	68.20	-13.97	3	Horizontal	10	1.59
5610MHz	Pass	PK	5.642G	106.54	Inf	-Inf	3	Horizontal	10	1.59
5610MHz	Pass	PK	5.783G	56.20	68.20	-12.00	3	Horizontal	10	1.59
5610MHz	Pass	AV	11.22868G	35.82	54.00	-18.18	3	Vertical	283	1.50
5610MHz	Pass	PK	11.21024G	49.39	74.00	-24.61	3	Vertical	283	1.50
5610MHz	Pass	AV	11.2298G	35.91	54.00	-18.09	3	Horizontal	101	2.52
5610MHz	Pass	PK	11.2292G	49.34	74.00	-24.66	3	Horizontal	101	2.52
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	41.02	54.00	-12.98	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6552G	94.80	Inf	-Inf	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4008G	54.78	74.00	-19.22	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.77	68.20	-14.43	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6948G	108.20	Inf	-Inf	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	57.18	68.20	-11.02	3	Vertical	347	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	41.17	54.00	-12.83	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6564G	94.33	Inf	-Inf	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	54.96	74.00	-19.04	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.60	68.20	-13.60	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6576G	107.79	Inf	-Inf	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8976G	57.49	68.20	-10.71	3	Horizontal	8	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37112G	36.47	54.00	-17.53	3	Vertical	223	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37848G	49.69	74.00	-24.31	3	Vertical	223	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37112G	36.60	54.00	-17.40	3	Horizontal	33	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37008G	49.95	74.00	-24.05	3	Horizontal	33	2.67
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1216G	48.71	54.00	-5.29	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1828G	92.37	Inf	-Inf	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	48.67	54.00	-5.33	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.118G	62.68	74.00	-11.32	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3028G	106.34	Inf	-Inf	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3652G	61.45	74.00	-12.55	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	57.96	68.20	-10.24	3	Vertical	341	1.72
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	48.06	54.00	-5.94	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2392G	92.78	Inf	-Inf	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	46.79	54.00	-7.21	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.112G	62.73	74.00	-11.27	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1996G	105.85	Inf	-Inf	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	62.35	74.00	-11.65	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	57.82	68.20	-10.38	3	Horizontal	13	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50676G	48.29	68.20	-19.91	3	Vertical	348	2.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49272G	47.95	68.20	-20.25	3	Horizontal	321	1.00
5570MHz	Pass	AV	5.4272G	42.84	54.00	-11.16	3	Vertical	341	1.60
5570MHz	Pass	AV	5.5484G	91.75	Inf	-Inf	3	Vertical	341	1.60
5570MHz	Pass	PK	5.2844G	57.12	68.20	-11.08	3	Vertical	341	1.60
5570MHz	Pass	PK	5.4044G	56.28	74.00	-17.72	3	Vertical	341	1.60
5570MHz	Pass	PK	5.468G	55.23	68.20	-12.97	3	Vertical	341	1.60
5570MHz	Pass	PK	5.5664G	105.17	Inf	-Inf	3	Vertical	341	1.60
5570MHz	Pass	PK	5.7536G	58.16	68.20	-10.04	3	Vertical	341	1.60
5570MHz	Pass	AV	5.4152G	43.12	54.00	-10.88	3	Horizontal	9	1.76
5570MHz	Pass	AV	5.4956G	91.32	Inf	-Inf	3	Horizontal	9	1.76
5570MHz	Pass	PK	5.2952G	55.28	68.20	-12.92	3	Horizontal	9	1.76
5570MHz	Pass	PK	5.4164G	56.53	74.00	-17.47	3	Horizontal	9	1.76
5570MHz	Pass	PK	5.4632G	55.68	68.20	-12.52	3	Horizontal	9	1.76
5570MHz	Pass	PK	5.4968G	104.49	Inf	-Inf	3	Horizontal	9	1.76
5570MHz	Pass	PK	5.7812G	57.82	68.20	-10.38	3	Horizontal	9	1.76
5570MHz	Pass	AV	11.14912G	35.41	54.00	-18.59	3	Vertical	224	1.50
5570MHz	Pass	PK	11.14508G	48.53	74.00	-25.47	3	Vertical	224	1.50
5570MHz	Pass	AV	11.13968G	35.45	54.00	-18.55	3	Horizontal	189	1.50
5570MHz	Pass	PK	11.137G	48.78	74.00	-25.22	3	Horizontal	189	1.50


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	42.14	54.00	-11.86	0.64	3	Vertical	343	1.50	41.50	33.06	4.94	37.36
AV	5.5112G	97.78	Inf	-Inf	0.87	3	Vertical	343	1.50	96.91	33.28	4.96	37.37
PK	5.4596G	56.78	74.00	-17.22	0.64	3	Vertical	343	1.50	56.14	33.06	4.94	37.36
PK	5.4648G	57.99	68.20	-10.21	0.68	3	Vertical	343	1.50	57.31	33.09	4.95	37.36
PK	5.512G	111.46	Inf	-Inf	0.88	3	Vertical	343	1.50	110.58	33.28	4.96	37.36

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	41.92	54.00	-12.08	0.59	3	Horizontal	352	1.76	41.33	33.00	4.94	37.35
AV	5.4976G	97.24	Inf	-Inf	0.87	3	Horizontal	352	1.76	96.37	33.29	4.95	37.37
PK	5.4272G	55.75	74.00	-18.25	0.59	3	Horizontal	352	1.76	55.16	33.00	4.94	37.35
PK	5.466G	55.83	68.20	-12.37	0.69	3	Horizontal	352	1.76	55.14	33.10	4.95	37.36
PK	5.4968G	110.44	Inf	-Inf	0.86	3	Horizontal	352	1.76	109.58	33.28	4.95	37.37


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3524G	41.05	54.00	-12.95	3	Horizontal	68	2.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	41.50	54.00	-12.50	3	Horizontal	66	2.40
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	43.53	54.00	-10.47	3	Horizontal	55	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	43.15	54.00	-10.85	3	Horizontal	49	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.4096G	47.74	54.00	-6.26	3	Horizontal	52	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.942G	57.54	68.20	-10.66	3	Horizontal	310	2.14
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	57.13	68.20	-11.07	3	Horizontal	307	2.14
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7948G	57.01	68.20	-11.19	3	Horizontal	306	2.16
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9744G	56.55	68.20	-11.65	3	Horizontal	310	2.17
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.4512G	48.09	54.00	-5.91	3	Horizontal	52	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz_TX	Pass	AV	5.1478G	40.45	54.00	-13.55	3	Vertical	51	1.50
5260MHz_TX	Pass	AV	5.2528G	96.94	Inf	-Inf	3	Vertical	51	1.50
5260MHz_TX	Pass	AV	5.3794G	40.50	54.00	-13.50	3	Vertical	51	1.50
5260MHz_TX	Pass	PK	5.1418G	54.27	74.00	-19.73	3	Vertical	51	1.50
5260MHz_TX	Pass	PK	5.2576G	107.34	Inf	-Inf	3	Vertical	51	1.50
5260MHz_TX	Pass	PK	5.377G	54.48	74.00	-19.52	3	Vertical	51	1.50
5260MHz_TX	Pass	AV	5.1454G	40.67	54.00	-13.33	3	Horizontal	48	1.50
5260MHz_TX	Pass	AV	5.2642G	100.34	Inf	-Inf	3	Horizontal	48	1.50
5260MHz_TX	Pass	AV	5.3788G	40.83	54.00	-13.17	3	Horizontal	48	1.50
5260MHz_TX	Pass	PK	5.1166G	54.65	74.00	-19.35	3	Horizontal	48	1.50
5260MHz_TX	Pass	PK	5.254G	110.84	Inf	-Inf	3	Horizontal	48	1.50
5260MHz_TX	Pass	PK	5.3566G	54.64	74.00	-19.36	3	Horizontal	48	1.50
5260MHz_TX	Pass	PK	10.52354G	47.86	68.20	-20.34	3	Vertical	79	2.93
5260MHz_TX	Pass	PK	10.52366G	47.33	68.20	-20.87	3	Horizontal	13	1.00
5300MHz_TX	Pass	AV	5.3032G	96.56	Inf	-Inf	3	Vertical	55	1.40
5300MHz_TX	Pass	AV	5.352G	40.47	54.00	-13.53	3	Vertical	55	1.40
5300MHz_TX	Pass	PK	5.3036G	106.72	Inf	-Inf	3	Vertical	55	1.40
5300MHz_TX	Pass	PK	5.3556G	54.52	74.00	-19.48	3	Vertical	55	1.40
5300MHz_TX	Pass	AV	5.2948G	99.93	Inf	-Inf	3	Horizontal	53	1.50
5300MHz_TX	Pass	AV	5.3548G	40.78	54.00	-13.22	3	Horizontal	53	1.50
5300MHz_TX	Pass	PK	5.2948G	109.87	Inf	-Inf	3	Horizontal	53	1.50
5300MHz_TX	Pass	PK	5.3616G	54.60	74.00	-19.40	3	Horizontal	53	1.50
5300MHz_TX	Pass	AV	10.61218G	35.18	54.00	-18.82	3	Vertical	200	1.50
5300MHz_TX	Pass	PK	10.6051G	48.25	74.00	-25.75	3	Vertical	200	1.50
5300MHz_TX	Pass	AV	10.609G	35.11	54.00	-18.89	3	Horizontal	293	1.50
5300MHz_TX	Pass	PK	10.60396G	48.01	74.00	-25.99	3	Horizontal	293	1.50
5320MHz_TX	Pass	AV	5.3136G	96.98	Inf	-Inf	3	Vertical	55	1.50
5320MHz_TX	Pass	AV	5.35G	40.64	54.00	-13.36	3	Vertical	55	1.50
5320MHz_TX	Pass	PK	5.3238G	107.37	Inf	-Inf	3	Vertical	55	1.50
5320MHz_TX	Pass	PK	5.3532G	54.55	74.00	-19.45	3	Vertical	55	1.50
5320MHz_TX	Pass	AV	5.313G	99.82	Inf	-Inf	3	Horizontal	68	2.00
5320MHz_TX	Pass	AV	5.3524G	41.05	54.00	-12.95	3	Horizontal	68	2.00
5320MHz_TX	Pass	PK	5.3176G	110.11	Inf	-Inf	3	Horizontal	68	2.00
5320MHz_TX	Pass	PK	5.3668G	55.21	74.00	-18.79	3	Horizontal	68	2.00
5320MHz_TX	Pass	AV	10.64984G	35.38	54.00	-18.62	3	Vertical	174	1.50
5320MHz_TX	Pass	PK	10.6499G	48.85	74.00	-25.15	3	Vertical	174	1.50
5320MHz_TX	Pass	AV	10.6499G	35.38	54.00	-18.62	3	Horizontal	100	1.00
5320MHz_TX	Pass	PK	10.63466G	48.28	74.00	-25.72	3	Horizontal	100	1.00
5500MHz_TX	Pass	AV	5.4536G	40.48	54.00	-13.52	3	Vertical	50	1.50
5500MHz_TX	Pass	AV	5.4934G	96.80	Inf	-Inf	3	Vertical	50	1.50
5500MHz_TX	Pass	PK	5.46G	54.00	74.00	-20.00	3	Vertical	50	1.50
5500MHz_TX	Pass	PK	5.4656G	54.34	68.20	-13.86	3	Vertical	50	1.50
5500MHz_TX	Pass	PK	5.4936G	107.19	Inf	-Inf	3	Vertical	50	1.50
5500MHz_TX	Pass	AV	5.4594G	41.00	54.00	-13.00	3	Horizontal	53	1.00
5500MHz_TX	Pass	AV	5.504G	100.93	Inf	-Inf	3	Horizontal	53	1.00
5500MHz_TX	Pass	PK	5.4514G	54.60	74.00	-19.40	3	Horizontal	53	1.00
5500MHz_TX	Pass	PK	5.4694G	55.58	68.20	-12.62	3	Horizontal	53	1.00
5500MHz_TX	Pass	PK	5.5038G	111.62	Inf	-Inf	3	Horizontal	53	1.00
5500MHz_TX	Pass	AV	11.00408G	34.98	54.00	-19.02	3	Vertical	156	1.50
5500MHz_TX	Pass	PK	10.9985G	48.60	74.00	-25.40	3	Vertical	156	1.50
5500MHz_TX	Pass	AV	11.015G	34.96	54.00	-19.04	3	Horizontal	262	2.24
5500MHz_TX	Pass	PK	10.99406G	47.84	74.00	-26.16	3	Horizontal	262	2.24
5580MHz_TX	Pass	AV	5.4594G	40.31	54.00	-13.69	3	Vertical	52	1.50
5580MHz_TX	Pass	AV	5.574G	93.78	Inf	-Inf	3	Vertical	52	1.50
5580MHz_TX	Pass	PK	5.4396G	53.91	74.00	-20.09	3	Vertical	52	1.50
5580MHz_TX	Pass	PK	5.4696G	53.83	68.20	-14.37	3	Vertical	52	1.50
5580MHz_TX	Pass	PK	5.574G	103.81	Inf	-Inf	3	Vertical	52	1.50
5580MHz_TX	Pass	PK	5.7264G	54.63	68.20	-13.57	3	Vertical	52	1.50
5580MHz_TX	Pass	AV	5.4594G	40.55	54.00	-13.45	3	Horizontal	57	2.12
5580MHz_TX	Pass	AV	5.5728G	100.02	Inf	-Inf	3	Horizontal	57	2.12



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz_TX	Pass	PK	5.4522G	54.27	74.00	-19.73	3	Horizontal	57	2.12
5580MHz_TX	Pass	PK	5.4648G	54.26	68.20	-13.94	3	Horizontal	57	2.12
5580MHz_TX	Pass	PK	5.5776G	110.99	Inf	-Inf	3	Horizontal	57	2.12
5580MHz_TX	Pass	PK	5.7252G	54.78	68.20	-13.42	3	Horizontal	57	2.12
5580MHz_TX	Pass	AV	11.15028G	35.24	54.00	-18.76	3	Vertical	290	1.50
5580MHz_TX	Pass	PK	11.1495G	48.78	74.00	-25.22	3	Vertical	290	1.50
5580MHz_TX	Pass	AV	11.14812G	35.20	54.00	-18.80	3	Horizontal	46	1.50
5580MHz_TX	Pass	PK	11.14794G	48.58	74.00	-25.42	3	Horizontal	46	1.50
5700MHz_TX	Pass	AV	5.694G	96.06	Inf	-Inf	3	Vertical	41	2.69
5700MHz_TX	Pass	PK	5.6936G	106.14	Inf	-Inf	3	Vertical	41	2.69
5700MHz_TX	Pass	PK	5.744G	55.89	68.20	-12.31	3	Vertical	41	2.69
5700MHz_TX	Pass	AV	5.6952G	103.60	Inf	-Inf	3	Horizontal	309	2.13
5700MHz_TX	Pass	PK	5.6952G	113.58	Inf	-Inf	3	Horizontal	309	2.13
5700MHz_TX	Pass	PK	5.7252G	56.81	68.20	-11.39	3	Horizontal	309	2.13
5700MHz_TX	Pass	AV	11.40216G	36.10	54.00	-17.90	3	Vertical	332	1.50
5700MHz_TX	Pass	PK	11.41476G	49.38	74.00	-24.62	3	Vertical	332	1.50
5700MHz_TX	Pass	AV	11.40444G	36.09	54.00	-17.91	3	Horizontal	51	1.50
5700MHz_TX	Pass	PK	11.4075G	48.73	74.00	-25.27	3	Horizontal	51	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	40.28	54.00	-13.72	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.714G	95.45	Inf	-Inf	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4272G	53.48	74.00	-20.52	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	52.89	68.20	-15.31	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.714G	105.34	Inf	-Inf	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9552G	55.79	68.20	-12.41	3	Vertical	38	2.66
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	40.95	54.00	-13.05	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7152G	102.46	Inf	-Inf	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4344G	54.19	74.00	-19.81	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	53.22	68.20	-14.98	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7248G	112.43	Inf	-Inf	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.942G	57.54	68.20	-10.66	3	Horizontal	310	2.14
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.4439G	36.05	54.00	-17.95	3	Vertical	94	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.45062G	49.18	74.00	-24.82	3	Vertical	94	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.44294G	36.15	54.00	-17.85	3	Horizontal	334	2.57
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.43526G	49.50	74.00	-24.50	3	Horizontal	334	2.57
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz_TX	Pass	AV	5.1454G	40.48	54.00	-13.52	3	Vertical	54	1.50
5260MHz_TX	Pass	AV	5.2534G	96.91	Inf	-Inf	3	Vertical	54	1.50
5260MHz_TX	Pass	AV	5.3746G	40.58	54.00	-13.42	3	Vertical	54	1.50
5260MHz_TX	Pass	PK	5.146G	53.85	74.00	-20.15	3	Vertical	54	1.50
5260MHz_TX	Pass	PK	5.2534G	110.18	Inf	-Inf	3	Vertical	54	1.50
5260MHz_TX	Pass	PK	5.395G	54.76	74.00	-19.24	3	Vertical	54	1.50
5260MHz_TX	Pass	AV	5.146G	40.76	54.00	-13.24	3	Horizontal	45	1.50
5260MHz_TX	Pass	AV	5.2552G	100.35	Inf	-Inf	3	Horizontal	45	1.50
5260MHz_TX	Pass	AV	5.374G	40.70	54.00	-13.30	3	Horizontal	45	1.50
5260MHz_TX	Pass	PK	5.125G	53.81	74.00	-20.19	3	Horizontal	45	1.50
5260MHz_TX	Pass	PK	5.254G	113.71	Inf	-Inf	3	Horizontal	45	1.50
5260MHz_TX	Pass	PK	5.4088G	55.13	74.00	-18.87	3	Horizontal	45	1.50
5260MHz_TX	Pass	PK	10.52576G	48.00	68.20	-20.20	3	Vertical	35	1.50
5260MHz_TX	Pass	PK	10.51538G	47.94	68.20	-20.26	3	Horizontal	237	1.50
5300MHz_TX	Pass	AV	5.2928G	96.26	Inf	-Inf	3	Vertical	54	1.40
5300MHz_TX	Pass	AV	5.3848G	40.55	54.00	-13.45	3	Vertical	54	1.40
5300MHz_TX	Pass	PK	5.2928G	108.67	Inf	-Inf	3	Vertical	54	1.40
5300MHz_TX	Pass	PK	5.388G	54.32	74.00	-19.68	3	Vertical	54	1.40
5300MHz_TX	Pass	AV	5.2992G	99.76	Inf	-Inf	3	Horizontal	48	1.88
5300MHz_TX	Pass	AV	5.3528G	41.00	54.00	-13.00	3	Horizontal	48	1.88
5300MHz_TX	Pass	PK	5.2996G	112.75	Inf	-Inf	3	Horizontal	48	1.88
5300MHz_TX	Pass	PK	5.3816G	54.99	74.00	-19.01	3	Horizontal	48	1.88
5300MHz_TX	Pass	AV	10.61362G	35.17	54.00	-18.83	3	Vertical	344	1.69
5300MHz_TX	Pass	PK	10.58764G	48.29	68.20	-19.91	3	Vertical	344	1.69
5300MHz_TX	Pass	AV	10.60672G	35.15	54.00	-18.85	3	Horizontal	288	1.50
5300MHz_TX	Pass	PK	10.6018G	48.50	74.00	-25.50	3	Horizontal	288	1.50
5320MHz_TX	Pass	AV	5.3144G	96.62	Inf	-Inf	3	Vertical	55	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	AV	5.3504G	40.88	54.00	-13.12	3	Vertical	55	1.50
5320MHz_TX	Pass	PK	5.316G	110.21	Inf	-Inf	3	Vertical	55	1.50
5320MHz_TX	Pass	PK	5.3512G	54.53	74.00	-19.47	3	Vertical	55	1.50
5320MHz_TX	Pass	AV	5.3164G	100.65	Inf	-Inf	3	Horizontal	66	2.40
5320MHz_TX	Pass	AV	5.3524G	41.50	54.00	-12.50	3	Horizontal	66	2.40
5320MHz_TX	Pass	PK	5.316G	113.96	Inf	-Inf	3	Horizontal	66	2.40
5320MHz_TX	Pass	PK	5.3558G	54.94	74.00	-19.06	3	Horizontal	66	2.40
5320MHz_TX	Pass	AV	10.64918G	35.39	54.00	-18.61	3	Vertical	208	1.76
5320MHz_TX	Pass	PK	10.6544G	48.30	74.00	-25.70	3	Vertical	208	1.76
5320MHz_TX	Pass	AV	10.65008G	35.35	54.00	-18.65	3	Horizontal	360	1.06
5320MHz_TX	Pass	PK	10.63136G	49.21	74.00	-24.79	3	Horizontal	360	1.06
5500MHz_TX	Pass	AV	5.4578G	40.55	54.00	-13.45	3	Vertical	53	1.50
5500MHz_TX	Pass	AV	5.495G	96.68	Inf	-Inf	3	Vertical	53	1.50
5500MHz_TX	Pass	PK	5.4566G	55.02	74.00	-18.98	3	Vertical	53	1.50
5500MHz_TX	Pass	PK	5.4602G	54.13	68.20	-14.07	3	Vertical	53	1.50
5500MHz_TX	Pass	PK	5.4932G	110.59	Inf	-Inf	3	Vertical	53	1.50
5500MHz_TX	Pass	AV	5.4594G	41.31	54.00	-12.69	3	Horizontal	53	1.01
5500MHz_TX	Pass	AV	5.4966G	100.90	Inf	-Inf	3	Horizontal	53	1.01
5500MHz_TX	Pass	PK	5.4546G	55.26	74.00	-18.74	3	Horizontal	53	1.01
5500MHz_TX	Pass	PK	5.4662G	54.60	68.20	-13.60	3	Horizontal	53	1.01
5500MHz_TX	Pass	PK	5.4972G	114.68	Inf	-Inf	3	Horizontal	53	1.01
5500MHz_TX	Pass	AV	10.98506G	34.88	54.00	-19.12	3	Vertical	126	2.69
5500MHz_TX	Pass	PK	11.0054G	48.15	74.00	-25.85	3	Vertical	126	2.69
5500MHz_TX	Pass	AV	11.01356G	34.92	54.00	-19.08	3	Horizontal	125	1.50
5500MHz_TX	Pass	PK	11.00408G	47.81	74.00	-26.19	3	Horizontal	125	1.50
5580MHz_TX	Pass	AV	5.4378G	40.32	54.00	-13.68	3	Vertical	54	1.49
5580MHz_TX	Pass	AV	5.577G	93.69	Inf	-Inf	3	Vertical	54	1.49
5580MHz_TX	Pass	PK	5.4438G	54.32	74.00	-19.68	3	Vertical	54	1.49
5580MHz_TX	Pass	PK	5.4666G	53.25	68.20	-14.95	3	Vertical	54	1.49
5580MHz_TX	Pass	PK	5.577G	106.58	Inf	-Inf	3	Vertical	54	1.49
5580MHz_TX	Pass	PK	5.7252G	54.79	68.20	-13.41	3	Vertical	54	1.49
5580MHz_TX	Pass	AV	5.4588G	40.71	54.00	-13.29	3	Horizontal	54	1.90
5580MHz_TX	Pass	AV	5.5878G	99.87	Inf	-Inf	3	Horizontal	54	1.90
5580MHz_TX	Pass	PK	5.4582G	54.41	74.00	-19.59	3	Horizontal	54	1.90
5580MHz_TX	Pass	PK	5.4618G	54.70	68.20	-13.50	3	Horizontal	54	1.90
5580MHz_TX	Pass	PK	5.5872G	112.67	Inf	-Inf	3	Horizontal	54	1.90
5580MHz_TX	Pass	PK	5.7264G	54.62	68.20	-13.58	3	Horizontal	54	1.90
5580MHz_TX	Pass	AV	11.14806G	35.34	54.00	-18.66	3	Vertical	243	2.96
5580MHz_TX	Pass	PK	11.15436G	47.93	74.00	-26.07	3	Vertical	243	2.96
5580MHz_TX	Pass	AV	11.14908G	35.35	54.00	-18.65	3	Horizontal	206	1.50
5580MHz_TX	Pass	PK	11.14614G	49.02	74.00	-24.98	3	Horizontal	206	1.50
5700MHz_TX	Pass	AV	5.696G	95.87	Inf	-Inf	3	Vertical	39	2.69
5700MHz_TX	Pass	PK	5.6944G	109.30	Inf	-Inf	3	Vertical	39	2.69
5700MHz_TX	Pass	PK	5.7848G	56.48	68.20	-11.72	3	Vertical	39	2.69
5700MHz_TX	Pass	AV	5.6984G	103.16	Inf	-Inf	3	Horizontal	307	2.14
5700MHz_TX	Pass	PK	5.6976G	115.94	Inf	-Inf	3	Horizontal	307	2.14
5700MHz_TX	Pass	PK	5.7252G	57.13	68.20	-11.07	3	Horizontal	307	2.14
5700MHz_TX	Pass	AV	11.39358G	36.15	54.00	-17.85	3	Vertical	0	1.50
5700MHz_TX	Pass	PK	11.39172G	49.11	74.00	-24.89	3	Vertical	0	1.50
5700MHz_TX	Pass	AV	11.39622G	36.13	54.00	-17.87	3	Horizontal	71	1.80
5700MHz_TX	Pass	PK	11.4006G	49.08	74.00	-24.92	3	Horizontal	71	1.80
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	40.24	54.00	-13.76	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7176G	94.13	Inf	-Inf	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4464G	54.25	74.00	-19.75	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	53.46	68.20	-14.74	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.714G	107.52	Inf	-Inf	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8988G	56.76	68.20	-11.44	3	Vertical	43	2.42
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4212G	40.78	54.00	-13.22	3	Horizontal	307	2.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7164G	101.96	Inf	-Inf	3	Horizontal	307	2.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.456G	54.12	74.00	-19.88	3	Horizontal	307	2.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4608G	54.83	68.20	-13.37	3	Horizontal	307	2.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	114.25	Inf	-Inf	3	Horizontal	307	2.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8784G	55.92	68.20	-12.28	3	Horizontal	307	2.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43862G	36.05	54.00	-17.95	3	Vertical	277	1.05
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.43538G	48.91	74.00	-25.09	3	Vertical	277	1.05
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43934G	36.00	54.00	-18.00	3	Horizontal	197	2.70
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44834G	49.42	74.00	-24.58	3	Horizontal	197	2.70
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz_TX	Pass	AV	5.2608G	93.14	Inf	-Inf	3	Vertical	55	1.14
5270MHz_TX	Pass	AV	5.354G	40.56	54.00	-13.44	3	Vertical	55	1.14
5270MHz_TX	Pass	PK	5.282G	105.83	Inf	-Inf	3	Vertical	55	1.14
5270MHz_TX	Pass	PK	5.3516G	54.17	74.00	-19.83	3	Vertical	55	1.14
5270MHz_TX	Pass	AV	5.2872G	97.03	Inf	-Inf	3	Horizontal	50	1.50
5270MHz_TX	Pass	AV	5.3648G	41.05	54.00	-12.95	3	Horizontal	50	1.50
5270MHz_TX	Pass	PK	5.2884G	110.11	Inf	-Inf	3	Horizontal	50	1.50
5270MHz_TX	Pass	PK	5.3672G	54.73	74.00	-19.27	3	Horizontal	50	1.50
5270MHz_TX	Pass	PK	10.555G	48.23	68.20	-19.97	3	Vertical	344	1.79
5270MHz_TX	Pass	PK	10.54132G	48.07	68.20	-20.13	3	Horizontal	190	1.50
5310MHz_TX	Pass	AV	5.326G	93.14	Inf	-Inf	3	Vertical	57	1.50
5310MHz_TX	Pass	AV	5.35G	41.25	54.00	-12.75	3	Vertical	57	1.50
5310MHz_TX	Pass	PK	5.3272G	107.88	Inf	-Inf	3	Vertical	57	1.50
5310MHz_TX	Pass	PK	5.3796G	55.22	74.00	-18.78	3	Vertical	57	1.50
5310MHz_TX	Pass	AV	5.2916G	96.82	Inf	-Inf	3	Horizontal	55	1.50
5310MHz_TX	Pass	AV	5.3504G	43.53	54.00	-10.47	3	Horizontal	55	1.50
5310MHz_TX	Pass	PK	5.292G	110.56	Inf	-Inf	3	Horizontal	55	1.50
5310MHz_TX	Pass	PK	5.352G	56.66	74.00	-17.34	3	Horizontal	55	1.50
5310MHz_TX	Pass	AV	10.64856G	35.26	54.00	-18.74	3	Vertical	190	1.50
5310MHz_TX	Pass	PK	10.60152G	47.78	74.00	-26.22	3	Vertical	190	1.50
5310MHz_TX	Pass	AV	10.6488G	35.30	54.00	-18.70	3	Horizontal	86	1.73
5310MHz_TX	Pass	PK	10.60248G	47.92	74.00	-26.08	3	Horizontal	86	1.73
5510MHz_TX	Pass	AV	5.46G	41.08	54.00	-12.92	3	Vertical	51	2.67
5510MHz_TX	Pass	AV	5.5016G	94.15	Inf	-Inf	3	Vertical	51	2.67
5510MHz_TX	Pass	PK	5.4344G	55.27	74.00	-18.73	3	Vertical	51	2.67
5510MHz_TX	Pass	PK	5.4656G	54.65	68.20	-13.55	3	Vertical	51	2.67
5510MHz_TX	Pass	PK	5.5048G	107.54	Inf	-Inf	3	Vertical	51	2.67
5510MHz_TX	Pass	AV	5.4496G	41.22	54.00	-12.78	3	Horizontal	54	1.01
5510MHz_TX	Pass	AV	5.5068G	97.76	Inf	-Inf	3	Horizontal	54	1.01
5510MHz_TX	Pass	PK	5.4404G	54.69	74.00	-19.31	3	Horizontal	54	1.01
5510MHz_TX	Pass	PK	5.4628G	56.46	68.20	-11.74	3	Horizontal	54	1.01
5510MHz_TX	Pass	PK	5.506G	111.04	Inf	-Inf	3	Horizontal	54	1.01
5510MHz_TX	Pass	AV	11.0188G	35.16	54.00	-18.84	3	Vertical	46	1.50
5510MHz_TX	Pass	PK	11.02012G	47.60	74.00	-26.40	3	Vertical	46	1.50
5510MHz_TX	Pass	AV	11.01844G	35.14	54.00	-18.86	3	Horizontal	234	1.50
5510MHz_TX	Pass	PK	11.02828G	47.93	74.00	-26.07	3	Horizontal	234	1.50
5550MHz_TX	Pass	AV	5.46G	40.48	54.00	-13.52	3	Vertical	53	2.77
5550MHz_TX	Pass	AV	5.5432G	92.32	Inf	-Inf	3	Vertical	53	2.77
5550MHz_TX	Pass	PK	5.4536G	53.58	74.00	-20.42	3	Vertical	53	2.77
5550MHz_TX	Pass	PK	5.4628G	54.08	68.20	-14.12	3	Vertical	53	2.77
5550MHz_TX	Pass	PK	5.5448G	105.38	Inf	-Inf	3	Vertical	53	2.77
5550MHz_TX	Pass	AV	5.4528G	40.97	54.00	-13.03	3	Horizontal	53	1.50
5550MHz_TX	Pass	AV	5.532G	96.94	Inf	-Inf	3	Horizontal	53	1.50
5550MHz_TX	Pass	PK	5.454G	54.87	74.00	-19.13	3	Horizontal	53	1.50
5550MHz_TX	Pass	PK	5.464G	54.38	68.20	-13.82	3	Horizontal	53	1.50
5550MHz_TX	Pass	PK	5.5512G	109.67	Inf	-Inf	3	Horizontal	53	1.50
5550MHz_TX	Pass	AV	11.10348G	35.19	54.00	-18.81	3	Vertical	287	1.50
5550MHz_TX	Pass	PK	11.09328G	48.24	74.00	-25.76	3	Vertical	287	1.50
5550MHz_TX	Pass	AV	11.10108G	35.19	54.00	-18.81	3	Horizontal	161	1.50
5550MHz_TX	Pass	PK	11.10768G	47.83	74.00	-26.17	3	Horizontal	161	1.50
5670MHz_TX	Pass	AV	5.6874G	93.31	Inf	-Inf	3	Vertical	37	2.88
5670MHz_TX	Pass	PK	5.6862G	107.06	Inf	-Inf	3	Vertical	37	2.88
5670MHz_TX	Pass	PK	5.7936G	56.17	68.20	-12.03	3	Vertical	37	2.88
5670MHz_TX	Pass	AV	5.6886G	100.51	Inf	-Inf	3	Horizontal	306	2.16
5670MHz_TX	Pass	PK	5.6682G	113.92	Inf	-Inf	3	Horizontal	306	2.16
5670MHz_TX	Pass	PK	5.7948G	57.01	68.20	-11.19	3	Horizontal	306	2.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz_TX	Pass	AV	11.36136G	36.15	54.00	-17.85	3	Vertical	184	1.50
5670MHz_TX	Pass	PK	11.3688G	49.04	74.00	-24.96	3	Vertical	184	1.50
5670MHz_TX	Pass	AV	11.36016G	36.10	54.00	-17.90	3	Horizontal	107	1.50
5670MHz_TX	Pass	PK	11.33856G	49.18	74.00	-24.82	3	Horizontal	107	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4172G	40.18	54.00	-13.82	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6956G	91.95	Inf	-Inf	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4148G	54.07	74.00	-19.93	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4688G	53.45	68.20	-14.75	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7004G	104.33	Inf	-Inf	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9848G	56.35	68.20	-11.85	3	Vertical	344	1.10
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.41G	41.30	54.00	-12.70	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.692G	100.12	Inf	-Inf	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4112G	54.09	74.00	-19.91	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	53.80	68.20	-14.40	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6944G	112.60	Inf	-Inf	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9392G	56.19	68.20	-12.01	3	Horizontal	312	2.12
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43776G	36.34	54.00	-17.66	3	Vertical	291	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.42324G	49.31	74.00	-24.69	3	Vertical	291	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43716G	36.29	54.00	-17.71	3	Horizontal	330	2.20
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44976G	48.82	74.00	-25.18	3	Horizontal	330	2.20
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.146G	40.68	54.00	-13.32	3	Vertical	56	1.50
5290MHz_TX	Pass	AV	5.326G	90.13	Inf	-Inf	3	Vertical	56	1.50
5290MHz_TX	Pass	AV	5.364G	41.83	54.00	-12.17	3	Vertical	56	1.50
5290MHz_TX	Pass	PK	5.094G	54.26	74.00	-19.74	3	Vertical	56	1.50
5290MHz_TX	Pass	PK	5.286G	103.32	Inf	-Inf	3	Vertical	56	1.50
5290MHz_TX	Pass	PK	5.383G	54.89	74.00	-19.11	3	Vertical	56	1.50
5290MHz_TX	Pass	PK	5.487G	54.57	68.20	-13.63	3	Vertical	56	1.50
5290MHz_TX	Pass	AV	5.145G	40.94	54.00	-13.06	3	Horizontal	49	1.50
5290MHz_TX	Pass	AV	5.287G	93.78	Inf	-Inf	3	Horizontal	49	1.50
5290MHz_TX	Pass	AV	5.35G	43.15	54.00	-10.85	3	Horizontal	49	1.50
5290MHz_TX	Pass	PK	5.147G	54.97	74.00	-19.03	3	Horizontal	49	1.50
5290MHz_TX	Pass	PK	5.269G	106.29	Inf	-Inf	3	Horizontal	49	1.50
5290MHz_TX	Pass	PK	5.368G	57.29	74.00	-16.71	3	Horizontal	49	1.50
5290MHz_TX	Pass	PK	5.5G	55.05	68.20	-13.15	3	Horizontal	49	1.50
5290MHz_TX	Pass	AV	10.61456G	35.21	54.00	-18.79	3	Vertical	46	1.50
5290MHz_TX	Pass	PK	10.61864G	47.75	74.00	-26.25	3	Vertical	46	1.50
5290MHz_TX	Pass	AV	10.6172G	35.23	54.00	-18.77	3	Horizontal	230	1.40
5290MHz_TX	Pass	PK	10.62776G	48.04	74.00	-25.96	3	Horizontal	230	1.40
5530MHz_TX	Pass	AV	5.35G	40.29	54.00	-13.71	3	Vertical	54	2.52
5530MHz_TX	Pass	AV	5.46G	41.57	54.00	-12.43	3	Vertical	54	2.52
5530MHz_TX	Pass	AV	5.502G	91.00	Inf	-Inf	3	Vertical	54	2.52
5530MHz_TX	Pass	PK	5.349G	54.53	68.20	-13.67	3	Vertical	54	2.52
5530MHz_TX	Pass	PK	5.445G	54.51	74.00	-19.49	3	Vertical	54	2.52
5530MHz_TX	Pass	PK	5.468G	54.99	68.20	-13.21	3	Vertical	54	2.52
5530MHz_TX	Pass	PK	5.499G	103.51	Inf	-Inf	3	Vertical	54	2.52
5530MHz_TX	Pass	PK	5.74G	55.34	68.20	-12.86	3	Vertical	54	2.52
5530MHz_TX	Pass	AV	5.35G	40.67	54.00	-13.33	3	Horizontal	53	1.00
5530MHz_TX	Pass	AV	5.447G	41.69	54.00	-12.31	3	Horizontal	53	1.00
5530MHz_TX	Pass	AV	5.506G	94.35	Inf	-Inf	3	Horizontal	53	1.00
5530MHz_TX	Pass	PK	5.299G	54.90	68.20	-13.30	3	Horizontal	53	1.00
5530MHz_TX	Pass	PK	5.444G	54.84	74.00	-19.16	3	Horizontal	53	1.00
5530MHz_TX	Pass	PK	5.467G	56.30	68.20	-11.90	3	Horizontal	53	1.00
5530MHz_TX	Pass	PK	5.525G	107.72	Inf	-Inf	3	Horizontal	53	1.00
5530MHz_TX	Pass	PK	5.743G	55.74	68.20	-12.46	3	Horizontal	53	1.00
5530MHz_TX	Pass	AV	11.11544G	35.21	54.00	-18.79	3	Vertical	287	1.50
5530MHz_TX	Pass	PK	11.02352G	48.54	74.00	-25.46	3	Vertical	287	1.50
5530MHz_TX	Pass	AV	11.1044G	35.26	54.00	-18.74	3	Horizontal	150	1.50
5530MHz_TX	Pass	PK	11.07176G	49.22	74.00	-24.78	3	Horizontal	150	1.50
5610MHz_TX	Pass	AV	5.383G	40.46	54.00	-13.54	3	Vertical	46	1.90
5610MHz_TX	Pass	AV	5.586G	88.58	Inf	-Inf	3	Vertical	46	1.90
5610MHz_TX	Pass	PK	5.437G	54.19	74.00	-19.81	3	Vertical	46	1.90


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz_TX	Pass	PK	5.469G	54.21	68.20	-13.99	3	Vertical	46	1.90
5610MHz_TX	Pass	PK	5.641G	102.06	Inf	-Inf	3	Vertical	46	1.90
5610MHz_TX	Pass	PK	5.801G	55.53	68.20	-12.67	3	Vertical	46	1.90
5610MHz_TX	Pass	AV	5.452G	41.09	54.00	-12.91	3	Horizontal	51	1.50
5610MHz_TX	Pass	AV	5.572G	92.91	Inf	-Inf	3	Horizontal	51	1.50
5610MHz_TX	Pass	PK	5.45G	54.68	74.00	-19.32	3	Horizontal	51	1.50
5610MHz_TX	Pass	PK	5.467G	53.74	68.20	-14.46	3	Horizontal	51	1.50
5610MHz_TX	Pass	PK	5.574G	105.51	Inf	-Inf	3	Horizontal	51	1.50
5610MHz_TX	Pass	PK	5.83G	55.93	68.20	-12.27	3	Horizontal	51	1.50
5610MHz_TX	Pass	AV	11.27808G	35.84	54.00	-18.16	3	Vertical	282	1.50
5610MHz_TX	Pass	PK	11.24088G	49.39	74.00	-24.61	3	Vertical	282	1.50
5610MHz_TX	Pass	AV	11.27712G	35.97	54.00	-18.03	3	Horizontal	329	2.16
5610MHz_TX	Pass	PK	11.23656G	48.32	74.00	-25.68	3	Horizontal	329	2.16
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.3924G	40.57	54.00	-13.43	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.666G	88.02	Inf	-Inf	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4116G	53.99	74.00	-20.01	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	53.48	68.20	-14.72	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.666G	100.77	Inf	-Inf	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8592G	56.48	68.20	-11.72	3	Vertical	46	1.89
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.39G	41.10	54.00	-12.90	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6912G	97.17	Inf	-Inf	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.414G	54.11	74.00	-19.89	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	54.12	68.20	-14.08	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6924G	110.93	Inf	-Inf	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9744G	56.55	68.20	-11.65	3	Horizontal	310	2.17
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43856G	36.39	54.00	-17.61	3	Vertical	32	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.33632G	49.38	74.00	-24.62	3	Vertical	32	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43592G	36.33	54.00	-17.67	3	Horizontal	166	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.37088G	49.32	74.00	-24.68	3	Horizontal	166	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.082G	45.12	54.00	-8.88	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1804G	88.50	Inf	-Inf	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.4012G	44.75	54.00	-9.25	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.142G	59.29	74.00	-14.71	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2008G	101.81	Inf	-Inf	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.382G	59.89	74.00	-14.11	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4612G	57.40	68.20	-10.80	3	Vertical	61	1.00
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.088G	46.55	54.00	-7.45	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.2692G	91.15	Inf	-Inf	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.4096G	47.74	54.00	-6.26	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.088G	60.77	74.00	-13.23	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2524G	104.69	Inf	-Inf	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4096G	62.37	74.00	-11.63	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4696G	61.69	68.20	-6.51	3	Horizontal	52	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.6056G	49.48	74.00	-24.52	3	Vertical	20	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.5432G	48.64	68.20	-19.56	3	Horizontal	239	1.50
5570MHz_TX	Pass	AV	5.4428G	45.23	54.00	-8.77	3	Vertical	55	2.68
5570MHz_TX	Pass	AV	5.504G	87.75	Inf	-Inf	3	Vertical	55	2.68
5570MHz_TX	Pass	PK	5.3396G	55.18	68.20	-13.02	3	Vertical	55	2.68
5570MHz_TX	Pass	PK	5.4416G	59.29	74.00	-14.71	3	Vertical	55	2.68
5570MHz_TX	Pass	PK	5.4608G	59.58	68.20	-8.62	3	Vertical	55	2.68
5570MHz_TX	Pass	PK	5.5256G	100.64	Inf	-Inf	3	Vertical	55	2.68
5570MHz_TX	Pass	PK	5.7668G	57.46	68.20	-10.74	3	Vertical	55	2.68
5570MHz_TX	Pass	AV	5.4512G	48.09	54.00	-5.91	3	Horizontal	52	1.50
5570MHz_TX	Pass	AV	5.5112G	91.54	Inf	-Inf	3	Horizontal	52	1.50
5570MHz_TX	Pass	PK	5.348G	57.66	68.20	-10.54	3	Horizontal	52	1.50
5570MHz_TX	Pass	PK	5.4524G	62.33	74.00	-11.67	3	Horizontal	52	1.50
5570MHz_TX	Pass	PK	5.4692G	61.37	68.20	-6.83	3	Horizontal	52	1.50
5570MHz_TX	Pass	PK	5.5112G	105.52	Inf	-Inf	3	Horizontal	52	1.50
5570MHz_TX	Pass	PK	5.7332G	60.48	68.20	-7.72	3	Horizontal	52	1.50
5570MHz_TX	Pass	AV	11.23168G	35.78	54.00	-18.22	3	Vertical	58	2.91
5570MHz_TX	Pass	PK	11.18032G	48.38	74.00	-25.62	3	Vertical	58	2.91



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	11.25904G	35.71	54.00	-18.29	3	Horizontal	311	1.73
5570MHz_TX	Pass	PK	11.1952G	49.29	74.00	-24.71	3	Horizontal	311	1.73


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	40.28	54.00	-13.72	0.58	3	Vertical	38	2.66	39.70	33.00	4.93	37.35
AV	5.714G	95.45	Inf	-Inf	1.67	3	Vertical	38	2.66	93.78	33.86	5.09	37.28
PK	5.4272G	53.48	74.00	-20.52	0.59	3	Vertical	38	2.66	52.89	33.00	4.94	37.35
PK	5.4692G	52.89	68.20	-15.31	0.71	3	Vertical	38	2.66	52.18	33.12	4.95	37.36
PK	5.714G	105.34	Inf	-Inf	1.67	3	Vertical	38	2.66	103.67	33.86	5.09	37.28
PK	5.9552G	55.79	68.20	-12.41	2.31	3	Vertical	38	2.66	53.48	34.40	5.09	37.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	40.95	54.00	-13.05	0.58	3	Horizontal	310	2.14	40.37	33.00	4.93	37.35
AV	5.7152G	102.46	Inf	-Inf	1.68	3	Horizontal	310	2.14	100.78	33.86	5.10	37.28
PK	5.4344G	54.19	74.00	-19.81	0.58	3	Horizontal	310	2.14	53.61	33.00	4.94	37.36
PK	5.4692G	53.22	68.20	-14.98	0.71	3	Horizontal	310	2.14	52.51	33.12	4.95	37.36
PK	5.7248G	112.43	Inf	-Inf	1.72	3	Horizontal	310	2.14	110.71	33.90	5.10	37.28
PK	5.942G	57.54	68.20	-10.66	2.34	3	Horizontal	310	2.14	55.20	34.42	5.10	37.18


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	AV	5.4408G	50.76	54.00	-3.24	3	Horizontal	312	2.04
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.36G	70.52	74.00	-3.48	3	Horizontal	313	2.07
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.47G	59.62	68.20	-8.58	3	Horizontal	309	2.08
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.469G	60.07	68.20	-8.13	3	Horizontal	309	1.75
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.925G	56.09	68.20	-12.11	3	Vertical	52	2.67
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	Pass	PK	5.762G	67.06	68.20	-1.14	3	Horizontal	311	2.14


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	41.28	54.00	-12.72	3	Vertical	58	1.50
5290MHz	Pass	AV	5.315G	89.64	Inf	-Inf	3	Vertical	58	1.50
5290MHz	Pass	AV	5.354G	42.45	54.00	-11.55	3	Vertical	58	1.50
5290MHz	Pass	PK	5.139G	55.12	74.00	-18.88	3	Vertical	58	1.50
5290MHz	Pass	PK	5.315G	102.54	Inf	-Inf	3	Vertical	58	1.50
5290MHz	Pass	PK	5.357G	67.14	74.00	-6.86	3	Vertical	58	1.50
5290MHz	Pass	PK	5.522G	54.05	68.20	-14.15	3	Vertical	58	1.50
5290MHz	Pass	AV	5.15G	41.47	54.00	-12.53	3	Horizontal	313	2.07
5290MHz	Pass	AV	5.258G	92.95	Inf	-Inf	3	Horizontal	313	2.07
5290MHz	Pass	AV	5.359G	43.35	54.00	-10.65	3	Horizontal	313	2.07
5290MHz	Pass	PK	5.134G	58.62	74.00	-15.38	3	Horizontal	313	2.07
5290MHz	Pass	PK	5.319G	105.80	Inf	-Inf	3	Horizontal	313	2.07
5290MHz	Pass	PK	5.36G	70.52	74.00	-3.48	3	Horizontal	313	2.07
5290MHz	Pass	PK	5.464G	56.65	68.20	-11.55	3	Horizontal	313	2.07
5290MHz	Pass	AV	10.60624G	36.20	54.00	-17.80	3	Vertical	278	1.40
5290MHz	Pass	PK	10.61216G	49.15	74.00	-24.85	3	Vertical	278	1.40
5290MHz	Pass	AV	10.61024G	36.37	54.00	-17.63	3	Horizontal	152	2.56
5290MHz	Pass	PK	10.55824G	48.60	68.20	-19.60	3	Horizontal	152	2.56
5530MHz	Pass	AV	5.35G	40.56	54.00	-13.44	3	Vertical	55	1.79
5530MHz	Pass	AV	5.46G	41.58	54.00	-12.42	3	Vertical	55	1.79
5530MHz	Pass	AV	5.502G	89.11	Inf	-Inf	3	Vertical	55	1.79
5530MHz	Pass	PK	5.288G	54.79	68.20	-13.41	3	Vertical	55	1.79
5530MHz	Pass	PK	5.452G	55.48	74.00	-18.52	3	Vertical	55	1.79
5530MHz	Pass	PK	5.466G	55.51	68.20	-12.69	3	Vertical	55	1.79
5530MHz	Pass	PK	5.502G	102.32	Inf	-Inf	3	Vertical	55	1.79
5530MHz	Pass	PK	5.768G	55.01	68.20	-13.19	3	Vertical	55	1.79
5530MHz	Pass	AV	5.35G	41.25	54.00	-12.75	3	Horizontal	309	2.08
5530MHz	Pass	AV	5.453G	43.51	54.00	-10.49	3	Horizontal	309	2.08
5530MHz	Pass	AV	5.495G	94.74	Inf	-Inf	3	Horizontal	309	2.08
5530MHz	Pass	PK	5.309G	55.11	68.20	-13.09	3	Horizontal	309	2.08
5530MHz	Pass	PK	5.448G	58.21	74.00	-15.79	3	Horizontal	309	2.08
5530MHz	Pass	PK	5.47G	59.62	68.20	-8.58	3	Horizontal	309	2.08
5530MHz	Pass	PK	5.515G	108.51	Inf	-Inf	3	Horizontal	309	2.08
5530MHz	Pass	PK	5.76G	55.55	68.20	-12.65	3	Horizontal	309	2.08
5530MHz	Pass	AV	11.0592G	36.05	54.00	-17.95	3	Vertical	328	2.43
5530MHz	Pass	PK	11.03808G	48.35	74.00	-25.65	3	Vertical	328	2.43
5530MHz	Pass	AV	11.0264G	36.22	54.00	-17.78	3	Horizontal	241	1.52
5530MHz	Pass	PK	11.02336G	47.95	74.00	-26.05	3	Horizontal	241	1.52
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.458G	41.06	54.00	-12.94	3	Vertical	295	1.00
5610MHz	Pass	AV	5.643G	90.57	Inf	-Inf	3	Vertical	295	1.00
5610MHz	Pass	PK	5.458G	56.51	74.00	-17.49	3	Vertical	295	1.00
5610MHz	Pass	PK	5.47G	54.17	68.20	-14.03	3	Vertical	295	1.00
5610MHz	Pass	PK	5.642G	103.59	Inf	-Inf	3	Vertical	295	1.00
5610MHz	Pass	PK	5.816G	55.77	68.20	-12.43	3	Vertical	295	1.00
5610MHz	Pass	AV	5.45G	41.72	54.00	-12.28	3	Horizontal	309	1.75
5610MHz	Pass	AV	5.572G	95.39	Inf	-Inf	3	Horizontal	309	1.75
5610MHz	Pass	PK	5.45G	59.95	74.00	-14.05	3	Horizontal	309	1.75
5610MHz	Pass	PK	5.469G	60.07	68.20	-8.13	3	Horizontal	309	1.75
5610MHz	Pass	PK	5.574G	108.46	Inf	-Inf	3	Horizontal	309	1.75
5610MHz	Pass	PK	5.752G	59.59	68.20	-8.61	3	Horizontal	309	1.75
5610MHz	Pass	AV	11.21212G	35.84	54.00	-18.16	3	Vertical	185	1.84
5610MHz	Pass	PK	11.22512G	48.70	74.00	-25.30	3	Vertical	185	1.84
5610MHz	Pass	AV	11.21956G	35.84	54.00	-18.16	3	Horizontal	267	1.42
5610MHz	Pass	PK	11.22292G	49.21	74.00	-24.79	3	Horizontal	267	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.459G	40.90	54.00	-13.10	3	Vertical	52	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.659G	90.86	Inf	-Inf	3	Vertical	52	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.446G	54.24	74.00	-19.76	3	Vertical	52	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	53.42	68.20	-14.78	3	Vertical	52	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.66G	104.19	Inf	-Inf	3	Vertical	52	2.67

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.925G	56.09	68.20	-12.11	3	Vertical	52	2.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	41.20	54.00	-12.80	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.656G	95.73	Inf	-Inf	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.453G	54.38	74.00	-19.62	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	54.39	68.20	-13.81	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.656G	109.29	Inf	-Inf	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.865G	56.06	68.20	-12.14	3	Horizontal	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37036G	36.84	54.00	-17.16	3	Vertical	172	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38672G	50.03	74.00	-23.97	3	Vertical	172	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37096G	36.84	54.00	-17.16	3	Horizontal	140	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38972G	50.94	74.00	-23.06	3	Horizontal	140	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.064G	44.95	54.00	-9.05	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1828G	90.31	Inf	-Inf	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4396G	45.83	54.00	-8.17	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0652G	58.94	74.00	-15.06	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.184G	103.38	Inf	-Inf	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4408G	59.37	74.00	-14.63	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4624G	56.87	68.20	-11.33	3	Vertical	55	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0556G	46.57	54.00	-7.43	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3196G	92.86	Inf	-Inf	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4408G	50.76	54.00	-3.24	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0568G	59.59	74.00	-14.41	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3004G	105.55	Inf	-Inf	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46G	64.01	74.00	-9.99	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	63.73	68.20	-4.47	3	Horizontal	312	2.04
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50292G	48.20	68.20	-20.00	3	Vertical	307	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50972G	48.69	68.20	-19.51	3	Horizontal	239	1.39
5570MHz	Pass	AV	5.3732G	46.78	54.00	-7.22	3	Vertical	54	1.79
5570MHz	Pass	AV	5.4932G	89.30	Inf	-Inf	3	Vertical	54	1.79
5570MHz	Pass	PK	5.3492G	58.88	68.20	-9.32	3	Vertical	54	1.79
5570MHz	Pass	PK	5.3996G	64.60	74.00	-9.40	3	Vertical	54	1.79
5570MHz	Pass	PK	5.4692G	59.93	68.20	-8.27	3	Vertical	54	1.79
5570MHz	Pass	PK	5.492G	102.26	Inf	-Inf	3	Vertical	54	1.79
5570MHz	Pass	PK	5.7296G	57.93	68.20	-10.27	3	Vertical	54	1.79
5570MHz	Pass	AV	5.3804G	50.34	54.00	-3.66	3	Horizontal	311	2.14
5570MHz	Pass	AV	5.5028G	94.37	Inf	-Inf	3	Horizontal	311	2.14
5570MHz	Pass	PK	5.3408G	61.80	68.20	-6.40	3	Horizontal	311	2.14
5570MHz	Pass	PK	5.3984G	72.56	74.00	-1.44	3	Horizontal	311	2.14
5570MHz	Pass	PK	5.4632G	64.56	68.20	-3.64	3	Horizontal	311	2.14
5570MHz	Pass	PK	5.504G	107.82	Inf	-Inf	3	Horizontal	311	2.14
5570MHz	Pass	PK	5.762G	67.06	68.20	-1.14	3	Horizontal	311	2.14
5570MHz	Pass	AV	11.13752G	35.89	54.00	-18.11	3	Vertical	35	1.50
5570MHz	Pass	PK	11.1412G	48.38	74.00	-25.62	3	Vertical	35	1.50
5570MHz	Pass	AV	11.143G	35.94	54.00	-18.06	3	Horizontal	282	1.12
5570MHz	Pass	PK	11.13812G	48.66	74.00	-25.34	3	Horizontal	282	1.12


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.56	54.00	-13.44	0.67	3	Vertical	55	1.79	39.89	33.10	4.91	37.34
AV	5.46G	41.58	54.00	-12.42	0.65	3	Vertical	55	1.79	40.93	33.06	4.95	37.36
AV	5.502G	89.11	Inf	-Inf	0.89	3	Vertical	55	1.79	88.22	33.30	4.96	37.37
PK	5.288G	54.79	68.20	-13.41	0.68	3	Vertical	55	1.79	54.11	33.12	4.88	37.32
PK	5.452G	55.48	74.00	-18.52	0.59	3	Vertical	55	1.79	54.89	33.01	4.94	37.36
PK	5.466G	55.51	68.20	-12.69	0.69	3	Vertical	55	1.79	54.82	33.10	4.95	37.36
PK	5.502G	102.32	Inf	-Inf	0.89	3	Vertical	55	1.79	101.43	33.30	4.96	37.37
PK	5.768G	55.01	68.20	-13.19	1.96	3	Vertical	55	1.79	53.05	34.07	5.15	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.25	54.00	-12.75	0.67	3	Horizontal	309	2.08	40.58	33.10	4.91	37.34
AV	5.453G	43.51	54.00	-10.49	0.60	3	Horizontal	309	2.08	42.91	33.02	4.94	37.36
AV	5.495G	94.74	Inf	-Inf	0.85	3	Horizontal	309	2.08	93.89	33.27	4.95	37.37
PK	5.309G	55.11	68.20	-13.09	0.66	3	Horizontal	309	2.08	54.45	33.10	4.89	37.33
PK	5.448G	58.21	74.00	-15.79	0.58	3	Horizontal	309	2.08	57.63	33.00	4.94	37.36
PK	5.47G	59.62	68.20	-8.58	0.71	3	Horizontal	309	2.08	58.91	33.12	4.95	37.36
PK	5.515G	108.51	Inf	-Inf	0.87	3	Horizontal	309	2.08	107.64	33.27	4.96	37.36
PK	5.76G	55.55	68.20	-12.65	1.92	3	Horizontal	309	2.08	53.63	34.04	5.14	37.26


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	41.06	54.00	-12.94	0.63	3	Vertical	295	1.00	40.43	33.05	4.94	37.36
AV	5.643G	90.57	Inf	-Inf	1.08	3	Vertical	295	1.00	89.49	33.37	5.02	37.31
PK	5.458G	56.51	74.00	-17.49	0.63	3	Vertical	295	1.00	55.88	33.05	4.94	37.36
PK	5.47G	54.17	68.20	-14.03	0.71	3	Vertical	295	1.00	53.46	33.12	4.95	37.36
PK	5.642G	103.59	Inf	-Inf	1.08	3	Vertical	295	1.00	102.51	33.37	5.02	37.31
PK	5.816G	55.77	68.20	-12.43	2.16	3	Vertical	295	1.00	53.61	34.23	5.17	37.24

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	41.72	54.00	-12.28	0.58	3	Horizontal	309	1.75	41.14	33.00	4.94	37.36
AV	5.572G	95.39	Inf	-Inf	0.83	3	Horizontal	309	1.75	94.56	33.20	4.97	37.34
PK	5.45G	59.95	74.00	-14.05	0.58	3	Horizontal	309	1.75	59.37	33.00	4.94	37.36
PK	5.469G	60.07	68.20	-8.13	0.70	3	Horizontal	309	1.75	59.37	33.11	4.95	37.36
PK	5.574G	108.46	Inf	-Inf	0.83	3	Horizontal	309	1.75	107.63	33.20	4.97	37.34
PK	5.752G	59.59	68.20	-8.61	1.88	3	Horizontal	309	1.75	57.71	34.01	5.13	37.26


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_O-435

Appendix D.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	5.368G	43.75	54.00	-10.25	3	Horizontal	49	1.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	PK	5.3748G	72.69	74.00	-1.31	3	Horizontal	51	1.67
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.465G	59.02	68.20	-9.18	3	Horizontal	52	1.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	Pass	PK	5.4656G	67.02	68.20	-1.18	3	Horizontal	311	1.86

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	40.58	54.00	-13.42	3	Vertical	56	1.59
5290MHz	Pass	AV	5.323G	91.91	Inf	-Inf	3	Vertical	56	1.59
5290MHz	Pass	AV	5.363G	42.32	54.00	-11.68	3	Vertical	56	1.59
5290MHz	Pass	PK	5.13G	55.06	74.00	-18.94	3	Vertical	56	1.59
5290MHz	Pass	PK	5.261G	105.28	Inf	-Inf	3	Vertical	56	1.59
5290MHz	Pass	PK	5.362G	56.18	74.00	-17.82	3	Vertical	56	1.59
5290MHz	Pass	PK	5.519G	54.67	68.20	-13.53	3	Vertical	56	1.59
5290MHz	Pass	AV	5.148G	41.14	54.00	-12.86	3	Horizontal	49	1.76
5290MHz	Pass	AV	5.268G	95.41	Inf	-Inf	3	Horizontal	49	1.76
5290MHz	Pass	AV	5.368G	43.75	54.00	-10.25	3	Horizontal	49	1.76
5290MHz	Pass	PK	5.121G	54.57	74.00	-19.43	3	Horizontal	49	1.76
5290MHz	Pass	PK	5.268G	108.62	Inf	-Inf	3	Horizontal	49	1.76
5290MHz	Pass	PK	5.355G	60.12	74.00	-13.88	3	Horizontal	49	1.76
5290MHz	Pass	PK	5.494G	55.40	68.20	-12.80	3	Horizontal	49	1.76
5290MHz	Pass	AV	10.65296G	35.55	54.00	-18.45	3	Vertical	29	1.50
5290MHz	Pass	PK	10.65008G	50.82	74.00	-23.18	3	Vertical	29	1.50
5290MHz	Pass	AV	10.6552G	35.76	54.00	-18.24	3	Horizontal	5	1.50
5290MHz	Pass	PK	10.60976G	50.03	74.00	-23.97	3	Horizontal	5	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	40.42	54.00	-13.58	3	Vertical	54	1.77
5530MHz	Pass	AV	5.448G	41.29	54.00	-12.71	3	Vertical	54	1.77
5530MHz	Pass	AV	5.508G	91.73	Inf	-Inf	3	Vertical	54	1.77
5530MHz	Pass	PK	5.333G	54.87	68.20	-13.33	3	Vertical	54	1.77
5530MHz	Pass	PK	5.45G	55.26	74.00	-18.74	3	Vertical	54	1.77
5530MHz	Pass	PK	5.467G	55.81	68.20	-12.39	3	Vertical	54	1.77
5530MHz	Pass	PK	5.508G	104.51	Inf	-Inf	3	Vertical	54	1.77
5530MHz	Pass	PK	5.769G	55.36	68.20	-12.84	3	Vertical	54	1.77
5530MHz	Pass	AV	5.35G	41.01	54.00	-12.99	3	Horizontal	52	1.82
5530MHz	Pass	AV	5.453G	43.18	54.00	-10.82	3	Horizontal	52	1.82
5530MHz	Pass	AV	5.493G	95.59	Inf	-Inf	3	Horizontal	52	1.82
5530MHz	Pass	PK	5.285G	54.77	68.20	-13.43	3	Horizontal	52	1.82
5530MHz	Pass	PK	5.452G	58.75	74.00	-15.25	3	Horizontal	52	1.82
5530MHz	Pass	PK	5.465G	59.02	68.20	-9.18	3	Horizontal	52	1.82
5530MHz	Pass	PK	5.492G	109.06	Inf	-Inf	3	Horizontal	52	1.82
5530MHz	Pass	PK	5.759G	55.10	68.20	-13.10	3	Horizontal	52	1.82
5530MHz	Pass	AV	11.12272G	36.57	54.00	-17.43	3	Vertical	29	1.50
5530MHz	Pass	PK	11.07376G	50.07	74.00	-23.93	3	Vertical	29	1.50
5530MHz	Pass	AV	11.1208G	36.81	54.00	-17.19	3	Horizontal	66	1.50
5530MHz	Pass	PK	11.12784G	50.24	74.00	-23.76	3	Horizontal	66	1.50
5610MHz	Pass	AV	5.367G	40.50	54.00	-13.50	3	Vertical	51	1.89
5610MHz	Pass	AV	5.588G	89.89	Inf	-Inf	3	Vertical	51	1.89
5610MHz	Pass	PK	5.403G	54.43	74.00	-19.57	3	Vertical	51	1.89
5610MHz	Pass	PK	5.467G	54.44	68.20	-13.76	3	Vertical	51	1.89
5610MHz	Pass	PK	5.587G	104.39	Inf	-Inf	3	Vertical	51	1.89
5610MHz	Pass	PK	5.81G	55.74	68.20	-12.46	3	Vertical	51	1.89
5610MHz	Pass	AV	5.453G	41.43	54.00	-12.57	3	Horizontal	310	1.97
5610MHz	Pass	AV	5.632G	96.01	Inf	-Inf	3	Horizontal	310	1.97
5610MHz	Pass	PK	5.435G	55.87	74.00	-18.13	3	Horizontal	310	1.97
5610MHz	Pass	PK	5.466G	53.75	68.20	-14.45	3	Horizontal	310	1.97
5610MHz	Pass	PK	5.573G	108.78	Inf	-Inf	3	Horizontal	310	1.97
5610MHz	Pass	PK	5.748G	57.42	68.20	-10.78	3	Horizontal	310	1.97
5610MHz	Pass	AV	11.2776G	36.31	54.00	-17.69	3	Vertical	60	2.04
5610MHz	Pass	PK	11.29616G	51.05	74.00	-22.95	3	Vertical	60	2.04
5610MHz	Pass	AV	11.27728G	36.26	54.00	-17.74	3	Horizontal	188	1.50
5610MHz	Pass	PK	11.29264G	50.52	74.00	-23.48	3	Horizontal	188	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	39.96	54.00	-14.04	3	Vertical	49	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.676G	88.48	Inf	-Inf	3	Vertical	49	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.458G	54.21	74.00	-19.79	3	Vertical	49	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	53.18	68.20	-15.02	3	Vertical	49	1.25



RSE TX above 1GHz_Non-Beamforming_Radio 2 Channel Puncturing_O-435

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.674G	101.24	Inf	-Inf	3	Vertical	49	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.935G	55.59	68.20	-12.61	3	Vertical	49	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	40.79	54.00	-13.21	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.674G	97.09	Inf	-Inf	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.442G	53.92	74.00	-20.08	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	54.04	68.20	-14.16	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	110.87	Inf	-Inf	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.862G	56.53	68.20	-11.67	3	Horizontal	312	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40528G	36.72	54.00	-17.28	3	Vertical	196	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.45072G	50.84	74.00	-23.16	3	Vertical	196	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40336G	36.78	54.00	-17.22	3	Horizontal	76	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3624G	51.06	74.00	-22.94	3	Horizontal	76	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0808G	45.02	54.00	-8.98	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2404G	88.93	Inf	-Inf	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	44.69	54.00	-9.31	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	68.73	74.00	-5.27	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2416G	102.88	Inf	-Inf	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	68.15	74.00	-5.85	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.484G	57.79	68.20	-10.41	3	Vertical	53	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0652G	47.82	54.00	-6.18	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2692G	92.97	Inf	-Inf	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.37G	48.65	54.00	-5.35	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	69.83	74.00	-4.17	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2692G	105.58	Inf	-Inf	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3748G	72.69	74.00	-1.31	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4804G	62.68	68.20	-5.52	3	Horizontal	51	1.67
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4872G	50.08	68.20	-18.12	3	Vertical	87	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.44048G	50.31	68.20	-17.89	3	Horizontal	160	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	42.62	54.00	-11.38	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2416G	88.66	Inf	-Inf	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3628G	42.16	54.00	-11.84	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.088G	60.09	74.00	-13.91	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2404G	102.14	Inf	-Inf	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3628G	64.83	74.00	-9.17	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	62.17	68.20	-6.03	3	Vertical	55	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	43.05	54.00	-10.95	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2716G	92.22	Inf	-Inf	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	42.94	54.00	-11.06	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1G	62.66	74.00	-11.34	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2752G	104.80	Inf	-Inf	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3616G	67.32	74.00	-6.68	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	66.67	68.20	-1.53	3	Horizontal	57	1.78
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57456G	51.01	68.20	-17.19	3	Vertical	0	1.23
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4744G	49.94	68.20	-18.26	3	Horizontal	121	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4464G	44.92	54.00	-9.08	3	Vertical	54	1.78
5570MHz	Pass	AV	5.5076G	88.47	Inf	-Inf	3	Vertical	54	1.78
5570MHz	Pass	PK	5.3432G	59.84	68.20	-8.36	3	Vertical	54	1.78
5570MHz	Pass	PK	5.3936G	63.54	74.00	-10.46	3	Vertical	54	1.78
5570MHz	Pass	PK	5.4608G	60.51	68.20	-7.69	3	Vertical	54	1.78
5570MHz	Pass	PK	5.5076G	100.74	Inf	-Inf	3	Vertical	54	1.78
5570MHz	Pass	PK	5.7704G	58.61	68.20	-9.59	3	Vertical	54	1.78
5570MHz	Pass	AV	5.4512G	48.22	54.00	-5.78	3	Horizontal	51	1.81
5570MHz	Pass	AV	5.5112G	92.46	Inf	-Inf	3	Horizontal	51	1.81
5570MHz	Pass	PK	5.3348G	63.08	68.20	-5.12	3	Horizontal	51	1.81
5570MHz	Pass	PK	5.4404G	67.07	74.00	-6.93	3	Horizontal	51	1.81
5570MHz	Pass	PK	5.4608G	65.12	68.20	-3.08	3	Horizontal	51	1.81
5570MHz	Pass	PK	5.51G	104.82	Inf	-Inf	3	Horizontal	51	1.81
5570MHz	Pass	PK	5.762G	62.99	68.20	-5.21	3	Horizontal	51	1.81
5570MHz	Pass	AV	11.19888G	35.98	54.00	-18.02	3	Vertical	56	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_O-435

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.21776G	50.66	74.00	-23.34	3	Vertical	56	1.50
5570MHz	Pass	AV	11.20144G	35.95	54.00	-18.05	3	Horizontal	247	1.50
5570MHz	Pass	PK	11.21776G	50.44	74.00	-23.56	3	Horizontal	247	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4272G	46.14	54.00	-7.86	3	Vertical	55	1.78
5570MHz	Pass	AV	5.5088G	88.77	Inf	-Inf	3	Vertical	55	1.78
5570MHz	Pass	PK	5.3336G	57.75	68.20	-10.45	3	Vertical	55	1.78
5570MHz	Pass	PK	5.4584G	63.24	74.00	-10.76	3	Vertical	55	1.78
5570MHz	Pass	PK	5.4644G	62.21	68.20	-5.99	3	Vertical	55	1.78
5570MHz	Pass	PK	5.5088G	102.30	Inf	-Inf	3	Vertical	55	1.78
5570MHz	Pass	PK	5.768G	57.24	68.20	-10.96	3	Vertical	55	1.78
5570MHz	Pass	AV	5.432G	48.80	54.00	-5.20	3	Horizontal	311	1.86
5570MHz	Pass	AV	5.5112G	93.03	Inf	-Inf	3	Horizontal	311	1.86
5570MHz	Pass	PK	5.3204G	58.78	68.20	-9.42	3	Horizontal	311	1.86
5570MHz	Pass	PK	5.4548G	66.72	74.00	-7.28	3	Horizontal	311	1.86
5570MHz	Pass	PK	5.4656G	67.02	68.20	-1.18	3	Horizontal	311	1.86
5570MHz	Pass	PK	5.5112G	105.98	Inf	-Inf	3	Horizontal	311	1.86
5570MHz	Pass	PK	5.726G	63.39	68.20	-4.81	3	Horizontal	311	1.86
5570MHz	Pass	AV	11.2024G	35.93	54.00	-18.07	3	Vertical	146	2.29
5570MHz	Pass	PK	11.21904G	50.66	74.00	-23.34	3	Vertical	146	2.29
5570MHz	Pass	AV	11.2008G	36.14	54.00	-17.86	3	Horizontal	147	2.10
5570MHz	Pass	PK	11.156G	49.61	74.00	-24.39	3	Horizontal	147	2.10

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	40.58	54.00	-13.42	1.01	3	Vertical	56	1.59	39.57	33.49	4.81	37.29
AV	5.323G	91.91	Inf	-Inf	0.67	3	Vertical	56	1.59	91.24	33.10	4.90	37.33
AV	5.363G	42.32	54.00	-11.68	0.64	3	Vertical	56	1.59	41.68	33.07	4.91	37.34
PK	5.13G	55.06	74.00	-18.94	0.89	3	Vertical	56	1.59	54.17	33.38	4.80	37.29
PK	5.261G	105.28	Inf	-Inf	0.73	3	Vertical	56	1.59	104.55	33.18	4.87	37.32
PK	5.362G	56.18	74.00	-17.82	0.65	3	Vertical	56	1.59	55.53	33.08	4.91	37.34
PK	5.519G	54.67	68.20	-13.53	0.86	3	Vertical	56	1.59	53.81	33.26	4.96	37.36

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	41.14	54.00	-12.86	1.01	3	Horizontal	49	1.76	40.13	33.49	4.81	37.29
AV	5.268G	95.41	Inf	-Inf	0.71	3	Horizontal	49	1.76	94.70	33.16	4.87	37.32
AV	5.368G	43.75	54.00	-10.25	0.64	3	Horizontal	49	1.76	43.11	33.06	4.92	37.34
PK	5.121G	54.57	74.00	-19.43	0.84	3	Horizontal	49	1.76	53.73	33.33	4.80	37.29
PK	5.268G	108.62	Inf	-Inf	0.71	3	Horizontal	49	1.76	107.91	33.16	4.87	37.32
PK	5.355G	60.12	74.00	-13.88	0.66	3	Horizontal	49	1.76	59.46	33.09	4.91	37.34
PK	5.494G	55.40	68.20	-12.80	0.84	3	Horizontal	49	1.76	54.56	33.26	4.95	37.37


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.42	54.00	-13.58	0.67	3	Vertical	54	1.77	39.75	33.10	4.91	37.34
AV	5.448G	41.29	54.00	-12.71	0.58	3	Vertical	54	1.77	40.71	33.00	4.94	37.36
AV	5.508G	91.73	Inf	-Inf	0.87	3	Vertical	54	1.77	90.86	33.28	4.96	37.37
PK	5.333G	54.87	68.20	-13.33	0.67	3	Vertical	54	1.77	54.20	33.10	4.90	37.33
PK	5.45G	55.26	74.00	-18.74	0.58	3	Vertical	54	1.77	54.68	33.00	4.94	37.36
PK	5.467G	55.81	68.20	-12.39	0.69	3	Vertical	54	1.77	55.12	33.10	4.95	37.36
PK	5.508G	104.51	Inf	-Inf	0.87	3	Vertical	54	1.77	103.64	33.28	4.96	37.37
PK	5.769G	55.36	68.20	-12.84	1.97	3	Vertical	54	1.77	53.39	34.08	5.15	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.01	54.00	-12.99	0.67	3	Horizontal	52	1.82	40.34	33.10	4.91	37.34
AV	5.453G	43.18	54.00	-10.82	0.60	3	Horizontal	52	1.82	42.58	33.02	4.94	37.36
AV	5.493G	95.59	Inf	-Inf	0.84	3	Horizontal	52	1.82	94.75	33.26	4.95	37.37
PK	5.285G	54.77	68.20	-13.43	0.69	3	Horizontal	52	1.82	54.08	33.13	4.88	37.32
PK	5.452G	58.75	74.00	-15.25	0.59	3	Horizontal	52	1.82	58.16	33.01	4.94	37.36
PK	5.465G	59.02	68.20	-9.18	0.68	3	Horizontal	52	1.82	58.34	33.09	4.95	37.36
PK	5.492G	109.06	Inf	-Inf	0.83	3	Horizontal	52	1.82	108.23	33.25	4.95	37.37
PK	5.759G	55.10	68.20	-13.10	1.92	3	Horizontal	52	1.82	53.18	34.04	5.14	37.26


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3502G	42.48	54.00	-11.52	3	Horizontal	11	1.75
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3534G	43.44	54.00	-10.56	3	Horizontal	9	1.77
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	43.54	54.00	-10.46	3	Horizontal	11	1.79
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.354G	45.48	54.00	-8.52	3	Horizontal	12	1.69
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.1204G	47.21	54.00	-6.79	3	Vertical	27	2.13
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7408G	57.02	68.20	-11.18	3	Vertical	62	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	57.93	68.20	-10.27	3	Horizontal	338	1.53
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7282G	57.75	68.20	-10.45	3	Vertical	19	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.456G	42.91	54.00	-11.09	3	Horizontal	13	1.85
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.744G	57.74	68.20	-10.46	3	Horizontal	336	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1454G	40.91	54.00	-13.09	3	Vertical	25	2.27
5260MHz	Pass	AV	5.2534G	99.05	Inf	-Inf	3	Vertical	25	2.27
5260MHz	Pass	AV	5.3734G	40.71	54.00	-13.29	3	Vertical	25	2.27
5260MHz	Pass	PK	5.1178G	55.35	74.00	-18.65	3	Vertical	25	2.27
5260MHz	Pass	PK	5.2528G	109.16	Inf	-Inf	3	Vertical	25	2.27
5260MHz	Pass	PK	5.3842G	54.86	74.00	-19.14	3	Vertical	25	2.27
5260MHz	Pass	AV	5.1466G	40.66	54.00	-13.34	3	Horizontal	19	1.90
5260MHz	Pass	AV	5.2672G	97.72	Inf	-Inf	3	Horizontal	19	1.90
5260MHz	Pass	AV	5.3548G	40.81	54.00	-13.19	3	Horizontal	19	1.90
5260MHz	Pass	PK	5.1394G	54.77	74.00	-19.23	3	Horizontal	19	1.90
5260MHz	Pass	PK	5.2672G	108.93	Inf	-Inf	3	Horizontal	19	1.90
5260MHz	Pass	PK	5.3818G	54.71	74.00	-19.29	3	Horizontal	19	1.90
5260MHz	Pass	PK	10.51728G	48.53	68.20	-19.67	3	Vertical	360	1.50
5260MHz	Pass	PK	10.52232G	48.23	68.20	-19.97	3	Horizontal	164	2.36
5300MHz	Pass	AV	5.2932G	98.21	Inf	-Inf	3	Vertical	26	2.13
5300MHz	Pass	AV	5.3508G	41.64	54.00	-12.36	3	Vertical	26	2.13
5300MHz	Pass	PK	5.2932G	108.63	Inf	-Inf	3	Vertical	26	2.13
5300MHz	Pass	PK	5.3564G	55.27	74.00	-18.73	3	Vertical	26	2.13
5300MHz	Pass	AV	5.3068G	97.70	Inf	-Inf	3	Horizontal	13	1.87
5300MHz	Pass	AV	5.3512G	42.16	54.00	-11.84	3	Horizontal	13	1.87
5300MHz	Pass	PK	5.3032G	109.86	Inf	-Inf	3	Horizontal	13	1.87
5300MHz	Pass	PK	5.3528G	55.99	74.00	-18.01	3	Horizontal	13	1.87
5300MHz	Pass	AV	10.60336G	34.99	54.00	-19.01	3	Vertical	112	2.49
5300MHz	Pass	PK	10.61032G	48.07	74.00	-25.93	3	Vertical	112	2.49
5300MHz	Pass	AV	10.60808G	34.99	54.00	-19.01	3	Horizontal	211	1.67
5300MHz	Pass	PK	10.5996G	48.32	68.20	-19.88	3	Horizontal	211	1.67
5320MHz	Pass	AV	5.3132G	98.20	Inf	-Inf	3	Vertical	334	1.43
5320MHz	Pass	AV	5.3526G	41.96	54.00	-12.04	3	Vertical	334	1.43
5320MHz	Pass	PK	5.3134G	108.38	Inf	-Inf	3	Vertical	334	1.43
5320MHz	Pass	PK	5.3582G	55.71	74.00	-18.29	3	Vertical	334	1.43
5320MHz	Pass	AV	5.3262G	97.93	Inf	-Inf	3	Horizontal	11	1.75
5320MHz	Pass	AV	5.3502G	42.48	54.00	-11.52	3	Horizontal	11	1.75
5320MHz	Pass	PK	5.322G	109.45	Inf	-Inf	3	Horizontal	11	1.75
5320MHz	Pass	PK	5.3514G	56.64	74.00	-17.36	3	Horizontal	11	1.75
5320MHz	Pass	AV	10.65192G	35.04	54.00	-18.96	3	Vertical	90	1.50
5320MHz	Pass	PK	10.64376G	48.21	74.00	-25.79	3	Vertical	90	1.50
5320MHz	Pass	AV	10.65296G	35.02	54.00	-18.98	3	Horizontal	76	2.75
5320MHz	Pass	PK	10.63568G	48.82	74.00	-25.18	3	Horizontal	76	2.75
5500MHz	Pass	AV	5.4538G	41.77	54.00	-12.23	3	Vertical	15	1.29
5500MHz	Pass	AV	5.4946G	98.85	Inf	-Inf	3	Vertical	15	1.29
5500MHz	Pass	PK	5.4558G	55.84	74.00	-18.16	3	Vertical	15	1.29
5500MHz	Pass	PK	5.464G	55.33	68.20	-12.87	3	Vertical	15	1.29
5500MHz	Pass	PK	5.4952G	109.28	Inf	-Inf	3	Vertical	15	1.29
5500MHz	Pass	AV	5.4534G	42.02	54.00	-11.98	3	Horizontal	14	1.85
5500MHz	Pass	AV	5.4964G	98.48	Inf	-Inf	3	Horizontal	14	1.85
5500MHz	Pass	PK	5.4546G	55.75	74.00	-18.25	3	Horizontal	14	1.85
5500MHz	Pass	PK	5.4686G	56.42	68.20	-11.78	3	Horizontal	14	1.85
5500MHz	Pass	PK	5.4958G	109.95	Inf	-Inf	3	Horizontal	14	1.85
5500MHz	Pass	AV	10.99104G	34.96	54.00	-19.04	3	Vertical	244	1.50
5500MHz	Pass	PK	11.00936G	48.32	74.00	-25.68	3	Vertical	244	1.50
5500MHz	Pass	AV	10.99504G	34.92	54.00	-19.08	3	Horizontal	235	1.50
5500MHz	Pass	PK	11.01456G	48.60	74.00	-25.40	3	Horizontal	235	1.50
5580MHz	Pass	AV	5.4522G	40.59	54.00	-13.41	3	Vertical	19	1.40
5580MHz	Pass	AV	5.5752G	98.20	Inf	-Inf	3	Vertical	19	1.40
5580MHz	Pass	PK	5.43G	54.39	74.00	-19.61	3	Vertical	19	1.40
5580MHz	Pass	PK	5.4642G	54.20	68.20	-14.00	3	Vertical	19	1.40
5580MHz	Pass	PK	5.5854G	108.26	Inf	-Inf	3	Vertical	19	1.40
5580MHz	Pass	PK	5.73G	54.86	68.20	-13.34	3	Vertical	19	1.40
5580MHz	Pass	AV	5.4528G	40.41	54.00	-13.59	3	Horizontal	336	1.50
5580MHz	Pass	AV	5.5836G	97.20	Inf	-Inf	3	Horizontal	336	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.4474G	54.19	74.00	-19.81	3	Horizontal	336	1.50
5580MHz	Pass	PK	5.4684G	54.05	68.20	-14.15	3	Horizontal	336	1.50
5580MHz	Pass	PK	5.5854G	108.39	Inf	-Inf	3	Horizontal	336	1.50
5580MHz	Pass	PK	5.7258G	54.72	68.20	-13.48	3	Horizontal	336	1.50
5580MHz	Pass	AV	11.15464G	35.44	54.00	-18.56	3	Vertical	259	2.31
5580MHz	Pass	PK	11.16552G	49.05	74.00	-24.95	3	Vertical	259	2.31
5580MHz	Pass	AV	11.1548G	35.44	54.00	-18.56	3	Horizontal	139	1.50
5580MHz	Pass	PK	11.16456G	48.27	74.00	-25.73	3	Horizontal	139	1.50
5700MHz	Pass	AV	5.6936G	97.21	Inf	-Inf	3	Vertical	62	1.50
5700MHz	Pass	PK	5.6932G	107.72	Inf	-Inf	3	Vertical	62	1.50
5700MHz	Pass	PK	5.7408G	57.02	68.20	-11.18	3	Vertical	62	1.50
5700MHz	Pass	AV	5.6952G	97.03	Inf	-Inf	3	Horizontal	336	2.09
5700MHz	Pass	PK	5.6956G	108.64	Inf	-Inf	3	Horizontal	336	2.09
5700MHz	Pass	PK	5.7444G	56.65	68.20	-11.55	3	Horizontal	336	2.09
5700MHz	Pass	AV	11.40376G	35.94	54.00	-18.06	3	Vertical	117	1.15
5700MHz	Pass	PK	11.39416G	49.24	74.00	-24.76	3	Vertical	117	1.15
5700MHz	Pass	AV	11.40544G	35.99	54.00	-18.01	3	Horizontal	226	1.50
5700MHz	Pass	PK	11.40424G	50.00	74.00	-24.00	3	Horizontal	226	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	40.35	54.00	-13.65	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	98.33	Inf	-Inf	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	54.09	74.00	-19.91	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	53.43	68.20	-14.77	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	108.90	Inf	-Inf	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9576G	56.74	68.20	-11.46	3	Vertical	16	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	40.32	54.00	-13.68	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	97.74	Inf	-Inf	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	53.79	74.00	-20.21	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	53.53	68.20	-14.67	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	108.91	Inf	-Inf	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	56.43	68.20	-11.77	3	Horizontal	344	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43624G	35.92	54.00	-18.08	3	Vertical	219	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45416G	49.76	74.00	-24.24	3	Vertical	219	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43584G	35.96	54.00	-18.04	3	Horizontal	35	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45152G	49.34	74.00	-24.66	3	Horizontal	35	1.60
802.11be EHT20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1466G	41.48	54.00	-12.52	3	Vertical	25	2.28
5260MHz	Pass	AV	5.2516G	98.93	Inf	-Inf	3	Vertical	25	2.28
5260MHz	Pass	AV	5.353G	41.58	54.00	-12.42	3	Vertical	25	2.28
5260MHz	Pass	PK	5.15G	54.82	74.00	-19.18	3	Vertical	25	2.28
5260MHz	Pass	PK	5.2528G	111.37	Inf	-Inf	3	Vertical	25	2.28
5260MHz	Pass	PK	5.3602G	54.61	74.00	-19.39	3	Vertical	25	2.28
5260MHz	Pass	AV	5.1448G	41.36	54.00	-12.64	3	Horizontal	28	1.46
5260MHz	Pass	AV	5.2522G	96.95	Inf	-Inf	3	Horizontal	28	1.46
5260MHz	Pass	AV	5.35G	41.60	54.00	-12.40	3	Horizontal	28	1.46
5260MHz	Pass	PK	5.1232G	54.26	74.00	-19.74	3	Horizontal	28	1.46
5260MHz	Pass	PK	5.2522G	109.22	Inf	-Inf	3	Horizontal	28	1.46
5260MHz	Pass	PK	5.3854G	54.50	74.00	-19.50	3	Horizontal	28	1.46
5260MHz	Pass	PK	10.52648G	48.31	68.20	-19.89	3	Vertical	323	1.43
5260MHz	Pass	PK	10.52272G	48.85	68.20	-19.35	3	Horizontal	298	1.50
5300MHz	Pass	AV	5.302G	97.74	Inf	-Inf	3	Vertical	27	1.52
5300MHz	Pass	AV	5.3544G	42.76	54.00	-11.24	3	Vertical	27	1.52
5300MHz	Pass	PK	5.306G	110.72	Inf	-Inf	3	Vertical	27	1.52
5300MHz	Pass	PK	5.3604G	55.35	74.00	-18.65	3	Vertical	27	1.52
5300MHz	Pass	AV	5.3064G	97.89	Inf	-Inf	3	Horizontal	11	1.87
5300MHz	Pass	AV	5.3504G	42.76	54.00	-11.24	3	Horizontal	11	1.87
5300MHz	Pass	PK	5.3056G	110.51	Inf	-Inf	3	Horizontal	11	1.87
5300MHz	Pass	PK	5.3768G	55.61	74.00	-18.39	3	Horizontal	11	1.87
5300MHz	Pass	AV	10.60364G	35.81	54.00	-18.19	3	Vertical	149	2.34
5300MHz	Pass	PK	10.6036G	48.96	74.00	-25.04	3	Vertical	149	2.34
5300MHz	Pass	AV	10.61136G	35.77	54.00	-18.23	3	Horizontal	198	3.00
5300MHz	Pass	PK	10.594G	48.50	68.20	-19.70	3	Horizontal	198	3.00
5320MHz	Pass	AV	5.311G	98.25	Inf	-Inf	3	Vertical	26	2.13



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3504G	42.61	54.00	-11.39	3	Vertical	26	2.13
5320MHz	Pass	PK	5.326G	111.05	Inf	-Inf	3	Vertical	26	2.13
5320MHz	Pass	PK	5.366G	56.08	74.00	-17.92	3	Vertical	26	2.13
5320MHz	Pass	AV	5.3266G	97.69	Inf	-Inf	3	Horizontal	9	1.77
5320MHz	Pass	AV	5.3534G	43.44	54.00	-10.56	3	Horizontal	9	1.77
5320MHz	Pass	PK	5.3226G	110.63	Inf	-Inf	3	Horizontal	9	1.77
5320MHz	Pass	PK	5.3574G	56.52	74.00	-17.48	3	Horizontal	9	1.77
5320MHz	Pass	AV	10.6532G	35.98	54.00	-18.02	3	Vertical	184	1.50
5320MHz	Pass	PK	10.64424G	47.88	74.00	-26.12	3	Vertical	184	1.50
5320MHz	Pass	AV	10.65272G	35.79	54.00	-18.21	3	Horizontal	155	2.79
5320MHz	Pass	PK	10.64008G	48.71	74.00	-25.29	3	Horizontal	155	2.79
5500MHz	Pass	AV	5.4596G	42.57	54.00	-11.43	3	Vertical	16	1.31
5500MHz	Pass	AV	5.4968G	99.02	Inf	-Inf	3	Vertical	16	1.31
5500MHz	Pass	PK	5.4544G	55.18	74.00	-18.82	3	Vertical	16	1.31
5500MHz	Pass	PK	5.4678G	55.22	68.20	-12.98	3	Vertical	16	1.31
5500MHz	Pass	PK	5.499G	111.21	Inf	-Inf	3	Vertical	16	1.31
5500MHz	Pass	AV	5.4558G	42.87	54.00	-11.13	3	Horizontal	13	1.77
5500MHz	Pass	AV	5.5078G	97.60	Inf	-Inf	3	Horizontal	13	1.77
5500MHz	Pass	PK	5.457G	56.43	74.00	-17.57	3	Horizontal	13	1.77
5500MHz	Pass	PK	5.47G	56.16	68.20	-12.04	3	Horizontal	13	1.77
5500MHz	Pass	PK	5.5036G	110.81	Inf	-Inf	3	Horizontal	13	1.77
5500MHz	Pass	AV	11.00616G	35.79	54.00	-18.21	3	Vertical	55	1.50
5500MHz	Pass	PK	10.98424G	48.42	74.00	-25.58	3	Vertical	55	1.50
5500MHz	Pass	AV	11.0108G	35.73	54.00	-18.27	3	Horizontal	92	2.80
5500MHz	Pass	PK	11.01152G	48.22	74.00	-25.78	3	Horizontal	92	2.80
5580MHz	Pass	AV	5.4528G	41.39	54.00	-12.61	3	Vertical	19	1.50
5580MHz	Pass	AV	5.5824G	98.08	Inf	-Inf	3	Vertical	19	1.50
5580MHz	Pass	PK	5.4546G	54.16	74.00	-19.84	3	Vertical	19	1.50
5580MHz	Pass	PK	5.4678G	53.51	68.20	-14.69	3	Vertical	19	1.50
5580MHz	Pass	PK	5.5812G	110.55	Inf	-Inf	3	Vertical	19	1.50
5580MHz	Pass	PK	5.7282G	54.61	68.20	-13.59	3	Vertical	19	1.50
5580MHz	Pass	AV	5.4492G	41.05	54.00	-12.95	3	Horizontal	336	1.44
5580MHz	Pass	AV	5.5746G	96.92	Inf	-Inf	3	Horizontal	336	1.44
5580MHz	Pass	PK	5.4384G	54.64	74.00	-19.36	3	Horizontal	336	1.44
5580MHz	Pass	PK	5.4654G	54.17	68.20	-14.03	3	Horizontal	336	1.44
5580MHz	Pass	PK	5.5788G	109.55	Inf	-Inf	3	Horizontal	336	1.44
5580MHz	Pass	PK	5.73G	55.55	68.20	-12.65	3	Horizontal	336	1.44
5580MHz	Pass	AV	11.15672G	36.26	54.00	-17.74	3	Vertical	215	1.50
5580MHz	Pass	PK	11.16248G	49.16	74.00	-24.84	3	Vertical	215	1.50
5580MHz	Pass	AV	11.15616G	36.29	54.00	-17.71	3	Horizontal	70	2.87
5580MHz	Pass	PK	11.16128G	48.36	74.00	-25.64	3	Horizontal	70	2.87
5700MHz	Pass	AV	5.692G	97.16	Inf	-Inf	3	Vertical	64	1.50
5700MHz	Pass	PK	5.6932G	109.83	Inf	-Inf	3	Vertical	64	1.50
5700MHz	Pass	PK	5.7468G	56.78	68.20	-11.42	3	Vertical	64	1.50
5700MHz	Pass	AV	5.6932G	97.09	Inf	-Inf	3	Horizontal	338	1.53
5700MHz	Pass	PK	5.692G	110.30	Inf	-Inf	3	Horizontal	338	1.53
5700MHz	Pass	PK	5.7256G	57.93	68.20	-10.27	3	Horizontal	338	1.53
5700MHz	Pass	AV	11.40512G	36.76	54.00	-17.24	3	Vertical	352	1.50
5700MHz	Pass	PK	11.41568G	49.40	74.00	-24.60	3	Vertical	352	1.50
5700MHz	Pass	AV	11.40512G	36.80	54.00	-17.20	3	Horizontal	21	1.50
5700MHz	Pass	PK	11.41208G	50.11	74.00	-23.89	3	Horizontal	21	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	41.08	54.00	-12.92	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	98.11	Inf	-Inf	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	53.79	74.00	-20.21	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	53.08	68.20	-15.12	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	110.59	Inf	-Inf	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9768G	56.93	68.20	-11.27	3	Vertical	16	1.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	40.86	54.00	-13.14	3	Horizontal	344	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	97.67	Inf	-Inf	3	Horizontal	344	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	53.97	74.00	-20.03	3	Horizontal	344	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	53.91	68.20	-14.29	3	Horizontal	344	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	110.10	Inf	-Inf	3	Horizontal	344	1.85



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.948G	56.53	68.20	-11.67	3	Horizontal	344	1.85
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.436G	36.87	54.00	-17.13	3	Vertical	304	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43384G	49.56	74.00	-24.44	3	Vertical	304	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45144G	36.87	54.00	-17.13	3	Horizontal	139	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4224G	49.60	74.00	-24.40	3	Horizontal	139	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2528G	95.03	Inf	-Inf	3	Vertical	23	1.50
5270MHz	Pass	AV	5.3656G	41.58	54.00	-12.42	3	Vertical	23	1.50
5270MHz	Pass	PK	5.2548G	107.71	Inf	-Inf	3	Vertical	23	1.50
5270MHz	Pass	PK	5.3572G	55.88	74.00	-18.12	3	Vertical	23	1.50
5270MHz	Pass	AV	5.2756G	93.68	Inf	-Inf	3	Horizontal	10	1.83
5270MHz	Pass	AV	5.35G	41.67	54.00	-12.33	3	Horizontal	10	1.83
5270MHz	Pass	PK	5.2552G	108.06	Inf	-Inf	3	Horizontal	10	1.83
5270MHz	Pass	PK	5.3516G	55.86	74.00	-18.14	3	Horizontal	10	1.83
5270MHz	Pass	PK	10.52096G	48.68	68.20	-19.52	3	Vertical	51	1.50
5270MHz	Pass	PK	10.5176G	48.55	68.20	-19.65	3	Horizontal	4	1.70
5310MHz	Pass	AV	5.3216G	94.54	Inf	-Inf	3	Vertical	26	2.27
5310MHz	Pass	AV	5.35G	43.26	54.00	-10.74	3	Vertical	26	2.27
5310MHz	Pass	PK	5.3228G	108.11	Inf	-Inf	3	Vertical	26	2.27
5310MHz	Pass	PK	5.3572G	56.93	74.00	-17.07	3	Vertical	26	2.27
5310MHz	Pass	AV	5.2964G	94.38	Inf	-Inf	3	Horizontal	11	1.79
5310MHz	Pass	AV	5.3524G	43.54	54.00	-10.46	3	Horizontal	11	1.79
5310MHz	Pass	PK	5.3152G	108.29	Inf	-Inf	3	Horizontal	11	1.79
5310MHz	Pass	PK	5.352G	57.91	74.00	-16.09	3	Horizontal	11	1.79
5310MHz	Pass	AV	10.60512G	35.09	54.00	-18.91	3	Vertical	325	1.50
5310MHz	Pass	PK	10.61856G	48.77	74.00	-25.23	3	Vertical	325	1.50
5310MHz	Pass	AV	10.65168G	35.12	54.00	-18.88	3	Horizontal	348	1.50
5310MHz	Pass	PK	10.63248G	48.69	74.00	-25.31	3	Horizontal	348	1.50
5510MHz	Pass	AV	5.46G	41.66	54.00	-12.34	3	Vertical	21	1.37
5510MHz	Pass	AV	5.528G	95.20	Inf	-Inf	3	Vertical	21	1.37
5510MHz	Pass	PK	5.448G	55.87	74.00	-18.13	3	Vertical	21	1.37
5510MHz	Pass	PK	5.4636G	55.83	68.20	-12.37	3	Vertical	21	1.37
5510MHz	Pass	PK	5.508G	108.48	Inf	-Inf	3	Vertical	21	1.37
5510MHz	Pass	AV	5.46G	41.46	54.00	-12.54	3	Horizontal	333	1.46
5510MHz	Pass	AV	5.5268G	93.81	Inf	-Inf	3	Horizontal	333	1.46
5510MHz	Pass	PK	5.4528G	55.29	74.00	-18.71	3	Horizontal	333	1.46
5510MHz	Pass	PK	5.4652G	55.39	68.20	-12.81	3	Horizontal	333	1.46
5510MHz	Pass	PK	5.5276G	106.81	Inf	-Inf	3	Horizontal	333	1.46
5510MHz	Pass	AV	11.0584G	35.13	54.00	-18.87	3	Vertical	188	1.28
5510MHz	Pass	PK	11.01296G	48.72	74.00	-25.28	3	Vertical	188	1.28
5510MHz	Pass	AV	11.03744G	35.14	54.00	-18.86	3	Horizontal	34	1.79
5510MHz	Pass	PK	11.0472G	49.13	74.00	-24.87	3	Horizontal	34	1.79
5550MHz	Pass	AV	5.4508G	41.42	54.00	-12.58	3	Vertical	22	1.39
5550MHz	Pass	AV	5.5316G	95.07	Inf	-Inf	3	Vertical	22	1.39
5550MHz	Pass	PK	5.4592G	55.14	74.00	-18.86	3	Vertical	22	1.39
5550MHz	Pass	PK	5.4696G	54.36	68.20	-13.84	3	Vertical	22	1.39
5550MHz	Pass	PK	5.5536G	107.61	Inf	-Inf	3	Vertical	22	1.39
5550MHz	Pass	AV	5.456G	41.59	54.00	-12.41	3	Horizontal	11	1.92
5550MHz	Pass	AV	5.5336G	94.91	Inf	-Inf	3	Horizontal	11	1.92
5550MHz	Pass	PK	5.4584G	55.05	74.00	-18.95	3	Horizontal	11	1.92
5550MHz	Pass	PK	5.4632G	54.64	68.20	-13.56	3	Horizontal	11	1.92
5550MHz	Pass	PK	5.532G	108.57	Inf	-Inf	3	Horizontal	11	1.92
5550MHz	Pass	AV	11.12208G	35.36	54.00	-18.64	3	Vertical	57	1.64
5550MHz	Pass	PK	11.11712G	48.95	74.00	-25.05	3	Vertical	57	1.64
5550MHz	Pass	AV	11.12368G	35.33	54.00	-18.67	3	Horizontal	291	1.50
5550MHz	Pass	PK	11.12784G	50.64	74.00	-23.36	3	Horizontal	291	1.50
5670MHz	Pass	AV	5.6682G	93.85	Inf	-Inf	3	Vertical	19	1.50
5670MHz	Pass	PK	5.6652G	107.24	Inf	-Inf	3	Vertical	19	1.50
5670MHz	Pass	PK	5.7282G	57.75	68.20	-10.45	3	Vertical	19	1.50
5670MHz	Pass	AV	5.6808G	93.20	Inf	-Inf	3	Horizontal	343	1.50
5670MHz	Pass	PK	5.6802G	106.51	Inf	-Inf	3	Horizontal	343	1.50
5670MHz	Pass	PK	5.7996G	56.72	68.20	-11.48	3	Horizontal	343	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	AV	11.32272G	36.15	54.00	-17.85	3	Vertical	329	1.50
5670MHz	Pass	PK	11.35264G	50.45	74.00	-23.55	3	Vertical	329	1.50
5670MHz	Pass	AV	11.32432G	36.16	54.00	-17.84	3	Horizontal	93	1.22
5670MHz	Pass	PK	11.3376G	49.73	74.00	-24.27	3	Horizontal	93	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	40.48	54.00	-13.52	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	94.11	Inf	-Inf	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	54.40	74.00	-19.60	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	53.56	68.20	-14.64	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	106.61	Inf	-Inf	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.98G	56.24	68.20	-11.96	3	Vertical	14	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4136G	40.46	54.00	-13.54	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	93.80	Inf	-Inf	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4592G	54.11	74.00	-19.89	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	53.30	68.20	-14.90	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7244G	106.73	Inf	-Inf	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.962G	56.28	68.20	-11.92	3	Horizontal	348	1.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40864G	36.10	54.00	-17.90	3	Vertical	223	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.38784G	49.38	74.00	-24.62	3	Vertical	223	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40928G	36.09	54.00	-17.91	3	Horizontal	84	2.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40464G	49.42	74.00	-24.58	3	Horizontal	84	2.66
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	41.77	54.00	-12.23	3	Vertical	24	1.49
5290MHz	Pass	AV	5.252G	91.74	Inf	-Inf	3	Vertical	24	1.49
5290MHz	Pass	AV	5.352G	44.47	54.00	-9.53	3	Vertical	24	1.49
5290MHz	Pass	PK	5.101G	55.65	74.00	-18.35	3	Vertical	24	1.49
5290MHz	Pass	PK	5.292G	104.24	Inf	-Inf	3	Vertical	24	1.49
5290MHz	Pass	PK	5.352G	57.50	74.00	-16.50	3	Vertical	24	1.49
5290MHz	Pass	PK	5.493G	55.59	68.20	-12.61	3	Vertical	24	1.49
5290MHz	Pass	AV	5.15G	41.31	54.00	-12.69	3	Horizontal	12	1.69
5290MHz	Pass	AV	5.315G	90.99	Inf	-Inf	3	Horizontal	12	1.69
5290MHz	Pass	AV	5.354G	45.48	54.00	-8.52	3	Horizontal	12	1.69
5290MHz	Pass	PK	5.052G	55.72	74.00	-18.28	3	Horizontal	12	1.69
5290MHz	Pass	PK	5.319G	104.64	Inf	-Inf	3	Horizontal	12	1.69
5290MHz	Pass	PK	5.35G	58.69	74.00	-15.31	3	Horizontal	12	1.69
5290MHz	Pass	PK	5.516G	55.57	68.20	-12.63	3	Horizontal	12	1.69
5290MHz	Pass	AV	10.65328G	35.20	54.00	-18.80	3	Vertical	89	1.50
5290MHz	Pass	PK	10.5192G	48.58	68.20	-19.62	3	Vertical	89	1.50
5290MHz	Pass	AV	10.65104G	35.19	54.00	-18.81	3	Horizontal	133	2.48
5290MHz	Pass	PK	10.6168G	48.78	74.00	-25.22	3	Horizontal	133	2.48
5530MHz	Pass	AV	5.35G	41.28	54.00	-12.72	3	Vertical	21	1.42
5530MHz	Pass	AV	5.449G	42.07	54.00	-11.93	3	Vertical	21	1.42
5530MHz	Pass	AV	5.529G	91.69	Inf	-Inf	3	Vertical	21	1.42
5530MHz	Pass	PK	5.337G	55.22	68.20	-12.98	3	Vertical	21	1.42
5530MHz	Pass	PK	5.455G	55.27	74.00	-18.73	3	Vertical	21	1.42
5530MHz	Pass	PK	5.465G	55.64	68.20	-12.56	3	Vertical	21	1.42
5530MHz	Pass	PK	5.532G	105.20	Inf	-Inf	3	Vertical	21	1.42
5530MHz	Pass	PK	5.759G	55.58	68.20	-12.62	3	Vertical	21	1.42
5530MHz	Pass	AV	5.35G	41.28	54.00	-12.72	3	Horizontal	13	1.85
5530MHz	Pass	AV	5.456G	42.91	54.00	-11.09	3	Horizontal	13	1.85
5530MHz	Pass	AV	5.495G	91.80	Inf	-Inf	3	Horizontal	13	1.85
5530MHz	Pass	PK	5.313G	55.22	68.20	-12.98	3	Horizontal	13	1.85
5530MHz	Pass	PK	5.44G	56.53	74.00	-17.47	3	Horizontal	13	1.85
5530MHz	Pass	PK	5.47G	56.68	68.20	-11.52	3	Horizontal	13	1.85
5530MHz	Pass	PK	5.497G	105.13	Inf	-Inf	3	Horizontal	13	1.85
5530MHz	Pass	PK	5.73G	55.53	68.20	-12.67	3	Horizontal	13	1.85
5530MHz	Pass	AV	11.12112G	35.49	54.00	-18.51	3	Vertical	352	2.55
5530MHz	Pass	PK	11.02512G	48.70	74.00	-25.30	3	Vertical	352	2.55
5530MHz	Pass	AV	11.13616G	35.44	54.00	-18.56	3	Horizontal	134	1.50
5530MHz	Pass	PK	11.06736G	48.81	74.00	-25.19	3	Horizontal	134	1.50
5610MHz	Pass	AV	5.453G	41.05	54.00	-12.95	3	Vertical	21	1.50
5610MHz	Pass	AV	5.572G	90.62	Inf	-Inf	3	Vertical	21	1.50
5610MHz	Pass	PK	5.414G	55.34	74.00	-18.66	3	Vertical	21	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.466G	54.77	68.20	-13.43	3	Vertical	21	1.50
5610MHz	Pass	PK	5.574G	104.49	Inf	-Inf	3	Vertical	21	1.50
5610MHz	Pass	PK	5.823G	56.31	68.20	-11.89	3	Vertical	21	1.50
5610MHz	Pass	AV	5.457G	40.92	54.00	-13.08	3	Horizontal	336	1.49
5610MHz	Pass	AV	5.584G	90.39	Inf	-Inf	3	Horizontal	336	1.49
5610MHz	Pass	PK	5.385G	54.65	74.00	-19.35	3	Horizontal	336	1.49
5610MHz	Pass	PK	5.461G	54.28	68.20	-13.92	3	Horizontal	336	1.49
5610MHz	Pass	PK	5.626G	103.58	Inf	-Inf	3	Horizontal	336	1.49
5610MHz	Pass	PK	5.805G	55.62	68.20	-12.58	3	Horizontal	336	1.49
5610MHz	Pass	AV	11.2776G	36.06	54.00	-17.94	3	Vertical	5	1.57
5610MHz	Pass	PK	11.2056G	49.38	74.00	-24.62	3	Vertical	5	1.57
5610MHz	Pass	AV	11.2776G	36.11	54.00	-17.89	3	Horizontal	17	1.86
5610MHz	Pass	PK	11.19664G	49.80	74.00	-24.20	3	Horizontal	17	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	40.78	54.00	-13.22	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6876G	90.60	Inf	-Inf	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	54.40	74.00	-19.60	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.01	68.20	-14.19	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	103.78	Inf	-Inf	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	56.18	68.20	-12.02	3	Vertical	18	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	40.70	54.00	-13.30	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	90.58	Inf	-Inf	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	54.10	74.00	-19.90	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.07	68.20	-15.13	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	103.41	Inf	-Inf	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	57.01	68.20	-11.19	3	Horizontal	339	1.85
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40496G	36.17	54.00	-17.83	3	Vertical	143	2.79
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.44656G	50.32	74.00	-23.68	3	Vertical	143	2.79
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40496G	36.20	54.00	-17.80	3	Horizontal	112	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3656G	49.61	74.00	-24.39	3	Horizontal	112	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1204G	47.21	54.00	-6.79	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2008G	89.84	Inf	-Inf	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3796G	46.49	54.00	-7.51	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1276G	60.84	74.00	-13.16	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1804G	102.93	Inf	-Inf	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	60.28	74.00	-13.72	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	56.43	68.20	-11.77	3	Vertical	27	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	45.71	54.00	-8.29	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2944G	87.09	Inf	-Inf	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3724G	46.43	54.00	-7.57	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	60.48	74.00	-13.52	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3136G	99.88	Inf	-Inf	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	60.42	74.00	-13.58	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	55.45	68.20	-12.75	3	Horizontal	9	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.60944G	48.30	74.00	-25.70	3	Vertical	254	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.47184G	48.73	68.20	-19.47	3	Horizontal	360	2.80
5570MHz	Pass	AV	5.45G	43.25	54.00	-10.75	3	Vertical	22	1.40
5570MHz	Pass	AV	5.5316G	88.66	Inf	-Inf	3	Vertical	22	1.40
5570MHz	Pass	PK	5.2712G	55.25	68.20	-12.95	3	Vertical	22	1.40
5570MHz	Pass	PK	5.4488G	57.47	74.00	-16.53	3	Vertical	22	1.40
5570MHz	Pass	PK	5.4668G	55.79	68.20	-12.41	3	Vertical	22	1.40
5570MHz	Pass	PK	5.492G	101.86	Inf	-Inf	3	Vertical	22	1.40
5570MHz	Pass	PK	5.7872G	57.26	68.20	-10.94	3	Vertical	22	1.40
5570MHz	Pass	AV	5.444G	42.61	54.00	-11.39	3	Horizontal	336	1.50
5570MHz	Pass	AV	5.5844G	87.57	Inf	-Inf	3	Horizontal	336	1.50
5570MHz	Pass	PK	5.3144G	54.89	68.20	-13.31	3	Horizontal	336	1.50
5570MHz	Pass	PK	5.4248G	57.46	74.00	-16.54	3	Horizontal	336	1.50
5570MHz	Pass	PK	5.4692G	56.15	68.20	-12.05	3	Horizontal	336	1.50
5570MHz	Pass	PK	5.582G	101.17	Inf	-Inf	3	Horizontal	336	1.50
5570MHz	Pass	PK	5.744G	57.74	68.20	-10.46	3	Horizontal	336	1.50
5570MHz	Pass	AV	11.2808G	36.14	54.00	-17.86	3	Vertical	232	1.69
5570MHz	Pass	PK	11.2801G	48.98	74.00	-25.02	3	Vertical	232	1.69




RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.28336G	36.04	54.00	-17.96	3	Horizontal	184	2.22
5570MHz	Pass	PK	11.26544G	49.40	74.00	-24.60	3	Horizontal	184	2.22


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	98.25	Inf	-Inf	0.66	3	Vertical	26	2.13	97.59	33.10	4.89	37.33
AV	5.3504G	42.61	54.00	-11.39	0.67	3	Vertical	26	2.13	41.94	33.10	4.91	37.34
PK	5.326G	111.05	Inf	-Inf	0.67	3	Vertical	26	2.13	110.38	33.10	4.90	37.33
PK	5.366G	56.08	74.00	-17.92	0.64	3	Vertical	26	2.13	55.44	33.07	4.91	37.34

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3266G	97.69	Inf	-Inf	0.67	3	Horizontal	9	1.77	97.02	33.10	4.90	37.33
AV	5.3534G	43.44	54.00	-10.56	0.66	3	Horizontal	9	1.77	42.78	33.09	4.91	37.34
PK	5.3226G	110.63	Inf	-Inf	0.67	3	Horizontal	9	1.77	109.96	33.10	4.90	37.33
PK	5.3574G	56.52	74.00	-17.48	0.66	3	Horizontal	9	1.77	55.86	33.09	4.91	37.34


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	94.54	Inf	-Inf	0.66	3	Vertical	26	2.27	93.88	33.10	4.89	37.33
AV	5.35G	43.26	54.00	-10.74	0.67	3	Vertical	26	2.27	42.59	33.10	4.91	37.34
PK	5.3228G	108.11	Inf	-Inf	0.67	3	Vertical	26	2.27	107.44	33.10	4.90	37.33
PK	5.3572G	56.93	74.00	-17.07	0.66	3	Vertical	26	2.27	56.27	33.09	4.91	37.34

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	94.38	Inf	-Inf	0.66	3	Horizontal	11	1.79	93.72	33.11	4.88	37.33
AV	5.3524G	43.54	54.00	-10.46	0.67	3	Horizontal	11	1.79	42.87	33.10	4.91	37.34
PK	5.3152G	108.29	Inf	-Inf	0.66	3	Horizontal	11	1.79	107.63	33.10	4.89	37.33
PK	5.352G	57.91	74.00	-16.09	0.67	3	Horizontal	11	1.79	57.24	33.10	4.91	37.34


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.28	54.00	-12.72	0.67	3	Vertical	21	1.42	40.61	33.10	4.91	37.34
AV	5.449G	42.07	54.00	-11.93	0.58	3	Vertical	21	1.42	41.49	33.00	4.94	37.36
AV	5.529G	91.69	Inf	-Inf	0.84	3	Vertical	21	1.42	90.85	33.24	4.96	37.36
PK	5.337G	55.22	68.20	-12.98	0.67	3	Vertical	21	1.42	54.55	33.10	4.90	37.33
PK	5.455G	55.27	74.00	-18.73	0.61	3	Vertical	21	1.42	54.66	33.03	4.94	37.36
PK	5.465G	55.64	68.20	-12.56	0.68	3	Vertical	21	1.42	54.96	33.09	4.95	37.36
PK	5.532G	105.20	Inf	-Inf	0.84	3	Vertical	21	1.42	104.36	33.24	4.96	37.36
PK	5.759G	55.58	68.20	-12.62	1.92	3	Vertical	21	1.42	53.66	34.04	5.14	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.28	54.00	-12.72	0.67	3	Horizontal	13	1.85	40.61	33.10	4.91	37.34
AV	5.456G	42.91	54.00	-11.09	0.62	3	Horizontal	13	1.85	42.29	33.04	4.94	37.36
AV	5.495G	91.80	Inf	-Inf	0.85	3	Horizontal	13	1.85	90.95	33.27	4.95	37.37
PK	5.313G	55.22	68.20	-12.98	0.66	3	Horizontal	13	1.85	54.56	33.10	4.89	37.33
PK	5.44G	56.53	74.00	-17.47	0.58	3	Horizontal	13	1.85	55.95	33.00	4.94	37.36
PK	5.47G	56.68	68.20	-11.52	0.71	3	Horizontal	13	1.85	55.97	33.12	4.95	37.36
PK	5.497G	105.13	Inf	-Inf	0.86	3	Horizontal	13	1.85	104.27	33.28	4.95	37.37
PK	5.73G	55.53	68.20	-12.67	1.76	3	Horizontal	13	1.85	53.77	33.92	5.11	37.27


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3502G	43.07	54.00	-10.93	3	Vertical	306	1.76
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.351G	42.98	54.00	-11.02	3	Vertical	307	2.96
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	44.96	54.00	-9.04	3	Vertical	309	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	44.78	54.00	-9.22	3	Vertical	303	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	48.94	54.00	-5.06	3	Vertical	300	1.02
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.46G	42.42	54.00	-11.58	3	Vertical	300	1.72
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	57.30	68.20	-10.90	3	Vertical	306	1.72
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	60.71	68.20	-7.49	3	Vertical	299	1.97
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.453G	44.58	54.00	-9.42	3	Vertical	300	1.88
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.4524G	49.03	54.00	-4.97	3	Vertical	299	1.98

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz_TX	Pass	AV	5.1454G	42.03	54.00	-11.97	3	Vertical	305	1.66
5260MHz_TX	Pass	AV	5.2552G	101.33	Inf	-Inf	3	Vertical	305	1.66
5260MHz_TX	Pass	AV	5.3578G	42.10	54.00	-11.90	3	Vertical	305	1.66
5260MHz_TX	Pass	PK	5.1436G	54.68	74.00	-19.32	3	Vertical	305	1.66
5260MHz_TX	Pass	PK	5.2558G	110.13	Inf	-Inf	3	Vertical	305	1.66
5260MHz_TX	Pass	PK	5.3716G	54.53	74.00	-19.47	3	Vertical	305	1.66
5260MHz_TX	Pass	AV	5.149G	41.95	54.00	-12.05	3	Horizontal	319	1.90
5260MHz_TX	Pass	AV	5.2528G	98.83	Inf	-Inf	3	Horizontal	319	1.90
5260MHz_TX	Pass	AV	5.3806G	41.89	54.00	-12.11	3	Horizontal	319	1.90
5260MHz_TX	Pass	PK	5.1472G	54.07	74.00	-19.93	3	Horizontal	319	1.90
5260MHz_TX	Pass	PK	5.2528G	107.28	Inf	-Inf	3	Horizontal	319	1.90
5260MHz_TX	Pass	PK	5.3638G	54.45	74.00	-19.55	3	Horizontal	319	1.90
5260MHz_TX	Pass	PK	10.52184G	49.29	68.20	-18.91	3	Vertical	161	2.17
5260MHz_TX	Pass	PK	10.51392G	49.34	68.20	-18.86	3	Horizontal	117	2.29
5300MHz_TX	Pass	AV	5.3048G	100.81	Inf	-Inf	3	Vertical	310	2.82
5300MHz_TX	Pass	AV	5.35G	42.49	54.00	-11.51	3	Vertical	310	2.82
5300MHz_TX	Pass	PK	5.3056G	109.85	Inf	-Inf	3	Vertical	310	2.82
5300MHz_TX	Pass	PK	5.3916G	55.12	74.00	-18.88	3	Vertical	310	2.82
5300MHz_TX	Pass	AV	5.2924G	96.66	Inf	-Inf	3	Horizontal	26	1.45
5300MHz_TX	Pass	AV	5.3712G	42.01	54.00	-11.99	3	Horizontal	26	1.45
5300MHz_TX	Pass	PK	5.2976G	105.36	Inf	-Inf	3	Horizontal	26	1.45
5300MHz_TX	Pass	PK	5.3708G	54.38	74.00	-19.62	3	Horizontal	26	1.45
5300MHz_TX	Pass	AV	10.60256G	37.49	54.00	-16.51	3	Vertical	326	1.50
5300MHz_TX	Pass	PK	10.61848G	49.91	74.00	-24.09	3	Vertical	326	1.50
5300MHz_TX	Pass	AV	10.604G	37.49	54.00	-16.51	3	Horizontal	162	1.50
5300MHz_TX	Pass	PK	10.60928G	49.88	74.00	-24.12	3	Horizontal	162	1.50
5320MHz_TX	Pass	AV	5.3152G	100.66	Inf	-Inf	3	Vertical	306	1.76
5320MHz_TX	Pass	AV	5.3502G	43.07	54.00	-10.93	3	Vertical	306	1.76
5320MHz_TX	Pass	PK	5.3158G	109.24	Inf	-Inf	3	Vertical	306	1.76
5320MHz_TX	Pass	PK	5.3512G	55.37	74.00	-18.63	3	Vertical	306	1.76
5320MHz_TX	Pass	AV	5.323G	97.10	Inf	-Inf	3	Horizontal	22	1.31
5320MHz_TX	Pass	AV	5.359G	41.88	54.00	-12.12	3	Horizontal	22	1.31
5320MHz_TX	Pass	PK	5.3176G	105.63	Inf	-Inf	3	Horizontal	22	1.31
5320MHz_TX	Pass	PK	5.353G	54.38	74.00	-19.62	3	Horizontal	22	1.31
5320MHz_TX	Pass	AV	10.65504G	37.56	54.00	-16.44	3	Vertical	139	1.50
5320MHz_TX	Pass	PK	10.65576G	49.70	74.00	-24.30	3	Vertical	139	1.50
5320MHz_TX	Pass	AV	10.65376G	37.56	54.00	-16.44	3	Horizontal	39	1.50
5320MHz_TX	Pass	PK	10.65184G	49.96	74.00	-24.04	3	Horizontal	39	1.50
5500MHz_TX	Pass	AV	5.46G	42.42	54.00	-11.58	3	Vertical	300	1.72
5500MHz_TX	Pass	AV	5.4952G	101.14	Inf	-Inf	3	Vertical	300	1.72
5500MHz_TX	Pass	PK	5.4552G	54.60	74.00	-19.40	3	Vertical	300	1.72
5500MHz_TX	Pass	PK	5.4634G	56.00	68.20	-12.20	3	Vertical	300	1.72
5500MHz_TX	Pass	PK	5.4956G	109.44	Inf	-Inf	3	Vertical	300	1.72
5500MHz_TX	Pass	AV	5.4578G	41.88	54.00	-12.12	3	Horizontal	333	1.50
5500MHz_TX	Pass	AV	5.5046G	99.82	Inf	-Inf	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.4548G	53.86	74.00	-20.14	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.469G	55.12	68.20	-13.08	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.5046G	108.23	Inf	-Inf	3	Horizontal	333	1.50
5500MHz_TX	Pass	AV	10.9924G	36.84	54.00	-17.16	3	Vertical	34	1.34
5500MHz_TX	Pass	PK	10.99768G	48.54	74.00	-25.46	3	Vertical	34	1.34
5500MHz_TX	Pass	AV	10.99216G	36.92	54.00	-17.08	3	Horizontal	292	1.29
5500MHz_TX	Pass	PK	11.00832G	48.97	74.00	-25.03	3	Horizontal	292	1.29
5580MHz_TX	Pass	AV	5.46G	41.97	54.00	-12.03	3	Vertical	302	1.95
5580MHz_TX	Pass	AV	5.5752G	100.58	Inf	-Inf	3	Vertical	302	1.95
5580MHz_TX	Pass	PK	5.46G	54.62	74.00	-19.38	3	Vertical	302	1.95
5580MHz_TX	Pass	PK	5.4696G	54.55	68.20	-13.65	3	Vertical	302	1.95
5580MHz_TX	Pass	PK	5.5854G	108.95	Inf	-Inf	3	Vertical	302	1.95
5580MHz_TX	Pass	PK	5.7282G	54.91	68.20	-13.29	3	Vertical	302	1.95
5580MHz_TX	Pass	AV	5.4588G	41.79	54.00	-12.21	3	Horizontal	335	1.50
5580MHz_TX	Pass	AV	5.5752G	98.59	Inf	-Inf	3	Horizontal	335	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435E

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz_TX	Pass	PK	5.4372G	54.17	74.00	-19.83	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.4696G	53.94	68.20	-14.26	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.5848G	106.98	Inf	-Inf	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.7276G	54.91	68.20	-13.29	3	Horizontal	335	1.50
5580MHz_TX	Pass	AV	11.15576G	37.64	54.00	-16.36	3	Vertical	301	1.50
5580MHz_TX	Pass	PK	11.14824G	49.39	74.00	-24.61	3	Vertical	301	1.50
5580MHz_TX	Pass	AV	11.15784G	37.56	54.00	-16.44	3	Horizontal	330	1.50
5580MHz_TX	Pass	PK	11.15968G	49.18	74.00	-24.82	3	Horizontal	330	1.50
5700MHz_TX	Pass	AV	5.6952G	100.39	Inf	-Inf	3	Vertical	306	1.72
5700MHz_TX	Pass	PK	5.6956G	109.06	Inf	-Inf	3	Vertical	306	1.72
5700MHz_TX	Pass	PK	5.7304G	56.08	68.20	-12.12	3	Vertical	306	1.72
5700MHz_TX	Pass	AV	5.6948G	99.70	Inf	-Inf	3	Horizontal	333	1.00
5700MHz_TX	Pass	PK	5.6948G	108.02	Inf	-Inf	3	Horizontal	333	1.00
5700MHz_TX	Pass	PK	5.7996G	56.30	68.20	-11.90	3	Horizontal	333	1.00
5700MHz_TX	Pass	AV	11.40248G	38.56	54.00	-15.44	3	Vertical	146	1.50
5700MHz_TX	Pass	PK	11.4012G	50.76	74.00	-23.24	3	Vertical	146	1.50
5700MHz_TX	Pass	AV	11.4028G	38.57	54.00	-15.43	3	Horizontal	0	1.47
5700MHz_TX	Pass	PK	11.41688G	50.47	74.00	-23.53	3	Horizontal	0	1.47
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.45G	41.84	54.00	-12.16	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7152G	100.06	Inf	-Inf	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.432G	53.16	74.00	-20.84	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	53.40	68.20	-14.80	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.726G	108.75	Inf	-Inf	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8832G	55.92	68.20	-12.28	3	Vertical	305	1.69
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	41.66	54.00	-12.34	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7152G	98.82	Inf	-Inf	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4296G	55.02	74.00	-18.98	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	53.75	68.20	-14.45	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7152G	107.14	Inf	-Inf	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8916G	56.08	68.20	-12.12	3	Horizontal	339	1.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43656G	38.32	54.00	-15.68	3	Vertical	263	1.46
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.43296G	50.57	74.00	-23.43	3	Vertical	263	1.46
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.43552G	38.32	54.00	-15.68	3	Horizontal	337	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.42232G	49.87	74.00	-24.13	3	Horizontal	337	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz_TX	Pass	AV	5.15G	42.04	54.00	-11.96	3	Vertical	305	1.50
5260MHz_TX	Pass	AV	5.2624G	99.94	Inf	-Inf	3	Vertical	305	1.50
5260MHz_TX	Pass	AV	5.3746G	42.08	54.00	-11.92	3	Vertical	305	1.50
5260MHz_TX	Pass	PK	5.1208G	53.66	74.00	-20.34	3	Vertical	305	1.50
5260MHz_TX	Pass	PK	5.2636G	111.92	Inf	-Inf	3	Vertical	305	1.50
5260MHz_TX	Pass	PK	5.3548G	54.21	74.00	-19.79	3	Vertical	305	1.50
5260MHz_TX	Pass	AV	5.1448G	41.89	54.00	-12.11	3	Horizontal	320	1.94
5260MHz_TX	Pass	AV	5.2516G	98.06	Inf	-Inf	3	Horizontal	320	1.94
5260MHz_TX	Pass	AV	5.3548G	41.83	54.00	-12.17	3	Horizontal	320	1.94
5260MHz_TX	Pass	PK	5.1148G	54.08	74.00	-19.92	3	Horizontal	320	1.94
5260MHz_TX	Pass	PK	5.251G	109.22	Inf	-Inf	3	Horizontal	320	1.94
5260MHz_TX	Pass	PK	5.404G	54.54	74.00	-19.46	3	Horizontal	320	1.94
5260MHz_TX	Pass	PK	10.51032G	48.77	68.20	-19.43	3	Vertical	122	1.50
5260MHz_TX	Pass	PK	10.50736G	49.16	68.20	-19.04	3	Horizontal	137	1.50
5300MHz_TX	Pass	AV	5.3028G	99.46	Inf	-Inf	3	Vertical	310	1.72
5300MHz_TX	Pass	AV	5.3512G	42.42	54.00	-11.58	3	Vertical	310	1.72
5300MHz_TX	Pass	PK	5.3036G	110.51	Inf	-Inf	3	Vertical	310	1.72
5300MHz_TX	Pass	PK	5.3632G	54.66	74.00	-19.34	3	Vertical	310	1.72
5300MHz_TX	Pass	AV	5.2912G	95.94	Inf	-Inf	3	Horizontal	24	1.50
5300MHz_TX	Pass	AV	5.3672G	41.90	54.00	-12.10	3	Horizontal	24	1.50
5300MHz_TX	Pass	PK	5.2908G	106.93	Inf	-Inf	3	Horizontal	24	1.50
5300MHz_TX	Pass	PK	5.3712G	54.73	74.00	-19.27	3	Horizontal	24	1.50
5300MHz_TX	Pass	AV	10.6056G	37.43	54.00	-16.57	3	Vertical	63	1.50
5300MHz_TX	Pass	PK	10.59328G	48.70	68.20	-19.50	3	Vertical	63	1.50
5300MHz_TX	Pass	AV	10.6036G	37.43	54.00	-16.57	3	Horizontal	161	2.67
5300MHz_TX	Pass	PK	10.60088G	49.32	74.00	-24.68	3	Horizontal	161	2.67
5320MHz_TX	Pass	AV	5.3182G	100.13	Inf	-Inf	3	Vertical	307	2.96

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	AV	5.351G	42.98	54.00	-11.02	3	Vertical	307	2.96
5320MHz_TX	Pass	PK	5.3182G	112.00	Inf	-Inf	3	Vertical	307	2.96
5320MHz_TX	Pass	PK	5.3532G	55.07	74.00	-18.93	3	Vertical	307	2.96
5320MHz_TX	Pass	AV	5.3114G	96.24	Inf	-Inf	3	Horizontal	24	1.37
5320MHz_TX	Pass	AV	5.35G	42.02	54.00	-11.98	3	Horizontal	24	1.37
5320MHz_TX	Pass	PK	5.3118G	108.40	Inf	-Inf	3	Horizontal	24	1.37
5320MHz_TX	Pass	PK	5.3508G	54.41	74.00	-19.59	3	Horizontal	24	1.37
5320MHz_TX	Pass	AV	10.65568G	37.63	54.00	-16.37	3	Vertical	257	2.44
5320MHz_TX	Pass	PK	10.64872G	50.17	74.00	-23.83	3	Vertical	257	2.44
5320MHz_TX	Pass	AV	10.63888G	37.57	54.00	-16.43	3	Horizontal	0	1.50
5320MHz_TX	Pass	PK	10.64488G	49.10	74.00	-24.90	3	Horizontal	0	1.50
5500MHz_TX	Pass	AV	5.46G	42.54	54.00	-11.46	3	Vertical	297	1.93
5500MHz_TX	Pass	AV	5.5012G	100.69	Inf	-Inf	3	Vertical	297	1.93
5500MHz_TX	Pass	PK	5.4512G	55.58	74.00	-18.42	3	Vertical	297	1.93
5500MHz_TX	Pass	PK	5.465G	55.33	68.20	-12.87	3	Vertical	297	1.93
5500MHz_TX	Pass	PK	5.5012G	112.25	Inf	-Inf	3	Vertical	297	1.93
5500MHz_TX	Pass	AV	5.4578G	41.92	54.00	-12.08	3	Horizontal	333	1.50
5500MHz_TX	Pass	AV	5.4988G	99.15	Inf	-Inf	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.4528G	53.82	74.00	-20.18	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.4606G	54.44	68.20	-13.76	3	Horizontal	333	1.50
5500MHz_TX	Pass	PK	5.4976G	110.73	Inf	-Inf	3	Horizontal	333	1.50
5500MHz_TX	Pass	AV	10.99384G	36.82	54.00	-17.18	3	Vertical	125	1.50
5500MHz_TX	Pass	PK	11.0184G	49.09	74.00	-24.91	3	Vertical	125	1.50
5500MHz_TX	Pass	AV	10.99272G	36.85	54.00	-17.15	3	Horizontal	195	2.93
5500MHz_TX	Pass	PK	10.99552G	49.32	74.00	-24.68	3	Horizontal	195	2.93
5580MHz_TX	Pass	AV	5.439G	42.01	54.00	-11.99	3	Vertical	301	1.96
5580MHz_TX	Pass	AV	5.5794G	99.64	Inf	-Inf	3	Vertical	301	1.96
5580MHz_TX	Pass	PK	5.4426G	54.49	74.00	-19.51	3	Vertical	301	1.96
5580MHz_TX	Pass	PK	5.4624G	53.14	68.20	-15.06	3	Vertical	301	1.96
5580MHz_TX	Pass	PK	5.5824G	111.46	Inf	-Inf	3	Vertical	301	1.96
5580MHz_TX	Pass	PK	5.7288G	54.54	68.20	-13.66	3	Vertical	301	1.96
5580MHz_TX	Pass	AV	5.457G	41.76	54.00	-12.24	3	Horizontal	335	1.50
5580MHz_TX	Pass	AV	5.5788G	97.60	Inf	-Inf	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.4354G	53.50	74.00	-20.50	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.4672G	53.83	68.20	-14.37	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.5818G	109.50	Inf	-Inf	3	Horizontal	335	1.50
5580MHz_TX	Pass	PK	5.7276G	54.69	68.20	-13.51	3	Horizontal	335	1.50
5580MHz_TX	Pass	AV	11.15584G	37.60	54.00	-16.40	3	Vertical	25	1.50
5580MHz_TX	Pass	PK	11.16128G	49.40	74.00	-24.60	3	Vertical	25	1.50
5580MHz_TX	Pass	AV	11.15408G	37.53	54.00	-16.47	3	Horizontal	119	1.50
5580MHz_TX	Pass	PK	11.16192G	49.54	74.00	-24.46	3	Horizontal	119	1.50
5700MHz_TX	Pass	AV	5.7008G	99.41	Inf	-Inf	3	Vertical	306	1.72
5700MHz_TX	Pass	PK	5.6988G	111.09	Inf	-Inf	3	Vertical	306	1.72
5700MHz_TX	Pass	PK	5.7252G	57.30	68.20	-10.90	3	Vertical	306	1.72
5700MHz_TX	Pass	AV	5.6984G	98.86	Inf	-Inf	3	Horizontal	333	1.01
5700MHz_TX	Pass	PK	5.6976G	110.73	Inf	-Inf	3	Horizontal	333	1.01
5700MHz_TX	Pass	PK	5.7744G	55.93	68.20	-12.27	3	Horizontal	333	1.01
5700MHz_TX	Pass	AV	11.40024G	38.50	54.00	-15.50	3	Vertical	9	1.74
5700MHz_TX	Pass	PK	11.38864G	50.66	74.00	-23.34	3	Vertical	9	1.74
5700MHz_TX	Pass	AV	11.40136G	38.53	54.00	-15.47	3	Horizontal	189	1.50
5700MHz_TX	Pass	PK	11.40416G	49.74	74.00	-24.26	3	Horizontal	189	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	42.08	54.00	-11.92	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7212G	99.91	Inf	-Inf	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4512G	53.66	74.00	-20.34	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4632G	53.93	68.20	-14.27	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7224G	112.76	Inf	-Inf	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9792G	55.76	68.20	-12.44	3	Vertical	303	1.91
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4536G	41.78	54.00	-12.22	3	Horizontal	338	2.03
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7224G	98.29	Inf	-Inf	3	Horizontal	338	2.03
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.438G	53.41	74.00	-20.59	3	Horizontal	338	2.03
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	53.31	68.20	-14.89	3	Horizontal	338	2.03
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.726G	109.02	Inf	-Inf	3	Horizontal	338	2.03



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435E

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9696G	55.59	68.20	-12.61	3	Horizontal	338	2.03
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.42024G	39.89	54.00	-14.11	3	Vertical	141	1.84
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.45464G	49.66	74.00	-24.34	3	Vertical	141	1.84
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.42064G	39.74	54.00	-14.26	3	Horizontal	20	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.45432G	50.05	74.00	-23.95	3	Horizontal	20	1.81
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz_TX	Pass	AV	5.252G	97.03	Inf	-Inf	3	Vertical	301	1.00
5270MHz_TX	Pass	AV	5.3612G	42.24	54.00	-11.76	3	Vertical	301	1.00
5270MHz_TX	Pass	PK	5.2732G	108.55	Inf	-Inf	3	Vertical	301	1.00
5270MHz_TX	Pass	PK	5.3668G	54.36	74.00	-19.64	3	Vertical	301	1.00
5270MHz_TX	Pass	AV	5.2648G	94.19	Inf	-Inf	3	Horizontal	326	1.78
5270MHz_TX	Pass	AV	5.364G	41.92	54.00	-12.08	3	Horizontal	326	1.78
5270MHz_TX	Pass	PK	5.2648G	105.65	Inf	-Inf	3	Horizontal	326	1.78
5270MHz_TX	Pass	PK	5.3648G	54.38	74.00	-19.62	3	Horizontal	326	1.78
5270MHz_TX	Pass	PK	10.5712G	49.35	68.20	-18.85	3	Vertical	315	1.50
5270MHz_TX	Pass	PK	10.5544G	49.42	68.20	-18.78	3	Horizontal	300	1.50
5310MHz_TX	Pass	AV	5.3132G	96.18	Inf	-Inf	3	Vertical	309	1.50
5310MHz_TX	Pass	AV	5.35G	44.96	54.00	-9.04	3	Vertical	309	1.50
5310MHz_TX	Pass	PK	5.2928G	107.39	Inf	-Inf	3	Vertical	309	1.50
5310MHz_TX	Pass	PK	5.3536G	57.49	74.00	-16.51	3	Vertical	309	1.50
5310MHz_TX	Pass	AV	5.3004G	92.96	Inf	-Inf	3	Horizontal	25	1.45
5310MHz_TX	Pass	AV	5.3592G	42.39	54.00	-11.61	3	Horizontal	25	1.45
5310MHz_TX	Pass	PK	5.3004G	104.55	Inf	-Inf	3	Horizontal	25	1.45
5310MHz_TX	Pass	PK	5.3908G	54.37	74.00	-19.63	3	Horizontal	25	1.45
5310MHz_TX	Pass	AV	10.63472G	37.49	54.00	-16.51	3	Vertical	282	1.50
5310MHz_TX	Pass	PK	10.61888G	49.21	74.00	-24.79	3	Vertical	282	1.50
5310MHz_TX	Pass	AV	10.65552G	37.50	54.00	-16.50	3	Horizontal	263	2.59
5310MHz_TX	Pass	PK	10.63088G	49.43	74.00	-24.57	3	Horizontal	263	2.59
5510MHz_TX	Pass	AV	5.4528G	42.52	54.00	-11.48	3	Vertical	299	1.97
5510MHz_TX	Pass	AV	5.492G	97.51	Inf	-Inf	3	Vertical	299	1.97
5510MHz_TX	Pass	PK	5.4408G	54.85	74.00	-19.15	3	Vertical	299	1.97
5510MHz_TX	Pass	PK	5.47G	60.71	68.20	-7.49	3	Vertical	299	1.97
5510MHz_TX	Pass	PK	5.4924G	109.60	Inf	-Inf	3	Vertical	299	1.97
5510MHz_TX	Pass	AV	5.4592G	41.84	54.00	-12.16	3	Horizontal	333	1.50
5510MHz_TX	Pass	AV	5.5084G	95.54	Inf	-Inf	3	Horizontal	333	1.50
5510MHz_TX	Pass	PK	5.4568G	54.08	74.00	-19.92	3	Horizontal	333	1.50
5510MHz_TX	Pass	PK	5.4672G	55.35	68.20	-12.85	3	Horizontal	333	1.50
5510MHz_TX	Pass	PK	5.5084G	107.47	Inf	-Inf	3	Horizontal	333	1.50
5510MHz_TX	Pass	AV	10.99392G	36.81	54.00	-17.19	3	Vertical	46	1.90
5510MHz_TX	Pass	PK	11.03088G	48.61	74.00	-25.39	3	Vertical	46	1.90
5510MHz_TX	Pass	AV	10.99568G	36.79	54.00	-17.21	3	Horizontal	336	1.14
5510MHz_TX	Pass	PK	11.0384G	48.07	74.00	-25.93	3	Horizontal	336	1.14
5550MHz_TX	Pass	AV	5.4524G	42.18	54.00	-11.82	3	Vertical	306	2.02
5550MHz_TX	Pass	AV	5.532G	96.83	Inf	-Inf	3	Vertical	306	2.02
5550MHz_TX	Pass	PK	5.4512G	55.20	74.00	-18.80	3	Vertical	306	2.02
5550MHz_TX	Pass	PK	5.4672G	54.48	68.20	-13.72	3	Vertical	306	2.02
5550MHz_TX	Pass	PK	5.532G	108.16	Inf	-Inf	3	Vertical	306	2.02
5550MHz_TX	Pass	AV	5.4528G	41.88	54.00	-12.12	3	Horizontal	328	1.21
5550MHz_TX	Pass	AV	5.5468G	95.73	Inf	-Inf	3	Horizontal	328	1.21
5550MHz_TX	Pass	PK	5.4572G	53.98	74.00	-20.02	3	Horizontal	328	1.21
5550MHz_TX	Pass	PK	5.4684G	53.98	68.20	-14.22	3	Horizontal	328	1.21
5550MHz_TX	Pass	PK	5.544G	107.56	Inf	-Inf	3	Horizontal	328	1.21
5550MHz_TX	Pass	AV	11.13968G	37.22	54.00	-16.78	3	Vertical	263	2.56
5550MHz_TX	Pass	PK	11.13792G	49.63	74.00	-24.37	3	Vertical	263	2.56
5550MHz_TX	Pass	AV	11.13968G	37.26	54.00	-16.74	3	Horizontal	137	1.50
5550MHz_TX	Pass	PK	11.12416G	49.10	74.00	-24.90	3	Horizontal	137	1.50
5670MHz_TX	Pass	AV	5.6514G	96.65	Inf	-Inf	3	Vertical	301	1.03
5670MHz_TX	Pass	PK	5.6514G	107.85	Inf	-Inf	3	Vertical	301	1.03
5670MHz_TX	Pass	PK	5.8002G	55.40	68.20	-12.80	3	Vertical	301	1.03
5670MHz_TX	Pass	AV	5.652G	96.08	Inf	-Inf	3	Horizontal	337	1.89
5670MHz_TX	Pass	PK	5.6532G	108.43	Inf	-Inf	3	Horizontal	337	1.89
5670MHz_TX	Pass	PK	5.796G	55.13	68.20	-13.07	3	Horizontal	337	1.89

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz_TX	Pass	AV	11.3624G	38.56	54.00	-15.44	3	Vertical	223	1.50
5670MHz_TX	Pass	PK	11.36592G	50.14	74.00	-23.86	3	Vertical	223	1.50
5670MHz_TX	Pass	AV	11.36496G	38.45	54.00	-15.55	3	Horizontal	58	2.37
5670MHz_TX	Pass	PK	11.34848G	50.95	74.00	-23.05	3	Horizontal	58	2.37
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4208G	42.41	54.00	-11.59	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.692G	96.37	Inf	-Inf	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4196G	54.23	74.00	-19.77	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4616G	54.38	68.20	-13.82	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6944G	107.37	Inf	-Inf	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9596G	56.21	68.20	-11.99	3	Vertical	307	1.95
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4196G	41.95	54.00	-12.05	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7088G	95.24	Inf	-Inf	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4148G	53.95	74.00	-20.05	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.464G	53.35	68.20	-14.85	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.71G	106.02	Inf	-Inf	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9884G	55.76	68.20	-12.44	3	Horizontal	333	1.06
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.39968G	38.48	54.00	-15.52	3	Vertical	252	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.408G	50.65	74.00	-23.35	3	Vertical	252	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.40448G	38.49	54.00	-15.51	3	Horizontal	139	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.39408G	50.32	74.00	-23.68	3	Horizontal	139	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.15G	42.36	54.00	-11.64	3	Vertical	303	1.50
5290MHz_TX	Pass	AV	5.272G	93.53	Inf	-Inf	3	Vertical	303	1.50
5290MHz_TX	Pass	AV	5.35G	44.78	54.00	-9.22	3	Vertical	303	1.50
5290MHz_TX	Pass	PK	5.091G	54.03	74.00	-19.97	3	Vertical	303	1.50
5290MHz_TX	Pass	PK	5.273G	105.18	Inf	-Inf	3	Vertical	303	1.50
5290MHz_TX	Pass	PK	5.35G	57.39	74.00	-16.61	3	Vertical	303	1.50
5290MHz_TX	Pass	PK	5.481G	55.92	68.20	-12.28	3	Vertical	303	1.50
5290MHz_TX	Pass	AV	5.145G	42.15	54.00	-11.85	3	Horizontal	327	1.85
5290MHz_TX	Pass	AV	5.265G	91.27	Inf	-Inf	3	Horizontal	327	1.85
5290MHz_TX	Pass	AV	5.364G	43.12	54.00	-10.88	3	Horizontal	327	1.85
5290MHz_TX	Pass	PK	5.132G	54.11	74.00	-19.89	3	Horizontal	327	1.85
5290MHz_TX	Pass	PK	5.265G	102.67	Inf	-Inf	3	Horizontal	327	1.85
5290MHz_TX	Pass	PK	5.35G	55.09	74.00	-18.91	3	Horizontal	327	1.85
5290MHz_TX	Pass	PK	5.482G	54.27	68.20	-13.93	3	Horizontal	327	1.85
5290MHz_TX	Pass	AV	10.63632G	37.62	54.00	-16.38	3	Vertical	257	1.50
5290MHz_TX	Pass	PK	10.644G	49.67	74.00	-24.33	3	Vertical	257	1.50
5290MHz_TX	Pass	AV	10.63952G	37.65	54.00	-16.35	3	Horizontal	39	1.50
5290MHz_TX	Pass	PK	10.65232G	48.96	74.00	-25.04	3	Horizontal	39	1.50
5530MHz_TX	Pass	AV	5.35G	42.14	54.00	-11.86	3	Vertical	300	1.88
5530MHz_TX	Pass	AV	5.453G	44.58	54.00	-9.42	3	Vertical	300	1.88
5530MHz_TX	Pass	AV	5.492G	93.84	Inf	-Inf	3	Vertical	300	1.88
5530MHz_TX	Pass	PK	5.291G	54.50	68.20	-13.70	3	Vertical	300	1.88
5530MHz_TX	Pass	PK	5.452G	55.77	74.00	-18.23	3	Vertical	300	1.88
5530MHz_TX	Pass	PK	5.47G	58.44	68.20	-9.76	3	Vertical	300	1.88
5530MHz_TX	Pass	PK	5.492G	104.77	Inf	-Inf	3	Vertical	300	1.88
5530MHz_TX	Pass	PK	5.731G	55.84	68.20	-12.36	3	Vertical	300	1.88
5530MHz_TX	Pass	AV	5.35G	41.60	54.00	-12.40	3	Horizontal	332	1.50
5530MHz_TX	Pass	AV	5.448G	42.07	54.00	-11.93	3	Horizontal	332	1.50
5530MHz_TX	Pass	AV	5.508G	92.31	Inf	-Inf	3	Horizontal	332	1.50
5530MHz_TX	Pass	PK	5.338G	54.38	68.20	-13.82	3	Horizontal	332	1.50
5530MHz_TX	Pass	PK	5.433G	54.59	74.00	-19.41	3	Horizontal	332	1.50
5530MHz_TX	Pass	PK	5.464G	54.29	68.20	-13.91	3	Horizontal	332	1.50
5530MHz_TX	Pass	PK	5.507G	105.59	Inf	-Inf	3	Horizontal	332	1.50
5530MHz_TX	Pass	PK	5.743G	56.18	68.20	-12.02	3	Horizontal	332	1.50
5530MHz_TX	Pass	AV	11.12688G	37.32	54.00	-16.68	3	Vertical	3	1.50
5530MHz_TX	Pass	PK	11.124G	49.80	74.00	-24.20	3	Vertical	3	1.50
5530MHz_TX	Pass	AV	11.12944G	37.32	54.00	-16.68	3	Horizontal	6	1.06
5530MHz_TX	Pass	PK	11.13232G	48.90	74.00	-25.10	3	Horizontal	6	1.06
5610MHz_TX	Pass	AV	5.452G	42.24	54.00	-11.76	3	Vertical	298	1.89
5610MHz_TX	Pass	AV	5.629G	93.95	Inf	-Inf	3	Vertical	298	1.89
5610MHz_TX	Pass	PK	5.434G	54.13	74.00	-19.87	3	Vertical	298	1.89


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz_TX	Pass	PK	5.469G	53.87	68.20	-14.33	3	Vertical	298	1.89
5610MHz_TX	Pass	PK	5.629G	105.66	Inf	-Inf	3	Vertical	298	1.89
5610MHz_TX	Pass	PK	5.859G	55.87	68.20	-12.33	3	Vertical	298	1.89
5610MHz_TX	Pass	AV	5.457G	41.93	54.00	-12.07	3	Horizontal	336	1.50
5610MHz_TX	Pass	AV	5.572G	91.21	Inf	-Inf	3	Horizontal	336	1.50
5610MHz_TX	Pass	PK	5.429G	54.23	74.00	-19.77	3	Horizontal	336	1.50
5610MHz_TX	Pass	PK	5.469G	54.08	68.20	-14.12	3	Horizontal	336	1.50
5610MHz_TX	Pass	PK	5.572G	102.91	Inf	-Inf	3	Horizontal	336	1.50
5610MHz_TX	Pass	PK	5.816G	55.55	68.20	-12.65	3	Horizontal	336	1.50
5610MHz_TX	Pass	AV	11.27216G	38.09	54.00	-15.91	3	Vertical	92	2.52
5610MHz_TX	Pass	PK	11.26256G	49.52	74.00	-24.48	3	Vertical	92	2.52
5610MHz_TX	Pass	AV	11.27568G	38.10	54.00	-15.90	3	Horizontal	171	2.72
5610MHz_TX	Pass	PK	11.27504G	50.35	74.00	-23.65	3	Horizontal	171	2.72
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4008G	42.13	54.00	-11.87	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6516G	93.44	Inf	-Inf	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4524G	54.85	74.00	-19.15	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	53.20	68.20	-15.00	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6516G	105.42	Inf	-Inf	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9384G	56.08	68.20	-12.12	3	Vertical	298	1.87
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	41.80	54.00	-12.20	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6528G	92.23	Inf	-Inf	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4236G	54.21	74.00	-19.79	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	53.99	68.20	-14.21	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6528G	103.35	Inf	-Inf	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9768G	56.23	68.20	-11.97	3	Horizontal	336	1.97
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.40176G	38.63	54.00	-15.37	3	Vertical	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.30864G	50.75	74.00	-23.25	3	Vertical	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.35664G	38.60	54.00	-15.40	3	Horizontal	88	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.44848G	50.29	74.00	-23.71	3	Horizontal	88	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.15G	48.94	54.00	-5.06	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1924G	92.47	Inf	-Inf	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.4108G	47.90	54.00	-6.10	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1312G	60.51	74.00	-13.49	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1912G	104.09	Inf	-Inf	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4516G	61.04	74.00	-12.96	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4696G	58.66	68.20	-9.54	3	Vertical	300	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1048G	46.93	54.00	-7.07	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.2224G	90.27	Inf	-Inf	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.4228G	45.61	54.00	-8.39	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1228G	59.18	74.00	-14.82	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2056G	102.39	Inf	-Inf	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4084G	57.48	74.00	-16.52	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4696G	56.12	68.20	-12.08	3	Horizontal	321	1.97
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	10.65424G	37.48	54.00	-16.52	3	Vertical	331	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.45776G	49.82	68.20	-18.38	3	Vertical	331	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	10.65424G	37.57	54.00	-16.43	3	Horizontal	136	2.80
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.65232G	49.01	74.00	-24.99	3	Horizontal	136	2.80
5570MHz_TX	Pass	AV	5.4524G	49.03	54.00	-4.97	3	Vertical	299	1.98
5570MHz_TX	Pass	AV	5.492G	91.22	Inf	-Inf	3	Vertical	299	1.98
5570MHz_TX	Pass	PK	5.35G	58.32	74.00	-15.68	3	Vertical	299	1.98
5570MHz_TX	Pass	PK	5.4512G	61.44	74.00	-12.56	3	Vertical	299	1.98
5570MHz_TX	Pass	PK	5.468G	60.49	68.20	-7.71	3	Vertical	299	1.98
5570MHz_TX	Pass	PK	5.492G	103.10	Inf	-Inf	3	Vertical	299	1.98
5570MHz_TX	Pass	PK	5.7284G	60.89	68.20	-7.31	3	Vertical	299	1.98
5570MHz_TX	Pass	AV	5.408G	44.65	54.00	-9.35	3	Horizontal	333	1.50
5570MHz_TX	Pass	AV	5.5088G	89.44	Inf	-Inf	3	Horizontal	333	1.50
5570MHz_TX	Pass	PK	5.3468G	54.20	68.20	-14.00	3	Horizontal	333	1.50
5570MHz_TX	Pass	PK	5.4092G	57.33	74.00	-16.67	3	Horizontal	333	1.50
5570MHz_TX	Pass	PK	5.468G	58.71	68.20	-9.49	3	Horizontal	333	1.50
5570MHz_TX	Pass	PK	5.5088G	102.03	Inf	-Inf	3	Horizontal	333	1.50
5570MHz_TX	Pass	PK	5.7716G	58.11	68.20	-10.09	3	Horizontal	333	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	11.2744G	38.08	54.00	-15.92	3	Vertical	0	1.50
5570MHz_TX	Pass	PK	11.12976G	49.55	74.00	-24.45	3	Vertical	0	1.50
5570MHz_TX	Pass	AV	11.284G	38.06	54.00	-15.94	3	Horizontal	178	1.50
5570MHz_TX	Pass	PK	11.17264G	50.04	74.00	-23.96	3	Horizontal	178	1.50


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX

