



AFC DUT TEST HARNESS REPORT

FCC ID : TOR-O435

Equipment : Wireless Access Point

Brand Name : ARISTA

Model Name : O-435,O-435E

Applicant : Arista Networks, Inc.
5453 Great America Parkway, Santa Clara, CA 95054 USA

Manufacturer : Arista Networks, Inc.
5453 Great America Parkway, Santa Clara, CA 95054 USA

Standard : 47 CFR FCC Part 15.407

The product was received on Oct. 30, 2024, and testing was started from Feb. 10, 2025 and completed on Feb. 13, 2025. We, Sporton International Inc. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.5 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinhua Laboratory, the test report shall not be reproduced except in full.


Approved by: Jackson Tsai

Sporton International Inc. Hsinhua Laboratory
No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

1	General Description	5
1.1	Product Feature of Equipment Under Test	5
1.2	Antenna Information	6
1.3	Table for Multiple Listing	8
1.4	Accessories	8
1.5	Support Equipment	8
1.6	Applicable Standards	9
1.7	Testing Location	9
2	Measurement Environment	10
2.1	AFC DUT General Capabilities Declaration	10
2.2	Test Configuration	11
3	Protocol Test Results	13
3.1	Successful Registration and Spectrum Access Request	13
3.2	Unsuccessful Spectrum Access Request	15
3.3	Successful Spectrum Access Update	16
3.4	Unsuccessful Spectrum Access Update	18
3.5	Unsuccessful Server Validation	20
4	Test Equipment and Calibration Data	21
5	Measurement Uncertainty	22



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Frequency & Channel				
Test Group: Inquired Frequency and Channel - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_40MHz_10626_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_80MHz_10627_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_160MHz_10628_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_320MHz_10715_1	PASS	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1	PASS	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1	PASS	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUUA34_FrequencyChannel_10631_1	PASS	-
AFC capability - Server Validation – Mandatory				
Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Jason Su

Report Producer: Amber Chiu



1 General Description

1.1 Product Feature of Equipment Under Test

O-435, O-435E

Product Feature of Equipment Under Test	
Power Type	From power adapter
EUT Type	☒ Standard Power Access Point with Proxy ☐ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Bandwidth (MHz)	20 / 40 / 80 / 160 / 320
Condition of EUT	☐ Indoor ☒ Outdoor
Professional Installation	☒ Yes ☐ No
Firmware Version	19.0.0-130
Software Version	19.0.0
Hardware Version	01.00
Proxy Firmware Version	N/A (Hosted on Google Cloud)
Proxy Software Version	afcproxy-v0.0.0-21186-g465df01
Proxy Hardware Version	N/A (Hosted on Google Cloud)

Note: The above information was declared by manufacturer.

1.2 Antenna Information

O-435

Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
1	WHAYU	C393-510240-A	PIFA	I-Pex	6G	Radio 2
2	WHAYU	C393-510240-A	PIFA	I-Pex	6G	Radio 2
3	WHAYU	C393-510240-A	PIFA	I-Pex	2.4G+5G+6G	Radio 0
4	WHAYU	C393-510240-A	PIFA	I-Pex	2.4G+5G+6G	Radio 0
5	WHAYU	C393-510240-A	PIFA	I-Pex	2.4G+5G	Radio 1+Radio 2
6	WHAYU	C393-510240-A	PIFA	I-Pex	2.4G+5G	Radio 1+Radio 2
7	WHAYU	C393-510240-A	PIFA	I-Pex	BT	-
8	WHAYU	C393-510240-A	PIFA	I-Pex	GPS	-

Ant.	Port	Gain (dBi)										
		2.4G	UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	BT	GPS
1	1	-	-	-	-	-	5.72	5.17	3.67	4.67	-	-
2	2	-	-	-	-	-	5.85	5.09	4.29	3.84	-	-
3	1	3.1	5.33	5.97	4.41	3.32	5	4.13	4.87	3.99	-	-
4	2	3.26	4.32	4.56	5.26	4.37	4.41	5.15	4.7	3.73	-	-
5	1	2.85	3.69	3.89	4.64	4.83	-	-	-	-	-	-
6	2	2.54	3.35	4.34	5.05	3.83	-	-	-	-	-	-
7	1	-	-	-	-	-	-	-	-	-	6.3	-
8	1	-	-	-	-	-	-	-	-	-	-	2.7

Composite Gain (dBi)											
Ant.		2.4G	UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	
1~2	DG [1SS]	-	-	-	-	-	6.2	6.74	5.04	5.54	
	DG [2SS]	-	-	-	-	-	5.85	5.17	4.29	4.67	
3~4	DG [1SS]	5.22	6.59	6.67	6.55	5.22	6.23	6.48	6.18	5.51	
	DG [2SS]	3.26	5.33	5.97	5.26	4.37	5	5.15	4.87	3.99	
5~6	DG [1SS]	4.24	5.3	4.88	5.54	4.84	-	-	-	-	
	DG [2SS]	2.85	3.69	4.34	5.05	4.83	-	-	-	-	

Note 1: The composite gain is derived as KDB 662911 D03 v01 which was used as directional gain. For more detail information, please refer to the Antenna Pattern Report AP4O0402.

O-435E

Ant.	Brand	Model Name	Antenna Type	Connector	Support	Radio
1	WHAYU	C393-510293-A	Panel	N-type	6G	Radio 2
2	WHAYU	C393-510293-A	Panel	N-type	6G	Radio 2
3	WHAYU	C393-510293-A	Panel	N-type	2.4G+5G+6G	Radio 0
4	WHAYU	C393-510293-A	Panel	N-type	2.4G+5G+6G	Radio 0
5	WHAYU	C393-510293-A	Panel	N-type	2.4G+5G	Radio 1+Radio 2
6	WHAYU	C393-510293-A	Panel	N-type	2.4G+5G	Radio 1+Radio 2
7	WHAYU	C393-510240-A	PIFA	I-Pex	BT	-
8	WHAYU	C393-510240-A	PIFA	I-Pex	GPS	-

Ant.	Port	Gain (dBi)										
		2.4G	UNII-1	UNII-2A	UNII-2C	UNII-3	UNII-5	UNII-6	UNII-7	UNII-8	BT	GPS
1	1	-	-	-	-	-	5.39	3.98	4.51	-	-	-
2	2	-	-	-	-	-	5.98	4.5	5.14	-	-	-
3	1	6.81	5.79	4.86	5.61	5.53	5.95	3.51	4.58	-	-	-
4	2	7.22	4.63	4.62	5.1	4.48	4.99	3.7	4.09	-	-	-
5	1	6.39	4.74	4.75	5.31	4.52	-	-	-	-	-	-
6	2	6.66	4.79	4.45	5.32	5.16	-	-	-	-	-	-
7	1	-	-	-	-	-	-	-	-	-	6.5	-
8	1	-	-	-	-	-	-	-	-	-	-	3.6

Note 2: Directional gain information

	Maximum Output Power	Power Spectral Density
Non-BF	Directional gain = Max.gain + array gain. For power measurements on IEEE 802.11 devices Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \leq 4$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$
BF	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$



Note 3: The EUT has eight antennas.

For 2.4GHz function:

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX) < **Radio 0** >

Ant. 3 (port 1) and Ant. 4 (port 2) could receive simultaneously.

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX) < **Radio 1** >

Ant. 5 (port 1) and Ant. 6 (port 2) could receive simultaneously.

For 5GHz function:

For IEEE 802.11 a/n/ac/ax/be mode(2TX/2RX) < **Radio 0** >

Ant. 3 (port 1) and Ant. 4 (port 2) could receive simultaneously.

For IEEE 802.11 a/n/ac/ax/be mode(2TX/2RX) < **Radio 2** >

Ant. 5 (port 1) and Ant. 6 (port 2) could receive simultaneously

For 6GHz function:

For IEEE 802.11 ax/be mode(2TX/2RX) < **Radio 0** >

Ant. 3 (port 1) and Ant. 4 (port 2) could receive simultaneously.

For IEEE 802.11 ax/be mode(2TX/2RX) < **Radio 2** >

Ant. 1 (port 1) and Ant. 2 (port 2) could receive simultaneously

For BT function:

For IEEE 802.15.1 Bluetooth mode (1TX/1RX)

Ant. 7 (port 1) could transmit/receive.

1.3 Table for Multiple Listing

Model Name	Description
O-435	Wi-Fi Internal Antenna
O-435E	Wi-Fi External Antenna

1.4 Accessories

Accessories				
Pole mount 1	Brand Name	ARISTA	Model Name	M/E KIT ASSY (BRACKET)
Pole mount 2	Brand Name	ARISTA	Model Name	M/E KIT ASSY (Cable ties)

Reminder: Regarding to more detail and other information, please refer to user manual.

1.5 Support Equipment

Support Equipment					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	HP	HSTNN-I42C	-	-
2	WLAN module	QCA	QCNCM865	J9C-QCNCM865	-
3	Notebook	Lenovo	ThinkBook 15 G4 IAP	-	-
4	AP (Master)	ASUS	RT-AX88U	MSQ-RTAXHP00	-
5	Notebook	HP	HSTNN-I42C	-	-



1.6 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.5
- ♦ FCC KDB 987594 D05 v01r01

1.7 Testing Location

Test Lab. : Sporton International Inc. Hsinhua Laboratory				
☒ Hsinhua (TAF: 3785)	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)			
	TEL: 886-3-327-3456		FAX: 886-3-327-0973	
Test site Designation No. TW3785 with FCC.				
Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
RF Conducted	DFS03-HY	Peng Huang	23.1~23.6°C / 54~58%	10/Feb/2025~13/Feb/2025
☐ Wen 33rd.St. (TAF: 3785)	ADD: No.14-1, Ln. 19, Wen 33rd St., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)			
	TEL: 886-3-318-0787		FAX: 886-3-318-0287	
Test site Designation No. TW0008 with FCC.				



2 Measurement Environment

O-435, O-435E


Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.184

2.1 AFC DUT General Capabilities Declaration


Item	Question	Vendor Response
1	AFC DUT Type	Proxy Standard Power AP
2	What is the AFC DUT supports sending an Available Spectrum Inquiry Request type?	Frequency & Channel
3	Does the AFC DUT need to be supplied with BSS configuration parameters?	No
4	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	No
5	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
6	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	-
7	Does the AFC DUT supports 160 MHz channel width operation?	Yes
8	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	-
9	Does the AFC DUT supports 320 MHz channel width operation?	Yes

Note: The above information was declared by manufacturer.

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquired Frequency Range and/or the inquired Channels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or



	availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
21	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
22	AFC DUT Test Harness validates the presence of mandatory registration information
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C

3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: - For SP only operation, AFC DUT does not transmit in the band. - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~B



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. • During the 60 seconds wait time: • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits • For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test



13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: - In the band if the AFC DUT supports only SP operation Or - Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: - For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds - If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: - For SP only operation, AFC DUT does not transmit in the band, - For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. - If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 5 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information



17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 5 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Spectrum Analyzer	R&S	FSP40	100593	9 kHz ~ 40 GHz	11/Mar/2024	10/Mar/2025
SENSE-15407_NII	Sporton	V5.11.23	N/A	N/A	N/A	N/A
WFA-Quick Track-Tool	WI-FI ALLIANCE	2.0.65.184	N/A	N/A	N/A	N/A



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	0.66 dB	Confidence levels of 95%

————THE END————

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Wireless Access Point
DUT Vendor Name	ARISTA
DUT Product Model	O-435

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NoRootCA 10639 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 TLS cipherSuiteENULL 10638 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 StapledOCSPRespExpired 10637 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 OCSPStaplingDisabled 10636 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 ServerCertRevoked 10635 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 MatchSuffixSAN 10634 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 DifferentRootCA 10633 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NonMatchSAN 10632 1 (Unsuccessful server validation)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii),	CT AFC SP AP AFCDRSA31 FrequencyChannel 320MHz 10715 1 (Successful registration and spectrum access request)	PASS

15.407(k)(8)(iv)		
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDUAU34 FrequencyChannel 10631 1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDSAU33 FrequencyChannel 10630 1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT AFC SP AP AFCDUSA32 FrequencyChannel 10629 1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 FrequencyChannel 160MHz 10628 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 FrequencyChannel 80MHz 10627 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 FrequencyChannel 40MHz 10626 1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 FrequencyChannel 20MHz 10625 1 (Successful registration and spectrum access request)	PASS



Test Measurements

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_320MHz_10715_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (7.9 dBm/MHz PSD, 33.0 dBm EIRP) on channel center frequency index 63 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (-3.3 dBm/MHz PSD, 21.8 dBm EIRP) on channel center frequency index 31 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: : CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1 (Unsuccessful spectrum access update)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (23 dBm/MHz PSD, 36.0 dBm EIRP) on channel 37 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1 (Successful spectrum access update)
 TestResult: PASS
 Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (16.6 dBm/MHz PSD, 29.6 dBm EIRP) on channel 37 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1 (Unsuccessful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (8.4 dBm/MHz PSD, 30.4 dBm EIRP) on channel center frequency index 79 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (8.0 dBm/MHz PSD, 30.0 dBm EIRP) on channel center frequency index 15 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (8.2 dBm/MHz PSD, 27.2 dBm EIRP) on channel center frequency index 135 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (8.7 dBm/MHz PSD, 27.7 dBm EIRP) on channel center frequency index 23 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_40MHz_10626_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (17.0 dBm/MHz PSD, 33.0 dBm EIRP) on channel center frequency index 3 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (19.1 dBm/MHz PSD, 35.1 dBm EIRP) on channel center frequency index 131 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_20MHz_10625_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (16.8 dBm/MHz PSD, 29.8 dBm EIRP) on channel 85 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (18.6 dBm/MHz PSD, 31.6 dBm EIRP) on channel 165 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Wireless Access Point
DUT Vendor Name	ARISTA
DUT Product Model	O-435E

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NoRootCA 10639 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 TLSCipherSuiteENULL 10638 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 StapledOCSPRespExpired 10637 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 OCSPStaplingDisabled 10636 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 ServerCertRevoked 10635 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 MatchSuffixSAN 10634 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 DifferentRootCA 10633 1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT AFC ServerValidation AP AFCDUSV35 NonMatchSAN 10632 1 (Unsuccessful server validation)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31 FrequencyChannel 320MHz 10715 1 (Successful registration and spectrum access request)	PASS



15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDUAU34_FrequencyChannel_10631_1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT AFC SP AP AFCDSAU33_FrequencyChannel_10630_1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT AFC SP AP AFCDUSA32_FrequencyChannel_10629_1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_FrequencyChannel_160MHz_10628_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_FrequencyChannel_80MHz_10627_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_FrequencyChannel_40MHz_10626_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT AFC SP AP AFCDRSA31_FrequencyChannel_20MHz_10625_1 (Successful registration and spectrum access request)	PASS

**Test Measurements**

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS



TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_320MHz_10715_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (6.2 dBm/MHz PSD, 31.3 dBm EIRP) on channel center frequency index 63 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (-1.9 dBm/MHz PSD, 23.2 dBm EIRP) on channel center frequency index 31 bandwidth 320.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: : CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1 (Unsuccessful spectrum access update)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (23 dBm/MHz PSD, 36.0 dBm EIRP) on channel 69 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1 (Successful spectrum access update)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (18.3 dBm/MHz PSD, 31.3 dBm EIRP) on channel 69 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1 (Unsuccessful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditons in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1 (Successful registration and spectrum access request)
 TestResult:PASS
 Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (9.0 dBm/MHz PSD, 31.0 dBm EIRP) on channel center frequency index 47 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (11.0 dBm/MHz PSD, 33.0 dBm EIRP) on channel center frequency index 15 bandwidth 160.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1 (Successful registration and spectrum access request)

TestResult:PASS

Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (10.8 dBm/MHz PSD, 29.8 dBm EIRP) on channel center frequency index 135 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (11.2 dBm/MHz PSD, 30.2 dBm EIRP) on channel center frequency index 167 bandwidth 80.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_40MHz_10626_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (11.1 dBm/MHz PSD, 27.1 dBm EIRP) on channel center frequency index 147 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (10.1 dBm/MHz PSD, 26.1 dBm EIRP) on channel center frequency index 83 bandwidth 40.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_20MHz_10625_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT conforms to the conditions in Spectrum Response (14.9 dBm/MHz PSD, 27.9 dBm EIRP) on channel 133 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_1	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT conforms to the conditions in Spectrum Response (9.3 dBm/MHz PSD, 22.3 dBm EIRP) on channel 21 bandwidth 20.	true	PASS
AFC_DUT_CONFORM_ADJACENT_FREQUENCIES_EMISSIONS_LIMITS_2	AFC DUT conforms to not exceed emissions limits in adjacent frequencies	true	PASS

AFC capability - Inquired Frequency and Channel

CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1

```
##### 2025-02-10T07:35:02Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739172892-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 520,
        "verticalUncertainty": 5
      }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      },
      {
        "globalOperatingClass": 133,
        "channelCfi": [
          7,
          23,
          39,
          55,
          71,
          87,
          103,
          119,
          135,
          151,
          167,
          183,

```

```

    }
}

##### 2025-02-10T07:35:02Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 22.0
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 20.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 14.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 21.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 13.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 10.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 19.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 10.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 12.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 22.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 22.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 12.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 16.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 14.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 20.1
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        1,
        5,
        9,
        13,
        33,
        37,
        41,
        45,
        49,
        53,
        57,
        61,
        81,
        85,
        89,
        93
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        35.0,

```

```

        33.5,
        27.0,
        34.0,
        26.1,
        23.5,
        32.5,
        29.2,
        23.7,
        25.0,
        35.0,
        35.0,
        25.2,
        29.8,
        27.4,
        33.1
      ],
    },
    {
      "channelCfi": [
        7,
        39,
        55,
        87
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        33.0,
        29.5,
        29.7,
        31.2
      ]
    }
  ],
  "requestId": "1739172892-0",
  "availabilityExpireTime": "2025-02-11T07:35:02Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-10T07:41:42Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739173280-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          }
        }
      }
    ]
  }
}

```

```

        "elevation": {
          "heightType": "AMSL",
          "height": 520,
          "verticalUncertainty": 5
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ],
        "minDesiredPower": 0
      },
    ],
  },
}

##### 2025-02-10T07:41:42Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 19.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 11.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 11.0
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 15.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 15.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 11.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 21.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 22.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 13.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 11.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 13.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 14.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 21.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,

```

```

        "lowFrequency": 6705
      },
      "maxPsd": 18.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 9.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 17.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 9.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 10.2
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        17,
        21,
        25,
        29,
        65,
        69,
        73,
        77,
        129,
        133,
        137,
        141,
        145,
        149,
        153,
        157,
        161,
        165,
        169,
        173
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        32.8,
        24.5,
        24.0,
        28.5,
        28.6,
        24.0,
        34.2,
        35.0,
        26.3,
        32.4,
        24.7,
        26.1,

```

```
        27.2,  
        34.4,  
        31.4,  
        22.1,  
        30.5,  
        31.6,  
        22.6,  
        23.2  
      ],  
    },  
    {  
      "channelCfi": [  
        23,  
        71,  
        135,  
        151,  
        167  
      ],  
      "globalOperatingClass": 133,  
      "maxEirp": [  
        30.0,  
        30.0,  
        30.7,  
        28.1,  
        28.6  
      ]  
    }  
  ],  
  "requestId": "1739173280-0",  
  "availabilityExpireTime": "2025-02-11T07:41:42Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
{"version": "1.4"}  
}
```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_40MHz_10626_1

```
##### 2025-02-10T07:50:12Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739173802-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 540,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  },
  1
}
}

##### 2025-02-10T07:50:12Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 19.3
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 17.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 15.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 10.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 18.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 16.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 14.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 20.5
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 15.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 17.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 13.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 16.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 9.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 19.9
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        3,
        11,
        51,
        59,
        67,
        75,
        83,
        91
      ],
      "globalOperatingClass": 132,
      "maxEirp": [
        33.0,
        31.6,
        26.7,
        30.3,
        31.2,
        29.9,
        30.7,
        25.8
      ]
    },
    {
      "channelCfi": [
        7,

```

```

        55,
        71,
        87
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        34.6,
        29.7,
        32.9,
        28.8
      ]
    }
  },
  "requestId": "1739173802-0",
  "availabilityExpireTime": "2025-02-11T07:50:12Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
##### 2025-02-10T07:54:51Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739174059-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 540,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 132
          }
        ]
      }
    ]
  }
}

```

```

    {
      "globalOperatingClass": 133,
      "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
      ]
    }
  ],
  "minDesiredPower": 0
}
]
}
}

##### 2025-02-10T07:54:51Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 18.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 19.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 17.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 19.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 8.8
        }
      ]
    }
  ]
}

```

```

    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 21.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 20.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 19.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 19.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 13.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6665,
      "lowFrequency": 6645
    },
    "maxPsd": 21.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 9.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 22.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 13.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 14.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 19.0
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 15.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 21.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 12.8
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        19,
        27,
        35,
        43,
        131,
        139,
        147,
        155,
        163,
        171
      ],
      "globalOperatingClass": 132,
      "maxEirp": [
        34.5,
        33.2,
        24.8,
        36.0,
        35.1,
        29.1,
        25.2,
        29.0,
        31.6,
        28.8
      ]
    },
    {
      "channelCfi": [
        23,
        39,
        135,
        151,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        36.0,
        27.8,
        32.1,
        28.2,
        31.8
      ]
    }
  ],
  "requestId": "1739174059-0",
  "availabilityExpireTime": "2025-02-11T07:54:51Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1

2025-02-10T07:16:42Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739171792-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 580,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 133
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}
```

2025-02-10T07:16:42Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,

```

```

        "lowFrequency": 5945
      },
      "maxPsd": 19.3
    },
    {
      "frequencyRange": {
        "highFrequency": 5985,
        "lowFrequency": 5965
      },
      "maxPsd": 9.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6005,
        "lowFrequency": 5985
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6025,
        "lowFrequency": 6005
      },
      "maxPsd": 8.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 14.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 12.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 17.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 15.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 8.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 18.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },

```

```

        },
        "maxPsd": 16.4
      },
      {
        "frequencyRange": {
          "highFrequency": 6765,
          "lowFrequency": 6745
        },
        "maxPsd": 19.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6785,
          "lowFrequency": 6765
        },
        "maxPsd": 12.8
      },
      {
        "frequencyRange": {
          "highFrequency": 6805,
          "lowFrequency": 6785
        },
        "maxPsd": 14.4
      },
      {
        "frequencyRange": {
          "highFrequency": 6825,
          "lowFrequency": 6805
        },
        "maxPsd": 9.5
      }
    ],
    "availableChannelInfo": [
      {
        "channelCfi": [
          7,
          55,
          71,
          167
        ],
        "globalOperatingClass": 133,
        "maxEirp": [
          27.1,
          31.4,
          27.1,
          28.5
        ]
      }
    ],
    "requestId": "1739171792-0",
    "availabilityExpireTime": "2025-02-11T07:16:42Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-02-10T07:24:44Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739172274-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [

```

```

    {
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
      "id": "TOR-O435"
    }
  ]
},
"location": {
  "ellipse": {
    "center": {
      "longitude": -122.984157,
      "latitude": 38.425056
    },
    "majorAxis": 20,
    "minorAxis": 20,
    "orientation": 0
  },
  "elevation": {
    "heightType": "AMSL",
    "height": 580,
    "verticalUncertainty": 5
  }
},
"inquiredFrequencyRange": [
  {
    "lowFrequency": 5925,
    "highFrequency": 6425
  },
  {
    "lowFrequency": 6525,
    "highFrequency": 6865
  }
],
"inquiredChannels": [
  {
    "globalOperatingClass": 133
  }
],
"minDesiredPower": 0
}
]
}
}

##### 2025-02-10T07:24:44Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 14.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 12.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 12.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 12.5
        }
      ]
    }
  ]
}

```

```

    "maxPsd": 11.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 13.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 13.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 9.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 21.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 16.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 21.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 11.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 9.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 14.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 10.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6645,
      "lowFrequency": 6625
    },
    "maxPsd": 15.6
  }

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 9.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 17.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 19.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 21.7
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        23,
        39,
        87,
        135,
        151
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        30.8,
        28.7,
        28.7,
        28.9,
        36.0
      ]
    }
  ],
  "requestId": "1739172274-0",
  "availabilityExpireTime": "2025-02-11T07:24:44Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

2025-02-10T08:02:29Z

```

{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {

```

```

    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739174539-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 580,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 133
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}

##### 2025-02-10T08:02:29Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 11.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 8.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          }
        }
      ]
    }
  ]
}

```

```

    "maxPsd": 20.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 16.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 10.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 13.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 16.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 16.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 16.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 15.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 20.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 21.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6605,
      "lowFrequency": 6585
    },
    "maxPsd": 8.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6625,
      "lowFrequency": 6605
    },
    "maxPsd": 18.5
  }

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 20.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 14.1
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        39,
        71,
        87,
        135
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        27.6,
        29.3,
        34.7,
        27.2
      ]
    }
  ],
  "requestId": "1739174539-0",
  "availabilityExpireTime": "2025-02-11T08:02:29Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-10T08:06:58Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739174809-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      }
    }
  }
},

```

```

    "elevation": {
      "heightType": "AMSL",
      "height": 580,
      "verticalUncertainty": 5
    }
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5925,
      "highFrequency": 6425
    },
    {
      "lowFrequency": 6525,
      "highFrequency": 6865
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 133
    }
  ],
  "minDesiredPower": 0
}
]
}
}

##### 2025-02-10T08:06:59Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 20.0
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 15.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 16.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 14.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 19.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 16.2
        }
      ]
    }
  ]
}

```

```

{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": 10.9
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 8.7
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 19.1
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 12.7
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 11.1
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 21.3
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 15.7
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 10.0
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 20.3
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 18.7
},
{
  "frequencyRange": {
    "highFrequency": 6765,
    "lowFrequency": 6745
  },
  "maxPsd": 19.9
},
{

```

```

    "frequencyRange": {
      "highFrequency": 6785,
      "lowFrequency": 6765
    },
    "maxPsd": 20.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6805,
      "lowFrequency": 6785
    },
    "maxPsd": 16.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6825,
      "lowFrequency": 6805
    },
    "maxPsd": 11.1
  }
},
"availableChannelInfo": [
  {
    "channelCfi": [
      7,
      23,
      55,
      151,
      167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
      33.3,
      27.7,
      30.1,
      29.0,
      30.1
    ]
  }
],
"requestId": "1739174809-0",
"availabilityExpireTime": "2025-02-11T08:06:59Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
"version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1

2025-02-10T08:17:44Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739175454-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 160,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 134
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}
```

2025-02-10T08:17:44Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6285,

```

```

        "lowFrequency": 6265
      },
      "maxPsd": 16.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 12.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 13.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 20.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 8.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 18.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 19.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 16.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 18.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645

```

```

        },
        "maxPsd": 10.5
      },
      {
        "frequencyRange": {
          "highFrequency": 6685,
          "lowFrequency": 6665
        },
        "maxPsd": 12.0
      },
      {
        "frequencyRange": {
          "highFrequency": 6705,
          "lowFrequency": 6685
        },
        "maxPsd": 19.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 16.3
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 13.9
      }
    ],
    "availableChannelInfo": [
      {
        "channelCfi": [
          79,
          143
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
          30.4,
          32.5
        ]
      }
    ],
    "requestId": "1739175454-0",
    "availabilityExpireTime": "2025-02-11T08:17:44Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-02-10T08:30:20Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739176197-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ]
  }
}

```

```

    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 160,
        "verticalUncertainty": 5
      }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 134
      }
    ],
    "minDesiredPower": 0
  }
}

##### 2025-02-10T08:30:20Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.9
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 9.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 8.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 14.6
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 14.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 13.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 14.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 13.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 10.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 12.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 20.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 8.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 8.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 17.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 9.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,

```

```
        "lowFrequency": 6245
      },
      "maxPsd": 15.0
    }
  },
  "availableChannelInfo": [
    {
      "channelCfi": [
        15,
        47
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        30.0,
        30.4
      ]
    }
  ],
  "requestId": "1739176197-0",
  "availabilityExpireTime": "2025-02-11T08:30:20Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_320MHz_10715_1

```
##### 2025-02-10T10:18:36Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739182707-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 320,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 137
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}

##### 2025-02-10T10:18:37Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "availableChannelInfo": [],
      "requestId": "1739182707-0",
      "availabilityExpireTime": "2025-02-11T10:18:37Z",
    }
  ]
}
```

```

    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  }
  "version": "1.4"
}
##### 2025-02-10T10:19:54Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739182784-5",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 320,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 137
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}
##### 2025-02-10T10:19:55Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      }
    }
  ]
}

```

```

"availableFrequencyInfo": [
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 7.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 19.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 24.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 19.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 21.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 12.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 15.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 20.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 12.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 16.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 17.4
  },
]

```

```

    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 17.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 16.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 16.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 9.1
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        63
      ],
      "globalOperatingClass": 137,
      "maxEirp": [
        33.0
      ]
    }
  ],
  "requestId": "1739182784-5",
  "availabilityExpireTime": "2025-02-11T10:19:55Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-10T10:31:53Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "599",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739183504-25",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",

```

```

        "id": "TOR-O435"
      }
    ]
  },
  "location": {
    "ellipse": {
      "center": {
        "longitude": -122.984157,
        "latitude": 38.425056
      },
      "majorAxis": 20,
      "minorAxis": 20,
      "orientation": 0
    },
    "elevation": {
      "heightType": "AMSL",
      "height": 320,
      "verticalUncertainty": 5
    }
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5925,
      "highFrequency": 6425
    },
    {
      "lowFrequency": 6525,
      "highFrequency": 6865
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 137
    }
  ],
  "minDesiredPower": 0
}
]
}
}

##### 2025-02-10T10:31:54Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 5.9
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 6.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 3.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 11.0
        }
      ]
    }
  ]
}

```

```

{
  "frequencyRange": {
    "highFrequency": 6045,
    "lowFrequency": 6025
  },
  "maxPsd": -3.3
},
{
  "frequencyRange": {
    "highFrequency": 6065,
    "lowFrequency": 6045
  },
  "maxPsd": 7.8
},
{
  "frequencyRange": {
    "highFrequency": 6085,
    "lowFrequency": 6065
  },
  "maxPsd": -2.5
},
{
  "frequencyRange": {
    "highFrequency": 6105,
    "lowFrequency": 6085
  },
  "maxPsd": 4.3
},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 7.2
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": -1.8
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 9.8
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 5.7
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 3.6
},
{
  "frequencyRange": {
    "highFrequency": 6225,
    "lowFrequency": 6205
  },
  "maxPsd": 10.1
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 1.4
},
{

```

```
    "frequencyRange": {  
      "highFrequency": 6265,  
      "lowFrequency": 6245  
    },  
    "maxPsd": 4.3  
  },  
  "availableChannelInfo": [  
    {  
      "channelCfi": [  
        31  
      ],  
      "globalOperatingClass": 137,  
      "maxEirp": [  
        21.8  
      ]  
    }  
  ],  
  "requestId": "1739183504-25",  
  "availabilityExpireTime": "2025-02-11T10:31:54Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
{"version": "1.4"}  
}
```

CT_AFC_SP_AP_AFCUSA32_FrequencyChannel_10629_1

```
##### 2025-02-10T08:40:33Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739176824-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```



```
    },
    "minDesiredPower": 0
  }
}

##### 2025-02-10T08:40:34Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "availableChannelInfo": [],
      "requestId": "1739176824-0",
      "availabilityExpireTime": "2025-02-11T08:40:34Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1

```
##### 2025-02-10T08:47:45Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739177255-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  }
}

##### 2025-02-10T08:47:45Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 18.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 20.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 11.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 14.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 12.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 17.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 16.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 11.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 19.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 8.3
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        65,
        69,
        73,
        77,
        145,
        149,
        153,
        157
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        25.9,
        31.6,
        33.0,
        24.6,
        27.4,

```

```

        29.6,
        21.8,
        25.8,
        34.5,
        30.8,
        28.0,
        29.1,
        24.8,
        32.6,
        32.8,
        21.3
      ],
    },
    {
      "channelCfi": [
        23,
        39,
        71,
        151
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        30.6,
        27.8,
        34.0,
        27.3
      ]
    }
  ],
  "requestId": "1739177255-0",
  "availabilityExpireTime": "2025-02-11T08:47:45Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
},
{
  "version": "1.4"
}
}

##### 2025-02-10T08:49:58Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739177388-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 520,
        "verticalUncertainty": 5
      }
    }
  }
}

```

```

    }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      },
      {
        "globalOperatingClass": 133,
        "channelCfi": [
          7,
          23,
          39,
          55,
          71,
          87,
          103,
          119,
          135,
          151,
          167,
          183,
          199,
          215
        ]
      }
    ],
    "minDesiredPower": 0
  },
  ]
}
}
}

##### 2025-02-10T08:49:58Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 18.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 20.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 11.6
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 14.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 16.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 8.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 12.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 21.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 17.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 16.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 11.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 19.8
    },
  },

```

```

    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 8.3
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        17,
        21,
        25,
        29,
        33,
        37,
        41,
        45,
        65,
        69,
        73,
        77,
        145,
        149,
        153,
        157
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        25.9,
        31.6,
        33.0,
        24.6,
        27.4,
        29.6,
        21.8,
        25.8,
        34.5,
        30.8,
        28.0,
        29.1,
        24.8,
        32.6,
        32.8,
        21.3
      ]
    },
    {
      "channelCfi": [
        23,
        39,
        71,
        151
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        30.6,
        27.8,
        34.0,
        27.3
      ]
    }
  ],
  "requestId": "1739177388-0",
  "availabilityExpireTime": "2025-02-11T08:49:58Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

```

##### 2025-02-10T08:55:55Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",

```

```

    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739177745-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}

```

2025-02-10T08:55:55Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 18.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 20.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 11.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 14.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 16.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 8.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 12.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6305,
            "lowFrequency": 6285
          },
          "maxPsd": 17.8
        }
      ]
    }
  ]
}
```

```

{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 15.0
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 16.1
},
{
  "frequencyRange": {
    "highFrequency": 6685,
    "lowFrequency": 6665
  },
  "maxPsd": 11.8
},
{
  "frequencyRange": {
    "highFrequency": 6705,
    "lowFrequency": 6685
  },
  "maxPsd": 19.6
},
{
  "frequencyRange": {
    "highFrequency": 6725,
    "lowFrequency": 6705
  },
  "maxPsd": 19.8
},
{
  "frequencyRange": {
    "highFrequency": 6745,
    "lowFrequency": 6725
  },
  "maxPsd": 8.3
}
},
"availableChannelInfo": [
  {
    "channelCfi": [
      17,
      21,
      25,
      29,
      33,
      37,
      41,
      45,
      65,
      69,
      73,
      77,
      145,
      149,
      153,
      157
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
      25.9,
      31.6,
      33.0,
      24.6,
      27.4,
      29.6,
      21.8,
      25.8,
      34.5,
      30.8,
      28.0,
      29.1,
      24.8,

```

```
        32.6,  
        32.8,  
        21.3  
      ],  
    },  
    {  
      "channelCfi": [  
        23,  
        39,  
        71,  
        151  
      ],  
      "globalOperatingClass": 133,  
      "maxEirp": [  
        30.6,  
        27.8,  
        34.0,  
        27.3  
      ],  
    },  
  ],  
  "requestId": "1739177745-0",  
  "availabilityExpireTime": "2025-02-11T08:55:55Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
{"version": "1.4"}  
}
```

CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1

```
##### 2025-02-10T09:15:53Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739178943-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  },
  1
}
}

##### 2025-02-10T09:15:53Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5945,
            "lowFrequency": 5925
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 23
        }
      ]
    }
  ]
}

```

```

},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 23
},
},

```

```

{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6545,
    "lowFrequency": 6525
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6565,
    "lowFrequency": 6545
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 23
},
{

```

```

    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6785,
      "lowFrequency": 6765
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6805,
      "lowFrequency": 6785
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6825,
      "lowFrequency": 6805
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6845,
      "lowFrequency": 6825
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6865,
      "lowFrequency": 6845
    },
    "maxPsd": 23
  }
},
"availableChannelInfo": [
  {
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,

```

[illegible]

```
        36.0,  
        36.0  
      ],  
      {  
        "channelCfi": [  
          7,  
          23,  
          39,  
          55,  
          71,  
          87,  
          135,  
          151,  
          167  
        ],  
        "globalOperatingClass": 133,  
        "maxEirp": [  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0  
        ],  
      }  
    ],  
    "requestId": "1739178943-0",  
    "availabilityExpireTime": "2025-02-11T09:15:53Z",  
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
  }  
  ,  
  "version": "1.4"  
}
```

AFC capability - Inquired Frequency and Channel

CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1

```
##### 2025-02-13T07:08:10Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739430485-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 520,
        "verticalUncertainty": 5
      }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      },
      {
        "globalOperatingClass": 133,
        "channelCfi": [
          7,
          23,
          39,
          55,
          71,
          87,
          103,
          119,
          135,
          151,
          167,
          183,

```

```

199,
215
    ]
  }
  ],
  "minDesiredPower": 0
}
]
}
}
}
##### 2025-02-13T07:08:11Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 14.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 13.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 10.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 14.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6365,
            "lowFrequency": 6345
          },
          "maxPsd": 19.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6385,
            "lowFrequency": 6365
          },
          "maxPsd": 8.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6405,
            "lowFrequency": 6385
          },
          "maxPsd": 11.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6425,
            "lowFrequency": 6405
          },
          "maxPsd": 17.6
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 10.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 14.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 11.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 13.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 19.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 18.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 15.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 13.7
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        33,
        37,
        41,
        45,
        81,
        85,
        89,
        93,
        129,
        133,
        137,
        141,
        161,
        165,
        169,
        173
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        27.0,

```

```

        26.2,
        23.0,
        27.7,
        32.3,
        21.2,
        24.5,
        30.6,
        23.4,
        27.9,
        24.2,
        26.6,
        32.2,
        31.5,
        28.6,
        26.7
    ],
    },
    {
        "channelCfi": [
            39,
            87,
            135,
            167
        ],
        "globalOperatingClass": 133,
        "maxEirp": [
            29.0,
            27.2,
            29.4,
            32.7
        ]
    }
],
"requestId": "1739430485-0",
"availabilityExpireTime": "2025-02-14T07:08:11Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}

##### 2025-02-13T07:12:42Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "User-Agent": "Go-http-client/1.1",
        "Content-Type": "application/json",
        "Accept-Encoding": "gzip",
        "X-Forwarded-For": "35.184.85.234",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "691",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "1739430735-0",
                "deviceDescriptor": {
                    "serialNumber": "Test-AP-O435E-1",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "TOR-O435"
                        }
                    ]
                }
            }
        ],
        "location": {
            "ellipse": {
                "center": {
                    "longitude": -122.984157,
                    "latitude": 38.425056
                },
                "majorAxis": 20,
                "minorAxis": 20,
                "orientation": 0
            }
        }
    }
},

```

```

    "elevation": {
      "heightType": "AMSL",
      "height": 520,
      "verticalUncertainty": 5
    }
  },
  "inquiredFrequencyRange": [
    {
      "lowFrequency": 5925,
      "highFrequency": 6425
    },
    {
      "lowFrequency": 6525,
      "highFrequency": 6865
    }
  ],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 133,
      "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
      ]
    }
  ],
  "minDesiredPower": 0
}
]
}
}

##### 2025-02-13T07:12:43Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 9.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 16.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 17.3
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6025,
        "lowFrequency": 6005
      },
      "maxPsd": 18.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 13.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 9.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 15.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 20.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 20.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 19.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 20.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 9.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,

```

```

        "lowFrequency": 6305
      },
      "maxPsd": 15.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 9.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 19.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 15.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 21.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 13.9
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        1,
        5,
        9,
        13,
        17,
        21,
        25,
        29,
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        145,
        149,
        153,
        157
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        22.1,
        29.5,
        30.3,
        31.7,
        26.3,
        22.3,
        28.0,
        28.7,
        33.1,
        33.1,
        33.0,
        32.5,

```

```
        33.4,  
        22.7,  
        28.8,  
        22.1,  
        32.1,  
        28.5,  
        34.1,  
        26.9  
      ],  
    },  
    {  
      "channelCfi": [  
        7,  
        23,  
        55,  
        71,  
        151  
      ],  
      "globalOperatingClass": 133,  
      "maxEirp": [  
        28.1,  
        28.3,  
        36.0,  
        28.1,  
        32.9  
      ]  
    }  
  ],  
  "requestId": "1739430735-0",  
  "availabilityExpireTime": "2025-02-14T07:12:42Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
{"version": "1.4"}  
}
```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_40MHz_10626_1

2025-02-13T07:25:22Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739431516-4",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 540,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 132
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  },
  1
}
}

##### 2025-02-13T07:25:22Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 9.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 12.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 20.3
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 14.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6205,
            "lowFrequency": 6185
          },
          "maxPsd": 19.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6225,
            "lowFrequency": 6205
          },
          "maxPsd": 8.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6245,
            "lowFrequency": 6225
          },
          "maxPsd": 10.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6265,
            "lowFrequency": 6245
          },
          "maxPsd": 11.8
        },
        {
          "frequencyRange": {
            "highFrequency": 6605,
            "lowFrequency": 6585
          },
          "maxPsd": 10.5
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 10.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 15.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },
      "maxPsd": 8.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6685,
        "lowFrequency": 6665
      },
      "maxPsd": 19.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6705,
        "lowFrequency": 6685
      },
      "maxPsd": 11.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6725,
        "lowFrequency": 6705
      },
      "maxPsd": 19.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6745,
        "lowFrequency": 6725
      },
      "maxPsd": 19.8
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        35,
        43,
        51,
        59,
        131,
        139,
        147,
        155
      ],
      "globalOperatingClass": 132,
      "maxEirp": [
        25.4,
        30.8,
        24.4,
        26.6,
        26.5,
        24.9,
        27.1,
        35.6
      ]
    },
    {
      "channelCfi": [
        39,

```

```

        55,
        135,
        151
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        28.4,
        27.4,
        27.9,
        30.1
      ]
    }
  },
  "requestId": "1739431516-4",
  "availabilityExpireTime": "2025-02-14T07:25:22Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
##### 2025-02-13T07:33:48Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739432010-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 540,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 132
          }
        ]
      }
    ]
  }
}

```

```

    {
      "globalOperatingClass": 133,
      "channelCfi": [
        7,
        23,
        39,
        55,
        71,
        87,
        103,
        119,
        135,
        151,
        167,
        183,
        199,
        215
      ]
    }
  ],
  "minDesiredPower": 0
}
]
}
}

##### 2025-02-13T07:33:49Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.7
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 17.6
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 17.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 16.1
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 15.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 21.6
        }
      ]
    }
  ]
}

```

```

    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 13.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 11.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 9.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 10.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 20.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 17.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 13.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 10.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 19.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6425,
      "lowFrequency": 6405
    },
    "maxPsd": 21.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 16.5
  },
  {
    "frequencyRange": {

```

```

        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 11.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 18.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 18.4
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        3,
        11,
        19,
        27,
        67,
        75,
        83,
        91,
        163,
        171
      ],
      "globalOperatingClass": 132,
      "maxEirp": [
        24.7,
        32.1,
        31.7,
        27.9,
        25.3,
        33.9,
        26.1,
        35.8,
        27.6,
        34.3
      ]
    },
    {
      "channelCfi": [
        7,
        23,
        71,
        87,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        27.7,
        30.9,
        28.3,
        29.1,
        30.6
      ]
    }
  ],
  "requestId": "1739432010-0",
  "availabilityExpireTime": "2025-02-14T07:33:48Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1
##### 2025-02-13T07:46:50Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739432805-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 580,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 133
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}

##### 2025-02-13T07:46:50Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,

```

```

        "lowFrequency": 5945
      },
      "maxPsd": 8.3
    },
    {
      "frequencyRange": {
        "highFrequency": 5985,
        "lowFrequency": 5965
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6005,
        "lowFrequency": 5985
      },
      "maxPsd": 14.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6025,
        "lowFrequency": 6005
      },
      "maxPsd": 18.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6125,
        "lowFrequency": 6105
      },
      "maxPsd": 10.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 21.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 13.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 19.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 13.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 10.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 18.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645
      },

```

```

        },
        "maxPsd": 20.9
      },
      {
        "frequencyRange": {
          "highFrequency": 6685,
          "lowFrequency": 6665
        },
        "maxPsd": 12.5
      },
      {
        "frequencyRange": {
          "highFrequency": 6705,
          "lowFrequency": 6685
        },
        "maxPsd": 19.1
      },
      {
        "frequencyRange": {
          "highFrequency": 6725,
          "lowFrequency": 6705
        },
        "maxPsd": 12.2
      },
      {
        "frequencyRange": {
          "highFrequency": 6745,
          "lowFrequency": 6725
        },
        "maxPsd": 15.6
      }
    ],
    "availableChannelInfo": [
      {
        "channelCfi": [
          7,
          39,
          135,
          151
        ],
        "globalOperatingClass": 133,
        "maxEirp": [
          27.3,
          29.3,
          29.8,
          31.2
        ]
      }
    ],
    "requestId": "1739432805-0",
    "availabilityExpireTime": "2025-02-14T07:46:50Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}

##### 2025-02-13T07:55:11Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "599",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739433306-15",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [

```

```

        {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "TOR-O435"
        }
    ]
},
"location": {
    "ellipse": {
        "center": {
            "longitude": -122.984157,
            "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
    },
    "elevation": {
        "heightType": "AMSL",
        "height": 580,
        "verticalUncertainty": 5
    }
},
"inquiredFrequencyRange": [
    {
        "lowFrequency": 5925,
        "highFrequency": 6425
    },
    {
        "lowFrequency": 6525,
        "highFrequency": 6865
    }
],
"inquiredChannels": [
    {
        "globalOperatingClass": 133
    }
],
"minDesiredPower": 0
}
}
]
}
}

##### 2025-02-13T07:55:12Z #####
{
    "availableSpectrumInquiryResponses": [
        {
            "response": {
                "responseCode": 0,
                "shortDescription": "SUCCESS"
            },
            "availableFrequencyInfo": [
                {
                    "frequencyRange": {
                        "highFrequency": 6045,
                        "lowFrequency": 6025
                    },
                    "maxPsd": 10.5
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6065,
                        "lowFrequency": 6045
                    },
                    "maxPsd": 11.5
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6085,
                        "lowFrequency": 6065
                    },
                    "maxPsd": 13.7
                },
                {
                    "frequencyRange": {
                        "highFrequency": 6105,
                        "lowFrequency": 6085
                    },

```

```

    "maxPsd": 15.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 17.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 11.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 16.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
    "maxPsd": 17.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6285,
      "lowFrequency": 6265
    },
    "maxPsd": 12.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6305,
      "lowFrequency": 6285
    },
    "maxPsd": 19.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6325,
      "lowFrequency": 6305
    },
    "maxPsd": 18.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6345,
      "lowFrequency": 6325
    },
    "maxPsd": 13.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6365,
      "lowFrequency": 6345
    },
    "maxPsd": 12.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6385,
      "lowFrequency": 6365
    },
    "maxPsd": 8.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6405,
      "lowFrequency": 6385
    },
    "maxPsd": 11.7
  }

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 17.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6765,
        "lowFrequency": 6745
      },
      "maxPsd": 19.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6785,
        "lowFrequency": 6765
      },
      "maxPsd": 11.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6805,
        "lowFrequency": 6785
      },
      "maxPsd": 19.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6825,
        "lowFrequency": 6805
      },
      "maxPsd": 13.9
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        23,
        55,
        71,
        87,
        167
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        29.5,
        30.4,
        31.9,
        27.1,
        30.2
      ]
    }
  ],
  "requestId": "1739433306-15",
  "availabilityExpireTime": "2025-02-14T07:55:12Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}

```

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1

```
##### 2025-02-13T08:20:22Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739434816-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 160,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 134
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}

##### 2025-02-13T08:20:22Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,

```

```

        "lowFrequency": 6105
      },
      "maxPsd": 13.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 11.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 14.5
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 14.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 10.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 13.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 11.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 9.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6605,
        "lowFrequency": 6585
      },
      "maxPsd": 11.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6625,
        "lowFrequency": 6605
      },
      "maxPsd": 20.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6645,
        "lowFrequency": 6625
      },
      "maxPsd": 13.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6665,
        "lowFrequency": 6645

```

```

    },
    "maxPsd": 19.6
  },
  {
    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 11.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 21.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 21.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 8.2
  }
},
"availableChannelInfo": [
  {
    "channelCfi": [
      47,
      143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
      31.0,
      30.2
    ]
  }
]
},
"requestId": "1739434816-0",
"availabilityExpireTime": "2025-02-14T08:20:22Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
}

##### 2025-02-13T08:25:46Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739435141-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        }
      }
    ]
  }
}

```

```

    ],
    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 160,
        "verticalUncertainty": 5
      }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 134
      }
    ],
    "minDesiredPower": 0
  }
}

##### 2025-02-13T08:25:47Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 19.6
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 21.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 19.5
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 13.1
        },
        {
          "frequencyRange": {

```

```

        "highFrequency": 6045,
        "lowFrequency": 6025
      },
      "maxPsd": 12.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6065,
        "lowFrequency": 6045
      },
      "maxPsd": 14.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6085,
        "lowFrequency": 6065
      },
      "maxPsd": 11.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6105,
        "lowFrequency": 6085
      },
      "maxPsd": 19.4
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 12.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 20.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 16.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 21.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 13.0
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 9.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 19.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,

```

```
        "lowFrequency": 6405
      },
      "maxPsd": 20.4
    }
  },
  "availableChannelInfo": [
    {
      "channelCfi": [
        15,
        79
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        33.0,
        31.1
      ]
    }
  ],
  "requestId": "1739435141-0",
  "availabilityExpireTime": "2025-02-14T08:25:47Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
{
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_320MHz_10715_1

2025-02-13T09:00:46Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "598",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739437241-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 320,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 137
          }
        ],
        "minDesiredPower": 0
      }
    ]
  }
}
```

2025-02-13T09:00:47Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 6125,

```

```

        "lowFrequency": 6105
      },
      "maxPsd": 15.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6145,
        "lowFrequency": 6125
      },
      "maxPsd": 11.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6165,
        "lowFrequency": 6145
      },
      "maxPsd": 17.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6185,
        "lowFrequency": 6165
      },
      "maxPsd": 6.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6205,
        "lowFrequency": 6185
      },
      "maxPsd": 11.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6225,
        "lowFrequency": 6205
      },
      "maxPsd": 9.8
    },
    {
      "frequencyRange": {
        "highFrequency": 6245,
        "lowFrequency": 6225
      },
      "maxPsd": 21.9
    },
    {
      "frequencyRange": {
        "highFrequency": 6265,
        "lowFrequency": 6245
      },
      "maxPsd": 16.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6285,
        "lowFrequency": 6265
      },
      "maxPsd": 17.6
    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 20.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },

```

```

        },
        "maxPsd": 8.6
    },
    {
        "frequencyRange": {
            "highFrequency": 6365,
            "lowFrequency": 6345
        },
        "maxPsd": 11.0
    },
    {
        "frequencyRange": {
            "highFrequency": 6385,
            "lowFrequency": 6365
        },
        "maxPsd": 17.4
    },
    {
        "frequencyRange": {
            "highFrequency": 6405,
            "lowFrequency": 6385
        },
        "maxPsd": 21.7
    },
    {
        "frequencyRange": {
            "highFrequency": 6425,
            "lowFrequency": 6405
        },
        "maxPsd": 15.8
    }
},
"availableChannelInfo": [
    {
        "channelCfi": [
            63
        ],
        "globalOperatingClass": 137,
        "maxEirp": [
            31.3
        ]
    }
],
"requestId": "1739437241-0",
"availabilityExpireTime": "2025-02-14T09:00:47Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
},
"version": "1.4"
}
##### 2025-02-13T09:05:46Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "User-Agent": "Go-http-client/1.1",
        "Content-Type": "application/json",
        "Accept-Encoding": "gzip",
        "X-Forwarded-For": "35.184.85.234",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "598",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "1739437540-0",
                "deviceDescriptor": {
                    "serialNumber": "Test-AP-O435E-1",
                    "certificationId": [
                        {
                            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
                            "id": "TOR-O435"
                        }
                    ]
                }
            }
        ]
    }
},

```

```

    "location": {
      "ellipse": {
        "center": {
          "longitude": -122.984157,
          "latitude": 38.425056
        },
        "majorAxis": 20,
        "minorAxis": 20,
        "orientation": 0
      },
      "elevation": {
        "heightType": "AMSL",
        "height": 320,
        "verticalUncertainty": 5
      }
    },
    "inquiredFrequencyRange": [
      {
        "lowFrequency": 5925,
        "highFrequency": 6425
      },
      {
        "lowFrequency": 6525,
        "highFrequency": 6865
      }
    ],
    "inquiredChannels": [
      {
        "globalOperatingClass": 137
      }
    ],
    "minDesiredPower": 0
  },
  ]
}

##### 2025-02-13T09:05:46Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 8.1
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": -1.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 6.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 3.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          }
        }
      ]
    }
  ]
}

```

```

    },
    "maxPsd": 4.3
  },
  {
    "frequencyRange": {
      "highFrequency": 6065,
      "lowFrequency": 6045
    },
    "maxPsd": -1.1
  },
  {
    "frequencyRange": {
      "highFrequency": 6085,
      "lowFrequency": 6065
    },
    "maxPsd": 5.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6105,
      "lowFrequency": 6085
    },
    "maxPsd": 5.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6125,
      "lowFrequency": 6105
    },
    "maxPsd": 1.2
  },
  {
    "frequencyRange": {
      "highFrequency": 6145,
      "lowFrequency": 6125
    },
    "maxPsd": 10.8
  },
  {
    "frequencyRange": {
      "highFrequency": 6165,
      "lowFrequency": 6145
    },
    "maxPsd": 10.0
  },
  {
    "frequencyRange": {
      "highFrequency": 6185,
      "lowFrequency": 6165
    },
    "maxPsd": 8.5
  },
  {
    "frequencyRange": {
      "highFrequency": 6205,
      "lowFrequency": 6185
    },
    "maxPsd": 8.4
  },
  {
    "frequencyRange": {
      "highFrequency": 6225,
      "lowFrequency": 6205
    },
    "maxPsd": 13.9
  },
  {
    "frequencyRange": {
      "highFrequency": 6245,
      "lowFrequency": 6225
    },
    "maxPsd": 10.7
  },
  {
    "frequencyRange": {
      "highFrequency": 6265,
      "lowFrequency": 6245
    },
  },

```

```
        "maxPsd": 7.1
      }
    },
    "availableChannelInfo": [
      {
        "channelCfi": [
          31
        ],
        "globalOperatingClass": 137,
        "maxEirp": [
          23.2
        ]
      }
    ],
    "requestId": "1739437540-0",
    "availabilityExpireTime": "2025-02-14T09:05:46Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
  },
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1

```
##### 2025-02-13T08:36:45Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739435799-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```



```
    }
    },
    "minDesiredPower": 0
  }
}

##### 2025-02-13T08:36:45Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [],
      "availableChannelInfo": [],
      "requestId": "1739435799-0",
      "availabilityExpireTime": "2025-02-14T08:36:45Z",
      "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
    }
  ],
  "version": "1.4"
}
```

CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1

```
##### 2025-02-13T08:38:49Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739435923-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  }
}

##### 2025-02-13T08:38:49Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 21.5
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 10.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 10.2
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 9.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6125,
            "lowFrequency": 6105
          },
          "maxPsd": 14.7
        },
        {
          "frequencyRange": {
            "highFrequency": 6145,
            "lowFrequency": 6125
          },
          "maxPsd": 19.4
        },
        {
          "frequencyRange": {
            "highFrequency": 6165,
            "lowFrequency": 6145
          },
          "maxPsd": 16.9
        },
        {
          "frequencyRange": {
            "highFrequency": 6185,
            "lowFrequency": 6165
          },
          "maxPsd": 20.0
        },
        {
          "frequencyRange": {
            "highFrequency": 6285,
            "lowFrequency": 6265
          },
          "maxPsd": 14.0
        }
      ]
    }
  ]
}

```

```

    },
    {
      "frequencyRange": {
        "highFrequency": 6305,
        "lowFrequency": 6285
      },
      "maxPsd": 18.3
    },
    {
      "frequencyRange": {
        "highFrequency": 6325,
        "lowFrequency": 6305
      },
      "maxPsd": 14.7
    },
    {
      "frequencyRange": {
        "highFrequency": 6345,
        "lowFrequency": 6325
      },
      "maxPsd": 10.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6365,
        "lowFrequency": 6345
      },
      "maxPsd": 18.1
    },
    {
      "frequencyRange": {
        "highFrequency": 6385,
        "lowFrequency": 6365
      },
      "maxPsd": 15.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6405,
        "lowFrequency": 6385
      },
      "maxPsd": 9.2
    },
    {
      "frequencyRange": {
        "highFrequency": 6425,
        "lowFrequency": 6405
      },
      "maxPsd": 9.7
    }
  ],
  "availableChannelInfo": [
    {
      "channelCfi": [
        1,
        5,
        9,
        13,
        33,
        37,
        41,
        45,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        34.5,
        23.4,
        23.2,
        22.0,
        27.7,

```

```
        32.4,  
        29.9,  
        33.0,  
        27.0,  
        31.3,  
        27.7,  
        23.1,  
        31.1,  
        28.2,  
        22.2,  
        22.7  
      ],  
    },  
    {  
      "channelCfi": [  
        7,  
        39,  
        71,  
        87  
      ],  
      "globalOperatingClass": 133,  
      "maxEirp": [  
        28.0,  
        33.7,  
        29.1,  
        28.2  
      ]  
    }  
  ],  
  "requestId": "1739435923-0",  
  "availabilityExpireTime": "2025-02-14T08:38:49Z",  
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
},  
{"version": "1.4"}  
}
```

CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1

```
##### 2025-02-13T08:49:46Z #####
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "User-Agent": "Go-http-client/1.1",
    "Content-Type": "application/json",
    "Accept-Encoding": "gzip",
    "X-Forwarded-For": "35.184.85.234",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "691",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "1739436581-0",
        "deviceDescriptor": {
          "serialNumber": "Test-AP-O435E-1",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "TOR-O435"
            }
          ]
        },
        "location": {
          "ellipse": {
            "center": {
              "longitude": -122.984157,
              "latitude": 38.425056
            },
            "majorAxis": 20,
            "minorAxis": 20,
            "orientation": 0
          },
          "elevation": {
            "heightType": "AMSL",
            "height": 520,
            "verticalUncertainty": 5
          }
        },
        "inquiredFrequencyRange": [
          {
            "lowFrequency": 5925,
            "highFrequency": 6425
          },
          {
            "lowFrequency": 6525,
            "highFrequency": 6865
          }
        ],
        "inquiredChannels": [
          {
            "globalOperatingClass": 131
          },
          {
            "globalOperatingClass": 133,
            "channelCfi": [
              7,
              23,
              39,
              55,
              71,
              87,
              103,
              119,
              135,
              151,
              167,
              183,
              199,
              215
            ]
          }
        ]
      }
    ]
  }
}
```

```

    },
    "minDesiredPower": 0
  },
  1
}
}
}

##### 2025-02-13T08:49:47Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableFrequencyInfo": [
        {
          "frequencyRange": {
            "highFrequency": 5945,
            "lowFrequency": 5925
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5965,
            "lowFrequency": 5945
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 5985,
            "lowFrequency": 5965
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6005,
            "lowFrequency": 5985
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6025,
            "lowFrequency": 6005
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6045,
            "lowFrequency": 6025
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6065,
            "lowFrequency": 6045
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6085,
            "lowFrequency": 6065
          },
          "maxPsd": 23
        },
        {
          "frequencyRange": {
            "highFrequency": 6105,
            "lowFrequency": 6085
          },
          "maxPsd": 23
        }
      ]
    }
  ]
}

```

```

},
{
  "frequencyRange": {
    "highFrequency": 6125,
    "lowFrequency": 6105
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6145,
    "lowFrequency": 6125
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6165,
    "lowFrequency": 6145
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6185,
    "lowFrequency": 6165
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6205,
    "lowFrequency": 6185
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6245,
    "lowFrequency": 6225
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6265,
    "lowFrequency": 6245
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6285,
    "lowFrequency": 6265
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6305,
    "lowFrequency": 6285
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6325,
    "lowFrequency": 6305
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6345,
    "lowFrequency": 6325
  },
  "maxPsd": 23
},
},

```

```

{
  "frequencyRange": {
    "highFrequency": 6365,
    "lowFrequency": 6345
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6385,
    "lowFrequency": 6365
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6405,
    "lowFrequency": 6385
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6425,
    "lowFrequency": 6405
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6545,
    "lowFrequency": 6525
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6565,
    "lowFrequency": 6545
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6585,
    "lowFrequency": 6565
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6605,
    "lowFrequency": 6585
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6625,
    "lowFrequency": 6605
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6645,
    "lowFrequency": 6625
  },
  "maxPsd": 23
},
{
  "frequencyRange": {
    "highFrequency": 6665,
    "lowFrequency": 6645
  },
  "maxPsd": 23
},
{

```

```

    "frequencyRange": {
      "highFrequency": 6685,
      "lowFrequency": 6665
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6705,
      "lowFrequency": 6685
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6725,
      "lowFrequency": 6705
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6745,
      "lowFrequency": 6725
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6765,
      "lowFrequency": 6745
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6785,
      "lowFrequency": 6765
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6805,
      "lowFrequency": 6785
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6825,
      "lowFrequency": 6805
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6845,
      "lowFrequency": 6825
    },
    "maxPsd": 23
  },
  {
    "frequencyRange": {
      "highFrequency": 6865,
      "lowFrequency": 6845
    },
    "maxPsd": 23
  }
},
"availableChannelInfo": [
  {
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,

```

[illegible]

```
        36.0,  
        36.0  
      ],  
      {  
        "channelCfi": [  
          7,  
          23,  
          39,  
          55,  
          71,  
          87,  
          135,  
          151,  
          167  
        ],  
        "globalOperatingClass": 133,  
        "maxEirp": [  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0,  
          36.0  
        ],  
      }  
    ],  
    "requestId": "1739436581-0",  
    "availabilityExpireTime": "2025-02-14T08:49:47Z",  
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
  }  
  ,  
  "version": "1.4"  
}
```

AFC capability - Inquired Frequency & Channel

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6375	SP	20	5.85	10.15	16	29.8	Pass	-3.54	2.31	16.8	Pass
6775	SP	20	4.29	10.12	14.41	31.6	Pass	-3.69	0.6	18.6	Pass
5965	SP	40	5.85	11.03	16.88	33	Pass	-5.87	-0.02	17	Pass
6605	SP	40	4.29	10.16	14.45	35.1	Pass	-6.31	-2.02	19.1	Pass
6625	SP	80	4.29	9.85	14.14	27.2	Pass	-9.45	-5.16	8.2	Pass
6065	SP	80	5.85	9.60	15.45	27.7	Pass	-8.69	-2.84	8.7	Pass
6345	SP	160	5.85	10.50	16.35	30.4	Pass	-10.57	-4.72	8.4	Pass
6025	SP	160	5.85	10.62	16.47	30	Pass	-10.81	-4.96	8	Pass
6265	SP	320	5.85	7.02	12.87	33	Pass	-15.80	-9.95	7.9	Pass
6105	SP	320	5.85	8.06	13.91	21.8	Pass	-14.73	-8.88	-3.3	Pass

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6135	SP	20	5.85	7.49	13.34	29.6	Pass	-6.18	-0.33	16.6	Pass

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6135	SP	20	5.85	7.40	13.25	36	Pass	-6.04	-0.19	23	Pass

AFCD.RSA: Successful registration and spectrum access request

CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1


Frequency (MHz): 6375

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6375MHz_TX

10/02/2025





5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6375MHz

10/02/2025





CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_40MHz_10626_1


Frequency (MHz): 5965

5.925-6.425GHz_802.11be EHT40 SP_1TX

AV Power

5965MHz_TX

10/02/2025



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
11.03	11.03

5.925-6.425GHz_802.11be EHT40 SP_1TX


PSD

5965MHz

10/02/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.87	-5.87	-5.87



.CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1


Frequency (MHz): 6625

6.525-6.875GHz_802.11be EHT80 SP_1TX

AV Power

6625MHz_TX

10/02/2025





6.525-6.875GHz_802.11be EHT80 SP_1TX

PSD

6625MHz

10/02/2025





CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1


Frequency (MHz): 6345

5.925-6.425GHz_802.11be EHT160 SP_1TX

AV Power

6345MHz_TX

10/02/2025




5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6345MHz

10/02/2025




Frequency (MHz): 6025

5.925-6.425GHz_802.11be EHT160 SP_1TX

AV Power

6025MHz_TX

10/02/2025




5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6025MHz

10/02/2025



CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_320MHz_10715_1


Frequency (MHz): 6265

5.925-6.425GHz_802.11be EHT320 SP_1TX

AV Power

6265MHz_TX

10/02/2025




5.925-6.425GHz_802.11be EHT320 SP_1TX

PSD

6265MHz

10/02/2025





AFCD.SAU: Successful spectrum access update

CT_AFC_SP_AP_AFCDsau33_FrequencyChannel_10630_1

Bandwidth: 20MHz


Frequency (MHz): 6135

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6135MHz_TX

10/02/2025




5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6135MHz

10/02/2025



AFCD.UAU: Unsuccessful spectrum access update

CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1

Bandwidth: 20MHz


Frequency (MHz): 6135

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6135MHz_TX

10/02/2025




5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6135MHz


10/02/2025



Duty Cycle


Bandwidth: 20 MHz

DC;be20 SP;BWch:20




Bandwidth: 40 MHz

DC;be40 SP;BWch:40




Bandwidth: 80 MHz

DC;be80 SP;BWch:80




Bandwidth: 160 MHz

DC;be160 SP;BWch:160



Bandwidth: 320 MHz

DC;be320 SP;BWch:320



Ch Freq (Hz)	RBW (Hz)	VBW (Hz)	Sweep Time (s)	Total Sample	Sample Time (s)	TX Time (s)	DC
6.265G	8M	8M	51.2m	32001	1.6u	18.7024m	0.365

AFC capability - Inquired Frequency & Channel

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6615	SP	20	5.14	8.70	13.84	27.9	Pass	-4.91	0.23	14.9	Pass
6055	SP	20	5.98	9.15	15.13	22.3	Pass	-4.30	1.68	9.3	Pass
6685	SP	40	5.14	9.00	14.14	27.1	Pass	-7.52	-2.38	11.1	Pass
6365	SP	40	5.98	9.73	15.71	26.1	Pass	-7.12	-1.14	10.1	Pass
6625	SP	80	5.14	8.07	13.21	29.8	Pass	-10.78	-5.64	10.8	Pass
6785	SP	80	5.14	8.05	13.19	30.2	Pass	-11.23	-6.09	11.2	Pass
6185	SP	160	5.98	8.82	14.8	31	Pass	-11.96	-5.98	9	Pass
6025	SP	160	5.98	8.70	14.68	33	Pass	-12.53	-6.55	11	Pass
6265	SP	320	5.98	8.81	14.79	31.3	Pass	-13.96	-7.98	6.2	Pass
6105	SP	320	5.98	9.88	15.86	23.2	Pass	-11.89	-5.91	-1.9	Pass

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6295	SP	20	5.98	10.06	16.04	31.3	Pass	-3.59	2.39	18.3	Pass

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6295	SP	20	5.98	10.03	16.01	36	Pass	-3.57	2.41	23	Pass

AFCD.RSA: Successful registration and spectrum access request

CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1


Frequency (MHz): 6615

6.525-6.875GHz_802.11be EHT20 SP_1TX

AV Power

6615MHz_TX

13/02/2025





6.525-6.875GHz_802.11be EHT20 SP_1TX

PSD

6615MHz

13/02/2025





CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_40MHz_10626_1


Frequency (MHz): 6685

6.525-6.875GHz_802.11be EHT40 SP_1TX

AV Power

6685MHz_TX

13/02/2025





6.525-6.875GHz_802.11be EHT40 SP_1TX

PSD

6685MHz

13/02/2025





.CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_80MHz_10627_1


Frequency (MHz): 6625

6.525-6.875GHz_802.11be EHT80 SP_1TX

AV Power

6625MHz_TX

13/02/2025



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
8.07	8.07

6.525-6.875GHz_802.11be EHT80 SP_1TX


PSD

6625MHz

13/02/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.78	-10.78	-10.78



CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_160MHz_10628_1


Frequency (MHz): 6185

5.925-6.425GHz_802.11be EHT160 SP_1TX

AV Power

6185MHz_TX

13/02/2025




5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6185MHz

13/02/2025




Frequency (MHz): 6025

5.925-6.425GHz_802.11be EHT160 SP_1TX

AV Power

6025MHz_TX

13/02/2025



Sum= Total Power
 PX=Port X


Sum(dBm)	P1(dBm)
8.70	8.70

5.925-6.425GHz_802.11be EHT160 SP_1TX

PSD

6025MHz

13/02/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.53	-12.53	-12.53

CT_AFC_SP_AP_AFCRSA31_FrequencyChannel_320MHz_10715_1


Frequency (MHz): 6265

5.925-6.425GHz_802.11be EHT320 SP_1TX

AV Power

6265MHz_TX

13/02/2025




5.925-6.425GHz_802.11be EHT320 SP_1TX

PSD

6265MHz

13/02/2025





AFCD.SAU: Successful spectrum access update

CT_AFC_SP_AP_AFCDsau33_FrequencyChannel_10630_1

Bandwidth: 20MHz


Frequency (MHz): 6295

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6295MHz_TX

13/02/2025




5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6295MHz

13/02/2025



AFCD.UAU: Unsuccessful spectrum access update

CT_AFC_SP_AP_AFCDUAU34_FrequencyChannel_10631_1

Bandwidth: 20MHz


Frequency (MHz): 6295

5.925-6.425GHz_802.11be EHT20 SP_1TX

AV Power

6295MHz_TX

13/02/2025




5.925-6.425GHz_802.11be EHT20 SP_1TX

PSD

6295MHz

13/02/2025




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.57	-3.57	-3.57

Duty Cycle


Bandwidth: 20 MHz

DC;be20 SP;BWch:20




Bandwidth: 40 MHz

DC;be40 SP;BWch:40




Bandwidth: 80 MHz


DC;be80 SP;BWch:80



Bandwidth: 160 MHz

DC;be160 SP;BWch:160





———THE END———