


Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 8: Transmit (802.11b 1Mbps)(PIFA Antenna) (2412MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	10350	>500	Pass

Figure Channel 1: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	10350	>500	Pass

Figure Channel 1: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	10350	>500	Pass


Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 8: Transmit (802.11b 1Mbps)(PIFA Antenna) (2437MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	10350	>500	Pass

Figure Channel 6: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	10350	>500	Pass

Figure Channel 6: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	10350	>500	Pass


Figure Channel 6: (Chain B)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 8: Transmit (802.11b 1Mbps)(PIFA Antenna) (2462MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	10350	>500	Pass

Figure Channel 11: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	10350	>500	Pass

Figure Channel 11: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	10300	>500	Pass


Figure Channel 11: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 9: Transmit (802.11g 6Mbps)(PIFA Antenna) (2412MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	16600	>500	Pass

Figure Channel 1: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	16550	>500	Pass

Figure Channel 1: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	16550	>500	Pass


Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 9: Transmit (802.11g 6Mbps)(PIFA Antenna) (2437MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	16600	>500	Pass

Figure Channel 6: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	16550	>500	Pass

Figure Channel 6: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	16550	>500	Pass


Figure Channel 6: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 9: Transmit (802.11g 6Mbps)(PIFA Antenna) (2462MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	16550	>500	Pass

Figure Channel 11: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	16550	>500	Pass

Figure Channel 11: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	16550	>500	Pass


Figure Channel 11: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 10: Transmit - 802.11a 6Mbps(PIFA Antenna) (5745MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	16600	>500	Pass

Figure Channel 149: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	16550	>500	Pass

Figure Channel 149: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	16500	>500	Pass


Figure Channel 149: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 10: Transmit - 802.11a 6Mbps(PIFA Antenna) (5785MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	16600	>500	Pass

Figure Channel 157: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	16600	>500	Pass

Figure Channel 157: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	16500	>500	Pass


Figure Channel 157: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 10: Transmit - 802.11a 6Mbps(PIFA Antenna) (5825MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	16550	>500	Pass

Figure Channel 165: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	16550	>500	Pass

Figure Channel 165: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	16550	>500	Pass


Figure Channel 165: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 11: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(PIFA Antenna) (2412MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	17800	>500	Pass

Figure Channel 1: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	17750	>500	Pass

Figure Channel 1: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2412.00	17700	>500	Pass


Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 11: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(PIFA Antenna) (2437MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	17800	>500	Pass

Figure Channel 6: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	17800	>500	Pass

Figure Channel 6: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
6	2437.00	17750	>500	Pass


Figure Channel 6: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 11: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(PIFA Antenna) (2462MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	17750	>500	Pass

Figure Channel 11: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	17750	>500	Pass

Figure Channel 11: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
11	2462.00	17700	>500	Pass


Figure Channel 11: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 12: Transmit - 802.11n-40BW_45Mbps(2.4G Band)(PIFA Antenna) (2422MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2422.00	36900	>500	Pass

Figure Channel 1: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2422.00	37100	>500	Pass

Figure Channel 1: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
1	2422.00	37600	>500	Pass


Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 12: Transmit - 802.11n-40BW_45Mbps(2.4G Band)(PIFA Antenna) (2437MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
4	2437.00	37000	>500	Pass

Figure Channel 4: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
4	2437.00	36900	>500	Pass

Figure Channel 4: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
4	2437.00	36900	>500	Pass


Figure Channel 4: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 12: Transmit - 802.11n-40BW_45Mbps(2.4G Band)(PIFA Antenna) (2452MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
7	2452.00	36700	>500	Pass

Figure Channel 7: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
7	2452.00	37000	>500	Pass

Figure Channel 7: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
7	2452.00	37100	>500	Pass


Figure Channel 7: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 13: Transmit - 802.11n-20BW_21.7Mbps(5G Band)(PIFA Antenna) (5745MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	17800	>500	Pass

Figure Channel 149: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	17700	>500	Pass

Figure Channel 149: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
149	5745.00	17850	>500	Pass


Figure Channel 149: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 13: Transmit - 802.11n-20BW_21.7Mbps(5G Band)(PIFA Antenna) (5785MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	17850	>500	Pass

Figure Channel 157: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	17800	>500	Pass

Figure Channel 157: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
157	5785.00	17750	>500	Pass


Figure Channel 157: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 13: Transmit - 802.11n-20BW_21.7Mbps(5G Band)(PIFA Antenna) (5825MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	17750	>500	Pass

Figure Channel 165: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	17850	>500	Pass

Figure Channel 165: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
165	5825.00	17750	>500	Pass


Figure Channel 165: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 14: Transmit - 802.11n-40BW_45Mbps(5G Band)(PIFA Antenna) (5755MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
151	5755.00	36600	>500	Pass

Figure Channel 151: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
151	5755.00	37000	>500	Pass

Figure Channel 151: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
151	5755.00	36800	>500	Pass


Figure Channel 151: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Occupied Bandwidth Data
 Test Site : No.3 OATS
 Test Mode : Mode 14: Transmit - 802.11n-40BW_45Mbps(5G Band)(PIFA Antenna) (5795MHz)


Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
159	5795.00	36700	>500	Pass

Figure Channel 159: (Chain A)




Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
159	5795.00	36800	>500	Pass

Figure Channel 159: (Chain B)



Channel No.	Frequency (MHz)	Measurement Level (kHz)	Required Limit (kHz)	Result
159	5795.00	36800	>500	Pass

Figure Channel 159: (Chain C)



8. Power Density


8.1. Test Equipment

	Equipment	Manufacturer	Model No./Serial No.	Last Cal.
	Spectrum Analyzer	R&S	FSP40 / 100170	Jun, 2012
	Spectrum Analyzer	Agilent	E4407B / US39440758	Jun, 2012
X	Spectrum Analyzer	Agilent	N9010A / MY48030495	Apr., 2012

Note:

1. All equipments are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.
2. The test instruments marked with "X" are used to measure the final test results.

8.2. Test Setup



8.3. Limits

The transmitted power density averaged over any 1 second interval shall not be greater +8dBm in any 3kHz bandwidth.

8.4. Test Procedure

The EUT was setup according to ANSI C63.4, 2003; tested according to DTS test procedure of Jan. 2012 KDB558074 Section 5.3.2 for compliance to FCC 47CFR 15.247 requirements.

Set RBW= 100 kHz, VBW $\geq$ 300KHz, SPAN to 5-30 % greater than the EBW,

Detector= power average (RMS)

Scale the observed power level to an equivalent value in 3 kHz by adjusting (reducing) the measured power by a bandwidth correction factor (BWCF) where BWCF = 10log (3 kHz/100 kHz = -15.2 dB).

8.5. Uncertainty

± 1.27 dB

8.6. Test Result of Power Density

Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps)(Dipole Antenna) (2412MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
1	2412.00	-7.020	-7.628	-7.099	-2.470	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 1: (Chain A)




Figure Channel 1: (Chain B)





Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps)(Dipole Antenna) (2437MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
6	2437	-6.052	-7.050	-6.273	-1.666	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 6: (Chain A)




Figure Channel 6: (Chain B)





Figure Channel 6: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps)(Dipole Antenna) (2462MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
11	2462	-9.062	-9.486	-8.749	-4.317	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 11: (Chain A)




Figure Channel 11: (Chain B)





Figure Channel 11: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps)(Dipole Antenna) (2412MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
1	2412	-16.979	-17.595	-17.465	-12.567	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 1: (Chain A)




Figure Channel 1: (Chain B)





Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps)(Dipole Antenna) (2437MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
6	2437	-8.334	-9.396	-8.759	-4.037	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 6: (Chain A)




Figure Channel 6: (Chain B)





Figure Channel 6: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps)(Dipole Antenna) (2462MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
11	2462	-16.832	-17.337	-16.799	-12.211	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 11: (Chain A)




Figure Channel 11: (Chain B)





Figure Channel 11: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmit - 802.11a 6Mbps(Dipole Antenna) (5745MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
149	5745	-13.214	-13.939	-13.944	-8.914	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 149: (Chain A)




Figure Channel 149: (Chain B)





Figure Channel 149: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmit - 802.11a 6Mbps(Dipole Antenna) (5785MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
157	5785	-13.427	-13.890	-13.444	-8.811	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 157: (Chain A)




Figure Channel 157: (Chain B)





Figure Channel 157: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmit - 802.11a 6Mbps(Dipole Antenna) (5825MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
165	5825	-13.394	-14.716	-12.990	-8.868	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 165: (Chain A)




Figure Channel 165: (Chain B)





Figure Channel 165: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 4: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(Dipole Antenna) (2412MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
1	2412.00	-16.124	-15.640	-16.599	-11.332	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 1: (Chain A)




Figure Channel 1: (Chain B)





Figure Channel 1: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 4: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(Dipole Antenna) (2437MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
6	2437.00	-8.808	-8.405	-8.411	-3.766	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 6: (Chain A)




Figure Channel 6: (Chain B)





Figure Channel 6: (Chain C)



Product : SpectraGuardR Access Point / Sensor
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 4: Transmit - 802.11n-20BW_21.7Mbps(2.4G Band)(Dipole Antenna) (2462MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain A+B+C Power (dBm)	Limit (dBm)	Result
11	2462.00	-17.070	-16.589	-17.397	-12.235	< 8dBm	Pass

Note: Average Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW) + Chain C(mW))

Figure Channel 11: (Chain A)




Figure Channel 11: (Chain B)




Figure Channel 11: (Chain C)

