



A D T

RF EXPOSURE REPORT (FOR BLUETOOTH)

REPORT NO.: SA110303C19A-2

MODEL NO.: SC900, M1000

FCC ID: TQ2-SC900PDT-BWG

APPLICANT: Shin Chuan Computer Co., Ltd.

ADDRESS: 6F.-2, No.68, Liancheng Rd., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.)

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



A D T

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Sep. 27, 2011



A D T

CERTIFICATION

PRODUCT: Portable Data Terminal

MODEL: SC900, M1000

BRAND: SCC

APPLICANT: Shin Chuan Computer Co., Ltd.

TESTED: May 13 ~ Sep. 21, 2011

TEST SAMPLE: Production Unit

STANDARDS: FCC Part 2 (Section 2.1093)

FCC OET Bulletin 65, Supplement C (01-01)

The above equipment (model: SC900) have been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY : Ivy Lin, **DATE:** Sep. 27, 2011

Ivy Lin / Specialist

APPROVED BY : Gary Chang, **DATE:** Sep. 27, 2011

Gary Chang / Technical Manager

No Evaluation Required if power is below this threshold:

F(GHz)	mW
Low	2.402
High	2.480

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)
Conducted Power	-0.100
EIRP Power	-0.600

***Note:** The antenna is chip antenna with -0.5dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 0.900mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold