

Report No.: TW2503056-01E

Applicant: Eastern Times Technology Co.,Ltd

Product: REDRAGON 3 MODES CONNECTIONS BACKLIGHTING

GAMING KEYBOARD

Model No.: K707SP-RGB-PRO, ET-7227

Trademark: REDRAGON

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C,

Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry Tang

Manager

Dated: June 16, 2025

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: TW2503056-01E Page 2 of 45

Date: 2025-06-16



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

Report No.: TW2503056-01E

Date: 2025-06-16



Test Report Conclusion

Content 1.0 General Details..... 1.1 Test Lab Details.... 1.2 Applicant Details. 4 1.3 Description of EUT 4 1.4 Submitted Sample.... 4 Test Duration. 1.5 5 5 1.6 Test Uncertainty. 1.7 Test By..... 5 List of Measurement Equipment..... 2.0 3.0 7 Technical Details..... 3.1 Summary of Test Results.... 7 3.2 7 Test Standards.... 4.0 EUT Modification. 7 Power Line Conducted Emission Test.... 5.0 8 Schematics of the Test..... 5.1 8 5.2 Test Method and Test Procedure. Configuration of the EUT..... 5.3 5.4 EUT Operating Condition. Conducted Emission Limit. 9 5.5 5.6 Test Result. 6.0 Radiated Emission test.... 12 Test Method and Test Procedure. 6.1 12 6.2 Configuration of the EUT..... 13 6.3 EUT Operation Condition. 13 Radiated Emission Limit. 6.4 13 Test Result.... 6.5 15 7.0 Band Edge 23 7.1 Test Method and Test Procedure. 23 7.2 Radiated Test Setup. 23 7.3 Configuration of the EUT.... 23 7.4 EUT Operating Condition. 23 7.5 Band Edge Limit..... 23 7.6 Band Edge Test Result. 24 8.0 Antenna Requirement 28 20dB bandwidth measurement.... 9.0 29 FCC ID Label..... 10.0 33 Photo of Test Setup and EUT View....

The report refers only to the sample tested and does not apply to the bulk.

11.0

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-06-16



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United States

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town, Dongguan City,

Guangdong, China.

1.3 Description of EUT

Product: REDRAGON 3 MODES CONNECTIONS BACKLIGHTING GAMING

KEYBOARD

Manufacturer: Eastern Times Technology Co.,Ltd

Address: Building D, Nan An Industrial Area, Youganpu Village, Fenggang Town,

Dongguan City, Guangdong, China.

Trademark: REDRAGON

Model Number: K707SP-RGB-PRO

Additional Model Name ET-7227

Rating: Input: DC5V, 800mA or DC3.7V, 250mA

Battery: DC3.7V, 4000mAh Li-ion battery

Hardware Version: 7227-A TX V1

Software Version: 2018

Serial No.: RDK707SP-RGB-PRO24093000758

Operation Frequency: 2403-2480MHz

Channel Number: 16

Channel List (Unit: MHz): 2403, 2424, 2441, 2461, 2414, 2435, 2450, 2470, 2409, 2429, 2455, 2475,

2419, 2445, 2465, 2480

Antenna Designation PCB antenna with gain 2.34dBi maximum (Declared by the Manufacturer)

1.4 Submitted Sample: 2 Samples

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2503056-01E Page 5 of 45

Date: 2025-06-16



1.5 Test Duration

2025-03-04 to 2025-06-16

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty = 3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



2.0 Test Equipment							
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date		
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11		
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11		
LISN	R&S	EZH3-Z5	100253	2024-07-12	2025-07-11		
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2024-07-12	2025-07-11		
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17		
Spectrum	R&S	FSIQ26	100292	2024-07-12	2025-07-11		
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2022-07-18	2025-07-17		
Horn Antenna	R&S	BBHA 9120D	9120D-631	2022-07-18	2025-07-17		
Power meter	Anritsu	ML2487A	6K00003613	2024-07-12	2025-07-11		
Power sensor	Anritsu	MA2491A	32263	2024-07-12	2025-07-11		
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2022-07-18	2025-07-17		
9*6*6 Anechoic			N/A	2022-07-26	2025-07-25		
EMI Test Receiver	RS	ESVB	826156/011	2024-07-12	2025-07-11		
EMI Test Receiver	RS	ESCS 30	834115/006	2024-07-12	2025-07-11		
Spectrum	HP/Agilent	E4407B	MY50441392	2024-07-12	2025-07-11		
Spectrum	RS	FSP	1164.4391.38	2024-07-12	2025-07-11		
RF Cable	Zhengdi	ZT26-NJ-NJ-8M/FA	-	2024-07-12	2025-07-11		
RF Cable	Zhengdi	7m		2024-07-12	2025-07-11		
Pre-Amplifier	Schwarebeck	BBV9743	#218	2024-07-12	2025-07-11		
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2024-07-12	2025-07-11		
LISN	SCHAFFNER	NNB42	00012	2024-07-12	2025-07-11		
ESPI Test Receiver	R&S	ESPI 3	100379	2024-07-12	2025-07-11		
LISN	R&S	EZH3-Z5	100294	2024-07-12	2025-07-11		

2.2 Automation Test Software

For Conducted Emission Test

Name	Version
EZ-EMC	Ver.EMC-CON 3A1.1

For Radiated Emissions

Name	Version	
EMI Test Software BL410-EV18.91	V18.905	
EMI Test Software BL410-EV18.806 High Frequency	V18.06	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 7 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



3.0 Technical Details

3.1 Summary of test results

The EUT has been	n tested accordin	g to the following	specifications:
		A	, 50000

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph 15.207	Conducted Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	Pass	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	Pass	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	Pass	Complies
FCC Part 15.215(c)	20dB bandwidth	Pass	Complies

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


Report No.: TW2503056-01E

Date: 2025-06-16



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

Device	Manufacturer	Model	FCC ID
REDRAGON 3 MODES			
CONNECTIONS	Eastern Times Technology	V707SD DCD DDO ET 7227	TUVET-7227B
BACKLIGHTING	Co.,Ltd	K707SP-RGB-PRO, ET-7227	TUVEI-/22/B
GAMING KEYBOARD			

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 9 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

C. Peripherals

Device	Manufacturer	Model	Rating
Power Supply	Xiaomi	CDQ02ZM	Input: 100-240V~, 50/60Hz, 1.2A;
			Output: DC5V, 3A; DC9V, 3A; DC12V,
			3A; DC15V, 3A; DC20V, 2.25A;

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB μ V)			
(MHz)	Quasi-peak Level	Average Level		
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*		
0.50 ~ 5.00	56.0	46.0		
5.00 ~ 30.00	60.0	50.0		

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

Date: 2025-06-16



A: Conducted Emission on Live Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Charging + Communication by BT

Results: Pass

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.2943	28.15	10.35	38.50	60.40	-21.90	QP	Р
2	0.2943	24.31	10.35	34.66	50.40	-15.74	AVG	Р
3	0.9885	30.81	10.50	41.31	56.00	-14.69	QP	Р
4	0.9885	19.10	10.50	29.60	46.00	-16.40	AVG	Р
5	2.0298	22.52	11.33	33.85	56.00	-22.15	QP	Р
6	2.0298	11.46	11.33	22.79	46.00	-23.21	AVG	Р
7	24.3018	26.55	15.50	42.05	60.00	-17.95	QP	Р
8	24.3018	18.50	15.50	34.00	50.00	-16.00	AVG	Р

Date: 2025-06-16



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 25°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Charging + Communication by BT

Results: Pass

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.3605	19.16	10.36	29.52	58.72	-29.20	QP	Р
2	0.3605	18.07	10.36	28.43	48.72	-20.29	AVG	Р
3	0.9768	19.15	10.50	29.65	56.00	-26.35	QP	Р
4	0.9768	13.73	10.50	24.23	46.00	-21.77	AVG	Р
5	13.5612	15.09	14.75	29.84	60.00	-30.16	QP	Р
6	13.5612	12.41	14.75	27.16	50.00	-22.84	AVG	Р
7	25.2261	22.17	15.30	37.47	60.00	-22.53	QP	Р
8	25.2261	20.17	15.30	35.47	50.00	-14.53	AVG	Р

Report No.: TW2503056-01E

Date: 2025-06-16



6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 9kHz to 25 GHz was investigated. The frequency spectrum is set as follows:


Frequency	Detector	RBW	VBW	Value
9KHz-150KHz	Quasi-peak	200Hz	600Hz	Quasi-peak
150KHz-30MHz	Quasi-peak	9KHz	30KHz	Quasi-peak
30MHz-1GHz	Quasi-peak	120KHz	300KHz	Quasi-peak
Above 1GHz	Peak	1MHz	3MHz	Peak
ADOVE IGHZ	Peak	1MHz	10Hz	Average

(Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.

- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




Report No.: TW2503056-01E


Date: 2025-06-16



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of the EUT
 Same as section 5.3 of this report
- 6.3 EUT Operating Condition

 Same as section 5.4 of this report.

6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in § 15.209, whichever is the lesser attenuation.

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2503056-01E Page 14 of 45

Date: 2025-06-16



Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field Strength of Harmonics (3m)			
(MHz)	mV/m	dBu	V/m	uV/m	dBuV/m		
2400-2483.5	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)	

Note: 1. RF Field Strength (dBuV) = 20 log RF Voltage (uV)

- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
0.009-0.490	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-80	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. Battery fully charged was used during the test.

Report No.: TW2503056-01E Page 15 of 45

Date: 2025-06-16




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2403MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2403	91.81	-3.57	114.0	-22.19	Peak	159.00	100	Horizontal	Pass
2	2801.550	42.75	-2.70	74.0	-31.25	Peak	47.00	100	Horizontal	Pass
3	3103.224	44.28	-2.19	74.0	-29.72	Peak	359.00	100	Horizontal	Pass
4	3693.827	44.54	-0.25	74.0	-29.46	Peak	295.00	100	Horizontal	Pass
5	4241.940	47.60	1.70	74.0	-26.40	Peak	139.00	100	Horizontal	Pass
6	5890.527	46.76	3.82	74.0	-27.24	Peak	321.00	100	Horizontal	Pass

Report No.: TW2503056-01E Page 16 of 45

Date: 2025-06-16



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2403	81.66	-3.57	114.0	-32.34	Peak	265.00	100	Vertical	Pass
2	2818.545	43.32	-2.69	74.0	-30.68	Peak	179.00	100	Vertical	Pass
3	3069.233	43.73	-2.33	74.0	-30.27	Peak	194.00	100	Vertical	Pass
4	3608.848	43.98	-0.57	74.0	-30.02	Peak	12.00	100	Vertical	Pass
5	4365.159	47.45	1.94	74.0	-26.55	Peak	265.00	100	Vertical	Pass
6	5478.380	45.80	3.87	74.0	-28.20	Peak	265.00	100	Vertical	Pass


Report No.: TW2503056-01E Page 17 of 45

Date: 2025-06-16



Please refer to the following test plots for details: Middle Channel-2441MHz

Horizontal




No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	91.42	-3.57	114.0	-22.58	Peak	138.00	100	Horizontal	Pass
2	2793.052	42.09	-2.71	74.0	-31.91	Peak	256.00	100	Horizontal	Pass
3	3086.228	42.64	-2.26	74.0	-31.36	Peak	324.00	100	Horizontal	Pass
4	3710.822	44.00	-0.17	74.0	-30.00	Peak	5.00	100	Horizontal	Pass
5	4467.133	47.04	2.14	74.0	-26.96	Peak	212.00	100	Horizontal	Pass
6	5410.397	45.41	3.72	74.0	-28.59	Peak	360.00	100	Horizontal	Pass

Report No.: TW2503056-01E Page 18 of 45

Date: 2025-06-16



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2441	81.00	-3.57	114.0	-33.00	Peak	80.00	100	Vertical	Pass
2	2848.288	42.70	-2.68	74.0	-31.30	Peak	339.00	100	Vertical	Pass
3	3111.722	42.58	-2.17	74.0	-31.42	Peak	80.00	100	Vertical	Pass
4	3455.886	43.00	-1.40	74.0	-31.00	Peak	31.00	100	Vertical	Pass
5	4275.931	47.19	1.78	74.0	-26.81	Peak	126.00	100	Vertical	Pass
6	5554.861	45.99	3.92	74.0	-28.01	Peak	173.00	100	Vertical	Pass


Report No.: TW2503056-01E Page 19 of 45

Date: 2025-06-16



Please refer to the following test plots for details: High Channel-2480MHz

Horizontal



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	91.77	-3.57	114.0	-22.23	Peak	170.00	100	Horizontal	Pass
2	2780.305	42.14	-2.75	74.0	-31.86	Peak	347.00	100	Horizontal	Pass
3	3009.748	43.01	-2.60	74.0	-30.99	Peak	211.00	100	Horizontal	Pass
4	3851.037	44.06	0.57	74.0	-29.94	Peak	175.00	100	Horizontal	Pass
5	4275.931	47.06	1.78	74.0	-26.94	Peak	12.00	100	Horizontal	Pass
6	5389.153	45.31	3.68	74.0	-28.69	Peak	247.00	100	Horizontal	Pass


Page 20 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Vertical



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2480	81.94	-3.57	114.0	-32.06	Peak	109.00	100	Vertical	Pass
2	2878.030	42.45	-2.68	74.0	-31.55	Peak	293.00	100	Vertical	Pass
3	3260.435	42.80	-2.06	74.0	-31.20	Peak	309.00	100	Vertical	Pass
4	3868.033	44.57	0.65	74.0	-29.43	Peak	136.00	100	Vertical	Pass
5	4271.682	47.19	1.77	74.0	-26.81	Peak	293.00	100	Vertical	Pass
6	6833.792	50.47	7.26	74.0	-23.53	Peak	37.00	100	Vertical	Pass

Note: (1) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (2) Margin=Emission-Limits
- (3) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (4) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, It is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2503056-01E Page 21 of 45

Date: 2025-06-16




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	44.789	26.95	-6.12	40.0	13.05	Peak	323.00	100	Horizontal	Pass
2	111.460	27.50	-6.04	43.5	16.00	Peak	85.00	100	Horizontal	Pass
3	177.646	28.17	-8.27	43.5	15.33	Peak	265.00	100	Horizontal	Pass
4	288.925	34.62	-4.45	46.0	11.38	Peak	275.00	100	Horizontal	Pass
5	610.642	34.67	1.32	46.0	11.33	Peak	1.00	100	Horizontal	Pass
6	916.358	38.54	5.37	46.0	7.46	Peak	168.00	100	Horizontal	Pass

Report No.: TW2503056-01E Page 22 of 45

Date: 2025-06-16




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



No.	Frequency	Results	Factor	Limit	Margin	Detector	Table	Height	Antenna	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(Degree)	(cm)		
1	56.426	27.35	-5.02	40.0	12.65	Peak	30.00	100	Vertical	Pass
2	109.520	26.48	-5.98	43.5	17.02	Peak	127.00	100	Vertical	Pass
3	198.253	28.15	-7.20	43.5	15.35	Peak	117.00	100	Vertical	Pass
4	295.956	31.27	-3.95	46.0	14.73	Peak	262.00	100	Vertical	Pass
5	517.303	33.17	-0.60	46.0	12.83	Peak	308.00	100	Vertical	Pass
6	953.937	39.02	4.92	46.0	6.98	Peak	1.00	100	Vertical	Pass

Report No.: TW2503056-01E

Date: 2025-06-16




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of the EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Report No.: TW2503056-01E Page 24 of 45

Date: 2025-06-16



7.6 Test Result

7.0 Test Result			
	REDRAGON 3 MODES CONNECTIONS		
Product:	BACKLIGHTING GAMING	Polarity	Horizontal
	KEYBOARD		
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		
FCC Part 15C Class B 1GHz-1	3GHz -2		
			M1



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	2402.772	90.91	-3.57	74.0	16.91	Peak	160.00	100	Horizontal	N/A
2	2400.000	63.88	-3.57	74.0	-10.12	Peak	161.11	100	Horizontal	Pass
2**	2400.000	48.80	-3.57	54.0	-5.20	AV	161.11	100	Horizontal	Pass
3	2390.000	36.43	-3.53	74.0	-37.57	Peak	307.00	100	Horizontal	Pass

Page 25 of 45 Report No.: TW2503056-01E

Date: 2025-06-16




		REDRAGO	N 3 MOD	ES CONNEC	CTIONS					
Product:		uct: BACKLIGHTING GAMING		3	Detector		Vertical			
		KEYBOARD								
Mode		ŀ	Keeping Tr	ansmitting		Test Vol	tage	DC3.7V		
Te	mperature		24 deg. C, Humidity 56% I		56% RH					
Te	est Result:		Pas	SS						
Part 1	LSC Class B 1GHz-18GHz	z -2								
1.021										
9	0-							M1		
8	0-							And the second	<u> </u>	
7	0-							1	'N	
,								N.	N.	
60-						<i></i>	<u> </u>			
0										
	0-									
					M3		M ₁			الماران والماران
5	0-	والمعارض والمناس والمعارض والم	n dalama miliyaddi ma'si ito o	n ster forten hand and hand the state of the	M3	والمساور وال	M/12			N _{aba} llerieries II valet
5	0-	الإنجامة الموسد من المؤمنة في الموسدة المراجعة الموسدة الموسدة الموسدة الموسدة الموسدة الموسدة الموسدة الموسدة	يركم إماعة بيونا الإمامة	restructura de producto de sido persoa de sido de secución estre altre de secución estre altre de secución est		Markana pada da pandis pla	Magazini da			A hadrania de la comoción de la como
5		tagki,Reus na Alisik ke ke hasiak pasterak	المراجعة الانتهامة المراجعة ا	ન સ્કૂલ . પ્રયુપ્ત તાલું કરતી _{સ્} ત્રા સ્ક્રેશન તે કહ્યાં કરોને તાલે . તે કહ્યાં કરોને તાલે . તો અંદ્રેશન		Majorano pod desty, anados _t ila	IVAZ			A haplane graph while
5 4 3		tingda, kipu a-c, aftiriti da ke inkandashi, an steesa	n defende so di puddh so d	r eser, lesta adeata l _{es} molèse de alemente activación de la constanción de la cons		Mahasa Padhidh paddhalla	1/1/2			h birthing of his
3		tieght. Heur a-c, afficiel is de te also, sied, per it eads	a defende acultique faile acuttique de la constitución de la constituc	१९४९ मध्ये कर्ता के स्वयंत्र कर्ता कर्ता कर्ता कर्ता कर्ता करते करते हैं। स्वयंत्र कर्ता कर्ता कर्ता करते करते के स्वयंत्र करते करते के स्वयंत्र करते करते के स्वयंत्र करते करते के स्वयं		other copy of the	1/1/2 -			Abdular add Add
5 4 3 2 1	0-	tagdis, Agas anns Africato de feit abandade escatar de sec	n distribution and the delicated distribution of	rascington de moderno de subsenido de la considera de la consi		Mahayu o o dhahay anadha k	1/1/2			Alabara (d. da)
5 4 3 2 1	0- 	tiephelloware, allewis he kendus de le persona de	and the second second second			other the section of	1/1/2			2
5 4 3 2 1	0-	Results	Factor		ang laja n nga najaga ata _{n p} al-katan na	Detector	Table	Height	ANT	ı
3 2 1	0 - 0 - 0 - 0 - 2370	A Sale Annual Sale of the Sale	- Company of the Comp	The state of the s	Frequency (MHz)	The state of the s	Table (o)	Height (cm)	ANT	ı
3 2 1	o- 0- 0- 0- 2370	Results	Factor	Limit	Frequency (MHz) Over Limit	The state of the s		_	ANT Vertical	ı
5 4 3 2 1 0.	o- 0- 0- 2370 Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Frequency (MHz) Over Limit (dB)	Detector	(o)	(cm)		Verdi
5 4 3 3 2 1 1 0.0 No.	0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0- 0	Results (dBuV/m) 80.77	Factor (dB) -3.57	Limit (dBuV/m) 74.0	Frequency (MHz) Over Limit (dB) 6.77	Detector Peak	(o) 267.00	(cm)	Vertical	Verdi N/A Pass Pass

Report No.: TW2503056-01E Page 26 of 45

Date: 2025-06-16



Product:	REDRAGON 3 MODES CONNECTIONS BACKLIGHTING GAMING KEYBOARD	Polarity	Horizontal
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass		



No.	Frequency	Results	Factor	Limit	Over	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	Limit (dB)		(o)	(cm)		
1	2480.182	90.11	-3.57	74.0	16.11	Peak	160.00	100	Horizontal	N/A
2	2483.500	59.85	-3.57	74.0	-14.15	Peak	172.00	100	Horizontal	Pass
2**	2483.500	45.15	-3.57	54.0	-8.85	AV	172.00	100	Horizontal	Pass

Page 27 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Product:			KLIGHTI	ES CONNEC		Detec	tor		Vertical	
			KEYBO							
	Mode Keeping Transmitti					Test Vol			DC3.7V	
	emperature 24 deg. C,			g. C,		Humic	lity		56% RH	
Te	est Result:	et Result: Pass								
	rt 15C Class B 1GHz-18GH: E+2-	z -2								
	90- 80- 70-		M1							
level (dBuV/m)	60	tusus ann discine ann disciple		W2		in and any of the Anaphania	dipara (44 tiligi Assara A seg	aigh bha daga na munadh an dadh an ga mh	internet de l'amphilipée par air	
	30 - 20 - 10 - 2470			2483.	5 Frequency (MHz)					2500
$(\omega/\eta ng\rho)$ lavel No.	50- 40- 30- 20- 10- 2470	Results	Factor	Limit	5 Frequency (MHz)	Detector	Table	Height	ANT	
	30 - 20 - 10 - 2470		Factor (dB)		5 Frequency (MHz)					2500
	50- 40- 30- 20- 10- 2470	Results		Limit	5 Frequency (MHz)		Table	Height		2500

Note: The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: TW2503056-01E Page 28 of 45

Date: 2025-06-16



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna with gain 2.34dBi maximum. It fulfills the requirement of this section.

Test Result: Pass

Report No.: TW2503056-01E

Date: 2025-06-16



Page 29 of 45

9.0 20dB Bandwidth Measurement

Test Configuration



Test Procedure

The transmitter output was connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured by spectrum analyzer with 30kHz RBW and 100kHz VBW.

The 20dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 20dB.

Limit

N/A

Page 30 of 45


Report No.: TW2503056-01E

Date: 2025-06-16



Test Result

	REDRAGON 3 MODES		
Product:	CONNECTIONS BACKLIGHTING	Test Mode:	Keep transmitting
	GAMING KEYBOARD		
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass	Detector	PK
20dB Bandwidth	2.350MHz		



Date: 16.JUN.2025 14:52:56

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 31 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



	REDRAGON 3 MODES		
Product:	CONNECTIONS BACKLIGHTING	Test Mode:	Keep transmitting
	GAMING KEYBOARD		
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass	Detector	PK
20dB Bandwidth	2.340MHz		



Date: 16.JUN.2025 14:57:17


Page 32 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



	REDRAGON 3 MODES		
Product:	CONNECTIONS BACKLIGHTING	Test Mode:	Keep transmitting
	GAMING KEYBOARD		
Mode	Keeping Transmitting	Test Voltage	DC3.7V
Temperature	24 deg. C,	Humidity	56% RH
Test Result:	Pass	Detector	PK
20dB Bandwidth	2.350MHz		



Date: 16.JUN.2025 15:08:43

Report No.: TW2503056-01E Page 33 of 45

Date: 2025-06-16



10.0 FCC ID Label

FCC ID: TUVET-7227B

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 34 of 45


Report No.: TW2503056-01E

Date: 2025-06-16



11.0 Photo of testing

11.1 Conducted test View




Page 35 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Radiated emission test view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2503056-01E

Date: 2025-06-16



11.2 Photographs – EUT

Outside View-Keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 37 of 45

Report No.: TW2503056-01E

Date: 2025-06-16





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 38 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Outside View-Keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 39 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Inside View-Keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 40 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Inside View-Keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 41 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Inside View-Keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 42 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Inside View-Keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 43 of 45

Report No.: TW2503056-01E

Date: 2025-06-16







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 44 of 45

Report No.: TW2503056-01E

Date: 2025-06-16



Inside View-Keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2503056-01E Page 45 of 45

Date: 2025-06-16



Inside View-Keyboard



-- End of the report--